



December 20, 2024

Brad DalSanto  
GEI Consultants  
1600 Aspen Commons  
Suite 680  
Middleton, WI 53562

RE: Project: 2408314 Cambridge Station Rel  
Pace Project No.: 40289121

Dear Brad DalSanto:

Enclosed are the analytical results for sample(s) received by the laboratory on December 05, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Christopher Hyska  
christopher.hyska@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: Caitlin Graeber, GEI Consultants  
Ken Kytta, GEI Consultants



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 2408314 Cambridge Station Rel  
Pace Project No.: 40289121

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40289121001	CSRWS001	Water	12/04/24 09:23	12/05/24 08:04

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 2408314 Cambridge Station Rel  
Pace Project No.: 40289121

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40289121001	CSRWS001	EPA 8260	EIB	65	PASI-G

---

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

Sample: CSRW5001 Lab ID: 40289121001 Collected: 12/04/24 09:23 Received: 12/05/24 08:04 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/20/24 12:36	71-43-2	H1
Bromobenzene	<0.36	ug/L	1.0	0.36	1		12/20/24 12:36	108-86-1	H1
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		12/20/24 12:36	74-97-5	H1
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		12/20/24 12:36	75-27-4	H1
Bromoform	<0.43	ug/L	1.0	0.43	1		12/20/24 12:36	75-25-2	H1
Bromomethane	<1.2	ug/L	5.0	1.2	1		12/20/24 12:36	74-83-9	H1
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		12/20/24 12:36	104-51-8	H1
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		12/20/24 12:36	135-98-8	H1
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		12/20/24 12:36	98-06-6	H1
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		12/20/24 12:36	56-23-5	H1
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		12/20/24 12:36	108-90-7	H1
Chloroethane	<1.4	ug/L	5.0	1.4	1		12/20/24 12:36	75-00-3	H1
Chloroform	<0.50	ug/L	5.0	0.50	1		12/20/24 12:36	67-66-3	H1
Chloromethane	<1.6	ug/L	5.0	1.6	1		12/20/24 12:36	74-87-3	H1
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/24 12:36	95-49-8	H1
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		12/20/24 12:36	106-43-4	H1
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		12/20/24 12:36	96-12-8	H1
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		12/20/24 12:36	124-48-1	H1
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		12/20/24 12:36	106-93-4	H1
Dibromomethane	<0.99	ug/L	5.0	0.99	1		12/20/24 12:36	74-95-3	H1
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		12/20/24 12:36	95-50-1	H1
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		12/20/24 12:36	541-73-1	H1
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		12/20/24 12:36	106-46-7	H1
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		12/20/24 12:36	75-71-8	H1
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/24 12:36	75-34-3	H1
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		12/20/24 12:36	107-06-2	H1
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		12/20/24 12:36	75-35-4	H1
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		12/20/24 12:36	156-59-2	H1
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		12/20/24 12:36	156-60-5	H1
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		12/20/24 12:36	78-87-5	H1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		12/20/24 12:36	142-28-9	H1
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		12/20/24 12:36	594-20-7	H1
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		12/20/24 12:36	563-58-6	H1
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		12/20/24 12:36	10061-01-5	H1
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		12/20/24 12:36	10061-02-6	H1
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		12/20/24 12:36	108-20-3	H1
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/20/24 12:36	100-41-4	H1
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		12/20/24 12:36	87-68-3	H1
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		12/20/24 12:36	98-82-8	H1
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		12/20/24 12:36	99-87-6	H1
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		12/20/24 12:36	75-09-2	H1
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		12/20/24 12:36	1634-04-4	H1
Naphthalene	<1.9	ug/L	5.0	1.9	1		12/20/24 12:36	91-20-3	H1
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		12/20/24 12:36	103-65-1	H1
Styrene	<0.36	ug/L	1.0	0.36	1		12/20/24 12:36	100-42-5	H1

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

Sample: CSRWS001 Lab ID: 40289121001 Collected: 12/04/24 09:23 Received: 12/05/24 08:04 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		12/20/24 12:36	630-20-6	H1
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		12/20/24 12:36	79-34-5	H1
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		12/20/24 12:36	127-18-4	H1
Toluene	<0.29	ug/L	1.0	0.29	1		12/20/24 12:36	108-88-3	H1
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		12/20/24 12:36	87-61-6	H1
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		12/20/24 12:36	120-82-1	H1
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		12/20/24 12:36	71-55-6	H1
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		12/20/24 12:36	79-00-5	H1
Trichloroethene	<0.32	ug/L	1.0	0.32	1		12/20/24 12:36	79-01-6	H1
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		12/20/24 12:36	75-69-4	H1
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		12/20/24 12:36	96-18-4	H1
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		12/20/24 12:36	95-63-6	H1
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		12/20/24 12:36	108-67-8	H1
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		12/20/24 12:36	75-01-4	H1
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/20/24 12:36	1330-20-7	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/20/24 12:36	179601-23-1	H1
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/20/24 12:36	95-47-6	H1
<b>Surrogates</b>									
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		12/20/24 12:36	2199-69-1	H3
4-Bromofluorobenzene (S)	94	%	70-130		1		12/20/24 12:36	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		12/20/24 12:36	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

QC Batch: 493225

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40289121001

METHOD BLANK: 2823294

Matrix: Water

Associated Lab Samples: 40289121001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	12/20/24 08:51	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	12/20/24 08:51	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	12/20/24 08:51	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	12/20/24 08:51	
1,1-Dichloroethane	ug/L	<0.30	1.0	12/20/24 08:51	
1,1-Dichloroethene	ug/L	<0.58	1.0	12/20/24 08:51	
1,1-Dichloropropene	ug/L	<0.41	1.0	12/20/24 08:51	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	12/20/24 08:51	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	12/20/24 08:51	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	12/20/24 08:51	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	12/20/24 08:51	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	12/20/24 08:51	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	12/20/24 08:51	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	12/20/24 08:51	
1,2-Dichloroethane	ug/L	<0.29	1.0	12/20/24 08:51	
1,2-Dichloropropane	ug/L	<0.45	1.0	12/20/24 08:51	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	12/20/24 08:51	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	12/20/24 08:51	
1,3-Dichloropropane	ug/L	<0.30	1.0	12/20/24 08:51	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	12/20/24 08:51	
2,2-Dichloropropane	ug/L	<0.42	1.0	12/20/24 08:51	
2-Chlorotoluene	ug/L	<0.89	5.0	12/20/24 08:51	
4-Chlorotoluene	ug/L	<0.89	5.0	12/20/24 08:51	
Benzene	ug/L	<0.30	1.0	12/20/24 08:51	
Bromobenzene	ug/L	<0.36	1.0	12/20/24 08:51	
Bromochloromethane	ug/L	<0.36	1.0	12/20/24 08:51	
Bromodichloromethane	ug/L	<0.21	1.0	12/20/24 08:51	
Bromoform	ug/L	<0.43	1.0	12/20/24 08:51	
Bromomethane	ug/L	<1.2	5.0	12/20/24 08:51	
Carbon tetrachloride	ug/L	<0.37	1.0	12/20/24 08:51	
Chlorobenzene	ug/L	<0.86	1.0	12/20/24 08:51	
Chloroethane	ug/L	<1.4	5.0	12/20/24 08:51	
Chloroform	ug/L	<0.50	5.0	12/20/24 08:51	
Chloromethane	ug/L	<1.6	5.0	12/20/24 08:51	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	12/20/24 08:51	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	12/20/24 08:51	
Dibromochloromethane	ug/L	<2.6	5.0	12/20/24 08:51	
Dibromomethane	ug/L	<0.99	5.0	12/20/24 08:51	
Dichlorodifluoromethane	ug/L	<0.46	5.0	12/20/24 08:51	
Diisopropyl ether	ug/L	<1.1	5.0	12/20/24 08:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

METHOD BLANK: 2823294

Matrix: Water

Associated Lab Samples: 40289121001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	12/20/24 08:51	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	12/20/24 08:51	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	12/20/24 08:51	
m&p-Xylene	ug/L	<0.70	2.0	12/20/24 08:51	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	12/20/24 08:51	
Methylene Chloride	ug/L	<0.32	5.0	12/20/24 08:51	
n-Butylbenzene	ug/L	<0.86	1.0	12/20/24 08:51	
n-Propylbenzene	ug/L	<0.35	1.0	12/20/24 08:51	
Naphthalene	ug/L	<1.9	5.0	12/20/24 08:51	
o-Xylene	ug/L	<0.35	1.0	12/20/24 08:51	
p-Isopropyltoluene	ug/L	<1.0	5.0	12/20/24 08:51	
sec-Butylbenzene	ug/L	<0.42	1.0	12/20/24 08:51	
Styrene	ug/L	<0.36	1.0	12/20/24 08:51	
tert-Butylbenzene	ug/L	<0.59	1.0	12/20/24 08:51	
Tetrachloroethene	ug/L	<0.41	1.0	12/20/24 08:51	
Toluene	ug/L	<0.29	1.0	12/20/24 08:51	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	12/20/24 08:51	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	12/20/24 08:51	
Trichloroethene	ug/L	<0.32	1.0	12/20/24 08:51	
Trichlorofluoromethane	ug/L	<0.42	1.0	12/20/24 08:51	
Vinyl chloride	ug/L	<0.17	1.0	12/20/24 08:51	
Xylene (Total)	ug/L	<1.0	3.0	12/20/24 08:51	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	12/20/24 08:51	
4-Bromofluorobenzene (S)	%	94	70-130	12/20/24 08:51	
Toluene-d8 (S)	%	97	70-130	12/20/24 08:51	

LABORATORY CONTROL SAMPLE: 2823295

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	57.6	115	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	50.9	102	70-130	
1,1,2-Trichloroethane	ug/L	50	52.1	104	70-130	
1,1-Dichloroethane	ug/L	50	54.9	110	70-130	
1,1-Dichloroethene	ug/L	50	58.0	116	66-130	
1,2,4-Trichlorobenzene	ug/L	50	47.5	95	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	49.1	98	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	53.2	106	70-130	
1,2-Dichlorobenzene	ug/L	50	51.4	103	70-130	
1,2-Dichloroethane	ug/L	50	55.1	110	70-130	
1,2-Dichloropropane	ug/L	50	56.4	113	70-130	
1,3-Dichlorobenzene	ug/L	50	51.8	104	70-130	
1,4-Dichlorobenzene	ug/L	50	52.2	104	70-130	
Benzene	ug/L	50	56.4	113	70-130	
Bromodichloromethane	ug/L	50	54.7	109	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## QUALITY CONTROL DATA

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

LABORATORY CONTROL SAMPLE: 2823295

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	52.1	104	61-130	
Bromomethane	ug/L	50	43.4	87	40-157	
Carbon tetrachloride	ug/L	50	61.7	123	70-139	
Chlorobenzene	ug/L	50	54.3	109	70-130	
Chloroethane	ug/L	50	63.6	127	61-145	
Chloroform	ug/L	50	57.2	114	70-130	
Chloromethane	ug/L	50	56.4	113	22-163	
cis-1,2-Dichloroethene	ug/L	50	54.7	109	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.4	109	70-130	
Dibromochloromethane	ug/L	50	52.3	105	70-130	
Dichlorodifluoromethane	ug/L	50	66.9	134	10-185	
Ethylbenzene	ug/L	50	57.2	114	70-130	
Isopropylbenzene (Cumene)	ug/L	50	53.5	107	70-134	
m&p-Xylene	ug/L	100	116	116	70-130	
Methyl-tert-butyl ether	ug/L	50	53.0	106	62-130	
Methylene Chloride	ug/L	50	50.3	101	70-130	
o-Xylene	ug/L	50	55.9	112	70-130	
Styrene	ug/L	50	58.5	117	70-130	
Tetrachloroethene	ug/L	50	54.9	110	70-130	
Toluene	ug/L	50	53.5	107	70-130	
trans-1,2-Dichloroethene	ug/L	50	58.1	116	70-130	
trans-1,3-Dichloropropene	ug/L	50	52.1	104	70-130	
Trichloroethene	ug/L	50	56.0	112	70-130	
Trichlorofluoromethane	ug/L	50	62.7	125	70-149	
Vinyl chloride	ug/L	50	65.3	131	37-145	
Xylene (Total)	ug/L	150	172	114	70-130	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			97	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 2408314 Cambridge Station Rel

Pace Project No.: 40289121

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

H1 Analysis conducted outside the recognized method holding time.

H3 Sample was received or analysis requested beyond the recognized method holding time.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 2408314 Cambridge Station Rel  
Pace Project No.: 40289121

---

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40289121001	CSRWS001	EPA 8260	493225		

---

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**Pace**® Location Requested (City/State):  
 Pace Analytical Green Bay  
 1241 Bellevue Street, Suite 19  
 Green Bay, WI 54302

**CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name: GEI - Madison, WI  
 Street Address: 1600 Aspen Commons, Suite 680  
 Middleton, WI 53562

Customer Project #: Cambridge Station Release

Project Name: Cambridge Station Release

Site Collection Info/Facility ID (as applicable):

Contact/Report To: Brad DalSanto  
 Phone #: (815) 289-3895  
 E-Mail: BDalSanto@geiconsultants.com  
 Cc E-Mail:

Invoice To: Accounts Payable  
 Invoice E-Mail: gelpayables@geiconsultants.com

Purchase Order # (if applicable):  
 Quote #:

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

\*\*Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

\*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ X ] CT [ ] ET

Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

County / State origin of sample(s): Wisconsin

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ X ] No

Rush (Pre-approval required): [ ] Same Day [ X ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other

Date Results Requested: 1 Day

Field Filtered (if applicable): [ ] Yes [ X ] No

TPH-GRO	WI-DRO	260 VOCs*
X	X	X

Proj. Mgr: Christopher Hyska  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template: 5978  
 Prelog / Bottle Ord. ID: EZ 3167069  
 Sample Comment: 001

Customer Sample ID	Matrix *	Comp / Grab	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine	
			Date	Time	Date	Time		Results	Units
CGRWS601	SW	G	--	--	12/4/24	0923	4	--	--

Additional Instructions from Pace®:  
 \*Added VOC on 12/20/24 per Ken K- GEI, rush TAT. 12/20/24 CDH

Collected By: Brad DalSanto  
 (Printed Name)  
 Signature: *BD*

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers: 1 Thermometer ID: 9 Correction Factor (°C): 0.5 Obs. Temp. (°C): 3.0 Corrected Temp. (°C): 3.5 On Ice: Y

Relinquished by/Company: (Signature) GEI (BRD)	Date/Time: 12/14/24 1300	Received by/Company: (Signature) GEI (CRG)	Date/Time: 12/14/2024 1300	Tracking Number:  Delivered by: [ ] In-Person [ ] Courier  [ ] FedEX [ ] UPS [ X ] Other  Page: of
Relinquished by/Company: (Signature) GEI (CRG)	Date/Time: 12/14/2024 1700	Received by/Company: (Signature)	Date/Time: 12/14/24 1700	
Relinquished by/Company: (Signature) CS Logistics	Date/Time: 12/15/24 0920	Received by/Company: (Signature) Ken Stamp-Pace	Date/Time: 12/15/24 0920	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/> ENV-FRM-CORQ-0019\_v02\_110123 ©



**Sample Condition Upon Receipt Form (SCUR)**

Project #: \_\_\_\_\_

Client Name: GEI-Madison

**WO#: 40288321**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used SR - 9 Type of Ice:  Wet  Blue  Dry  None  Meltwater Only

Cooler Temperature Uncorr: 3.0 / Corr: 3.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: DISD Initials: KKS  
 Labeled By Initials: [Signature]

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - DI VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time:
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. <u>1 Day rush DISD KKS</u>
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace	9.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: <u>SW</u>	12.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

**Client Notification/ Resolution:** \_\_\_\_\_ If checked, see attached form for additional comments   
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_