

**Notice:** This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

**NOTE:** Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

**Notification of Property Owners and Occupants:**

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information			
Site Name		DNR ID # (BRRTS #)	
Former Navistar/RMG Foundry		02-68-098404	
Address	City	State	ZIP Code
1401 Perkins Avenue	Waukesha	WI	53186

Responsible Party			
The person(s) responsible for completing this environmental investigation is:			
Property Owner			
Navistar, Inc.			
Address	City	State	ZIP Code
2701 Navistar Drive	Lisle	IL	60532
Contact Person	Phone Number (include area code)		
Ferdinand Alido	(331) 332-6364		
Person or company that collected samples			
KPRG and Associates, Inc.			

**Sample Results (Results Attached)**

Reason for Sampling:  Routine  Other (define) Site Investigation

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor	Yes	No
	Indoor Air	<input type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

# Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

## Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

**You are not identified as the person that is responsible for this contamination.** However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

**Option for written exemption:** You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: [dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf](http://dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf).

## Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:


### Environmental Consultant

Company Name		Contact Person Last Name	First Name	
KPRG and Associates, Inc.		Gnat	Richard	
Address		City	State	ZIP Code
14665 W. Lisbon Rd., Suite 1A		Brookfield	WI	53005
Phone # (inc. area code)	Email			
(262) 781-0475	richardg@kprginc.com			

Select which agency:  Natural Resources       Agriculture, Trade and Consumer Protection

### State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Drews	Mark	(262) 574-2146		
Address		City	State	ZIP Code
141 NW Barstow Street, Room 180		Waukesha	WI	53188
Email				
mark.drews@wisconsin.gov				



ENVIRONMENTAL CONSULTATION & REMEDIATION

---

KPRG and Associates, Inc.

May 4, 2022

Benjamin and Jacalyn Friske  
1225 Lombardi Way  
Waukesha, WI 53186

SUBJECT: Ambient Air and Sub-slab Sampling Data Transmittal -- 1225 Lombardi Way

Dear Residents,

KPRG and Associates, Inc. (KPRG) completed the fourth round of indoor air sampling on April 14, 2022 within the basement of your residence at 1225 Lombardi Way (an outdoor air sample was also collected on your property) and sub-slab vapor sampling. We recently received the analytical results from the laboratory for all of the samples. In accordance with our Access Agreement for this sampling, attached are Tables 1 and 2 which summarize the indoor air and sub-slab vapor data, respectively, along with applicable comparison vapor action levels (VALs) for indoor air and vapor risk screening levels (VRSLs) for sub-slab vapors. A review of the data indicates that no standards were exceeded for the analyzed compound in either the indoor air or the sub-slab vapor samples.

Thank you for allowing access to your property for this study. If you have any questions please call me at 262-781-0475. You can also contact the WDNR Project Manager, Mark Drews, with any questions at 414-207-2133.

Sincerely,  
KPRG and Associates, Inc.

A handwritten signature in cursive script that reads "Richard R. Gnat".

Richard R. Gnat, P.G.  
Principal

Enclosures: Summary Data Tables

Table 1. Indoor and Outdoor Air Sample Results for 1225 Lombardi Way

Parameter	Sample ID Date	WDNR VAL Residential	1225 Lombardi Way IA-1			
			8/2/2019	2/18/2021	7/8/2021	4/14/2022
Trichloroethene		2.1	<0.34	0.44 J	<0.30	0.46J

Parameter	Sample ID Date	WDNR VAL Residential	1225 Lombardi Way OA-1			
			8/2/2019	2/18/2021	7/8/2021	4/14/2022
Trichloroethene		2.1	<0.37	<0.29	<0.30	<0.30

Notes: All values are in ug/m3.

VAL - Vapor Action Level Indoor Air

J - Estimated value detected below method detection limit but above instrument limit.


IA - Indoor Air

OA - Outdoor Air

Table 2. Sub-slab Vapor Sampling Analytical Results for 1225 Lombardi Way

Parameter	Sample ID	WDNR VRSL	1225 Lombardi Way VP-1			
	Date	Residential	8/2/2019	2/18/2021	7/8/2021	4/14/2022
Trichloroethene		70	8.4	0.53 J	1.9	1.7

Note: All values are in ug/m3.  
 VRSL - Vapor Risk Screening Level  
 J - Estimated value detected below method detection limit but above instrument limit.



ENVIRONMENTAL CONSULTATION & REMEDIATION

KPRG and Associates, Inc.

May 4, 2022

Larry Taylor  
RS Davenport-Taylor  
N24W26750 Accent Ct  
Pewaukee, WI 53072

SUBJECT: Ambient Air and Sub-slab Sampling Data Transmittal -- 1124 The Strand

Dear Property Owner,

KPRG and Associates, Inc. (KPRG) completed the fourth round of indoor air sampling on April 15, 2022 within the basement of your building at 1124 The Strand (an outdoor air sample was also collected on your property) and sub-slab vapor sampling. The samples were analyzed for the solvent trichloroethene (TCE). We recently received the analytical results from the laboratory for all of the samples. In accordance with our Access Agreement for this sampling, attached are Tables 1 and 2 which summarize the indoor air and sub-slab vapor data, respectively, along with the applicable comparison vapor action level (VAL) for indoor air and vapor risk screening level (VRSL) for sub-slab vapors. A review of the data indicates that no standards were exceeded for the analyzed compound in either the indoor air or the sub-slab vapor samples.

Thank you for allowing access to your property for this study. If you have any questions please call me at 262-781-0475. You can also contact the WDNR Project Manager, Mark Drews, with any questions at 414-207-2133.

Sincerely,  
KPRG and Associates, Inc.

Richard R. Gnat, P.G.  
Principal

Enclosures: Summary Data Tables

Table 1. Indoor and Outdoor Air Sample Results for 1124 The Strand

Parameter	Sample ID	WDNR VAL	1124 The Strand IA-1			
	Date	Residential	12/11/2020	3/23/2021	8/20/2021	4/15/2022
Trichloroethene		2.1	<0.31	<0.31	<0.30	<0.37

Parameter	Sample ID	WDNR VAL	1124 The Strand OA-1			
	Date	Residential	12/11/2020	3/23/2021	8/20/2021	4/15/2022
Trichloroethene		2.1	<0.30	<0.30	<0.29	<0.29

Notes: All values are in ug/m3.  
 VAL - Vapor Action Level - Indoor Air  
 IA - Indoor Air  
 OA - Outdoor Air

Table 2. Sub-slab Vapor Sampling Analytical Results for 1124 The Strand

Parameter	Sample ID	WDNR VRSL	1124 The Strand VP-1			
	Date	Residential	12/11/2020	3/23/2021	8/20/2021	4/15/2022
Trichloroethene		70	1.3	0.82 J	20.6	3.0

Note: All values are in ug/m3.

VRSL - Vapor Risk Screening Level

J - Estimated value below method detection limit but above instrument limit.



May 04, 2022

Richard Gnat  
KPRG and Associates  
14665 W. Lisbon Rd.  
Suite 1A  
Brookfield, WI 53005

RE: Project: 11717 Navistar  
Pace Project No.: 10605090

Dear Richard Gnat:


Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.


Sincerely,



Kirsten Hogberg  
kirsten.hogberg@pacelabs.com  
(612)607-1700  
Project Manager

Enclosures

cc: Patrick Allenstein, KPRG and Associates  
Tim Stohner, KPRG and Associates



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 11717 Navistar  
Pace Project No.: 10605090

---

### **Pace Analytical Services, LLC - Minneapolis MN**

1700 Elm Street SE, Minneapolis, MN 55414  
A2LA Certification #: 2926.01\*  
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab  
Alabama Certification #: 40770  
Alaska Contaminated Sites Certification #: 17-009\*  
Alaska DW Certification #: MN00064  
Arizona Certification #: AZ0014\*  
Arkansas DW Certification #: MN00064  
Arkansas WW Certification #: 88-0680  
California Certification #: 2929  
Colorado Certification #: MN00064  
Connecticut Certification #: PH-0256  
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137  
Florida Certification #: E87605\*  
Georgia Certification #: 959  
Hawaii Certification #: MN00064  
Idaho Certification #: MN00064  
Illinois Certification #: 200011  
Indiana Certification #: C-MN-01  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Kentucky DW Certification #: 90062  
Kentucky WW Certification #: 90062  
Louisiana DEQ Certification #: AI-03086\*  
Louisiana DW Certification #: MN00064  
Maine Certification #: MN00064\*  
Maryland Certification #: 322  
Michigan Certification #: 9909  
Minnesota Certification #: 027-053-137\*  
Minnesota Dept of Ag Approval: via MN 027-053-137  
Minnesota Petrofund Registration #: 1240\*  
Mississippi Certification #: MN00064

Missouri Certification #: 10100  
Montana Certification #: CERT0092  
Nebraska Certification #: NE-OS-18-06  
Nevada Certification #: MN00064  
New Hampshire Certification #: 2081\*  
New Jersey Certification #: MN002  
New York Certification #: 11647\*  
North Carolina DW Certification #: 27700  
North Carolina WW Certification #: 530  
North Dakota Certification (A2LA) #: R-036  
North Dakota Certification (MN) #: R-036  
Ohio DW Certification #: 41244  
Ohio VAP Certification (1700) #: CL101  
Ohio VAP Certification (1800) #: CL110\*  
Oklahoma Certification #: 9507\*  
Oregon Primary Certification #: MN300001  
Oregon Secondary Certification #: MN200001\*  
Pennsylvania Certification #: 68-00563\*  
Puerto Rico Certification #: MN00064  
South Carolina Certification #: 74003001  
Tennessee Certification #: TN02818  
Texas Certification #: T104704192\*  
Utah Certification #: MN00064\*  
Vermont Certification #: VT-027053137  
Virginia Certification #: 460163\*  
Washington Certification #: C486\*  
West Virginia DEP Certification #: 382  
West Virginia DW Certification #: 9952 C  
Wisconsin Certification #: 999407970  
Wyoming UST Certification #: via A2LA 2926.01  
USDA Permit #: P330-19-00208  
\*Please Note: Applicable air certifications are denoted with an asterisk (\*).

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: 11717 Navistar  
Pace Project No.: 10605090

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10605090001	1225 Lombardi IA-1	Air	04/14/22 16:03	04/19/22 09:50
10605090002	1225 Lombardi OA-1	Air	04/14/22 16:37	04/19/22 09:50
10605090003	1225 Lombardi VP-1	Air	04/14/22 16:35	04/19/22 09:50
10605090004	1124 The Strand IA-1	Air	04/15/22 15:02	04/19/22 09:50
10605090005	1124 The Strand OA-1	Air	04/15/22 15:05	04/19/22 09:50
10605090006	1124 The Strand VP-1	Air	04/15/22 15:35	04/19/22 09:50

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**SAMPLE ANALYTE COUNT**

Project: 11717 Navistar

Pace Project No.: 10605090

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10605090001	1225 Lombardi IA-1	TO-15	MJL	1
10605090002	1225 Lombardi OA-1	TO-15	MJL	1
10605090003	1225 Lombardi VP-1	TO-15	MJL	1
10605090004	1124 The Strand IA-1	TO-15	GT	1
10605090005	1124 The Strand OA-1	TO-15	GT	1
10605090006	1124 The Strand VP-1	TO-15	GT	1

PASI-M = Pace Analytical Services - Minneapolis

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 11717 Navistar  
Pace Project No.: 10605090

Sample: 1225 Lombardi IA-1      Lab ID: 10605090001      Collected: 04/14/22 16:03      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Trichloroethene	0.46J	ug/m3	0.83	0.30	1.52		04/28/22 20:37	79-01-6	

Sample: 1225 Lombardi OA-1      Lab ID: 10605090002      Collected: 04/14/22 16:37      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Trichloroethene	<0.30	ug/m3	0.83	0.30	1.52		04/28/22 21:06	79-01-6	

Sample: 1225 Lombardi VP-1      Lab ID: 10605090003      Collected: 04/14/22 16:35      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Trichloroethene	1.7	ug/m3	0.90	0.32	1.64		04/28/22 22:04	79-01-6	

Sample: 1124 The Strand IA-1      Lab ID: 10605090004      Collected: 04/15/22 15:02      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.87		05/02/22 18:17	79-01-6	

Sample: 1124 The Strand OA-1      Lab ID: 10605090005      Collected: 04/15/22 15:05      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Trichloroethene	<0.29	ug/m3	0.80	0.29	1.46		05/02/22 19:15	79-01-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**ANALYTICAL RESULTS**

Project: 11717 Navistar

Pace Project No.: 10605090

Sample: 1124 The Strand VP-1      Lab ID: 10605090006      Collected: 04/15/22 15:35      Received: 04/19/22 09:50      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Trichloroethene	3.0	ug/m3	0.90	0.32	1.64		05/02/22 19:44	79-01-6	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 11717 Navistar  
Pace Project No.: 10605090

QC Batch: 811931 Analysis Method: TO-15  
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level  
Laboratory: Pace Analytical Services - Minneapolis  
Associated Lab Samples: 10605090001, 10605090002, 10605090003

METHOD BLANK: 4305904 Matrix: Air  
Associated Lab Samples: 10605090001, 10605090002, 10605090003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Trichloroethene	ug/m3	<0.20	0.55	04/28/22 07:50	

LABORATORY CONTROL SAMPLE: 4305905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/m3	58.4	60.4	103	70-134	

SAMPLE DUPLICATE: 4307054

Parameter	Units	10605090002 Result	Dup Result	RPD	Max RPD	Qualifiers
Trichloroethene	ug/m3	<0.30	<0.30		25	

SAMPLE DUPLICATE: 4307055

Parameter	Units	10605090003 Result	Dup Result	RPD	Max RPD	Qualifiers
Trichloroethene	ug/m3	1.7	1.8	4	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## QUALIFIERS

Project: 11717 Navistar  
Pace Project No.: 10605090

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 11717 Navistar  
Pace Project No.: 10605090

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10605090001	1225 Lombardi IA-1	TO-15	811931		
10605090002	1225 Lombardi OA-1	TO-15	811931		
10605090003	1225 Lombardi VP-1	TO-15	811931		
10605090004	1124 The Strand IA-1	TO-15	812626		
10605090005	1124 The Strand OA-1	TO-15	812626		
10605090006	1124 The Strand VP-1	TO-15	812626		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

52789

Page: 1 of 1

**Section A**

Required Client Information:

Company: **KPRG**  
 Address: **14665 W. Landon Rd Ste 1A  
 Brookfield, WI 53005**  
 Email To: **richardg@kprg.com**  
 Phone: **262-781-0475** Fax:  
 Requested Due Date/TAT: **Standard**

**Section B**

Required Project Information:

Report To: **Rich Grant**  
 Copy To:  
 Purchase Order No.:  
 Project Name: **New 3 ter**  
 Project Number: **11717**

**Section C**

Invoice Information:

Attention:  
 Company Name:  
 Address:  
 Pace Quote Reference:  
 Pace Project Manager/Sales Rep.  
 Pace Profile #: **38367**

Program  
 UST  Superfund  Emissions  Clean Air Act  
 Voluntary Clean Up  Dry Clean  RCRA  Other  
 Location of Sampling by State \_\_\_\_\_  
 Reporting Units  
 ug/m<sup>3</sup> \_\_\_\_\_ mg/m<sup>3</sup> \_\_\_\_\_  
 PPBV \_\_\_\_\_ PPMV \_\_\_\_\_  
 Other \_\_\_\_\_  
 Report Level I. \_\_\_\_\_ II. \_\_\_\_\_ III. \_\_\_\_\_ IV. \_\_\_\_\_ Other \_\_\_\_\_

ITEM #	Section D Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:							Face Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB						Pd10	3c - Fiked Gas (%)	To 3 BTEX	To 3M (Methane)	To 14	To 15 Full List VOCs	To 15 Short List BTEX		To 15 Short List Chlorinated
					DATE	TIME	DATE	TIME													
1	1225 Lombardi DA-1	6LC			4/13/22	1600	4/14	1603	28	2	1267	0084							X	001	
2	1225 Lombardi DA-1				4/13/22	1605	4/14	1637	30	4	0966	2595							X	002	
3	1225 Lombardi VP-1				4/14/22	1602	4/14	1635	29	6	3805	2695							X	003	
4	1124 The Strand DA-1				4/14/22	1552	4/15	1502	29	10	2090	1855							X	004	
5	1124 The Strand DA-1				4/14/22	1550	4/15	1505	30	3	3357	3171							X	005	
6	1124 The Strand VP-1				4/15/22	1501	4/15	1535	29	6	0018	1670							X	006	

Comments:

TCE ONLY

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
<i>Mitchel</i> / KPRG	4/15	1600	FEDEX <i>Mitchel</i> / Pace	4/15/22	1600	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: **Mitchel Dolan**  
 SIGNATURE of SAMPLER: *Mitchel* DATE Signed (MM/DD/YY): **4/15/22**

Page 11 of 12

WO#: 10605090



