


City: Minneapolis/Citrix Div/Group: IMDVC Created By: Last Saved By: msmiller
 TYCO Marinette, WI
 Z:\GIS\Projects\ENV\TYCO_Marinette_WM\XD019-01\WaterWells_Highest_20190130.mxd 1/30/2019 12:00:31 PM



LEGEND:

- PFOA AND/OR PFOS BELOW REPORTING LIMIT
- PFOA AND/OR PFOS DETECTION ABOVE HAL
- PFOA AND/OR PFOS DETECTION BELOW HAL
- APPROXIMATE SITE PROPERTY BOUNDARY
- APPROXIMATE MARINETTE CITY BOUNDARY
- ROAD
- DITCH/STREAM
- WATERBODY

WS-049 - LOCATION NAME
 24 - WELL DEPTH

1/30/2019

NOTES:

1. THE DATA REFLECTED IS THE HIGHEST VALUE DETECTED FROM THE VARIOUS ANALYSES.
2. WELL LOCATIONS ARE APPROXIMATE.

TYCO FIRE PRODUCTS, LP
 MARINETTE, WISCONSIN

**DRINKING WATER WELL LOCATIONS
 FALL 2018**

ARCADIS | **FIGURE 2**

TOWN OF PESHTIGO FINAL FALL 2018 WATER SAMPLE RESULTS - JANUARY 30, 2019

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	MeFOSAA	EtFOSAA	General Well Depth	Detailed Well Depth	Source
WS-001	11/5/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.75	< 0.26	< 0.81	< 0.59	< 0.55	< 1.0	< 0.46	Shallow	62	+
WS-005	10/24/2018	< 2.3	< 0.80	< 0.68	< 1.1	< 0.54	< 0.40	< 0.45	< 0.69	< 0.24	< 0.75	< 0.55	< 0.51	< 0.93	< 0.43	Shallow	30	-
WS-010	11/29/2018	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	Deep	100	-
WS-011	11/26/2018	0.46 J	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	Deep	104	+, -
WS-012	11/27/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45 UJ	< 0.45	< 0.45	< 0.45	< 0.45	Deep	510	+, -
WS-014	10/26/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.99	< 0.46	Deep	264	+, -
WS-015	11/19/2018	0.51 J	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	NA	NA	NA
WS-017	11/8/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Deep	120	+, -
WS-020	10/29/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.54	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.55	< 0.51	< 0.94	< 0.43	NA	NA	NA
WS-022	12/13/2018	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	NA	NA	NA
WS-022 DUP	12/13/2018	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	NA	NA	NA
WS-026	11/20/2018	0.46 J	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	NA	NA	NA
WS-028	12/6/2018	< 0.45	< 0.45	< 1.8 UB	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Deep	454	+, -
WS-028 DUP	12/6/2018	< 0.45	< 0.45	< 1.8 UB	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Deep	454	+, -
WS-029	10/23/2018	< 2.1	< 0.75	< 0.63	< 1.0	< 0.50	< 0.37	< 0.42	< 0.65	< 0.23	< 0.70	< 0.51	< 0.47	< 0.87	< 0.40	Deep	90	-
WS-031	11/26/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	NA	NA	NA
WS-033	10/25/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.60	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 1.0	< 0.47	Deep	125	+
WS-034	10/24/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Shallow	NA	NA
WS-035	10/22/2018	3.0 J	< 0.84	< 0.71	2.0 J	< 0.56	< 0.41	< 0.47	< 0.72	11	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	NA	NA	NA
WS-035 DUP	10/22/2018	3.6 J	< 0.85	< 0.71	2.3 J	< 0.57	< 0.42	< 0.47	< 0.73	10	< 0.79	< 0.58	< 0.53	< 0.98	< 0.45	NA	NA	NA
WS-039	11/14/2018	< 2.7	< 0.97	< 0.81	< 1.3	< 0.65	< 0.48	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 1.1	< 0.52	Deep	80	-
WS-039 DUP	11/14/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 1.1	< 0.50	Deep	80	-
WS-041	11/5/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 1.1	< 0.51	NA	NA	NA
WS-042	11/5/2018	< 2.9	< 1.0	< 0.86	< 1.4	< 0.69	< 0.51	< 0.57	< 0.88	< 0.31	< 0.96	< 0.70	< 0.65	< 1.2	< 0.55	Deep	110	+
WS-042 DUP	11/5/2018	< 2.9	< 1.0	< 0.86	< 1.4	< 0.69	< 0.51	< 0.57	< 0.89	< 0.31	< 0.96	< 0.70	< 0.65	< 1.2	< 0.55	Deep	110	+
WS-043	10/23/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.63	< 0.58	< 1.1	< 0.50	NA	NA	NA
WS-043 DUP	10/23/2018	< 2.6	< 0.92	< 0.77	< 1.3	< 0.62	< 0.45	< 0.51	< 0.79	< 0.28	< 0.86	< 0.63	< 0.58	< 1.1	< 0.49	NA	NA	NA
WS-044	10/23/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.99	< 0.46	Shallow	28	-
WS-045	11/5/2018	< 2.4 UJ	< 0.84	< 0.71	< 1.2 UJ	< 0.57	< 0.42	< 0.47 UJ	< 0.73	< 0.26	< 0.79	< 0.58 UJ	< 0.53	< 0.97	< 0.45 UJ	Deep	180	-
WS-046	11/19/2018	0.81 J	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	NA	NA	NA
WS-047	11/8/2018	< 2.6	< 0.93	< 0.78	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 1.1	< 0.50	NA	NA	NA
WS-047 DUP	11/8/2018	< 2.6	< 0.91	< 0.76	< 1.2	< 0.61	< 0.45	< 0.51	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 1.0	< 0.49	NA	NA	NA
WS-048	11/5/2018	11	1.3 J	1.3 J	1.8 J	1.5 J	< 0.45	< 0.50	< 0.78	4.5	< 0.84	< 0.62	< 0.57	< 1.0	< 0.48	Shallow	20	-
WS-050	10/30/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.57	< 0.52	< 0.96	< 0.44	Deep	90	-
WS-051	10/30/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Deep	107	+, -
WS-051 DUP	10/30/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.25	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Deep	107	+, -

TOWN OF PESHTIGO FINAL FALL 2018 WATER SAMPLE RESULTS - JANUARY 30, 2019

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	MeFOSAA	EtFOSAA	General Well Depth	Detailed Well Depth	Source
WS-055	10/25/2018	< 2.2	< 0.79	< 0.66	< 1.1	< 0.53	< 0.39	< 0.44	< 0.68	< 0.24	< 0.74 UJ	< 0.54	< 0.50	< 0.91	< 0.42	Shallow	NA	NA
WS-059	11/19/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Deep	125	+, -
WS-062	11/19/2018	19	1.7 J	1.8 J	8.5	1.4 J	< 0.46	< 0.46	< 0.46	14	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	Shallow	15	-
WS-063	10/25/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.72	< 0.25	< 0.78	< 0.57	< 0.53	< 0.96	< 0.45	Deep	124	+, -
WS-063 DUP	10/25/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.55	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.95	< 0.44	Deep	124	+, -
WS-064	11/14/2018	< 2.6	< 0.91	< 0.77	< 1.2	< 0.61	< 0.45	< 0.51	< 0.79	2.1	< 0.85	< 0.62	< 0.57	< 1.1	< 0.49	Shallow	25	-
WS-065	11/5/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 1.1	< 0.51	Deep	95	+, -
WS-065 DUP	11/5/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.47	< 0.53	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 1.1	< 0.51	Deep	95	+, -
WS-067	11/5/2018	< 2.7	< 0.94	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 1.1	< 0.51	NA	NA	NA
WS-069A	10/25/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.54	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.55	< 0.51	< 0.94	< 0.43	Deep	520	+, -
WS-069A DUP	10/25/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.71	< 0.25	< 0.78	< 0.57	< 0.52	< 0.96	< 0.44	Deep	520	+, -
WS-069B	10/25/2018	4.3 J	< 0.83	0.80 J	3.1	< 0.56	< 0.41	< 0.46	< 0.71	5.1	< 0.78	< 0.57	< 0.52	< 0.96	< 0.44	Shallow	17-20	-
WS-071	10/26/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.97	< 0.45	Shallow	40	-
WS-072	10/25/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.59	< 0.43	< 0.48	< 0.75	< 0.27	< 0.81	< 0.59	< 0.55	< 1.0	< 0.47	NA	NA	NA
WS-073	10/24/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.79	< 0.57	< 0.53	< 0.97	< 0.45	Deep	110	+, -
WS-075	10/30/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 1.0	< 0.47	Deep	80	-
WS-077	10/8/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.99	< 0.46	Deep	120	-
WS-078	10/23/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.47	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 1.1	< 0.52	Deep	129	+, -
WS-079	10/23/2018	< 2.7	< 0.93	< 0.79	< 1.3	< 0.63	< 0.46	< 0.52	< 0.80	< 0.28	< 0.87	< 0.64	< 0.59	< 1.1	< 0.50	Deep	97	+, -
WS-080	10/16/2018	< 2.7	< 0.95	< 0.80	< 1.3	< 0.64	< 0.47	< 0.53	< 0.82	< 0.29	< 0.89	< 0.65	< 0.60	< 1.1	< 0.51	NA	NA	NA
WS-083	11/29/2018	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	Deep	400	-
WS-084	10/23/2018	< 2.6	< 0.91	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 1.0	< 0.49	Deep	122	+, -
WS-085	12/12/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Deep	118	+, -
WS-086	11/26/2018	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	NA	NA	NA
WS-087	11/12/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.55	< 0.41	< 0.46	< 0.71	0.44 J	< 0.77	< 0.56	< 0.52	< 0.95	< 0.44	Shallow	15-20	-
WS-088	11/12/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Shallow	25	-
WS-091	12/5/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	NA	NA	NA
WS-091 DUP	12/5/2018	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	NA	NA	NA
WS-093	11/27/2018	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Shallow	45	+, -
WS-094	10/27/2018	2.3 J	< 0.82	< 0.69	2.4 J	< 0.55	< 0.41	< 0.46	< 0.71	2.4	< 0.77 UJ	< 0.56 UJ	< 0.52	< 0.95	< 0.44	Shallow	NA	NA
WS-095	11/8/2018	< 2.7	< 0.96	< 0.81	< 1.3	< 0.65	< 0.47	< 0.54	< 0.83	< 0.29	< 0.90	< 0.66	< 0.61	< 1.1	< 0.51	NA	NA	NA
WS-098	10/27/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.84	< 0.61	< 0.56	< 1.0	< 0.48	Deep	100	+, -
WS-098 DUP	10/27/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 1.0	< 0.48	Deep	100	+, -
WS-102	11/7/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 1.0	< 0.47	Shallow	NA	NA
WS-103	10/30/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 1.0	< 0.48	Deep	622	+
WS-103 DUP	10/30/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.98	< 0.45	Deep	622	+

TOWN OF PESHTIGO FINAL FALL 2018 WATER SAMPLE RESULTS - JANUARY 30, 2019

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	MeFOSAA	EtFOSAA	General Well Depth	Detailed Well Depth	Source
WS-104	10/24/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 1.0	< 0.47	Deep	>100	-
WS-107	11/14/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.44	< 0.50	< 0.78	< 0.27	< 0.84	< 0.62	< 0.57	< 1.0	< 0.48	Deep	109	+, -
WS-108	10/25/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 1.0	< 0.49	NA	NA	NA
WS-110A	10/23/2018	< 2.4	< 0.84	< 0.71	< 1.1	< 0.57	< 0.42	< 0.47	< 0.72	< 0.26	< 0.79	< 0.57	< 0.53	< 0.97	< 0.45	Deep	88	+, -
WS-110A DUP	10/23/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.60	< 0.44	< 0.49	< 0.76	< 0.27	< 0.83	< 0.60	< 0.56	< 1.0	< 0.47	Deep	88	+, -
WS-112	11/14/2018	< 2.7	< 0.94	< 0.79	< 1.3	< 0.63	< 0.47	< 0.53	< 0.81	< 0.29	< 0.88	< 0.64	< 0.60	< 1.1	< 0.51	Deep	87	+, -
WS-113	11/6/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 1.0	< 0.47	Deep	100	+, -
WS-114	12/11/2018	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	Deep	400-500	-
WS-114 DUP	12/11/2018	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	Deep	400-500	-
WS-117	10/24/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.80	< 0.58	< 0.54	< 0.99	< 0.46	Deep	121	+, -
WS-118A	11/14/2018	< 2.7	< 0.94	< 0.79	< 1.3	< 0.63	< 0.46	< 0.52	< 0.81	< 0.29	< 0.88	< 0.64	< 0.59	< 1.1	< 0.50	Shallow	18	-
WS-118B	11/14/2018	< 2.7	< 0.93	< 0.79	< 1.3	< 0.63	< 0.46	< 0.52	< 0.81	< 0.29	< 0.87	< 0.64	< 0.59	< 1.1	< 0.50	Shallow	41	+, -
WS-119	11/6/2018	< 2.3	< 0.82	< 0.69	< 1.1	< 0.55	< 0.41	< 0.46	< 0.71	< 0.25	< 0.77	< 0.56	< 0.52	< 0.95	< 0.44	NA	NA	NA
WS-120	12/10/2018	0.45 J	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44 UJ	< 0.44	R	R	< 0.44 UJ	< 0.44	< 0.44	Deep	127	-
WS-121B	10/22/2018	3.0 J	2.1 J	< 0.81	1.3 J	0.70 J	< 0.48	< 0.54	< 0.83	2.1 J	< 0.90	< 0.66	< 0.61	< 1.1	< 0.52	Shallow	NA	NA
WS-122	11/9/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.72	< 0.25	< 0.78	< 0.57	< 0.53	< 0.96	< 0.45	Shallow	20	-
WS-124	12/13/2018	2.1 J	3.7 J	0.46 J	< 0.41 UJ	1.4 J	< 0.41 UJ	< 0.41 UJ	< 0.41 UJ	< 0.41 UJ	< 0.41 UJ	< 0.41 UJ	< 0.41 UJ	< 0.41	< 0.41 UJ	Shallow	28	-
WS-125	11/27/2018	0.5 J	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	Shallow	NA	NA
WS-130	11/27/2018	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	Deep	465	+, -
WS-130 DUP	11/27/2018	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	Deep	465	+, -
WS-131	11/26/2018	1.5 J	0.62 J	< 0.43	1.7 J	< 0.43	< 0.43	< 0.43	< 0.43	1.2 J	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	Shallow	28-30	-
WS-131 DUP	11/26/2018	1.8 J	0.65 J	< 0.47	1.1 J	< 0.47	< 0.47	< 0.47	< 0.47	1 J	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	Shallow	28-30	-
WS-132	10/25/2018	< 2.3	< 0.80	< 0.67	< 1.1	< 0.54	< 0.39	< 0.44	< 0.69	< 0.24	< 0.74	< 0.54	< 0.50	< 0.92	< 0.43	Shallow	21	-
WS-134	11/14/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.84	< 0.61	< 0.56	< 1.0	< 0.48	Deep	105	+
WS-136	11/12/2018	< 2.5	< 0.88	< 0.74	< 1.2	< 0.59	< 0.44	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.56	< 1.0	< 0.47	Shallow	25	-
WS-137	10/30/2018	< 2.4	< 0.84	< 0.70	< 1.1	< 0.56	< 0.41	< 0.47	< 0.72	< 0.26	< 0.78	< 0.57	< 0.53	< 0.97	< 0.45	Deep	130	-
WS-138	11/12/2018	< 2.3	< 0.81	< 0.68	< 1.1	< 0.55	< 0.40	< 0.45	< 0.70	< 0.25	< 0.76	< 0.55	< 0.51	< 0.94	< 0.44	Deep	116	+, -
WS-138 DUP	11/12/2018	< 2.4	< 0.84	< 0.71	< 1.2	< 0.57	< 0.42	< 0.47	< 0.73	< 0.26	< 0.79	< 0.58	< 0.53	< 0.97	< 0.45	Deep	116	+, -
WS-139	10/24/2018	< 2.5	< 0.87	< 0.74	< 1.2	< 0.59	< 0.43	< 0.49	< 0.76	< 0.27	< 0.82	< 0.60	< 0.55	< 1.0	0.49 J	Deep	112	-
WS-140	11/5/2018	< 2.6 UJ	< 0.90 UJ	5.1 J	< 1.2 UJ	< 0.61 UJ	< 0.45 UJ	< 0.50 UJ	< 0.78 UJ	< 0.27 UJ	< 0.84 UJ	< 0.62 UJ	< 0.57 UJ	< 1.0 UJ	< 0.48 UJ	Shallow	29	-
WS-141	10/30/2018	< 2.4	< 0.85	< 0.72	< 1.2	< 0.57	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.58	< 0.54	< 0.99	< 0.46	Deep	120	-
WS-143	11/8/2018	< 2.5	< 0.86	< 0.73	< 1.2	< 0.58	< 0.43	< 0.48	< 0.75	< 0.26	< 0.81	< 0.59	< 0.55	< 1.0	< 0.46	Deep	90	+
WS-143 DUP	11/8/2018	< 2.5	< 0.87	< 0.73	< 1.2	< 0.59	< 0.43	< 0.49	< 0.75	< 0.27	< 0.82	< 0.60	< 0.55	< 1.0	< 0.47	Deep	90	+
WS-151	10/8/2018	< 2.6	< 0.92	< 0.78	< 1.3	< 0.62	< 0.46	< 0.51	< 0.80	< 0.28	< 0.86	< 0.63	< 0.58	< 1.1	< 0.49	Deep	162	+, -
WS-152	10/8/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.84	< 0.61	< 0.56	< 1.0	< 0.48	Shallow	28	+, -
WS-152 DUP	10/8/2018	< 2.4	< 0.86	< 0.72	< 1.2	< 0.58	< 0.42	< 0.48	< 0.74	< 0.26	< 0.80	< 0.59	< 0.54	< 0.99	< 0.46	Shallow	28	+, -

TOWN OF PESHTIGO FINAL FALL 2018 WATER SAMPLE RESULTS - JANUARY 30, 2019

NOTE: FINAL DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS COMPLETE.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	PFDA	PFDaA	PFHxA	PFTeA	PFTriA	PFUnA	MeFOSAA	EtFOSAA	General Well Depth	Detailed Well Depth	Source
WS-153	10/8/2018	< 2.6	< 0.90	< 0.76	< 1.2	< 0.61	< 0.45	< 0.50	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 1.0	< 0.49	Shallow	25	-
WS-154	10/9/2018	< 2.4	< 0.83	< 0.70	< 1.1	< 0.56	< 0.41	< 0.46	< 0.72	< 0.25	< 0.78	< 0.57	< 0.52	< 0.96	< 0.45	Deep	82	+, -
WS-155	10/9/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.50	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 1.0	< 0.48	Deep	120	-
WS-156	10/10/2018	< 2.5	< 0.89	< 0.75	< 1.2	< 0.60	< 0.44	< 0.49	< 0.77	< 0.27	< 0.83	< 0.61	< 0.56	< 1.0	< 0.48	Deep	550	+, -
WS-157	10/15/2018	< 2.8	< 0.99	< 0.84	< 1.4	< 0.67	< 0.49	< 0.55	< 0.86	< 0.30	< 0.93	< 0.68	< 0.63	< 1.2	< 0.53	Shallow	NA	-
WS-157 DUP	10/15/2018	< 2.8	2.3	< 0.83	< 1.3	< 0.66	< 0.48	< 0.55	< 0.85	< 0.30	< 0.92	< 0.67	< 0.62	< 1.1	< 0.53	Shallow	NA	-
WS-157	12/27/2018	3.3 J	3.0	< 0.84	< 1.4	< 0.68	< 0.50	< 0.56	< 0.87	< 0.31	< 0.94	< 0.69	< 0.63	< 1.2	< 0.54	Shallow	NA	-
WS-157 DUP	12/27/2018	< 2.6	1.7 J	< 0.76	< 1.2	< 0.61	< 0.45	< 0.51	< 0.78	< 0.28	< 0.85	< 0.62	< 0.57	< 1.0	< 0.49	Shallow	NA	-
WS-158	11/19/2018	110 D	8.3	1 J	140 D	5.5	2.9	< 0.5	< 0.5	230 D	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	Shallow	15-18	-
WS-158 DUP	11/19/2018	99 D	8.5	1 J	120 D	5.2	2.8	< 0.49	< 0.49	210 D	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	Shallow	15-18	-
WS-159	11/19/2018	22	0.53 J	0.74 J	6.6 J	0.71 J	< 0.48	< 0.48	< 0.48 UJ	7.3 J	R	< 0.48 UJ	< 0.48 UJ	< 0.48	< 0.48	Shallow	NA	NA

Notes:
 - = Information gathered from sampling log according to homeowners
 + = Information gathered from well construction form
 +, - = Information gathered from well construction form, but information also available from sampling log
 Detections are boldfaced
 < = Compound not detected at method detection limit
 D = Dilution required for sample analysis
 J = The compound was positively identified; however, the associated numerical value is an estimated concentration only
 R = The results are rejected
 UB = Compound considered non-detect at the listed value due to associated blank contamination.
 UJ = The compound was not detected above the reported sample method detection limit. However, the reported limit is approximate and may or may not represent the actual method detection limit.
 DUP = Duplicate sample result
 NA = Not available
 PFOA = Perfluorooctanoic acid (C8)
 PFOS = Perfluorooctanesulfonic acid (C8)
 PFBS = Perfluorobutanesulfonic acid (C4)
 PFHpA = Perfluoroheptanoic acid (C7)
 PFHxS = Perfluorohexanesulfonic acid (C6)
 PFNA = Perfluorononanoic acid (C9)
 PFDA = perfluorodecanoic acid (C10)
 PFDaA = perfluorododecanoic acid (C12)
 PFHxA = perfluorohexanoic acid (C6)
 PFTeA = perfluorotetradecanoic acid (C14)
 PFTriA = perfluorotridecanoic acid (C13)
 PFUnA = perfluoroundecanoic acid (C11)
 EtFOSAA=ethylperfluorooctane sulfonamido acetate (C10)
 MeFOSAA = methylperfluorooctane sulfonamido acetate (C9)
 Units are in ng/L (nanogram per liter)