

**From:** Coleman, Matthew <Matthew.Coleman@arcadis.com>  
**Sent:** Friday, April 10, 2020 12:56 PM  
**To:** Neste, David E - DNR  
**Cc:** Rick Bethel; Jeffrey Howard Danko; Scott D Wahl; Bedard, Michael; Verburg, Ben  
**Subject:** COVID-19 Compliance Process - Land-Applied Biosolids Private Well Sampling

Dave,

Below is the information for the COVID-19 Compliance Process you requested specific to our support with the land-applied biosolids private well sampling.

1. Name of the facility/site: Land-Application of Biosolids from the Marinette Municipal Wastewater Treatment Plant One-Time Sampling Program
2. Contact information for the central point of contact for the facility/site:
  - a. Name of person notifying: Tyco | Rick Bethel
  - b. Address: 2700 Industrial Parkway South
  - c. City/Town: Marinette
  - d. State: Wisconsin
  - e. Zip: 54143
  - f. Email: [Rick.Dewey.Bethel@jci.com](mailto:Rick.Dewey.Bethel@jci.com)
  - g. Phone: 715-735-7411 x 84750
  - h. Primary WDNR Contact for Site or Facility: David Neste

3. State what specific statute/rule/permit condition the individual party is looking for flexibility from.

The schedule outlined in our recently submitted work plan called for sampling of private drinking water wells to be completed by early April. COVID-19 forced us to suspend our program to maintain compliance with “Safer at Home” and “Social Distancing” recommendations.

4. Include the reasoning/rationale for the request and related to the COVID-19 emergency (1 paragraph)  
“Safer at Home” and “Social Distancing” recommendations by state and local governments inhibit travel and the abilities of field personnel to carry out certain tasks in a safe manner. Activities that require potential close contact, e.g. entering a residential property for sampling, would directly contradict the intent of those recommendations.
5. Include bulleted points of what measures will be taken to mitigate/minimize the potential environmental impacts (if any)
  - a. Interim actions remain in place – bottled water will be offered for PFOS+PFOA results above 20 PPT.
6. Specify the specific time period that the request is for including the rationale.  
We are hopeful that field work can continue in June once “Safer at Home” and “Social Distancing” recommendations have been lifted. However, that timeline remains fluid.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.