

Notice: Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

Definitions

"Property" refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

"Liability Clarification" refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

"Technical Assistance" refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

"Post-closure modification" refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

Do not use this form if one of the following applies:

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

All forms, publications and additional information are available on the internet at: dnr.wi.gov/topic/Brownfields/Pubs.html.

Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 2 of 8

Section 1. Contact and Recipient Information

Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name	First	MI	Organization/ Business Name		
Schiesl	Andy		Gardner Denver		
Mailing Address			City	State	ZIP Code
222 East Erie Street			Fort Atkinson	WI	53538
Phone # (include area code)	Fax # (include area code)		Email		
(414) 212-4700			andy.schiesl@gardnerdenver.com		

The requester listed above: (select all that apply)

- Is currently the owner
 Is considering selling the Property
 Is renting or leasing the Property
 Is considering acquiring the Property
 Is a lender with a mortgagee interest in the Property
 Other. Explain the status of the Property with respect to the applicant:

Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name	First	MI	Organization/ Business Name		
Frieseke	Rick	W	Friess Environmental Consulting, Inc.		
Mailing Address			City	State	ZIP Code
6635 N. Sidney Place			Milwaukee	WI	53209
Phone # (include area code)	Fax # (include area code)		Email		
(414) 228-9815	(414) 228-9816		rfrieseke@fecinc.us		

Environmental Consultant (if applicable)

Contact Last Name	First	MI	Organization/ Business Name		
Ott	Trenton	J	Friess Environmental Consulting, Inc.		
Mailing Address			City	State	ZIP Code
6637 N. Sidney Place			Milwaukee	WI	53209
Phone # (include area code)	Fax # (include area code)		Email		
(414) 228-9815	(414) 228-9816		tott@fecinc.us		

Attorney (if applicable)

Contact Last Name	First	MI	Organization/ Business Name		
Van Lieshout	John	M	Reinhart Boerner Van Deuren s.c		
Mailing Address			City	State	ZIP Code
1000 North Water Street, Suite 1700			Milwaukee	WI	53202
Phone # (include area code)	Fax # (include area code)		Email		
(414) 298-8182	(414) 298-8097		jvanlieshout@reinhartlaw.com		

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 3 of 8

Section 2. Property Information

Property Name DB Oak Facility		FID No. (if known) 128003260	
BRRTS No. (if known) 02-28-176509	Parcel Identification Number 226-0614-3433-039		
Street Address 700-710 Oak Street	City Fort Atkinson	State WI	ZIP Code 53538
County Jefferson	Municipality where the Property is located <input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village of Fort Atkinson	Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels	Property Size Acres 20

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No Yes

Date requested by: _____

Reason: _____

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:

Section 3. Technical Assistance or Post-Closure Modifications;

Section 4. Liability Clarification; or Section 5. Specialized Agreement.

Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [**Numbers in brackets are for WI DNR Use**]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - **Include a fee of \$350.** Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
 - Include a fee of \$300 for sites with residual soil contamination; and
 - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 4 of 8

Skip Sections 4 and 5 if the technical assistance you are requesting is listed above and complete Sections 6 and 7 of this form.

Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. **[Numbers in brackets are for DNR Use]**

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was **not** conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292.21(1)(c)2., h.-i., Wis. Stats.:
 - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
 - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

"Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ **Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:**

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the $\frac{1}{4}$, $\frac{1}{4}$ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 5 of 8

Section 4. Request for Liability Clarification (cont.)

Lease liability clarification - s. 292.55, Wis. Stats. [646]

❖ **Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:**

- (1) a copy of the proposed lease;
- (2) the name of the current owner of the Property and the person who will lease the Property;
- (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
- (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
- (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
- (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

❖ **Include a fee of \$700 and an adequate summary of relevant environmental work to date.**

No Action Required (NAR) - NR 716.05, [682]

❖ **Include a fee of \$700.**

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

❖ **Include a fee of \$700.**

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 6 of 8

Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: dnr.wi.gov/topic/Brownfields/lgu.html#tabx4.

Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description; and,
- (3) a draft 75.105 agreement based on the DNR's model (dnr.wi.gov/topic/brownfields/documents/mod75-105agrmt.pdf).

Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description; and,
- (3) a draft 75.105 agreement based on the DNR's model (dnr.wi.gov/topic/brownfields/documents/mod75-106agrmt.pdf).

Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

Phase I Environmental Site Assessment Report - Date: _____

Phase II Environmental Site Assessment Report - Date: _____

Legal Description of Property (required for all liability requests and specialized agreements)

Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

Groundwater Soil Sediment Other medium - Describe: _____

Date of Collection: _____

A copy of the closure letter and submittal materials

Draft tax cancellation agreement

Draft agreement for assignment of tax foreclosure judgment

Other report(s) or information - Describe: Work Plan for Additional Environmental Services 4/10/20

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

Yes - Date (if known): 05/02/1995

No

Note: The Notification for Hazardous Substance Discharge (non-emergency) form is available at:
dnr.wi.gov/files/PDF/forms/4400/4400-225.pdf.

**Technical Assistance, Environmental Liability
Clarification or Post-Closure Modification Request**

Form 4400-237 (R 9/15)

Page 7 of 8

Section 7. Certification by the Person who completed this form

I am the person submitting this request (requester)

I prepared this request for: DB Oak LTD Partnership
Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

Signature

Date Signed

Title

Telephone Number (include area code)

Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 9/15)

Page 8 of 8

Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a [DNR regional brownfields specialist](#) with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.

DNR NORTHERN REGION

Attn: RR Program Assistant
Department of Natural Resources
223 E Steinfest Rd Antigo, WI 54409

DNR NORTHEAST REGION

Attn: RR Program Assistant
Department of Natural Resources
2984 Shawano Avenue
Green Bay WI 54313

DNR SOUTH CENTRAL REGION


Attn: RR Program Assistant
Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg WI 53711

DNR SOUTHEAST REGION

Attn: RR Program Assistant
Department of Natural Resources
2300 North Martin Luther King Drive
Milwaukee WI 53212

DNR WEST CENTRAL REGION

Attn: RR Program Assistant
Department of Natural Resources
1300 Clairemont Ave.
Eau Claire WI 54702



Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.

DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		



April 10, 2020

Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

RE: Work Plan for Additional Environmental Services for the DB Oak Property
(former Thomas Industries) Located at 700-710 Oak Street in Fort Atkinson,
Wisconsin — FEC Project No. 170503

Dear Mr. Ackerman:

Friess Environmental Consulting (FEC) has prepared this work plan to conduct additional environmental services, including vapor testing of the on-site building, additional rounds of groundwater sampling and additional monitoring well installation in the areas of MW-12A, MW-9A, and within the building on the subject property. This work plan will address the soil, groundwater, and vapor evaluation.

Project Background

The DB Oak property is located at 700-710 Oak Street in Fort Atkinson, Wisconsin. The property is relatively flat at an approximate elevation of 790 feet above mean sea level (MSL). Regional topography near the site slopes to the east and south towards the Rock River. The DB Oak property is bounded by East Cramer Street to the north, Oak Street to the west-southwest, and the Union Pacific (formerly Chicago and Northwest) rail line to the east-southeast. The property consists of an 180,000-square foot building with surrounding driveways and parking lots. A large parking lot and driveway near the northwest corner of the building are accessible from North Main Street to the west and Oak Street to the south. A gravel driveway and loading dock area is at the east side of the facility building. The loading dock is accessible from an asphalt driveway and small parking lot at the south side of the property, and from a gravel driveway at the north side of the building. An undeveloped wooded parcel is between the driveway at the north side of the building and East Cramer Street. Lawn areas are south and west of the building. The site location and property features are shown on Figures 1 and 2.

Extensive site investigation activities have been conducted for a release of chlorinated volatile organic compounds (CVOCs) from the above referenced site. FEC conducted two rounds of groundwater sampling from MW-12A. The results indicate concentrations of c-DCE above the groundwater quality ES; however, the concentration is significantly less than that initially detected. Installation of additional monitoring wells to further define the downgradient edge of the plume appears to be warranted. Three monitoring wells and four piezometers are

proposed for installation. The proposed well/piezometer locations are shown on Figure 3.

FEC also conducted an evaluation of vapor intrusion risks for the building on the site. The results of the sub-slab vapor testing from the initial nineteen vapor points indicated concentrations of tetrachloroethene (PCE) and trichloroethene (TCE) above the DNR's Industrial Vapor Risk Screening Levels (VRSLs). Based on the results, additional sub-slab vapor testing was considered warranted to define the extent of sub-slab vapors beneath the building and initial pressure field extension (PFE) testing was conducted to evaluate parameters for a vapor mitigation system (VMS).

The first phase of the VMS was installed on the subject property and became operational in March 2020. Post installation PFE testing showed excellent coverage from the north and south trenches of the VMS installed in the central portion of the building. Three additional rounds of PFE testing will be conducted to ensure the VMS is operating efficiently. Three additional sub-slab vapor points and subsequent sub-slab vapor sampling is proposed to further define the sub-slab vapor impacts. In addition, a second round of vapor sampling will be conducted at selected areas from the existing vapor points (VP-1 to VP-19) to evaluate the effectiveness of the installed VMS. Follow-up indoor air sampling is also proposed to further assess the vapor intrusion risks. The proposed and existing vapor sampling locations and VMS system locations are shown on Figure 2. Vapor sampling procedure are attached as Exhibit 4.

Groundwater Monitoring Well Installation

The potential for groundwater impacts to exist beneath the on-site building has not been evaluated. As such, a groundwater monitoring well is proposed to be installed within the building to evaluate the groundwater plume that may be present beneath the building and any potential effect the groundwater may have to the vapor intrusion pathway.

VOCs were detected above DNR groundwater quality standards in the groundwater samples collected from MW-9 and piezometer MW-9A in 2016 and from piezometer MW-2B in 2017. As such, a "B" horizon piezometer is proposed to be installed within the MW-9 nest to further evaluate the downgradient groundwater impacts within the "B" horizon. In addition, a well and an "A" horizon piezometer are proposed to be installed farther to the southeast of the MW-9 nest to define the groundwater plume extent to the southeast of the MW-9 nest.

VOCs were detected in MW-12 in March 2016 and an elevated concentration of cis-1,2-dichloroethene (c-DCE) was detected in the groundwater samples collected from piezometer MW-12A during the August 2018 and April 2019 sampling events. Based on the groundwater sampling results, additional well installation is proposed further downgradient (south and east) of the MW-12 nest to define the extent of the groundwater plume. An additional "A" horizon

piezometer is proposed to be installed farther to the southeast of the MW-12 nest and an additional well and an “A” horizon piezometer are proposed to be installed farther to the south of the MW-12 nest to further define the groundwater plume extent to the southeast of the MW-12 nest.

The seven groundwater monitoring wells/piezometers are proposed to further define the degree and extent of the groundwater impacts and determine the appropriate course of action for the remaining impacts. The locations of the wells are shown on Figure 3. The well installation and sampling procedures are attached as Exhibit 3.

Soil Sampling

FEC will collect soil samples from the soil boring advanced within the building on the subject property to evaluate a possible source beneath the building and evaluate proper waste disposal options. The soil samples will be collected at continuous 2-foot intervals for visual classification in general accordance with the Unified Soil Classification System (USCS), field screening with a photoionization detector (PID), and potential laboratory analyses. FEC will submit select soil samples for laboratory analyses of VOCs. The location of the boring/monitoring well is shown on Figure 3. Soil sampling and PID procedures are attached as Exhibits 1 and 2.

Groundwater Sampling

Twelve groundwater monitoring wells, fourteen piezometers, and four temporary wells have been installed during the SI. Groundwater samples have also been collected and/or evaluated from fourteen soil probes and twelve monitoring wells installed on neighboring properties. Seven new groundwater monitoring wells/piezometers are proposed to further evaluate the degree and extent of the impacts. The new wells/piezometers will be surveyed into the existing groundwater monitoring well network to evaluate groundwater flow characteristics. Two additional rounds of groundwater sampling will be conducted on all new and existing wells for CVOCs. The methodologies and quality control procedures for the well sampling are attached as Exhibit 3. The locations of the existing and proposed wells are shown on Figure 3.

Sub-Slab Vapor and Indoor Air Evaluation

The first phase of the VMS was installed on the subject property and became operational in March 2020. Post installation PFE testing showed excellent coverage from the north and south trenches of the VMS installed in the central portion of the building. Three additional rounds of PFE testing will be conducted to ensure the VMS is operating efficiently. Three additional sub-slab vapor points and subsequent sub-slab vapor sampling is proposed to further define the sub-slab vapor impacts. In addition, a second round of sub-slab vapor sampling will be conducted at selected areas from the existing vapor points (VP-1 to VP-19) to

evaluate the effectiveness of the installed VMS. Leak detection testing will be conducted in accordance with our attached procedures and the summa canister valve will be opened and the sample will be collected over approximately 15 minutes to allow for recommended flow rates. Follow-up indoor air sampling is also proposed to further assess the vapor intrusion risks. The proposed and existing vapor sampling and VMS locations are shown on Figure 2. Indoor air sampling procedures are attached as Exhibit 4.

Following completion of the above referenced scope of work, FEC will prepare a supplemental site investigation report for submittal to the WDNR, which will include the results of the vapor and groundwater testing, a technical evaluation of the results, and our recommendations for the appropriate course of action for the remaining impacts.

Estimated Timeframe

We will proceed following DNR approval, access to the property, coordination with the contractors, and utility clearance. Following receipt and review of the laboratory analytical testing, FEC will provide the results of the testing to the DNR to comply with the 10-day notice. We will also provide verbal reports, as information is available, to keep you updated regarding the status of the project.

The professionals at FEC have over thirty years of experience in conducting numerous Phase I and Phase II Environmental Assessments, and soil and groundwater investigation and remediation projects. FEC conducts their services with that degree of care and skill ordinarily exercised by members of the environmental consulting community practicing under similar conditions at the same time in the same or similar locality. A copy of our signed certification is attached.


We appreciate this opportunity to submit this work plan for additional environmental consulting services. Please call us at (414) 228-9815 if you have any questions or if you need additional information.

Respectfully,

FRIESS ENVIRONMENTAL CONSULTING, INC.



Trenton J. Ott
Project Manager



Richard W. Frieseke, P.E.
President

170503 WP

Contact Information (as of April 2020):

Responsible Party contact: Andrew Schiesl
Vice President & General Counsel
Gardner Denver Inc.
222 East Erie Street
Milwaukee, WI 53202
(414) 212-4700

Consultant: Friess Environmental Consulting, Inc.
Attn: Richard W. Frieseke, P.E.
6635 North Sidney Place
Milwaukee, WI 53209
(414) 228-9815

Laboratory Contractor: Synergy Environmental Lab, Inc.
Mr. Michael Ricker
1990 Prospect Court
Appleton, WI 54914
(920) 830-2455


Drilling Contractors: Giles Engineering Associates, Inc.
Mr. Pat Reuteman
N8 W22350 Johnson Drive
Waukesha, WI 53186
(262) 544-0118

DNR: Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711
(608) 275-3323
Jeffrey.Ackerman@Wisconsin.gov

Certifications

"I, Richard Frieseke, hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Richard W. Frieseke PE# 29877-0



Signature, title and P.E. number

P.E. stamp

"I, Trenton Ott, hereby certify that I am a scientist as that term is defined in s. NR 712.03 (3), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Trenton J. Ott

4-10-20

Signature and title

Date

"I, Greg Konicek, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Greg Konicek

4-10-20

Hydrogeologist
Signature and title

Date

Exhibit 1

PID SCREENING PROCEDURE

To evaluate soils for the presence of volatile organic vapors commonly emitted by volatile organic compounds (VOCs), soil samples are screened with an OVM Model 580B photoionization detector (PID) equipped with a 10.6 electron volt (eV) lamp calibrated to isobutylene. The PID provides a qualitative measure of volatile organic vapors with ionization potentials less than 10.6 eV, which include those present in the more volatile petroleum fuels and solvents. PID readings are measured in instrument units (iu).

A representative portion of soil is placed into a container until the container is approximately half full. The container is sealed and allowed to warm prior to screening. Following agitation of the container, the lid of the container is slightly opened, the PID tip inserted into the headspace, and the highest reading on the meter recorded.

To evaluate the significance of PID readings, FEC generally considers PID readings greater than 10 iu an indication of potential contamination. It should be noted that lower readings do not necessarily indicate the absence of contamination, because nonvolatile contaminants may be present. PID readings are not as meaningful in such cases. In addition, the PID does not identify the types of chemicals present. The screening results should be evaluated by considering the contaminants present, the limitations of the PID meter, and physical observations (soil staining or odors).

Exhibit 2

SOIL SAMPLING PROCEDURES

The actual procedures utilized to collect soil samples at the subject site may vary slightly from FEC's standard procedures, described below, which are in general accordance with applicable industry standards (i.e., standards of the American Society for Testing and Materials {ASTM}) and Wisconsin Department of Natural Resources (DNR) regulations and guidelines).

Split-Barrel Sampling Procedure

The split-barrel sampling procedure as defined in ASTM D-1586 (84) consists of driving a 2-inch outside diameter (O.D.) thick-walled, hollow sampler into the soil a distance of 18 inches with a 140-pound hammer falling 30 inches. The value of Standard Penetration Resistance (N) is obtained by adding the number of blows of the hammer during the final 1 foot. The N value provides a qualitative indication of the relative density of granular soils (silts, sands, and gravel). The samples collected by this procedure provide a general indication of subsurface conditions and general stratigraphic changes; and can be placed into containers for future classification, screening, and/or laboratory analysis.

The downhole drilling equipment was decontaminated prior to conducting the fieldwork to avoid the introduction of contaminants. The decontamination procedure consisted of cleaning the augers and rods with a hot water pressure washer. The driller hand washed the split-barrel samplers prior to each use to avoid cross-contamination. The samplers were scrubbed in an Alconox detergent and municipal water solution, and double-rinsed with municipal water in two separate containers between each use.

Soil Probe Sampling Procedure

The soil probe sampling procedure consists of advancing a 2-inch outside diameter (O.D.), thick-walled, hollow sampler that contains a rigid plastic sheath. The probe sampler is hydraulically advanced into the soil at 4 to 5-foot vertical intervals. As the sampler is advanced, soil is collected in the plastic sheath. The samples collected by this procedure provide a general indication of subsurface conditions and general stratigraphic changes; and can be placed into containers for classification, screening, and/or laboratory analysis.

The downhole soil probe equipment is decontaminated prior to conducting the fieldwork and between each probe advancement to avoid the introduction of contaminants or cross-contamination between locations. The decontamination procedure consisted of washing the downhole equipment in an Alconox detergent and municipal water solution and double rinsing with municipal water in two separate containers between each use.

Soil Sample Collection Procedure

Selected samples are chosen for laboratory submittal to quantify the degree of contamination based on the PID screening results and the depths from which the samples were collected. In general, the sample from each probehole/boring that exhibited the highest PID readings and was collected closest to the estimated water table depth, and/or that was collected from a deeper interval correlating to the vertical extent of contamination is submitted for laboratory analyses.

Selected soil samples collected are submitted to the laboratory for analyses depending on which laboratory parameters are to be analyzed in accordance with the sampling plan.

In addition to the samples collected, a trip blank is submitted to the laboratory for quality control analyses for each sampling round. The trip blank is a laboratory-supplied methanol sample that remains with the soil samples. Analysis of a trip blank can identify contamination that may occur as a result of outside influences (e.g., laboratory contamination).

The soil samples are submitted for laboratory analyses within holding times. Chain of Custody procedures are adhered to throughout sample collection, handling, and laboratory submittal as established by the DNR.

Exhibit 3

GROUNDWATER SAMPLING PROCEDURES

The actual procedures utilized to sample groundwater at the subject site may vary slightly from FEC's standard procedures, described below, which are in general accordance with Wisconsin Department of Natural Resources (DNR) regulations and guidelines.

Groundwater Monitoring Well Construction Procedure

Groundwater monitoring wells are constructed in general accordance with DNR requirements as presented in Wisconsin Administrative Code Chapter NR 141.

Each monitoring well consists of a 10-foot length of 2.0-inch inside diameter (I.D.), 2.38-inch outside diameter (O.D.), or machine-slotted (0.010 inch) polyvinyl chloride (PVC) screen with a threaded-joint solid PVC riser pipe extending from the screened portion of the well to the ground surface. The PVC riser pipe is cut off slightly below the ground surface and fitted with a locking cap for security. The annulus between each PVC pipe and outer wall of the borehole is backfilled with a commercially packaged coarse sand (to serve as a filter pack) from the base of the borehole to an elevation of approximately 1/2 foot above the screened portion of the well. A 1/2-foot layer of fine sand is placed above each filter pack, and a bentonite annular space seal is placed above the fine sand to a depth of 1 foot below the ground surface. The driller embeds a metal protector cover over each well in a concrete surface seal for security. Each protector cover consists of a flush mount, watertight, steel unit 9 inches in diameter and 12 inches in length.

Well Development and Purging Procedures

Wisconsin Administrative Code Chapter NR 141.21 requires that well development consist of the removal (purging) of ten well volumes of water or a sufficient volume to produce sediment-free water from wells that cannot be purged dry, or slowly removing the stagnant water in a well that can be purged dry. In accordance with a guidance document wells that are purged dry should be allowed to recover and, if time permits, should be purged a second time prior to sample collection.

Monitoring wells are developed following construction using a 1.6-inch O.D. disposable PVC bailer or submersible centrifugal pump. Purged water is collected, contained and properly disposed.

Groundwater Sample Collection Procedure

Groundwater monitoring wells are allowed to recover following development and prior to sample collection. To reduce the potential for cross-contamination, the wells suspected to be the least contaminated are sampled first during each sampling round.

Following well purging with a submersible centrifugal pump or a disposable PVC bailer, each sample is collected with a disposable polyethylene bailer and transferred to the appropriate containers depending on which laboratory parameters are to be analyzed.

In addition to the samples collected from the monitoring wells, a trip blank is submitted to the laboratory for quality control analyses for each sampling round. The trip blank is a laboratory-supplied water sample that remains with the groundwater samples. Analysis of a trip blank can identify contamination that may occur as a result of outside influences (e.g., laboratory contamination).

The water samples are stored on ice in a cooler and submitted to the laboratory within allowable holding times.

Exhibit 4

VAPOR SAMPLING PROCEDURES

Vapor Point Installation Procedure

Sub-Slab

To install the sub-slab vapor sampling point, a small diameter hole will be drilled through the concrete slab into the sub-slab aggregate. A 2-inch long stainless steel or brass sleeve will be inserted into the drill hole. The space between the top of the sleeve and the concrete floor will be sealed with hydraulic cement and allowed to set. After allowing for the cement to set, FEC will collect the sub-slab samples.

Vapor Sampling and Testing Procedure

Sub-Slab

In order to collect the sample, the probe cap will be replaced with a stainless steel or brass ball valve with male NPT threads and an outlet equipped with either compression fittings or hose barb to allow for attaching dedicated HDPE sample tubing. The threads of the valve will also be wrapped with Teflon tape prior to insertion and the valve will be closed. Dedicated sample tubing will be connected to the outlet of the sampling probe ball valve and routed through a "T" to a vacuum pump and to a 1-liter summa canister equipped with a 15-minute regulator. The lines running to the vacuum pump and summa canister will both be equipped with stainless steel or brass ball valves with compression fittings or hose barbs.

Shut-in and Leak Detection Testing

With the valves of the summa canister and sampling probe closed, a shut-in test will be conducted by creating a vacuum of approximately 50 to 100 inches of water within the system and then closing the influent valve to the vacuum pump. If dissipation is observed on the vacuum gauge, the connections will be re-tightened and the test will be repeated. If no dissipation is observed after approximately 1 minute, the system will be considered leak-tight.

A helium shroud leak test will be conducted with a helium shroud and a Mark 9822 helium detector. The shroud will consist of a plastic container placed over the vapor sampling point. The shroud will have three holes drilled in the sides each fitted with rubber stoppers to allow for the insertion of HDPE tubing to fill the shroud with helium, monitor the helium within the shroud, and allow the tubing from the vapor sampling point to exit the shroud. Once the shroud is filled with helium to at least 40% by volume based on the field screening within the shroud,

the helium meter will be connected to the vapor sampling point tubing and monitored for leaks. If leaks are detected during the screening, the surface seal will be repaired and retested.

Another method used to establish airtightness of probe seals is the Water Dam Method. The vapor probe (sub-slab or soil gas) will be sunk below the grade of the floor, and the core-hole above the probe will be used as a casing to hold water. If the water placed in the casing maintains a constant level, the test confirms that no leaks are present in the vapor sample probe.


If no leaks are detected during the helium shroud test or with the water dam method, the sampling apparatus will be arranged to isolate the line from the sampling probe valve to the regulator on the summa canister.

Indoor Air

In order to collect the sample, a 1-liter summa canister will be equipped with a 24-hour regulator. The sampling device (summa and regulator) will be placed in the designated sampling area at a height of approximately 4 feet above grade as outlined in the DNR guidance. The regulator on the summa canister will then be opened.

Selected vapor samples collected are submitted to the laboratory for analyses depending on which laboratory parameters are to be analyzed in accordance with the sampling plan.

The vapor samples are submitted for laboratory analyses within holding times. Chain of Custody procedures are adhered to throughout sample collection, handling, and laboratory submittal as established by the DNR.



Approximate
Scale

1" = 3,000'


United States Geological Survey Topographic Map
Fort Atkinson Quadrangle

W 1/2 of the SW 1/4 of Section 34, Township 6 North, Range 14 East



Vicinity Diagram
700-710 Oak Street
Fort Atkinson, Wisconsin

Figure
1






- KEY**
- ◆ = Sub-Slab Vapor Point
 - ◆ = Proposed Sub-Slab Vapor Point
 - ◆ = Indoor Air Sample Location
 - = Storm Sewer
 - = Sanitary Sewer
 - = VMS Trench

FRIESS
ENVIRONMENTAL
CONSULTING, INC.

File No.: 170503
DWG Date: 2-20-18
Rev Date: 8-26-19
Drawn By: BRF
Checked By (PM): TJO

WP Site Diagram
Former DB Oak Property
704 Oak Street
Fort Atkinson, Wisconsin



KEY


- = SI monitoring well
- = SI boring location
- = Sediment sample
- = Former SI monitoring well
- = Vapor Intrusion Point
- = Proposed Vapor Intrusion Point
- = Proposed SI Monitoring Well



File No.: 170503
 DWG Date: 2-20-18
 Rev Date: 4-1-20
 Drawn By: BRF
 Checked By (PM): TJO



WP Site Diagram
 Former DB Oak Property
 704 Oak Street
 Fort Atkinson, Wisconsin

Figure
 3



KEY

- ▲ = SI monitoring well
- ⊕ = SI boring location
- = Sediment sample
- ▲ = Former SI monitoring well
- ⊕ = Vapor Intrusion Point
- ⊕ = Proposed Vapor Intrusion Point
- ▲ = Proposed SI Monitoring Well



FRIESS
ENVIRONMENTAL
CONSULTING, INC.

File No.: 170503
DWG Date: 2-20-18
Rev Date: 4-3-20
Drawn By: BRF
Checked By (PM): TJO

WP Site Diagram (SE Zoom)
Former DB Oak Property
704 Oak Street
Fort Atkinson, Wisconsin

Figure
4

TABLE A.1.
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	5,900	52.0	3,000	350	2,700
	9/22/2009	5,000	140	120	<74.0	1,300
	12/2/2009	1,900	89.0	<15.0	<46.0	560
	3/23/2010	3.00	0.93	1.30	0.91	1.10
	6/22/2010	10.0	1.20	0.41	0.18	1.60
	9/15/2010	7.80	13.0	0.16	<0.16	56.0
	12/14/2010	11.0	0.33	0.54	0.61	0.66
	3/9/2011	6.70	0.31	3.00	5.60	1.60
	6/28/2011	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/2011	0.44	<0.26	0.29	0.20	<0.18
	12/5/2011	0.53	<0.26	<.21	0.64	<0.18
	3/6/2012	1.90	<0.19	0.18	0.30	0.84
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	1.10	<0.26	0.27	0.34	0.44
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	0.31	<0.32	<0.22	0.27	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	1.40	<0.18	0.19	0.14	0.24
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	0.54	<0.32	<0.16	0.74	<0.17
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	0.36	<0.32	<0.22	<0.27	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	<0.30	<0.25	<0.21	<0.31	<0.16
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	0.35	<0.18	<0.22	<0.17	0.86
12/21/2015	NR	NR	NR	NR	NR	
3/21/2016	1.40	0.19	0.88	2.00	0.69	
6/14/2016	NR	NR	NR	NR	NR	
9/14/2016	1.70	0.29	0.61	1.20	0.94	
12/20/2016	NR	NR	NR	NR	NR	
3/8/2017	4.80	0.36	0.64	1.90	1.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
TW-02	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	6,000	64.0	320	440	240
	9/22/2009	3,300	63.0	640	750	410
	12/2/2009	4,100	62.0	460	710	520
	3/23/2010	3,700	<100	530	640	680
	6/22/2010	4,000	<65.0	370	440	1,100

	9/15/2010	<250	3,600	500	560	1,000	
	12/14/2010	2,400	<65.0	840	790	470	
	3/9/2011	1,500	<33.0	730	450	830	
	6/28/2011	2,100	37.0	360	410	590	
	9/20/2011	1,900	<65.0	510	530	500	
	12/5/2011	1,900	<52.0	550	470	550	
	3/6/2012	1,300	31.0	810	490	260	
	6/6/2012	1,400	120	1,400	1,200	1,800	
	9/24/2012	1,200	29.0	420	400	290	
	12/5/2012	1,200	32.0	350	360	280	
	3/20/2013	680	<32.0	480	250	150	
	6/11/2013	1,000	39.0	330	270	260	
	9/16/2013	1,100	35.0	300	220	280	
	12/4/2013	700	32.0	410	290	110	
	3/24/2014	770	<32.0	360	200	200	
	6/23/2014	620	<32.0	230	180	210	
	9/24/2014	660	<2.00	220	180	230	
	12/22/2014	550	23.0	270	200	120	
	3/10/2015	440	17.0	260	160	99.0	
	6/18/2015	160	<3.50	12.0	19.0	30.0	
	9/25/2015	470	15.0	60.0	39.0	130	
	12/21/2015	550	<10.0	230	150	160	
	3/21/2016	540	26.0	220	170	190	
	6/14/2016	560	21.0	130	100	200	
	9/14/2016	340	13.0	24.0	19.0	130	
	12/20/2016	450	19.0	180	120	130	
	3/8/2017	290	17.0	160	97.0	120	
	ES (ug/L)	-	70	100	5	5	0.2
	PAL (ug/L)	-	7	20	0.5	0.5	0.02
TW-03	12/16/2004	NR	NR	NR	NR	NR	
	6/1/2005	NR	NR	NR	NR	NR	
	3/28/2006	NR	NR	NR	NR	NR	
	11/2/2006	NR	NR	NR	NR	NR	
	10/25/2007	NR	NR	NR	NR	NR	
	4/21/2008	NR	NR	NR	NR	NR	
	5/26/2009	14.0	<5.20	210	200	<3.7	
	9/22/2009	5.50	<4.10	1,100	130	<3.4	
	12/2/2009	220	<4.10	590	130	<3.4	
	3/23/2010	450	<13.0	92.0	77.0	<9.2	
	6/22/2010	340	<6.50	10.0	7.20	58.0	
	9/15/2010	<3.10	290	<4.5	7.70	130	
	12/14/2010	NR	NR	NR	NR	NR	
	3/9/2011	62.0	<6.50	7.80	13.0	290	
	6/28/2011	580	5.50	51.0	79.0	460	
	9/20/2011	110	<6.50	<5.20	<4.20	650	
	12/5/2011	480	<21.0	<16.0	<13.0	560	
	3/6/2012	6.70	<0.19	<0.15	<0.25	13	
	6/6/2012	770	5.60	10.0	15.0	1,100	
	9/24/2012	180	<4.80	<3.70	<6.20	290	
	12/5/2012	530	<24.0	<18.0	<3.00	1,100	
	3/20/2013	400	<25	38.0	31.0	750	
	6/11/2013	90	<0.18	<13.0	20.0	1,000	
	9/16/2013	390	<15.0	24.0	20.0	970	
	12/4/2013	330	<32.0	28.0	<27	720	
	3/24/2014	390	<32.0	26.0	51.0	760	
	6/23/2014	290	<32.0	52.0	40.0	680	
	9/24/2014	320	<32.0	<22.0	<27.0	780	
	12/22/2014	350	<16.0	16.0	<14.0	700	
	3/10/2015	370	<20.0	130	80.0	750	
	6/18/2015	428	<22.0	36.8	20.6	488	
	9/25/2015	1,300	<14.0	<17.0	<13.0	1,000	

	12/21/2015	600	<25.0	41.0	<31.0	950
	3/21/2016	1,100	8.70	37.0	26.0	1,200
	6/14/2016	1,300	<15.0	<17.0	<24.0	1,100
	9/14/2016	2,100	19.0	<21.0	<30.0	1,100
	12/20/2016	430	15.0	62.0	38.0	1,200
	3/8/2017	1,500	<34.0	74.0	<65.0	1,100
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
IW-1	12/16/2004	NR	<0.21	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	8.80	<0.26	0.76	0.68	5.50
	9/22/2009	2.70	<0.26	<0.21	<0.17	7.20
	12/2/2009	2.00	<0.21	0.12	0.43	7.80
	3/23/2010	1.70	<0.26	<0.21	<0.17	9.30
	6/22/2010	1.80	<0.26	0.54	0.23	7.60
	9/15/2010	<.13	0.99	<0.16	<0.16	6.90
	12/14/2010	1.20	<0.26	0.44	0.44	7.80
	3/9/2011	1.00	NR	0.43	<0.17	6.70
	6/28/2011	0.82	<0.26	<0.21	<0.17	4.80
	9/20/2011	0.49	<0.19	<0.15	<0.25	2.60
	12/5/2011	0.43	<0.26	<0.15	<0.17	2.10
	3/6/2012	0.29	<0.26	<0.21	<0.17	1.80
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	0.54	<0.26	<0.21	<0.17	1.80
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	0.27	<0.32	0.31	0.34	1.80
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	0.31	<0.18	0.19	<0.14	1.50
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	0.26	<0.32	<0.16	<0.27	1.80
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	0.22	<0.32	<0.22	<0.27	1.50
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	<.30	<0.25	<0.21	<0.31	1.70
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	<.30	<0.25	<0.21	<0.31	1.40
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	<.18	<0.15	<0.17	<0.24	1.60
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	<.24	<0.17	<0.22	<0.32	1.20
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	2.30	<0.17	1.60	0.66	1.30
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-1	12/16/2004	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.40	<0.20
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR

	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-2	12/16/2004	5,900	32.0	120	140	33.0
	6/1/2005	3,800	160	<150	160	<53.0
	3/28/2006	6,400	<85.0	190	450	<98.0
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	1,800	<25.0	<25.0	520	27.0
	4/21/2008	560	<25.0	120	85.0	<25.0
	5/26/2009	260	<6.50	110	69	6.90
	9/22/2009	630	<6.50	270	170	25.0
	12/2/2009	510	<5.20	320	230	6.50
	3/23/2010	1,000	7.60	470	360	17.0
	6/22/2010	950	<10.0	400	290	16.0
	9/15/2010	<5.00	360	180	150	<6.90
	12/14/2010	390	<10.0	270	200	13.0
	3/9/2011	530	<10.0	220	180	<7.40
	6/28/2011	570	<10.0	210	200	10.0
	9/20/2011	710	<7.70	250	290	6.60
	12/5/2011	2,200	27.0	15.0	500	65.0
	3/6/2012	3,200	<52.0	450	340	55.0
	6/6/2012	3,200	<65.0	350	300	<46.0
	9/24/2012	3,900	<48.0	530	490	<37.0
	12/5/2012	4,800	<77.0	200	510	<60.0
	3/20/2013	3,200	<130	270	500	<66.0
	6/11/2013	870	<32.0	140	160	<17.0
	9/16/2013	2,300	<74.0	74.0	200	<44.0
	12/4/2013	1,900	<40.0	330	400	<44.0
	3/24/2014	1,800	<40.0	140	190	<21.0
	6/23/2014	840	<16.0	96.0	67.0	16.0
	9/24/2014	1,300	<16.0	230	360	14.0
	12/22/2014	2,000	<32.0	230	270	24.0
	3/10/2015	3,800	25.0	200	200	28.0
	6/18/2015	1,800	<35.0	72.0	120	39.0
	9/25/2015	2,400	<35.0	170	370	39.0
	12/21/2015	1,600	<50.0	150	280	31.0
	3/21/2016	1,700	<29.0	120	170	32.0

	6/14/2016	1,400	<34.0	85.0	92.0	34.0
	9/14/2016	2,500	21.0	180	270	20.0
	12/20/2016	1,100	<42.0	160	220	43.0
	3/8/2017	1,800	<42.0	150	220	43.0
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-2A	12/16/2004	380	<5.40	44.0	69.0	29.0
	6/1/2005	350	<8.70	110	83.0	36.0
	3/28/2006	3,800	20.0	320	700	91.0
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	1,800	<25.0	360	530	<25.0
	4/21/2008	2,100	<25.0	610	620	<25.0
	5/26/2009	660	<13.0	590	380	<9.20
	9/22/2009	920	<13.0	530	280	75.0
	12/2/2009	1,700	11.0	390	280	56.0
	3/23/2010	1,900	16.0	250	180	76.0
	6/22/2010	1,600	<26.0	290	200	<18.0
	9/15/2010	<13.0	730	340	200	<17.0
	12/14/2010	2,100	<26.0	370	190	25.0
	3/9/2011	1,700	<26.0	220	140	48.0
	6/28/2011	1,600	<26.0	240	160	<18.0
	9/20/2011	1,200	<19.0	210	150	<15.0
	12/5/2011	1,700	<26.0	170	110	33.0
	3/6/2012	2,200	<52.0	140	100	69.0
	6/6/2012	2,200	<52.0	88.0	79.0	73.0
	9/24/2012	1,800	<39.0	110	85.0	66.0
	12/5/2012	2,300	<39.0	74.0	87.0	67.0
	3/20/2013	2,400	<63.0	66.0	61.0	<33.0
	6/11/2013	1,500	<63.0	94.0	130	<33.0
	9/16/2013	1,600	<37.0	62.0	91.0	32.0
	12/4/2013	2,400	<63.0	65.0	65.0	54.0
	3/24/2014	630	<16.0	33.0	39.0	36.0
	6/23/2014	2,300	<63.0	<200	<200	59.0
	9/24/2014	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/2014	1,900	<32.0	42.0	36.0	62.0
	3/10/2015	2,000	<31.0	44.0	49.0	47.0
	6/18/2015	3,630	<34.0	135	71.0	53.9
	9/25/2015	2,000	<35.0	<44.0	<33.0	47.0
	12/21/2015	2,200	<50.0	<43.0	<61.0	100
	3/21/2016	2,500	<29.0	<33.0	<47.0	98.0
	6/14/2016	1,900	<34.0	<44.0	<65.0	100
	9/14/2016	1,400	<29.0	<33.0	<47.0	<32.0
	12/20/2016	1,600	<21.0	<28.0	<40.0	75.0
	3/8/2017	2,000	<21.0	<28.0	<40.0	290
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-2B	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	19.0	<0.50	15.0	6.20	<0.50
	4/21/2008	19.0	<0.50	15.0	6.20	<0.50
	5/26/2009	1.40	<0.26	11.0	6.60	<0.18
	9/22/2009	1.80	<0.26	9.20	6.40	<0.18
	12/2/2009	2.20	<0.21	9.80	5.90	<0.17
	3/23/2010	4.60	<0.13	13.0	6.70	<0.17
	6/22/2010	1.60	<0.26	11.0	6.70	<0.18
	9/15/2010	<0.13	0.63	7.10	6.50	<0.17
	12/14/2010	15.0	<0.26	19.0	6.30	<0.18
	3/9/2011	14.0	<0.26	8.20	4.90	<0.18
	6/28/2011	16.0	<0.26	8.20	4.50	<0.18

	9/20/2011	15.0	<0.19	5.00	3.90	<0.15
	12/5/2011	13.0	<0.26	6.90	4.80	<0.18
	3/6/2012	12.0	<0.26	6.80	5.50	<0.18
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	16.0	0.21	6.70	7.30	<0.15
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	35.0	0.37	10.0	11.0	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	23.0	<0.74	5.90	5.10	<0.44
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	39.0	<0.79	7.70	11.0	<0.42
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	7.30	<0.32	9.60	6.60	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	11.0	<0.25	13.0	8.50	0.19
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	5.60	<0.18	23.0	7.80	<0.20
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	13.0	0.22	16.0	8.10	<0.16
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	18.0	0.25	16.0	4.80	<0.16
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	25.0	0.38	20.0	5.60	<0.17
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-3	12/16/2004	6800.00	<540	34,000.00	17,000.00	<820
	6/1/2005	2600.00	<870	27,000.00	5,500.00	<270
	3/28/2006	3500.00	<420	28,000.00	7,200.00	<490
	11/2/2006	3000.00	<220	22,000.00	5,100.00	79.00
	10/25/2007	5800.00	<200	10,000.00	3,300.00	710.00
	4/21/2008	2100.00	<130	24,000.00	3,100.00	<130
	5/26/2009	2800.00	<51	5,700.00	4,000.00	270.00
	9/22/2009	27000.00	840.00	<100	<84	12000.00
	12/2/2009	68000.00	2,000.00	<59	<190	27000.00
	3/23/2010	80000.00	1,800.00	<900	<820	31000.00
	6/22/2010	2500.00	<1300	<1000	<840	52000.00
	9/15/2010	<630	<600	<900	<820	27000.00
	12/14/2010	<510	<650	<520	<420	26000.00
	3/9/2011	970.00	<650	<520	<420	28000.00
	6/28/2011	<200	<260	<210	<170	13000.00
	9/20/2011	<100	<97	<73	<120	4400.00
	12/5/2011	100.00	<130	<100	<84	15000.00
	3/6/2012	470.00	<520	<410	<330	20000.00
	6/6/2012	<200	<260	<210	<170	12000.00
	9/24/2012	0.28	<0.19	<0.15	<0.25	2.10
	12/5/2012	2.00	<0.19	<0.15	<0.25	83.00
	3/20/2013	13.00	62.00	<1.7	<2.2	5200.00
	6/11/2013	<4.0	<13	<8.6	<11	380.00
	9/16/2013	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/2013	1.60	<0.32	<0.22	<0.27	0.57
	3/24/2014	1.90	<0.32	<0.22	0.68	6.60
	6/23/2014	3.00	<0.17	<0.21	<0.15	8.90
	9/24/2014	1.10	<0.32	<0.22	0.56	0.77
	12/22/2014	0.85	<0.32	<0.22	<0.27	0.54
	3/10/2015	0.81	<0.25	<0.21	<0.31	0.31
	6/18/2015	1.63	<0.27	0.41	0.36	0.48
	9/25/2015	1.10	0.34	<0.22	<0.17	1.70
	12/21/2015	3.30	0.38	<0.21	1.30	4.80
	3/21/2016	3.00	0.30	<0.17	<0.24	12.00
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	1.10	0.61	<0.17	<0.24	2.10

	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	3.00	0.24	<0.22	<0.32	39.00
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-3A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	13000.00	250.00	3,000.00	2,300.00	910.00
	3/28/2006	12000.00	190.00	4,200.00	2,900.00	740.00
	11/2/2006	14000.00	<220	1,700.00	1,900.00	580.00
	10/25/2007	11000.00	190.00	2,100.00	1,500.00	520.00
	4/21/2008	16000.00	<250	4,400.00	2,700.00	990.00
	5/26/2009	18000.00	250.00	3,100.00	2,100.00	1700.00
	9/22/2009	20000.00	300.00	1,200.00	1,100.00	2300.00
	12/2/2009	18000.00	<260	1,500.00	1,200.00	2200.00
	3/23/2010	15000.00	180.00	1,400.00	1,300.00	1600.00
	6/22/2010	16000.00	<330	2,400.00	1,400.00	1700.00
	9/15/2010	<160	15,000.00	1,300.00	1,500.00	1900.00
	12/14/2010	17000.00	<330	1,500.00	1,500.00	1700.00
	3/9/2011	14000.00	<330	1,500.00	310.00	1200.00
	6/28/2011	8500.00	<330	<260	<210	1200.00
	9/20/2011	14000.00	<330	<260	<210	4000.00
	12/5/2011	8500.00	<330	<260	<200	9400.00
	3/6/2012	4500.00	<150	<120	<130	6700.00
	6/6/2012	7900.00	<210	<160	<62	4700.00
	9/24/2012	3200.00	50.00	<37	<250	2800.00
	12/5/2012	15000.00	<190	<150	<340	2800.00
	3/20/2013	11000.00	<400	<270	390.00	2400.00
	6/11/2013	13000.00	<400	<270	<180	2600.00
	9/16/2013	13000.00	<230	<200	<340	2400.00
	12/4/2013	13000.00	<400	<270	<340	2200.00
	3/24/2014	14000.00	<400	<400	<190	2200.00
	6/23/2014	14000.00	<180	<170	<340	2600.00
	9/24/2014	12000.00	<400	<270	<270	2500.00
	12/22/2014	15000.00	<320	<220	<380	2500.00
	3/10/2015	13000.00	<310	<270	<230	2360.00
	6/18/2015	14700.00	<340	<330	<380	2500.00
	9/25/2015	13000.00	<310	<270	<380	2300.00
	12/21/2015	12000.00	<310	<270	<300	2800.00
	3/21/2016	16000.00	<180	<210	<400	2800.00
	6/14/2016	13000.00	<210	<280	<400	2500.00
	9/14/2016	18000.00	<180	<210	<300	2900.00
	12/20/2016	16000.00	<210	<280	<400	2800.00
	3/8/2017	17000.00	<210	<280	<400	3100.00
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-3B	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	600.00	<85	17,000.00	2,800.00	<98
	11/2/2006	400.00	<110	9,700.00	1,800.00	<22
	10/25/2007	330.00	<100	5,300.00	1,200.00	<100
	4/21/2008	530.00	<100	12,000.00	2,400.00	<100
	5/26/2009	480.00	<51	9,700.00	2,300.00	<42
	9/22/2009	1000.00	<210	9,800.00	1,900.00	210.00
	12/2/2009	1000.00	<160	9,700.00	2,200.00	<140
	3/23/2010	920.00	<100	10,000.00	2,200.00	<140
	6/22/2010	860.00	<210	1,600.00	1,900.00	<150
	9/15/2010	<170	1,000.00	10,000.00	2,400.00	<140
	12/14/2010	740.00	<260	11,000.00	2,100.00	<180
	3/9/2011	670.00	<260	9,600.00	1,900.00	<180
	6/28/2011	1800.00	<52	830.00	820.00	130.00
	9/20/2011	4900.00	<130	320.00	1,500.00	160.00
	12/5/2011	4800.00	<130	210.00	710.00	190.00

	3/6/2012	6500.00	<77	<58	<99	400.00	
	6/6/2012	3400.00	<130	110.00	550.00	710.00	
	9/24/2012	2200.00	<39	840.00	870.00	690.00	
	12/5/2012	1500.00	<39	1,800.00	1,100.00	450.00	
	3/20/2013	1100.00	<40	2,500.00	1,100.00	250.00	
	6/11/2013	1400.00	<37	2,700.00	1,200.00	270.00	
	9/16/2013	1100.00	<63	2,400.00	1,200.00	250.00	
	12/4/2013	960.00	<63	1,900.00	1,000.00	190.00	
	3/24/2014	900.00	<63	2,200.00	1,200.00	170.00	
	6/23/2014	950.00	<63	1,900.00	1,100.00	220.00	
	9/24/2014	1100.00	<63	2,100.00	1,100.00	250.00	
	12/22/2014	1300.00	<63	2,400.00	1,500.00	230.00	
	3/10/2015	990.00	<50	2,800.00	1,400.00	210.00	
	6/18/2015	1160.00	<54	3,380.00	1,440.00	218.00	
	9/25/2015	980.00	<50	2,600.00	1,300.00	230.00	
	12/21/2015	900.00	<50	3,000.00	1,400.00	220.00	
	3/21/2016	1100.00	<36	3,400.00	1,300.00	<300	
	6/14/2016	940.00	<42	2,900.00	1,200.00	310.00	
	9/14/2016	1200.00	<36	3,600.00	1,300.00	370.00	
	12/20/2016	1300.00	<68	2,800.00	1,200.00	400.00	
	3/8/2017	1200.00	<68	4,100.00	1,400.00	360.00	
	ES (ug/L)	-	70	100	5	5	0.2
	PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-3C	12/16/2004	NR	NR	NR	NR	NR	
	6/1/2005	NR	NR	NR	NR	NR	
	3/28/2006	NR	NR	NR	NR	NR	
	11/2/2006	NR	NR	NR	NR	NR	
	10/25/2007	110.00	1.00	3.20	1.40	2.80	
	4/21/2008	49.00	<5	<5	<5	<5	
	5/26/2009	37.00	0.38	1.90	2.50	0.57	
	9/22/2009	0.35	<0.26	0.68	0.22	<0.18	
	12/2/2009	<0.41	<0.51	<0.30	1.10	<0.42	
	3/23/2010	5.00	<0.50	<0.72	<0.65	1.80	
	6/22/2010	11.00	<1.0	<0.82	<0.67	1.70	
	9/15/2010	<0.13	6.10	<0.18	0.31	0.85	
	12/14/2010	6.10	<0.26	34.00	5.40	1.20	
	3/9/2011	6.40	NR	<0.21	0.34	0.71	
	6/28/2011	5.30	<0.26	<0.21	0.34	0.95	
	9/20/2011	6.90	<0.26	0.44	0.94	0.79	
	12/5/2011	4.80	<0.26	<0.21	0.53	0.73	
	3/6/2012	4.30	<0.19	<0.15	<0.25	,61	
	6/6/2012	NR	NR	NR	NR	NR	
	9/24/2012	4.10	<0.19	<0.15	<0.25	0.66	
	12/5/2012	NR	NR	NR	NR	NR	
	3/20/2013	4.30	<0.32	0.35	0.42	1.10	
	6/11/2013	NR	NR	NR	NR	NR	
	9/16/2013	1.90	<0.32	<0.22	<0.17	<0.17	
	12/4/2013	NR	NR	NR	NR	NR	
	3/24/2014	5.50	<0.32	4.10	1.90	0.66	
	6/23/2014	NR	NR	NR	NR	NR	
	9/24/2014	1.50	<0.32	<0.22	<0.27	0.19	
	12/22/2014	NR	NR	NR	NR	NR	
	3/10/2015	1.80	<0.25	<0.21	<0.31	0.26	
	6/18/2015	NR	NR	NR	NR	NR	
	9/25/2015	1.40	<0.25	<0.21	<0.31	0.18	
	12/21/2015	NR	NR	NR	NR	NR	
	3/21/2016	1.40	<0.17	<0.22	<0.32	0.20	
	6/14/2016	NR	NR	NR	NR	NR	
	9/14/2016	1.20	<0.15	<0.17	<0.24	0.17	
	12/20/2016	NR	NR	NR	NR	NR	
	3/8/2017	1.30	<0.17	<0.22	<0.32	0.37	

		70	100	5	5	0.2
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-4	12/16/2004	<66	<54	2,500.00	10,000.00	<82
	6/1/2005	<200	<170	2,500.00	4,700.00	<53
	3/28/2006	<190	<170	5,400.00	38,000.00	<200
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	42.00	<25	2,000.00	1,500.00	<25
	4/21/2008	600.00	<500	14,000.00	43,000.00	<500
	5/26/2009	<40	<52	2,400.00	1,100.00	<37
	9/22/2009	5200.00	<52	<41	44.00	1300.00
	12/2/2009	1600.00	<21	110.00	71.00	800.00
	3/23/2010	4300.00	47.00	5,000.00	17,000.00	1600.00
	6/22/2010	3600.00	<33	<26	<21	1600.00
	9/15/2010	<15	660.00	<23	<20	970.00
	12/14/2010	990.00	<33	<26	<21	2100.00
	3/9/2011	3100.00	<26	5,500.00	6,300.00	1400.00
	6/28/2011	7200.00	69.00	70.00	1,000.00	7200.00
	9/20/2011	9200.00	57.00	<18	730.00	3200.00
	12/5/2011	21000.00	140.00	<100	2,000.00	4400.00
	3/6/2012	69000.00	650.00	<180	1,900.00	14000.00
	6/6/2012	8300.00	<210	<160	<130	7000.00
	9/24/2012	5800.00	<210	<160	<130	6800.00
	12/5/2012	9700.00	<150	<120	<200	9100.00
	3/20/2013	30000.00	270.00	150.00	5,900.00	13000.00
	6/11/2013	5000.00	<250	<170	<220	6700.00
	9/16/2013	1300.00	<74	87.00	<57	5200.00
	12/4/2013	7.80	<1.3	<2.7	<3.4	160.00
	3/24/2014	6500.00	<500	<110	3,900.00	3000.00
	6/23/2014	14000.00	<160	<110	<140	12000.00
	9/24/2014	7400.00	<400	<270	<340	8400.00
	12/22/2014	740.00	<22	<17	<19	1200.00
	3/10/2015	2600.00	<63	<53	<76	1700.00
6/18/2015	6010.00	<67	<66	<46	4560.00	
9/25/2015	9700.00	<130	<110	510.00	8000.00	
12/21/2015	3600.00	<130	<110	<150	5100.00	
3/21/2016	3700.00	<85	<110	<160	5600.00	
6/14/2016	3900.00	<85	<110	<160	3000.00	
9/14/2016	620.00	<21	<28	<40	1800.00	
12/20/2016	3.70	0.62	<0.44	<68	18.00	
3/8/2017	800.00	<17	<22	<32	1100.00	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-4A	12/16/2004	0.89	<0.11	7.10	23.00	<0.16
	6/1/2005	<0.40	<0.35	1.20	0.59	<0.11
	3/28/2006	0.29	<0.17	6.90	0.97	<0.2
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	1.20	8.50	<0.50
	4/21/2008	<0.50	<0.50	1.50	1.10	<0.50
	5/26/2009	<0.20	<0.26	3.80	1.60	<0.18
	9/22/2009	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/2009	0.20	<0.21	0.95	<0.37	<0.57
	3/23/2010	2.60	<0.26	3.30	2.20	<0.18
	6/22/2010	0.79	<0.26	1.20	0.52	<0.18
	9/15/2010	<0.13	0.53	1.10	0.56	<0.17
	12/14/2010	<0.2	<0.26	0.38	0.33	<0.18
	3/9/2011	2.60	<0.26	6.20	1.40	<0.18
	6/28/2011	0.70	<0.26	0.67	0.65	<0.18
9/20/2011	1.90	<0.19	0.82	1.70	<0.15	
12/5/2011	1.60	<0.26	0.82	0.59	<0.18	
3/6/2012	1.40	<0.19	0.66	0.41	<0.15	
6/6/2012	1.80	<0.19	0.85	0.51	<0.15	

	9/24/2012	1.50	<0.26	0.74	0.61	<0.18
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	0.44	<0.32	0.68	0.55	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	0.30	<0.32	0.29	0.32	<0.17
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	0.11	0.32	<0.16	0.46	<0.17
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	<0.10	<0.32	<0.22	0.29	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	<0.30	<0.25	<43	<0.31	<0.16
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	0.64	<0.25	0.34	0.40	<0.16
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	2.10	<0.17	0.33	<0.32	<0.17
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-4B	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	<0.20	<0.26	1.10	0.42	<0.18
	9/22/2009	1.10	<0.21	3.60	1.20	<0.17
	12/2/2009	2.50	<0.21	2.80	1.10	<0.57
	3/23/2010	0.29	<0.26	2.20	0.25	<0.18
	6/22/2010	0.39	<0.26	0.81	<0.17	<0.18
	9/15/2010	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/2010	2.40	<0.26	2.50	0.46	0.22
	3/9/2011	7.30	<0.26	1.50	0.44	<0.18
	6/28/2011	1.90	<0.26	0.40	0.23	0.29
	9/20/2011	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/2011	1.30	<0.26	0.37	0.39	<0.18
	3/6/2012	3.10	<0.19	1.40	0.49	<0.15
	6/6/2012	NR	<0.19	NR	NR	NR
	9/24/2012	0.69	<0.26	<0.21	<0.17	<0.18
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	0.33	<0.32	<0.22	<0.27	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	<0.10	<0.32	<0.22	<0.17	<0.17
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	0.40	<0.32	0.31	<0.27	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	<0.30	<0.25	0.78	<0.31	<0.16
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

MW-5	12/16/2004	0.21	<0.11	2.30	1.20	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	0.17	0.77	<0.2
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	0.78	0.81	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	<0.13	<0.12	<0.18	0.47	<0.17
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	<0.20	<0.26	<0.21	<0.17	<0.18
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
12/21/2015	NR	NR	NR	NR	NR	
3/21/2016	NR	NR	NR	NR	NR	
6/14/2016	NR	NR	NR	NR	NR	
9/14/2016	NR	NR	NR	NR	NR	
12/20/2016	NR	NR	NR	NR	NR	
3/8/2017	NR	NR	NR	NR	NR	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-6	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.35	<0.2
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
9/20/2011	NR	NR	NR	NR	NR	
12/5/2011	NR	NR	NR	NR	NR	
3/6/2012	NR	NR	NR	NR	NR	
6/6/2012	NR	NR	NR	NR	NR	
9/24/2012	NR	NR	NR	NR	NR	
12/5/2012	NR	NR	NR	NR	NR	

	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-6A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.34	<0.17	<0.16	<0.19	<0.2
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	<0.10	<0.32	0.30	<0.27	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-7	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR

	3/28/2006	0.89	<0.17	5.40	2.90	<0.2
	11/2/2006	<.83	<0.89	4.90	1.40	<0.18
	10/25/2007	<0.50	<0.50	3.50	0.63	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/2009	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/2009	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/2010	<0.12	<0.13	0.32	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	<0.13	<0.12	0.48	<0.16	<0.17
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	<0.20	NR	0.34	<0.17	<0.18
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	<0.48	0.47	<0.25	<0.15
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	<0.21	<0.19	0.29	<0.25	<0.15
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	22.00	0.28	0.80	1.40	<0.18
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	0.99	<0.32	0.42	0.34	<0.17
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	<0.10	<0.32	0.27	<0.17	<0.17
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	1.20	<0.32	2.30	0.64	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	<0.30	<0.25	0.29	<0.31	<0.16
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	<0.30	<0.25	0.30	<0.31	<0.16
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	<0.24	<0.17	< 0.22	<0.32	<0.17
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	<0.17	<0.22	<0.32	<0.17
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-7A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	270.00	<10	850.00	200.00	<8.3
	11/2/2006	290.00	<8.9	560.00	180.00	<1.8
	10/25/2007	<5.0	<5.0	310.00	110.00	<5.0
	4/21/2008	<0.50	<0.50	0.67	<0.50	<.50
	5/26/2009	<1.6	<2.1	94.00	3.90	<1.5
	9/22/2009	<1.3	<1.6	68.00	5.90	<1.4
	12/2/2009	0.50	<0.21	83.00	3.60	<0.57
	3/23/2010	5.00	<0.63	92.00	6.40	<0.87
	6/22/2010	<1.6	<2.1	82.00	2.10	<1.5
	9/15/2010	<0.50	<0.48	44.00	2.10	<0.69
	12/14/2010	<1.0	<1.3	55.00	1.30	<0.92
	3/9/2011	1.10	NR	60.00	1.20	<0.92
	6/28/2011	1.30	<1.3	45.00	2.00	1.10
	9/20/2011	1.10	<0.48	43.00	1.90	<0.37
	12/5/2011	3.50	<1.0	50.00	1.70	<0.74
	3/6/2012	4.20	<0.77	59.00	2.90	<0.60
	6/6/2012	67.00	<0.97	54.00	3.50	<0.75
	9/24/2012	74.00	<1.3	67.00	6.40	<0.92
	12/5/2012	74.00	<0.97	55.00	6.90	<0.75
	3/20/2013	140.00	<1.6	69.00	25.00	<0.83
	6/11/2013	96.00	<2.3	44.00	11.00	1.90

	9/16/2013	45.00	<3.2	25.00	4.90	<1.7
	12/4/2013	86.00	<3.2	47.00	9.70	<1.7
	3/24/2014	160.00	<32	60.00	24.00	<1.7
	6/23/2014	120.00	<3.2	49.00	20.00	<1.7
	9/24/2014	77.00	<3.2	31.00	11.00	<1.7
	12/22/2014	97.00	<0.87	49.00	17.00	<0.84
	3/10/2015	92.00	<2.0	44.00	19.00	<1.2
	6/18/2015	187.00	<2.7	70.80	32.00	<2.0
	9/25/2015	160.00	<2.5	71.00	45.00	<1.6
	12/21/2015	180.00	<3.1	120.00	65.00	<2.0
	3/21/2016	180.00	<12.5	100.00	55.00	<2.1
	6/14/2016	170.00	<2.1	88.00	55.00	<2.1
	9/14/2016	190.00	<2.1	130.00	60.00	<2.1
	12/20/2016	200.00	<2.1	120.00	54.00	<2.1
	3/8/2017	230.00	<3.4	140.00	61.00	<2.1
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-7B	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	6.90	0.87	<0.50
	4/21/2008	<0.50	<0.50	6.40	0.73	<0.50
	5/26/2009	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/2009	<0.16	<0.21	10.00	0.39	<0.17
	12/2/2009	0.49	<0.21	11.00	0.62	<0.17
	3/23/2010	0.20	<0.13	8.60	0.62	<0.17
	6/22/2010	<0.20	<0.26	8.10	0.35	<0.18
	9/15/2010	<0.13	<0.12	8.00	0.78	<0.17
	12/14/2010	<0.20	<0.26	11.00	0.51	<0.15
	3/9/2011	<0.20	NR	8.40	0.42	<0.18
	6/28/2011	<0.21	<0.19	7.10	0.45	<0.15
	9/20/2011	<0.21	<0.19	6.60	0.49	<0.15
	12/5/2011	<0.20	<0.26	5.50	0.48	<0.18
	3/6/2012	0.66	<0.19	3.50	0.48	<0.15
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	0.61	<0.26	3.10	0.58	<0.18
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	4.90	<0.32	3.10	1.30	0.79
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	<0.10	<0.32	0.56	3.50	<0.17
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	0.33	<0.32	4.90	1.60	<0.17
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	<0.10	<0.32	3.80	0.40	<0.17
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	0.50	<0.25	5.50	0.79	<0.16
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	0.77	<0.18	6.40	1.50	0.23
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	8.40	0.25	8.50	5.10	0.52
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	7.10	<0.17	15.00	7.70	0.35
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	2.30	<0.17	20.00	7.40	0.39
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-8	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR

	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	0.22	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	<0.20	NRR	<0.21	<0.17	<0.18
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-8A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	1.90	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	<0.12	<0.13	1.10	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	<0.13	0.68	<0.16	<0.16	<0.18
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	<0.20	NRR	<0.21	<0.17	<0.18
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	0.33	<0.19	<0.15	0.60	<0.15
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR

	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-8B	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	1.30	<0.50	4.00	1.40	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	0.24	<0.13	2.00	<0.16	<0.17
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	0.37	NRR	3.20	0.33	<0.18
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	<0.20	<0.19	<0.15	<0.25	<0.15
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	0.23	<0.19	<0.15	0.31	<0.15
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-9	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR

5/26/2009	NR	NR	NR	NR	NR	NR
9/22/2009	NR	NR	NR	NR	NR	NR
12/2/2009	NR	NR	NR	NR	NR	NR
3/23/2010	NR	NR	NR	NR	NR	NR
6/22/2010	NR	NR	NR	NR	NR	NR
9/15/2010	NR	NR	NR	NR	NR	NR
12/14/2010	NR	NR	NR	NR	NR	NR
3/9/2011	NR	NR	NR	NR	NR	NR
6/28/2011	NR	NR	NR	NR	NR	NR
9/20/2011	NR	NR	NR	NR	NR	NR
12/5/2011	NR	NR	NR	NR	NR	NR
3/6/2012	NR	NR	NR	NR	NR	NR
6/6/2012	NR	NR	NR	NR	NR	NR
9/24/2012	NR	NR	NR	NR	NR	NR
12/5/2012	NR	NR	NR	NR	NR	NR
3/20/2013	NR	NR	NR	NR	NR	NR
6/11/2013	NR	NR	NR	NR	NR	NR
9/16/2013	NR	NR	NR	NR	NR	NR
12/4/2013	NR	NR	NR	NR	NR	NR
3/24/2014	NR	NR	NR	NR	NR	NR
6/23/2014	NR	NR	NR	NR	NR	NR
9/24/2014	NR	NR	NR	NR	NR	NR
12/22/2014	780.00	<17	<14	<15	20.00	
3/10/2015	980.00	<20	<17	<24	52.00	
6/18/2015	2300.00	25.40	37.70	<15	85.60	
9/25/2015	3400.00	<35	<55	<42	230.00	
12/21/2015	2100.00	<63	<53	<76	75.00	
3/21/2016	1700.00	<34	<44	<65	73.00	
6/14/2016	NR	NR	NR	NR	NR	
9/14/2016	NR	NR	NR	NR	NR	
12/20/2016	NR	NR	NR	NR	NR	
3/8/2017	NR	NR	NR	NR	NR	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-9A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	NR	NR	NR	NR	NR
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	NR	NR	NR	NR	NR
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR

	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	340.00	<7.9	<5.4	<6.8	<4.2
	3/10/2015	300.00	<6.3	<5.3	<7.6	<3.9
	6/18/2015	358.00	<6.7	<6.6	<4.6	16.80
	9/25/2015	290.00	<4.4	<5.5	<4.2	<4.9
	12/21/2015	480.00	<6.3	<5.3	<7.6	7.70
	3/21/2016	320.00	<6.8	<8.8	<13	<6.8
	6/14/2016	NR	NR	NR	NR	NR
	9/14/2016	NR	NR	NR	NR	NR
	12/20/2016	NR	NR	NR	NR	NR
	3/8/2017	NR	NR	NR	NR	NR
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-10	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	NR	NR	NR	NR	NR
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	NR	NR	NR	NR	NR
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-10A	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	NR	NR	NR	NR	NR
	9/22/2009	NR	NR	NR	NR	NR

	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	NR	NR	NR	NR	NR
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/10/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR
	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02
MW-11	12/16/2004	NR	NR	NR	NR	NR
	6/1/2005	NR	NR	NR	NR	NR
	3/28/2006	NR	NR	NR	NR	NR
	11/2/2006	NR	NR	NR	NR	NR
	10/25/2007	NR	NR	NR	NR	NR
	4/21/2008	NR	NR	NR	NR	NR
	5/26/2009	NR	NR	NR	NR	NR
	9/22/2009	NR	NR	NR	NR	NR
	12/2/2009	NR	NR	NR	NR	NR
	3/23/2010	NR	NR	NR	NR	NR
	6/22/2010	NR	NR	NR	NR	NR
	9/15/2010	NR	NR	NR	NR	NR
	12/14/2010	NR	NR	NR	NR	NR
	3/9/2011	NR	NR	NR	NR	NR
	6/28/2011	NR	NR	NR	NR	NR
	9/20/2011	NR	NR	NR	NR	NR
	12/5/2011	NR	NR	NR	NR	NR
	3/6/2012	NR	NR	NR	NR	NR
	6/6/2012	NR	NR	NR	NR	NR
	9/24/2012	NR	NR	NR	NR	NR
	12/5/2012	NR	NR	NR	NR	NR
	3/20/2013	NR	NR	NR	NR	NR
	6/11/2013	NR	NR	NR	NR	NR
	9/16/2013	NR	NR	NR	NR	NR
	12/4/2013	NR	NR	NR	NR	NR
	3/24/2014	NR	NR	NR	NR	NR
	6/23/2014	NR	NR	NR	NR	NR
	9/24/2014	NR	NR	NR	NR	NR
	12/22/2014	NR	NR	NR	NR	NR
	3/10/2015	NR	NR	NR	NR	NR

	6/18/2015	NR	NR	NR	NR	NR
	9/25/2015	NR	NR	NR	NR	NR
	12/21/2015	NR	NR	NR	NR	NR
	3/21/2016	NR	NR	NR	NR	NR
	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/2016	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/2017	<0.17	<0.24	0.23	<0.32	<0.17
MW-12	3/21/2016	<i>20.0</i>	0.47 J	<0.22	<0.32	0.35 J
MW-12A	3/21/2016	2,400	<29.0	<33.0	<47.0	290
	8/7/2018	360	4.90	<0.38	<0.30	<0.20
	4/26/2019	137	<3.40	<3.80	<3.00	<2.00
Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed yet.