



December 23, 2020

Mr. Jeff Ackerman  
Wisconsin Department of Natural Resources  
3911 Fish Hatchery Road  
Fitchburg, WI 53711

RE: Sample Results Notification for the DB Oak Property (former Thomas Industries) Located at 700-710 Oak Street in Fort Atkinson, Wisconsin — FEC Project No. 170503

Dear Mr. Ackerman:

As you are aware, **Friess Environmental Consulting (FEC)** is conducting environmental services at the above referenced site. Three new groundwater monitoring wells and three new piezometers were installed in September 2020 and all of the available new and existing groundwater monitoring wells and piezometers were sampled on October 8, 2020. It should be noted that FEC did not sample groundwater wells TW-1, TW-2, TW-3, and IW-1 as they were believed to be temporary wells or injection wells. Please find attached the Site Investigation Sampling Results Notification (DNR Form 4400-249), a map of the site, and copies of the laboratory reports. This information is being submitted to comply with the requirements of s. NR 716.14 (2), Wisconsin Administrative Code (WAC).

The results of the groundwater sampling indicate a reduction in contaminant concentrations from across the site. However, the downgradient edge of the plume may require further definition. Additional groundwater monitoring and analytical testing is scheduled for January 2021. The wells TW-1, TW-2, TW-3, and IW-1 can be sampled during the upcoming sampling round if the DNR considers it warranted.

We appreciate this opportunity to provide an update on the environmental services. Please call us at (414) 228-9815 if you have any questions or if you need additional information.

Respectfully,

**FRIESS ENVIRONMENTAL CONSULTING, INC.**

A handwritten signature in black ink that reads 'Trenton J. Ott'.

Trenton J. Ott  
Project Manager

A handwritten signature in black ink that reads 'Richard W. Frieseke'.

Richard W. Frieseke, P.E.  
President

170503 notification

Inclusions

cc:

Property Owner:

DB Oak Limited Partnership  
c/o Randy Knox  
W9147 Red Feather Drive  
Cambridge, WI 53523

Municipality:

Andy Selle  
City Engineer  
Municipal Building  
101 N. Main Street  
Fort Atkinson, WI 53538

Tenant:

Mr. Timothy Carnes  
Storage Space Solutions LLC  
710 Oak Street  
Fort Atkinson, WI 53538

**Notice:** This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

**NOTE:** Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

**Notification of Property Owners and Occupants:**

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

**Site Information**

Site Name		DNR ID # (BRRTS #)	
DB Oak Facility		02-28-176509	
Address	City	State	ZIP Code
700-710 Oak Street	Fort Atkinson	WI	53538

**Responsible Party**

The person(s) responsible for completing this environmental investigation is:

Property Owner

Gardner Denver, Inc.

Address	City	State	ZIP Code
222 East Erie Street	Milwaukee	WI	53202

Contact Person	Phone Number (include area code)
Mary Betsch	(414) 212-4700

Person or company that collected samples

Friess Environmental Consulting, Inc.

**Sample Results (Results Attached)**

Reason for Sampling:  Routine  Other (define) Complete GW Monitoring

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

This sampling event included sampling of a drinking water well.  
 Yes  No

If yes, the sampled drinking water well had detectable contaminants.  
 Yes  No

**Contaminants in Vapor**

	Yes	No
Indoor Air	<input type="radio"/>	<input checked="" type="radio"/>
Sub-slab	<input type="radio"/>	<input checked="" type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input checked="" type="radio"/>

# Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

## Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

**You are not identified as the person that is responsible for this contamination.** However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

**Option for written exemption:** You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: [dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf](http://dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf).

## Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:




### Environmental Consultant

Company Name	Contact Person Last Name	First Name		
Friess Environmental Consulting, Inc.	Ott	Trenton		
Address		City	State	ZIP Code
6635 North Sidney Place		Milwaukee	WI	53209
Phone # (inc. area code)	Email			
(414) 228-9815	tott@fecinc.us			

Select which agency:  Natural Resources       Agriculture, Trade and Consumer Protection

### State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Ackerman	Jeff	(608) 275-3323		
Address		City	State	ZIP Code
3911 Fish Hatchery Road		Fitchburg	WI	53711
Email				
jeffrey.ackerman@wisconsin.gov				



### KEY

- = SI monitoring well
- = SI boring location
- = Sediment sample
- = Former SI monitoring well
- = Vapor Intrusion Point
- = Proposed Vapor Intrusion Point
- = Proposed SI Monitoring Well



File No.: 170503  
 DWG Date: 2-20-18  
 Rev Date: 8-26-19  
 Drawn By: BRF  
 Checked By (PM): TJO

**WP Site Diagram**  
 Former DB Oak Property  
 704 Oak Street  
 Fort Atkinson, Wisconsin

**Figure**  
 2

**TABLE A.1. (Page 1 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	5/26/09	5,900	52.0	3,000	350	2,700
	9/22/09	5,000	140	120	<74.0	1,300
	12/2/09	1,900	89.0	<15.0	<46.0	560
	3/23/10	3.00	0.93	1.30	0.91	1.10
	6/22/10	10.0	1.20	0.41	0.18	1.60
	9/15/10	7.80	13.0	0.16	<0.16	56.0
	12/14/10	11.0	0.33	0.54	0.61	0.66
	3/9/11	6.70	0.31	3.00	5.60	1.60
	6/28/11	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/11	0.44	<0.26	0.29	0.20	<0.18
	12/5/11	0.53	<0.26	<.21	0.64	<0.18
	3/6/12	1.90	<0.19	0.18	0.30	0.84
	9/24/12	1.10	<0.26	0.27	0.34	0.44
	3/20/13	0.31	<0.32	<0.22	0.27	<0.17
	9/16/13	1.40	<0.18	0.19	0.14	0.24
	3/24/14	0.54	<0.32	<0.16	0.74	<0.17
	9/24/14	0.36	<0.32	<0.22	<0.27	<0.17
	3/10/15	<0.30	<0.25	<0.21	<0.31	<0.16
	9/25/15	0.35	<0.18	<0.22	<0.17	0.86
3/21/16	1.40	0.19	0.88	2.00	0.69	
9/14/16	1.70	0.29	0.61	1.20	0.94	
3/8/17	4.80	0.36	0.64	1.90	1.20	
TW-02	5/26/09	6,000	64.0	320	440	240
	9/22/09	3,300	63.0	640	750	410
	12/2/09	4,100	62.0	460	710	520
	3/23/10	3,700	<100	530	640	680
	6/22/10	4,000	<65.0	370	440	1,100
	9/15/10	<250	3,600	500	560	1,000
	12/14/10	2,400	<65.0	840	790	470
	3/9/11	1,500	<33.0	730	450	830
	6/28/11	2,100	37.0	360	410	590
	9/20/11	1,900	<65.0	510	530	500
	12/5/11	1,900	<52.0	550	470	550
	3/6/12	1,300	31.0	810	490	260
	6/6/12	1,400	120	1,400	1,200	1,800
	9/24/12	1,200	29.0	420	400	290
	12/5/12	1,200	32.0	350	360	280
	3/20/13	680	<32.0	480	250	150
	6/11/13	1,000	39.0	330	270	260
	9/16/13	1,100	35.0	300	220	280
	12/4/13	700	32.0	410	290	110
	3/24/14	770	<32.0	360	200	200
	6/23/14	620	<32.0	230	180	210
	9/24/14	660	<2.00	220	180	230
	12/22/14	550	23.0	270	200	120
	3/10/15	440	17.0	260	160	99.0
	6/18/15	160	<3.50	12.0	19.0	30.0
	9/25/15	470	15.0	60.0	39.0	130
	12/21/15	550	<10.0	230	150	160
	3/21/16	540	26.0	220	170	190
6/14/16	560	21.0	130	100	200	
9/14/16	340	13.0	24.0	19.0	130	
12/20/16	450	19.0	180	120	130	
3/8/17	290	17.0	160	97.0	120	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 2 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-03	5/26/09	14.0	<5.20	210	200	<3.7
	9/22/09	5.50	<4.10	1,100	130	<3.4
	12/2/09	220	<4.10	590	130	<3.4
	3/23/10	450	<13.0	92.0	77.0	<9.2
	6/22/10	340	<6.50	10.0	7.20	58.0
	9/15/10	<3.10	290	<4.5	7.70	130
	3/9/11	62.0	<6.50	7.80	13.0	290
	6/28/11	580	5.50	51.0	79.0	460
	9/20/11	110	<6.50	<5.20	<4.20	650
	12/5/11	480	<21.0	<16.0	<13.0	560
	3/6/12	6.70	<0.19	<0.15	<0.25	13.0
	6/6/12	770	5.60	10.0	15.0	1,100
	9/24/12	180	<4.80	<3.70	<6.20	290
	12/5/12	530	<24.0	<18.0	<3.00	1,100
	3/20/13	400	<25	38.0	31.0	750
	6/11/13	90	<0.18	<13.0	20.0	1,000
	9/16/13	390	<15.0	24.0	20.0	970
	12/4/13	330	<32.0	28.0	<27	720
	3/24/14	390	<32.0	26.0	51.0	760
	6/23/14	290	<32.0	52.0	40.0	680
	9/24/14	320	<32.0	<22.0	<27.0	780
	12/22/14	350	<16.0	16.0	<14.0	700
	3/10/15	370	<20.0	130	80.0	750
	6/18/15	428	<22.0	36.8	20.6	488
	9/25/15	1,300	<14.0	<17.0	<13.0	1,000
	12/21/15	600	<25.0	41.0	<31.0	950
3/21/16	1,100	8.70	37.0	26.0	1,200	
6/14/16	1,300	<15.0	<17.0	<24.0	1,100	
9/14/16	2,100	19.0	<21.0	<30.0	1,100	
12/20/16	430	15.0	62.0	38.0	1,200	
3/8/17	1,500	<34.0	74.0	<65.0	1,100	
IW-1	5/26/09	8.80	<0.26	0.76	0.68	5.50
	9/22/09	2.70	<0.26	<0.21	<0.17	7.20
	12/2/09	2.00	<0.21	0.12	0.43	7.80
	3/23/10	1.70	<0.26	<0.21	<0.17	9.30
	6/22/10	1.80	<0.26	0.54	0.23	7.60
	9/15/10	<.13	0.99	<0.16	<0.16	6.90
	12/14/10	1.20	<0.26	0.44	0.44	7.80
	3/9/11	1.00	NR	0.43	<0.17	6.70
	6/28/11	0.82	<0.26	<0.21	<0.17	4.80
	9/20/11	0.49	<0.19	<0.15	<0.25	2.60
	12/5/11	0.43	<0.26	<0.15	<0.17	2.10
	3/6/12	0.29	<0.26	<0.21	<0.17	1.80
	9/24/12	0.54	<0.26	<0.21	<0.17	1.80
	3/20/13	0.27	<0.32	0.31	0.34	1.80
	9/16/13	0.31	<0.18	0.19	<0.14	1.50
	3/24/14	0.26	<0.32	<0.16	<0.27	1.80
	9/24/14	0.22	<0.32	<0.22	<0.27	1.50
	3/10/15	<.30	<0.25	<0.21	<0.31	1.70
	9/25/15	<.30	<0.25	<0.21	<0.31	1.40
	3/21/16	<.18	<0.15	<0.17	<0.24	1.60
9/14/16	<.24	<0.17	<0.22	<0.32	1.20	
3/8/17	2.30	<0.17	1.60	0.66	1.30	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 3 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-1	12/16/04	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.40	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-2	12/16/04	<b>5,900</b>	<b>32.0</b>	<b>120</b>	<b>140</b>	<b>33.0</b>
	6/1/05	<b>3,800</b>	<b>160</b>	<150	<b>160</b>	<53.0
	3/28/06	<b>6,400</b>	<85.0	<b>190</b>	<b>450</b>	<98.0
	10/25/07	<b>1,800</b>	<25.0	<25.0	<b>520</b>	<b>27.0</b>
	4/21/08	<b>560</b>	<25.0	<b>120</b>	<b>85.0</b>	<25.0
	5/26/09	<b>260</b>	<6.50	<b>110</b>	<b>69</b>	<b>6.90</b>
	9/22/09	<b>630</b>	<6.50	<b>270</b>	<b>170</b>	<b>25.0</b>
	12/2/09	<b>510</b>	<5.20	<b>320</b>	<b>230</b>	<b>6.50</b>
	3/23/10	<b>1,000</b>	7.60	<b>470</b>	<b>360</b>	<b>17.0</b>
	6/22/10	<b>950</b>	<10.0	<b>400</b>	<b>290</b>	<b>16.0</b>
	9/15/10	<5.00	<b>360</b>	<b>180</b>	<b>150</b>	<6.90
	12/14/10	<b>390</b>	<10.0	<b>270</b>	<b>200</b>	<b>13.0</b>
	3/9/11	<b>530</b>	<10.0	<b>220</b>	<b>180</b>	<7.40
	6/28/11	<b>570</b>	<10.0	<b>210</b>	<b>200</b>	<b>10.0</b>
	9/20/11	<b>710</b>	<7.70	<b>250</b>	<b>290</b>	<b>6.60</b>
	12/5/11	<b>2,200</b>	<b>27.0</b>	<b>15.0</b>	<b>500</b>	<b>65.0</b>
	3/6/12	<b>3,200</b>	<52.0	<b>450</b>	<b>340</b>	<b>55.0</b>
	6/6/12	<b>3,200</b>	<65.0	<b>350</b>	<b>300</b>	<46.0
	9/24/12	<b>3,900</b>	<48.0	<b>530</b>	<b>490</b>	<37.0
	12/5/12	<b>4,800</b>	<77.0	<b>200</b>	<b>510</b>	<60.0
	3/20/13	<b>3,200</b>	<130	<b>270</b>	<b>500</b>	<66.0
	6/11/13	<b>870</b>	<32.0	<b>140</b>	<b>160</b>	<17.0
	9/16/13	<b>2,300</b>	<74.0	<b>74.0</b>	<b>200</b>	<44.0
	12/4/13	<b>1,900</b>	<40.0	<b>330</b>	<b>400</b>	<44.0
	3/24/14	<b>1,800</b>	<40.0	<b>140</b>	<b>190</b>	<21.0
	6/23/14	<b>840</b>	<16.0	<b>96.0</b>	<b>67.0</b>	<b>16.0</b>
	9/24/14	<b>1,300</b>	<16.0	<b>230</b>	<b>360</b>	<b>14.0</b>
	12/22/14	<b>2,000</b>	<32.0	<b>230</b>	<b>270</b>	<b>24.0</b>
	3/10/15	<b>3,800</b>	<b>25.0</b>	<b>200</b>	<b>200</b>	<b>28.0</b>
	6/18/15	<b>1,800</b>	<35.0	<b>72.0</b>	<b>120</b>	<b>39.0</b>
9/25/15	<b>2,400</b>	<35.0	<b>170</b>	<b>370</b>	<b>39.0</b>	
12/21/15	<b>1,600</b>	<50.0	<b>150</b>	<b>280</b>	<b>31.0</b>	
3/21/16	<b>1,700</b>	<29.0	<b>120</b>	<b>170</b>	<b>32.0</b>	
6/14/16	<b>1,400</b>	<34.0	<b>85.0</b>	<b>92.0</b>	<b>34.0</b>	
9/14/16	<b>2,500</b>	<b>21.0</b>	<b>180</b>	<b>270</b>	<b>20.0</b>	
12/20/16	<b>1,100</b>	<42.0	<b>160</b>	<b>220</b>	<b>43.0</b>	
3/8/17	<b>1,800</b>	<42.0	<b>150</b>	<b>220</b>	<b>43.0</b>	
10/8/20	6	<0.37	<b>4</b>	<b>2</b>	<b>0.8</b>	
<b>ES (ug/L)</b>	-	<b>70</b>	<b>100</b>	<b>5</b>	<b>5</b>	<b>0.2</b>
<b>PAL (ug/L)</b>	-	<b>7</b>	<b>20</b>	<b>0.5</b>	<b>0.5</b>	<b>0.02</b>



**TABLE A.1. (Page 4 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-2A	12/16/04	380	<5.40	44.0	69.0	29.0
	6/1/05	350	<8.70	110	83.0	36.0
	3/28/06	3,800	20.0	320	700	91.0
	10/25/07	1,800	<25.0	360	530	<25.0
	4/21/08	2,100	<25.0	610	620	<25.0
	5/26/09	660	<13.0	590	380	<9.20
	9/22/09	920	<13.0	530	280	75.0
	12/2/09	1,700	11.0	390	280	56.0
	3/23/10	1,900	16.0	250	180	76.0
	6/22/10	1,600	<26.0	290	200	<18.0
	9/15/10	<13.0	730	340	200	<17.0
	12/14/10	2,100	<26.0	370	190	25.0
	3/9/11	1,700	<26.0	220	140	48.0
	6/28/11	1,600	<26.0	240	160	<18.0
	9/20/11	1,200	<19.0	210	150	<15.0
	12/5/11	1,700	<26.0	170	110	33.0
	3/6/12	2,200	<52.0	140	100	69.0
	6/6/12	2,200	<52.0	88.0	79.0	73.0
	9/24/12	1,800	<39.0	110	85.0	66.0
	12/5/12	2,300	<39.0	74.0	87.0	67.0
	3/20/13	2,400	<63.0	66.0	61.0	<33.0
	6/11/13	1,500	<63.0	94.0	130	<33.0
	9/16/13	1,600	<37.0	62.0	91.0	32.0
	12/4/13	2,400	<63.0	65.0	65.0	54.0
	3/24/14	630	<16.0	33.0	39.0	36.0
	6/23/14	2,300	<63.0	<200	<200	59.0
	9/24/14	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/14	1,900	<32.0	42.0	36.0	62.0
	3/10/15	2,000	<31.0	44.0	49.0	47.0
	6/18/15	3,630	<34.0	135	71.0	53.9
9/25/15	2,000	<35.0	<44.0	<33.0	47.0	
12/21/15	2,200	<50.0	<43.0	<61.0	100	
3/21/16	2,500	<29.0	<33.0	<47.0	98.0	
6/14/16	1,900	<34.0	<44.0	<65.0	100	
9/14/16	1,400	<29.0	<33.0	<47.0	<32.0	
12/20/16	1,600	<21.0	<28.0	<40.0	75.0	
3/8/17	2,000	<21.0	<28.0	<40.0	290	
10/8/20	121	<3.7	<3.3	<4.7	29	
MW-2B	10/25/07	19.0	<0.50	15.0	6.20	<0.50
	4/21/08	19.0	<0.50	15.0	6.20	<0.50
	5/26/09	1.40	<0.26	11.0	6.60	<0.18
	9/22/09	1.80	<0.26	9.20	6.40	<0.18
	12/2/09	2.20	<0.21	9.80	5.90	<0.17
	3/23/10	4.60	<0.13	13.0	6.70	<0.17
	6/22/10	1.60	<0.26	11.0	6.70	<0.18
	9/15/10	<0.13	0.63	7.10	6.50	<0.17
	12/14/10	15.0	<0.26	19.0	6.30	<0.18
	3/9/11	14.0	<0.26	8.20	4.90	<0.18
	6/28/11	16.0	<0.26	8.20	4.50	<0.18
	9/20/11	15.0	<0.19	5.00	3.90	<0.15
	12/5/11	13.0	<0.26	6.90	4.80	<0.18
	3/6/12	12.0	<0.26	6.80	5.50	<0.18
	9/24/12	16.0	0.21	6.70	7.30	<0.15
	3/20/13	35.0	0.37	10.0	11.0	<0.17
	9/16/13	23.0	<0.74	5.90	5.10	<0.44
3/24/14	39.0	<0.79	7.70	11.0	<0.42	
9/24/14	7.30	<0.32	9.60	6.60	<0.17	
3/10/15	11.0	<0.25	13.0	8.50	0.19	
9/25/15	5.60	<0.18	23.0	7.80	<0.20	
3/21/16	13.0	0.22	16.0	8.10	<0.16	
9/14/16	18.0	0.25	16.0	4.80	<0.16	
3/8/17	25.0	0.38	20.0	5.60	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 5 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3	12/16/04	6,800	<540	34,000	17,000	<820
	6/1/05	2,600	<870	27,000	5,500	<270
	3/28/06	3,500	<420	28,000	7,200	<490
	11/2/06	3,000	<220	22,000	5,100	79.0
	10/25/07	5,800	<200	10,000	3,300	710
	4/21/08	2,100	<130	24,000	3,100	<130
	5/26/09	2,800	<51.0	5,700	4,000	270
	9/22/09	27,000	840	<100	<84	12,000
	12/2/09	68,000	2,000	<59.0	<190	27,000
	3/23/10	80,000	1,800	<900	<820	31,000
	6/22/10	2,500	<1300	<1000	<840	52,000
	9/15/10	<630	<600	<900	<820	27,000
	12/14/10	<510	<650	<520	<420	26,000
	3/9/11	970	<650	<520	<420	28,000
	6/28/11	<200	<260	<210	<170	13,000
	9/20/11	<100	<97.0	<73.0	<120	4,400
	12/5/11	100	<130	<100	<84.0	15,000
	3/6/12	470	<520	<410	<330	20,000
	6/6/12	<200	<260	<210	<170	12,000
	9/24/12	0.28	<0.19	<0.15	<0.25	2.10
	12/5/12	2.00	<0.19	<0.15	<0.25	83.0
	3/20/13	13.0	62.0	<1.7	<2.20	5,200
	6/11/13	<4.00	<13.0	<8.6	<11.0	380
	9/16/13	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/13	1.60	<0.32	<0.22	<0.27	0.57
	3/24/14	1.90	<0.32	<0.22	0.68	6.60
	6/23/14	3.00	<0.17	<0.21	<0.15	8.90
	9/24/14	1.10	<0.32	<0.22	0.56	0.77
	12/22/14	0.85	<0.32	<0.22	<0.27	0.54
	3/10/15	0.81	<0.25	<0.21	<0.31	0.31
	6/18/15	1.63	<0.27	0.41	0.36	0.48
	9/25/15	1.10	0.34	<0.22	<0.17	1.70
12/21/15	3.30	0.38	<0.21	1.30	4.80	
3/21/16	3.00	0.30	<0.17	<0.24	12.0	
9/14/16	1.10	0.61	<0.17	<0.24	2.10	
3/8/17	3.00	0.24	<0.22	<0.32	39.0	
10/8/20	4.9 J	<0.37	<0.33	<0.47	690.00	
MW-3A	6/1/05	13,000	250	3,000	2,300	910
	3/28/06	12,000	190	4,200	2,900	740
	11/2/06	14,000	<220	1,700	1,900	580
	10/25/07	11,000	190	2,100	1,500	520
	4/21/08	16,000	<250	4,400	2,700	990
	5/26/09	18,000	250	3,100	2,100	1,700
	9/22/09	20,000	300	1,200	1,100	2,300
	12/2/09	18,000	<260	1,500	1,200	2,200
	3/23/10	15,000	180	1,400	1,300	1,600
	6/22/10	16,000	<330	2,400	1,400	1,700
	9/15/10	<160	15,000	1,300	1,500	1,900
	12/14/10	17,000	<330	1,500	1,500	1,700
	3/9/11	14,000	<330	1,500	310	1,200
	6/28/11	8,500	<330	<260	<210	1,200
	9/20/11	14,000	<330	<260	<210	4,000
	12/5/11	8,500	<330	<260	<200	9,400
	3/6/12	4,500	<150	<120	<130	6,700
	6/6/12	7,900	<210	<160	<62	4,700
	9/24/12	3,200	50.0	<37.0	<250	2,800
	12/5/12	15,000	<190	<150	<340	2,800
	3/20/13	11,000	<400	<270	390	2,400
	6/11/13	13,000	<400	<270	<180	2,600
	9/16/13	13,000	<230	<200	<340	2,400
	12/4/13	13,000	<400	<270	<340	2,200
	3/24/14	14,000	<400	<400	<190	2,200
	6/23/14	14,000	<180	<170	<340	2,600
9/24/14	12,000	<400	<270	<270	2,500	
12/22/14	15,000	<320	<220	<380	2,500	
3/10/15	13,000	<310	<270	<230	2,360	
6/18/15	14,700	<340	<330	<380	2,500	
9/25/15	13,000	<310	<270	<380	2,300	
12/21/15	12,000	<310	<270	<300	2,800	
3/21/16	16,000	<180	<210	<400	2,800	
6/14/16	13,000	<210	<280	<400	2,500	
9/14/16	18,000	<180	<210	<300	2,900	
12/20/16	16,000	<210	<280	<400	2,800	
3/8/17	17,000	<210	<280	<400	3,100	
10/8/20	8,900	400	<3.3	<4.7	1,980	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 6 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
<b>MW-3B</b>	3/28/06	600	<85.0	17,000	2,800	<98.0
	11/2/06	400	<110	9,700	1,800	<22.0
	10/25/07	330	<100	5,300	1,200	<100
	4/21/08	530	<100	12,000	2,400	<100
	5/26/09	480	<51.0	9,700	2,300	<42.0
	9/22/09	1,000	<210	9,800	1,900	210
	12/2/09	1,000	<160	9,700	2,200	<140
	3/23/10	920	<100	10,000	2,200	<140
	6/22/10	860	<210	1,600	1,900	<150
	9/15/10	<170	1,000	10,000	2,400	<140
	12/14/10	740	<260	11,000	2,100	<180
	3/9/11	670	<260	9,600	1,900	<180
	6/28/11	1,800	<52.0	830	820	130
	9/20/11	4,900	<130	320	1,500	160
	12/5/11	4,800	<130	210	710	190
	3/6/12	6,500	<77.0	<58	<99	400
	6/6/12	3,400	<130	110	550	710
	9/24/12	2,200	<39.0	840	870	690
	12/5/12	1,500	<39.0	1,800	1,100	450
	3/20/13	1,100	<40.0	2,500	1,100	250
	6/11/13	1,400	<37.0	2,700	1,200	270
	9/16/13	1,100	<63.0	2,400	1,200	250
	12/4/13	960	<63.0	1,900	1,000	190
	3/24/14	900	<63.0	2,200	1,200	170
	6/23/14	950	<63.0	1,900	1,100	220
	9/24/14	1,100	<63.0	2,100	1,100	250
	12/22/14	1,300	<63.0	2,400	1,500	230
3/10/15	990	<50.0	2,800	1,400	210	
6/18/15	1,160	<54.0	3,380	1,440	218	
9/25/15	980	<50.0	2,600	1,300	230	
12/21/15	900	<50.0	3,000	1,400	220	
3/21/16	1,100	<36.0	3,400	1,300	<300	
6/14/16	940	<42.0	2,900	1,200	310	
9/14/16	1,200	<36.0	3,600	1,300	370	
12/20/16	1,300	<68.0	2,800	1,200	400	
3/8/17	1,200	<68.0	4,100	1,400	360	
10/8/20	330	13	<3.3	<4.7	460	
<b>MW-3C</b>	10/25/07	110	1.00	3.20	1.40	2.80
	4/21/08	49.0	<5.00	<5.00	<5.00	<5.00
	5/26/09	37.0	0.38	1.90	2.50	0.57
	9/22/09	0.35	<0.26	0.68	0.22	<0.18
	12/2/09	<0.41	<0.51	<0.30	1.10	<0.42
	3/23/10	5.00	<0.50	<0.72	<0.65	1.80
	6/22/10	11.0	<1.00	<0.82	<0.67	1.70
	9/15/10	<0.13	6.10	<0.18	0.31	0.85
	12/14/10	6.10	<0.26	34.0	5.40	1.20
	3/9/11	6.40	NR	<0.21	0.34	0.71
	6/28/11	5.30	<0.26	<0.21	0.34	0.95
	9/20/11	6.90	<0.26	0.44	0.94	0.79
	12/5/11	4.80	<0.26	<0.21	0.53	0.73
	3/6/12	4.30	<0.19	<0.15	<0.25	0.61
	9/24/12	4.10	<0.19	<0.15	<0.25	0.66
	3/20/13	4.30	<0.32	0.35	0.42	1.10
	9/16/13	1.90	<0.32	<0.22	<0.17	<0.17
3/24/14	5.50	<0.32	4.10	1.90	0.66	
9/24/14	1.50	<0.32	<0.22	<0.27	0.19	
3/10/15	1.80	<0.25	<0.21	<0.31	0.26	
9/25/15	1.40	<0.25	<0.21	<0.31	0.18	
3/21/16	1.40	<0.17	<0.22	<0.32	0.20	
9/14/16	1.20	<0.15	<0.17	<0.24	0.17	
3/8/17	1.30	<0.17	<0.22	<0.32	0.37	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
<b>ES (ug/L)</b>	-	70	100	5	5	0.2
<b>PAL (ug/L)</b>	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 7 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4	12/16/04	<66.0	<54.0	2,500	10,000	<82.0
	6/1/05	<200	<170	2,500	4,700	<53.0
	3/28/06	<190	<170	5,400	38,000	<200
	10/25/07	42.0	<25.0	2,000	1,500	<25.0
	4/21/08	600	<500	14,000	43,000	<500
	5/26/09	<40.0	<52.0	2,400	1,100	<37.0
	9/22/09	5,200	<52.0	<41.0	44.0	1,300
	12/2/09	1,600	<21.0	110	71.0	800
	3/23/10	4,300	47.0	5,000	17,000	1,600
	6/22/10	3,600	<33.0	<26.0	<21.0	1,600
	9/15/10	<15.0	660	<23.0	<20.0	970
	12/14/10	990	<33.0	<26.0	<21.0	2,100
	3/9/11	3,100	<26	5,500	6,300	1,400
	6/28/11	7,200	69.0	70.0	1,000	7,200
	9/20/11	9,200	57.0	<18.0	730	3,200
	12/5/11	21,000	140	<100	2,000	4,400
	3/6/12	69,000	650	<180	1,900	14,000
	6/6/12	8,300	<210	<160	<130	7,000
	9/24/12	5,800	<210	<160	<130	6,800
	12/5/12	9,700	<150	<120	<200	9,100
	3/20/13	30,000	270	150	5,900	13,000
	6/11/13	5,000	<250	<170	<220	6,700
	9/16/13	1,300	<74.0	87.0	<57.0	5,200
	12/4/13	7.80	<1.30	<2.70	<3.40	160
	3/24/14	6,500	<500	<110	3,900	3,000
	6/23/14	14,000	<160	<110	<140	12,000
	9/24/14	7,400	<400	<270	<340	8,400
	12/22/14	740	<22.0	<17.0	<19.0	1,200
	3/10/15	2,600	<63.0	<53.0	<76.0	1,700
	6/18/15	6,010	<67.0	<66.0	<46.0	4,560
9/25/15	9,700	<130	<110	510	8,000	
12/21/15	3,600	<130	<110	<150	5,100	
3/21/16	3,700	<85	<110	<160	5,600	
6/14/16	3,900	<85	<110	<160	3,000	
9/14/16	620	<21.0	<28.0	<40.0	1,800	
12/20/16	3.70	0.62	<0.44	<68.0	18.0	
3/8/17	800	<17.0	<22.0	<32.0	1,100	
10/8/20	50	4.3 J	<3.3	<4.7	102	
MW-4A	12/16/04	0.89	<0.11	7.10	23.0	<0.16
	6/1/05	<0.40	<0.35	1.20	0.59	<0.11
	3/28/06	0.29	<0.17	6.90	0.97	<0.20
	10/25/07	<0.50	<0.50	1.20	8.50	<0.50
	4/21/08	<0.50	<0.50	1.50	1.10	<0.50
	5/26/09	<0.20	<0.26	3.80	1.60	<0.18
	9/22/09	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/09	0.20	<0.21	0.95	<0.37	<0.57
	3/23/10	2.60	<0.26	3.30	2.20	<0.18
	6/22/10	0.79	<0.26	1.20	0.52	<0.18
	9/15/10	<0.13	0.53	1.10	0.56	<0.17
	12/14/10	<0.2	<0.26	0.38	0.33	<0.18
	3/9/11	2.60	<0.26	6.20	1.40	<0.18
	6/28/11	0.70	<0.26	0.67	0.65	<0.18
	9/20/11	1.90	<0.19	0.82	1.70	<0.15
	12/5/11	1.60	<0.26	0.82	0.59	<0.18
	3/6/12	1.40	<0.19	0.66	0.41	<0.15
	6/6/12	1.80	<0.19	0.85	0.51	<0.15
	9/24/12	1.50	<0.26	0.74	0.61	<0.18
	3/20/13	0.44	<0.32	0.68	0.55	<0.17
9/16/13	0.30	<0.32	0.29	0.32	<0.17	
3/24/14	0.11	0.32	<0.16	0.46	<0.17	
9/24/14	<0.10	<0.32	<0.22	0.29	<0.17	
3/10/15	<0.30	<0.25	<43	<0.31	<0.16	
9/25/15	0.64	<0.25	0.34	0.40	<0.16	
3/21/16	2.10	<0.17	0.33	<0.32	<0.17	
9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17	
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 8 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4B	5/26/09	<0.20	<0.26	1.10	0.42	<0.18
	9/22/09	1.10	<0.21	3.60	1.20	<0.17
	12/2/09	2.50	<0.21	2.80	1.10	<0.57
	3/23/10	0.29	<0.26	2.20	0.25	<0.18
	6/22/10	0.39	<0.26	0.81	<0.17	<0.18
	9/15/10	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/10	2.40	<0.26	2.50	0.46	0.22
	3/9/11	7.30	<0.26	1.50	0.44	<0.18
	6/28/11	1.90	<0.26	0.40	0.23	0.29
	9/20/11	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/11	1.30	<0.26	0.37	0.39	<0.18
	3/6/12	3.10	<0.19	1.40	0.49	<0.15
	9/24/12	0.69	<0.26	<0.21	<0.17	<0.18
	3/20/13	0.33	<0.32	<0.22	<0.27	<0.17
	9/16/13	<0.10	<0.32	<0.22	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/14	0.40	<0.32	0.31	<0.27	<0.17
3/10/15	<0.30	<0.25	0.78	<0.31	<0.16	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-5	12/16/04	0.21	<0.11	2.30	1.20	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	0.17	0.77	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	0.78	0.81	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.18	0.47	<0.17
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.20	<0.26	<0.21	<0.17	<0.18
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.35	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6A	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.34	<0.17	<0.16	<0.19	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	0.30	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-7	3/28/06	0.89	<0.17	5.40	2.90	<0.2
	11/2/06	<.83	<0.89	4.90	1.40	<0.18
	10/25/07	<0.50	<0.50	3.50	0.63	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/09	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/09	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.32	<0.16	<0.17
	9/15/10	<0.13	<0.12	0.48	<0.16	<0.17
	3/9/11	<0.20	NR	0.34	<0.17	<0.18
	9/20/11	NR	<0.48	0.47	<0.25	<0.15
	3/6/12	<0.21	<0.19	0.29	<0.25	<0.15
	9/24/12	22.0	0.28	0.80	1.40	<0.18
	3/20/13	0.99	<0.32	0.42	0.34	<0.17
	9/16/13	<0.10	<0.32	0.27	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/14	1.20	<0.32	2.30	0.64	<0.17
	3/10/15	<0.30	<0.25	0.29	<0.31	<0.16
	9/25/15	<0.30	<0.25	0.30	<0.31	<0.16
3/21/16	<0.24	<0.17	<0.22	<0.32	<0.17	
9/14/16	NR	<0.17	<0.22	<0.32	<0.17	
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 9 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7A	3/28/06	270	<10.0	850	200	<8.30
	11/2/06	290	<8.90	560	180	<1.80
	10/25/07	<5.00	<5.00	310	110	<5.00
	4/21/08	<0.50	<0.50	0.67	<0.50	<0.50
	5/26/09	<1.60	<2.10	94.0	3.90	<1.50
	9/22/09	<1.30	<1.60	68.0	5.90	<1.40
	12/2/09	0.50	<0.21	83.0	3.60	<0.57
	3/23/10	5.00	<0.63	92.0	6.40	<0.87
	6/22/10	<1.60	<2.10	82.0	2.10	<1.50
	9/15/10	<0.50	<0.48	44.0	2.10	<0.69
	12/14/10	<1.00	<1.30	55.0	1.30	<0.92
	3/9/11	1.10	NR	60.0	1.20	<0.92
	6/28/11	1.30	<1.30	45.0	2.00	1.10
	9/20/11	1.10	<0.48	43.0	1.90	<0.37
	12/5/11	3.50	<1.00	50.0	1.70	<0.74
	3/6/12	4.20	<0.77	59.0	2.90	<0.60
	6/6/12	67.0	<0.97	54.0	3.50	<0.75
	9/24/12	74.0	<1.30	67.0	6.40	<0.92
	12/5/12	74.0	<0.97	55.0	6.90	<0.75
	3/20/13	140	<1.60	69.0	25.0	<0.83
	6/11/13	96.0	<2.30	44.0	11.0	1.90
	9/16/13	45.0	<3.20	25.0	4.90	<1.70
	12/4/13	86.0	<3.20	47.0	9.70	<1.70
	3/24/14	160	<32.0	60.0	24.0	<1.70
	6/23/14	120	<3.20	49.0	20.0	<1.70
	9/24/14	77.0	<3.20	31.0	11.0	<1.70
	12/22/14	97.0	<0.87	49.0	17.0	<0.84
	3/10/15	92.0	<2.00	44.0	19.0	<1.20
	6/18/15	187	<2.70	70.8	32.0	<2.00
	9/25/15	160	<2.50	71.0	45.0	<1.60
12/21/15	180	<3.10	120	65.0	<2.00	
3/21/16	180	<12.5	100	55.0	<2.10	
6/14/16	170	<2.10	88.0	55.0	<2.10	
9/14/16	190	<2.10	130	60.0	<2.10	
12/20/16	200	<2.10	120	54.0	<2.10	
3/8/17	230	<3.40	140	61.0	<2.10	
10/8/20	3	<0.37	33	9.4	<0.2	
MW-7B	10/25/07	<0.50	<0.50	6.90	0.87	<0.50
	4/21/08	<0.50	<0.50	6.40	0.73	<0.50
	5/26/09	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/09	<0.16	<0.21	10.0	0.39	<0.17
	12/2/09	0.49	<0.21	11.0	0.62	<0.17
	3/23/10	0.20	<0.13	8.60	0.62	<0.17
	6/22/10	<0.20	<0.26	8.10	0.35	<0.18
	9/15/10	<0.13	<0.12	8.00	0.78	<0.17
	12/14/10	<0.20	<0.26	11.0	0.51	<0.15
	3/9/11	<0.20	NR	8.40	0.42	<0.18
	6/28/11	<0.21	<0.19	7.10	0.45	<0.15
	9/20/11	<0.21	<0.19	6.60	0.49	<0.15
	12/5/11	<0.20	<0.26	5.50	0.48	<0.18
	3/6/12	0.66	<0.19	3.50	0.48	<0.15
	9/24/12	0.61	<0.26	3.10	0.58	<0.18
	3/20/13	4.90	<0.32	3.10	1.30	0.79
	9/16/13	<0.10	<0.32	0.56	3.50	<0.17
	3/24/14	0.33	<0.32	4.90	1.60	<0.17
	9/24/14	<0.10	<0.32	3.80	0.40	<0.17
	3/10/15	0.50	<0.25	5.50	0.79	<0.16
9/25/15	0.77	<0.18	6.40	1.50	0.23	
3/21/16	8.40	0.25	8.50	5.10	0.52	
9/14/16	7.10	<0.17	15.0	7.70	0.35	
3/8/17	2.30	<0.17	20.0	7.40	0.39	
10/8/20	<0.39	<0.37	6.8	1.26	<0.2	
MW-8	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.22	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 10 of 10)**  
**Groundwater Analytical Tables - VOCs**  
**Former DB Oak Property**  
**Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-8A	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<b>1.90</b>	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	<b>1.10</b>	<0.16	<0.17
	9/15/10	<0.13	0.68	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	0.33	<0.19	<0.15	<b>0.60</b>	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-8B	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	1.30	<0.50	<b>4.00</b>	<b>1.40</b>	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	0.24	<0.13	<b>2.00</b>	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	0.37	NR	<b>3.20</b>	0.33	<0.18
	9/20/11	<0.20	<0.19	<0.15	<0.25	<0.15
	3/6/12	0.23	<0.19	<0.15	0.31	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-9	12/22/14	<b>780</b>	<17.0	<14.0	<15.0	<b>20.0</b>
	3/10/15	<b>980</b>	<20.0	<17.0	<24.0	<b>52.0</b>
	6/18/15	<b>2,300</b>	<b>25.4</b>	<b>37.7</b>	<15.0	<b>85.6</b>
	9/25/15	<b>3,400</b>	<35.0	<55.0	<42.0	<b>230</b>
	12/21/15	<b>2,100</b>	<63.0	<53.0	<76.0	<b>75.0</b>
	3/21/16	<b>1,700</b>	<34.0	<44.0	<65.0	<b>73.0</b>
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-9A	12/22/14	<b>340</b>	<7.90	<5.40	<6.80	<4.20
	3/10/15	<b>300</b>	<6.30	<5.30	<7.60	<3.90
	6/18/15	<b>358</b>	<6.70	<6.60	<4.60	<b>16.8</b>
	9/25/15	<b>290</b>	<4.40	<5.50	<4.20	<4.90
	12/21/15	<b>480</b>	<6.30	<5.30	<7.60	<b>7.70</b>
	3/21/16	<b>320</b>	<6.80	<8.80	<13.0	<6.80
	10/8/20	<b>100</b>	2	<0.33	<0.47	<0.20
MW-10	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-10A	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-11	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/16	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/17	<0.17	<0.24	0.23	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12	3/21/16	<b>20.0</b>	0.47 J	<0.22	<0.32	<b>0.35 J</b>
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12A	3/21/16	<b>2,400</b>	<29.0	<33.0	<47.0	<b>290</b>
	8/7/18	<b>360</b>	4.90	<0.38	<0.30	<0.20
	4/26/19	<b>137</b>	<3.40	<3.80	<3.00	<2.00
	10/8/20	<b>42</b>	1.41	<0.33	<0.47	<0.20
MW-13	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-13A	10/8/20	<b>830</b>	11.90	<0.33	<0.47	<b>75.00</b>
MW-14	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-14A	10/8/20	1.8	<0.37	<0.33	<0.47	<0.20
MW-15	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15A	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed y

**Table 3 (Page 1 of 6)  
Groundwater Elevations  
Former DB Oaks Property  
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>IW-01 May-09</b>	5/26/2009	106.00	793.35	793.11	8.09	8.33	785.02	-
	7/9/2009				9.34	9.58	783.77	-1.25
	9/22/2009				11.32	11.56	781.79	-1.98
	3/23/2010				9.88	10.12	783.23	1.44
	6/22/2010				8.57	8.81	784.54	1.31
	9/15/2010				9.29	9.53	783.82	-0.72
	12/14/2010				10.78	11.02	782.33	-1.49
	3/9/2011				10.11	10.35	783.00	0.67
	4/12/2011				9.14	9.38	783.97	0.97
	6/28/2011				9.98	10.22	783.13	-0.84
	9/20/2011				11.62	11.86	781.49	-1.64
	12/5/2011				10.84	11.08	782.27	0.78
	3/26/2012				10.40	10.64	782.71	0.44
	6/6/2012				10.30	10.54	782.81	0.10
	9/24/2012				12.39	12.63	780.72	-2.09
	12/5/2012				12.57	12.81	780.54	-0.18
	3/20/2013				11.30	11.54	781.81	1.27
	6/11/2013				8.63	8.87	784.48	2.67
	9/17/2013				10.64	10.88	782.47	-2.01
	12/4/2013				11.10	11.34	782.01	-0.46
	3/24/2014				11.19	11.43	781.92	-0.09
	6/23/2014				8.57	8.81	784.54	2.62
	9/24/2014				11.17	11.41	781.94	-2.60
	12/22/2014				11.57	11.81	781.54	-0.40
	3/10/2015				12.34	12.58	780.77	-0.77
	6/18/2015				10.88	11.12	782.23	1.46
	9/22/2015				11.16	11.40	781.95	-0.28
12/21/2015				9.83	10.07	783.28	1.33	
3/21/2016				9.91	10.15	783.20	-0.08	
4/8/2016				9.22	9.46	783.89	0.69	
6/14/2016				10.08	10.32	783.03	-0.86	
9/14/2016				10.51	10.75	782.60	-0.43	
3/8/2017				8.45	8.69	784.66	2.06	
<b>TW-01 Jul-09</b>	7/9/2009	15.00	793.33	793.08	8.23	8.48	784.85	-
	9/22/2009				8.88	9.13	784.20	-0.65
	3/23/2010				8.49	8.74	784.59	0.39
	6/22/2010				7.54	7.79	785.54	0.95
	9/15/2010				8.05	8.30	785.03	-0.51
	12/14/2010				9.11	9.36	783.97	-1.06
	3/9/2011				8.23	8.48	784.85	0.88
	4/12/2011				7.82	8.07	785.26	0.41
	6/28/2011				8.46	8.71	784.62	-0.64
	9/20/2011				9.92	10.17	783.16	-1.46
	12/5/2011				8.94	9.19	784.14	0.98
	3/26/2012				8.82	9.07	784.26	0.12
	6/6/2012				8.76	9.01	784.32	0.06
	9/24/2012				10.72	10.97	782.36	-1.96
	12/5/2012				10.86	11.11	782.22	-0.14
	3/20/2013				8.51	8.76	784.57	2.35
	6/11/2013				7.49	7.74	785.59	1.02
	9/17/2013				9.07	9.32	784.01	-1.58
	12/4/2013				9.49	9.74	783.59	-0.42
	3/24/2014				9.44	9.69	783.64	0.05
	6/23/2014				6.96	7.21	786.12	2.48
	9/24/2014				9.44	9.69	783.64	-2.48
	12/22/2014				9.61	9.86	783.47	-0.17
	3/10/2015				9.61	9.86	783.47	0.00
	6/18/2015				8.32	8.57	784.76	1.29
	9/22/2015				8.65	8.90	784.43	-0.33
	12/21/2015				8.02	8.27	785.06	0.63
3/21/2016				8.35	8.60	784.73	-0.33	
4/8/2016				7.61	7.86	785.47	0.74	
6/14/2016				8.11	8.36	784.97	-0.50	
9/14/2016				8.27	8.52	784.81	-0.16	
3/8/2017				7.84	8.09	785.24	0.43	

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.



**Table 3 (Page 2 of 6)  
Groundwater Elevations  
Former DB Oaks Property  
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>TW-02 Jul-09</b>	7/9/2009	15.00	793.88	793.38	4.91	5.16	788.47	-
	9/22/2009				5.61	5.86	787.77	-0.70
	3/23/2010				3.92	4.17	789.46	1.69
	6/22/2010				3.70	3.95	789.68	0.22
	9/15/2010				4.72	4.97	788.66	-1.02
	12/14/2010				4.49	4.74	788.89	0.23
	3/9/2011				3.69	3.94	789.69	0.80
	4/12/2011				4.29	4.54	789.09	-0.60
	6/28/2011				4.22	4.47	789.16	0.07
	9/20/2011				5.80	6.05	787.58	-1.58
	12/5/2011				4.12	4.37	789.26	1.68
	3/26/2012				4.02	4.27	789.36	0.10
	6/6/2012				4.46	4.71	788.92	-0.44
	9/24/2012				6.24	6.49	787.14	-1.78
	12/5/2012				5.91	6.16	787.47	0.33
	3/20/2013				3.73	3.98	789.65	2.18
	6/11/2013				3.97	4.22	789.41	-0.24
	9/17/2013				4.96	5.21	788.42	-0.99
	12/4/2013				4.54	4.79	788.84	0.42
	3/24/2014				3.82	4.07	789.56	0.72
	6/23/2014				3.34	3.59	790.04	0.48
	9/24/2014				5.17	5.42	788.21	-1.83
	12/22/2014				4.58	4.83	788.80	0.59
	3/10/2015				5.17	5.42	788.21	-0.59
	6/18/2015				4.31	4.56	789.07	0.86
	9/22/2015				4.55	4.80	788.83	-0.24
	12/21/2015				3.75	4.00	789.63	0.80
3/21/2016				3.79	4.04	789.59	-0.04	
4/8/2016				3.40	3.65	789.98	0.39	
6/14/2016				4.30	4.55	789.08	-0.90	
9/14/2016				4.36	4.61	789.02	-0.06	
12/20/2016				4.70	4.95	788.68	-0.34	
3/8/2017				3.73	3.98	789.65	0.63	
<b>TW-03 Jul-09</b>	7/9/2009	15.00	792.65	793.20	2.25	2.50	790.95	-
	9/22/2009				3.13	3.38	790.07	-0.88
	3/23/2010				1.62	1.87	791.58	1.51
	6/22/2010				0.60	0.85	792.60	1.02
	9/15/2010				2.02	2.27	791.18	-1.42
	3/9/2011				1.56	1.81	791.64	0.46
	4/12/2011				1.37	1.62	791.83	0.19
	6/28/2011				2.50	2.75	790.70	-1.13
	9/20/2011				4.01	4.26	789.19	-1.51
	12/5/2011				1.50	1.75	791.70	2.51
	3/26/2012				1.71	1.96	791.49	-0.21
	6/6/2012				2.70	2.95	790.50	-0.99
	9/24/2012				5.46	5.71	787.74	-2.76
	12/5/2012				4.25	4.50	788.95	1.21
	3/20/2013				2.29	2.54	790.91	1.96
	6/11/2013				1.81	2.06	791.39	0.48
	9/17/2013				2.84	3.09	790.36	-1.03
	12/4/2013				1.84	2.09	791.36	1.00
	3/24/2014				1.52	1.77	791.68	0.32
	6/23/2014				1.06	1.31	792.14	0.46
	9/24/2014				3.49	3.74	789.71	-2.43
	12/22/2014				2.55	2.80	790.65	0.94
	3/10/2015				3.48	3.73	789.72	-0.93
	6/18/2015				2.20	2.45	791.00	1.28
	9/22/2015				3.05	3.30	790.15	-0.85
	12/21/2015				1.61	1.86	791.59	1.44
	3/21/2016				1.70	1.95	791.50	-0.09
4/8/2016				1.50	1.75	791.70	0.20	
6/14/2016				2.37	2.62	790.83	-0.87	
9/14/2016				2.59	2.84	790.61	-0.22	
12/20/2016				2.17	2.42	791.03	0.42	
3/8/2017				1.49	1.74	791.71	1.10	

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 3 of 6)  
Groundwater Elevations  
Former DB Oaks Property  
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>MW-1 Dec-04</b>	12/16/2004	18.00	791.30	793.36	12.77	10.71	<b>780.59</b>	-
	6/1/2005				11.77	9.71	<b>781.59</b>	1.00
	8/25/2005				12.38	10.32	<b>780.98</b>	-0.61
	3/28/2006				11.88	9.82	<b>781.48</b>	0.50
	10/25/2007				11.21	9.15	<b>782.15</b>	0.67
	12/13/2007				11.21	9.15	<b>782.15</b>	0.00
	4/20/2008				6.12	4.06	<b>787.24</b>	5.09
	5/26/2009				7.80	5.74	<b>785.56</b>	-1.68
	7/9/2009				9.58	7.52	<b>783.78</b>	-1.78
	9/22/2009				12.27	10.21	<b>781.09</b>	-2.69
	3/23/2010				10.88	8.82	<b>782.48</b>	1.39
	6/22/2010				5.84	3.78	<b>787.52</b>	5.04
	9/15/2010				9.47	7.41	<b>783.89</b>	-3.63
	12/14/2010				11.84	9.78	<b>781.52</b>	-2.37
	3/9/2011				11.29	9.23	<b>782.07</b>	0.55
	4/12/2011				9.77	7.71	<b>783.59</b>	1.52
	6/28/2011				10.67	8.61	<b>782.69</b>	-0.90
	9/20/2011				12.67	10.61	<b>780.69</b>	-2.00
	3/26/2012				11.58	9.52	<b>781.78</b>	1.09
	6/6/2012				11.14	9.08	<b>782.22</b>	0.44
	9/24/2012				13.49	11.43	<b>779.87</b>	-2.35
	12/5/2012				13.83	11.77	<b>779.53</b>	-0.34
	3/20/2013				11.25	9.19	<b>782.11</b>	2.58
	6/11/2013				8.60	6.54	<b>784.76</b>	2.65
	9/17/2013				11.43	9.37	<b>781.93</b>	-2.83
	12/4/2013				12.25	10.19	<b>781.11</b>	-0.82
	3/24/2014				12.54	10.48	<b>780.82</b>	-0.29
	6/23/2014				8.50	6.44	<b>784.86</b>	4.04
	9/24/2014				12.16	10.10	<b>781.20</b>	-3.66
	12/22/2014				12.90	10.84	<b>780.46</b>	-0.74
3/10/2015	13.66	11.60	<b>779.70</b>	-0.76				
6/18/2015	12.10	10.04	<b>781.26</b>	1.56				
9/22/2015	12.41	10.35	<b>780.95</b>	-0.31				
12/21/2015	10.95	8.89	<b>782.41</b>	1.46				
3/21/2016	10.88	8.82	<b>782.48</b>	0.07				
4/8/2016	9.97	7.91	<b>783.39</b>	0.91				
6/14/2016	10.22	8.16	<b>783.14</b>	-0.25				
9/14/2016	11.23	9.17	<b>782.13</b>	-1.01				
12/20/2016	11.23	9.17	<b>782.13</b>	0.00				
3/8/2017	10.12	8.06	<b>783.24</b>	1.11				
9/29/2020	11.33	9.27	<b>782.03</b>	-1.21				
<b>MW-2 Dec-04</b>	4/8/2016	15.50	791.50	791.21	8.06	8.35	<b>783.15</b>	-
	6/14/2016				8.98	9.27	<b>782.23</b>	-0.92
	9/14/2016				9.53	9.82	<b>781.68</b>	-0.55
	12/20/2016				9.18	9.47	<b>782.03</b>	0.35
	3/8/2017				8.27	8.56	<b>782.94</b>	0.91
9/29/2020	9.66	9.95	<b>781.55</b>	-1.39				
<b>MW-2A Dec-04</b>	4/8/2016	40.00	791.50	791.27	8.04	8.27	<b>783.23</b>	-
	6/14/2016				8.95	9.18	<b>782.32</b>	-0.91
	9/14/2016				9.52	9.75	<b>781.75</b>	-0.57
	12/20/2016				9.11	9.34	<b>782.16</b>	0.41
	3/8/2017				8.19	8.42	<b>783.08</b>	0.92
9/29/2020	9.72	9.95	<b>781.55</b>	-1.53				
<b>MW-2B Sep-07</b>	4/8/2016	85.00	791.50	791.20	8.09	8.39	<b>783.11</b>	-
	6/14/2016				9.01	9.31	<b>782.19</b>	-0.92
	9/14/2016				9.59	9.89	<b>781.61</b>	-0.58
	12/20/2016				9.59	9.89	<b>781.61</b>	0.00
	3/8/2017				8.29	8.59	<b>782.91</b>	1.30
9/29/2020	9.88	10.18	<b>781.32</b>	-1.59				

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 4 of 6)**  
**Groundwater Elevations**  
**Former DB Oaks Property**  
**Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>MW-3 Dec-04</b>	4/8/2016	13.00	790.90	793.20	5.15	2.85	<b>788.05</b>	-
	6/14/2016				5.38	3.08	<b>787.82</b>	<b>-0.23</b>
	9/14/2016				5.59	3.29	<b>787.61</b>	<b>-0.21</b>
	12/20/2016				5.59	3.29	<b>787.61</b>	<b>0.00</b>
	3/8/2017				5.80	3.50	<b>787.40</b>	<b>-0.21</b>
	9/29/2020				5.60	3.30	<b>787.60</b>	<b>0.20</b>
<b>MW-3A Apr-05</b>	4/8/2016	48.00	790.90	793.51	9.68	7.07	<b>783.83</b>	-
	6/14/2016				10.56	7.95	<b>782.95</b>	<b>-0.88</b>
	9/14/2016				10.99	8.38	<b>782.52</b>	<b>-0.43</b>
	12/20/2016				10.68	8.07	<b>782.83</b>	<b>0.31</b>
	3/8/2017				9.80	7.19	<b>783.71</b>	<b>0.88</b>
	9/29/2020				10.81	8.20	<b>782.70</b>	<b>-1.01</b>
<b>MW-3B Mar-06</b>	4/8/2016	80.00	791.10	793.45	9.73	7.38	<b>783.72</b>	-
	6/14/2016				10.61	8.26	<b>782.84</b>	<b>-0.88</b>
	9/14/2016				11.05	8.70	<b>782.40</b>	<b>-0.44</b>
	12/20/2016				10.81	8.46	<b>782.64</b>	<b>0.24</b>
	3/8/2017				9.85	7.50	<b>783.60</b>	<b>0.96</b>
	9/29/2020				10.92	8.57	<b>782.53</b>	<b>-1.07</b>
<b>MW-3C Sep-07</b>	4/8/2016	130.00	791.00	793.49	9.90	7.41	<b>783.59</b>	-
	6/14/2016				10.75	8.26	<b>782.74</b>	<b>-0.85</b>
	9/14/2016				11.23	8.74	<b>782.26</b>	<b>-0.48</b>
	12/20/2016				11.23	8.74	<b>782.26</b>	<b>0.00</b>
	3/8/2017				10.05	7.56	<b>783.44</b>	<b>1.18</b>
	9/29/2020				10.99	8.50	<b>782.50</b>	<b>-0.94</b>
<b>MW-4 Dec-04</b>	4/8/2016	15.00	796.80	799.24	6.80	4.36	<b>792.44</b>	-
	6/14/2016				7.93	5.49	<b>791.31</b>	<b>-1.13</b>
	9/14/2016				8.37	5.93	<b>790.87</b>	<b>-0.44</b>
	12/20/2016				7.60	5.16	<b>791.64</b>	<b>0.77</b>
	3/8/2017				6.76	4.32	<b>792.48</b>	<b>0.84</b>
	9/29/2020				8.22	5.78	<b>791.02</b>	<b>-1.46</b>
<b>MW-4A Dec-04</b>	4/8/2016	39.00	797.10	799.13	6.68	4.65	<b>792.45</b>	-
	6/14/2016				7.84	5.81	<b>791.29</b>	<b>-1.16</b>
	9/14/2016				8.22	6.19	<b>790.91</b>	<b>-0.38</b>
	12/20/2016				8.22	6.19	<b>790.91</b>	<b>0.00</b>
	3/8/2017				6.76	4.73	<b>792.37</b>	<b>1.46</b>
	9/29/2020				8.32	6.29	<b>790.81</b>	<b>-1.56</b>
<b>MW-4B Dec-04</b>	4/8/2016	85.00	796.90	799.07	6.76	4.59	<b>792.31</b>	-
	6/14/2016				7.89	5.72	<b>791.18</b>	<b>-1.13</b>
	9/14/2016				8.26	6.09	<b>790.81</b>	<b>-0.37</b>
	12/20/2016				8.26	6.09	<b>790.81</b>	<b>0.00</b>
	3/8/2017				6.84	4.67	<b>792.23</b>	<b>1.42</b>
	9/29/2020				8.26	6.09	<b>790.81</b>	<b>-1.42</b>
<b>MW-5 Dec-04</b>	4/8/2016	14.00	796.20	798.51	4.43	2.12	<b>794.08</b>	-
	6/14/2016				6.13	3.82	<b>792.38</b>	<b>-1.70</b>
	9/14/2016				8.38	6.07	<b>790.13</b>	<b>-2.25</b>
	12/20/2016				8.38	6.07	<b>790.13</b>	<b>0.00</b>
	3/8/2017				4.68	2.37	<b>793.83</b>	<b>3.70</b>
	9/29/2020				8.40	6.09	<b>790.11</b>	<b>-3.72</b>
<b>MW-6 Apr-05</b>	4/8/2016	16.00	797.70	797.29	4.87	5.28	<b>792.42</b>	-
	6/14/2016				8.39	8.80	<b>788.90</b>	<b>-3.52</b>
	9/14/2016				5.51	5.92	<b>791.78</b>	<b>2.88</b>
	12/20/2016				5.51	5.92	<b>791.78</b>	<b>0.00</b>
	3/8/2017				6.66	7.07	<b>790.63</b>	<b>-1.15</b>
	9/29/2020				6.70	7.11	<b>790.59</b>	<b>-0.04</b>

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 5 of 6)  
Groundwater Elevations  
Former DB Oaks Property  
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>MW-6A Apr-05</b>	4/8/2016	40.00	797.80	797.45	15.03	15.38	<b>782.42</b>	-
	6/14/2016				16.27	16.62	<b>781.18</b>	-1.24
	9/14/2016				16.82	17.17	<b>780.63</b>	-0.55
	12/20/2016				16.82	17.17	<b>780.63</b>	0.00
	3/8/2017				15.19	15.54	<b>782.26</b>	1.63
	9/29/2020				17.00	17.35	<b>780.45</b>	-1.81
<b>MW-7 Mar-06</b>	4/8/2016	20.00	792.00	794.48	10.94	8.46	<b>783.54</b>	-
	6/14/2016				11.66	9.18	<b>782.82</b>	-0.72
	9/14/2016				12.28	9.80	<b>782.20</b>	-0.62
	12/20/2016				12.28	9.80	<b>782.20</b>	0.00
	3/8/2017				11.05	8.57	<b>783.43</b>	1.23
	9/29/2020				12.00	9.52	<b>782.48</b>	-0.95
<b>MW-7A Mar-06</b>	4/8/2016	45.00	792.10	794.28	10.86	8.68	<b>783.42</b>	-
	6/14/2016				11.60	9.42	<b>782.68</b>	-0.74
	9/14/2016				12.21	10.03	<b>782.07</b>	-0.61
	12/20/2016				11.90	9.72	<b>782.38</b>	0.31
	3/8/2017				10.97	8.79	<b>783.31</b>	0.93
	9/29/2020				12.10	9.92	<b>782.18</b>	-1.13
<b>MW-7B Sep-07</b>	4/8/2016	85.00	791.80	794.24	10.85	8.41	<b>783.39</b>	-
	6/14/2016				11.59	9.15	<b>782.65</b>	-0.74
	9/14/2016				12.18	9.74	<b>782.06</b>	-0.59
	12/20/2016				12.18	9.74	<b>782.06</b>	0.00
	3/8/2017				10.94	8.50	<b>783.30</b>	1.24
	9/29/2020				12.12	9.68	<b>782.12</b>	-1.18
<b>MW-8 Sep-07</b>	4/8/2016	20.00	792.80	795.03	3.04	0.81	<b>791.99</b>	-
	6/14/2016				4.02	1.79	<b>791.01</b>	-0.98
	9/14/2016				4.37	2.14	<b>790.66</b>	-0.35
	12/20/2016				4.37	2.14	<b>790.66</b>	0.00
	3/8/2017				3.11	0.88	<b>791.92</b>	1.26
	9/29/2020				4.22	1.99	<b>790.81</b>	-1.11
<b>MW-8A Sep-07</b>	4/8/2016	50.00	792.80	795.17	10.11	7.74	<b>785.06</b>	-
	6/14/2016				10.94	8.57	<b>784.23</b>	-0.83
	9/14/2016				11.43	9.06	<b>783.74</b>	-0.49
	12/20/2016				11.43	9.06	<b>783.74</b>	0.00
	3/8/2017				10.22	7.85	<b>784.95</b>	1.21
	9/29/2020				11.33	8.96	<b>783.84</b>	-1.11
<b>MW-8B Sep-07</b>	4/8/2016	85.00	792.70	795.19	10.12	7.63	<b>785.07</b>	-
	6/14/2016				10.96	8.47	<b>784.23</b>	-0.84
	9/14/2016				11.44	8.95	<b>783.75</b>	-0.48
	12/20/2016				11.44	8.95	<b>783.75</b>	0.00
	3/8/2017				10.23	7.74	<b>784.96</b>	1.21
	9/29/2020				11.43	8.94	<b>783.76</b>	-1.20
<b>MW-9 Dec-14</b>	4/8/2016	20.00	790.50	790.91	8.64	8.23	<b>782.27</b>	-
	6/14/2016				9.96	9.55	<b>780.95</b>	-1.32
	9/14/2016				10.48	10.07	<b>780.43</b>	-0.52
	12/20/2016				10.48	10.07	<b>780.43</b>	0.00
	3/8/2017				8.85	8.44	<b>782.06</b>	1.63
	9/29/2020				10.42	10.01	<b>780.49</b>	-1.57
<b>MW-9A Dec-14</b>	4/8/2016	44.50	791.60	791.16	8.89	9.33	<b>782.27</b>	-
	6/14/2016				10.21	10.65	<b>780.95</b>	-1.32
	9/14/2016				10.71	11.15	<b>780.45</b>	-0.50
	12/20/2016				10.71	11.15	<b>780.45</b>	0.00
	3/8/2017				9.09	9.53	<b>782.07</b>	1.62
	9/29/2020				10.64	11.08	<b>780.52</b>	-1.55

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 6 of 6)  
Groundwater Elevations  
Former DB Oaks Property  
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
<b>MW-10 Apr-16</b>	4/8/2016	20.00	791.69	791.17	4.96	5.48	<b>786.21</b>	-
	6/14/2016				6.65	7.17	<b>784.52</b>	-1.69
	9/14/2016				6.65	7.17	<b>784.52</b>	0.00
	12/20/2016				8.29	8.81	<b>782.88</b>	-1.64
	3/8/2017				6.16	6.68	<b>785.01</b>	2.13
	9/29/2020				6.70	7.22	<b>784.47</b>	-0.54
<b>MW-10A Apr-16</b>	4/8/2016	46.00	791.71	791.25	8.32	8.78	<b>782.93</b>	-
	6/14/2016				9.34	9.80	<b>781.91</b>	-1.02
	9/14/2016				9.90	10.36	<b>781.35</b>	-0.56
	12/20/2016				8.55	9.01	<b>782.70</b>	1.35
	3/8/2017				8.52	8.98	<b>782.73</b>	1.38
	9/29/2020				9.89	10.35	<b>781.36</b>	-1.34
<b>MW-11 Apr-16</b>	4/8/2016	20.00	790.72	790.20	6.98	7.50	<b>783.22</b>	-
	6/14/2016				7.89	8.41	<b>782.31</b>	-0.91
	9/14/2016				8.30	8.82	<b>781.90</b>	-0.41
	12/20/2016				8.15	8.67	<b>782.05</b>	0.15
	3/8/2017				7.28	7.80	<b>782.92</b>	0.87
	9/29/2020				8.21	8.73	<b>781.99</b>	-0.93
<b>MW-12 Apr-16</b>	4/8/2016	20.00	794.12	793.72	11.56	11.96	<b>782.16</b>	-
	6/14/2016				12.98	13.38	<b>780.74</b>	-1.42
	9/14/2016				13.45	13.85	<b>780.27</b>	-0.47
	12/20/2016				13.45	13.85	<b>780.27</b>	0.00
	3/8/2017				11.79	12.19	<b>781.93</b>	1.66
	9/29/2020				13.65	14.05	<b>780.07</b>	-1.86
<b>MW-12A Apr-16</b>	4/8/2016	45.00	793.98	793.54	11.38	11.82	<b>782.16</b>	-
	6/14/2016				12.81	13.25	<b>780.73</b>	-1.43
	9/14/2016				13.27	13.71	<b>780.27</b>	-0.46
	12/20/2016				13.27	13.71	<b>780.27</b>	0.00
	3/8/2017				11.60	12.04	<b>781.94</b>	1.67
	8/7/2018				13.20	13.64	<b>780.34</b>	-1.60
	4/26/2019				11.81	12.25	<b>781.73</b>	1.39
	9/29/2020				13.20	13.64	<b>780.34</b>	-1.39
<b>MW-13</b>	9/29/2020	25.00	792.08	791.88	15.25	15.45	<b>776.63</b>	-
<b>MW-13A</b>	9/29/2020	45.00	792.21	791.96	15.12	15.37	<b>776.84</b>	-
<b>MW-14</b>	9/29/2020	25.00	791.08	790.88	16.20	16.40	<b>774.68</b>	-
<b>MW-14A</b>	9/29/2020	45.00	791.08	791.80	16.27	15.55	<b>775.53</b>	-
<b>MW-15</b>	9/29/2020	25.00	792.30	792.08	9.95	10.17	<b>782.13</b>	-
<b>MW-15A</b>	9/29/2020	45.00	792.15	791.99	15.09	15.25	<b>776.90</b>	-

\*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

Environmental Lab, Inc.

www.synergy-lab.net  
 1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: \_\_\_\_\_  
 (Flushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. #

QUOTE # :

Project #: 170503

Sampler: (signature) *Bryan*

Project (Name / Location): *DB Oak*

Reports To: *Bryan Frieseke*

Company: *FEI Inc*

Address: *6635 N Skyway P1*

City State Zip: *Milwaukee WI 53209*

Phone: *414 403 8081*

Email: *bfrieseke@feiinc.us*

Invoice To: *Sawne*

Company:

Address:

City State Zip:

Phone:

Email:

Analysis Requested

Other Analysis

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 524.2)
- VOC (EPA 8260)
- VOC AIR (TO - 15)
- 8-RCRA METALS

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
		Date	Time					
5038612A	MW-1	10/8	AM	N	3	GW	HCl	
	MW-5				M			X
	MW-2				N			X
	MW-2A				M			X
	MW-2B				M			X
	MW-3				M			X
	MW-3A				M			X
	MW-3B				M			X
	MW-3C				M			X
	MW-4				M			X
	MW-4A				M			X
	MW-4B				M			X

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *ice*

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Requisitioned By: (sign) *[Signature]*

Time: *1:34* Date: *10/8*

Received By: (sign) \_\_\_\_\_

Time: \_\_\_\_\_ Date: \_\_\_\_\_

Received in Laboratory By: *[Signature]*

Time: *10:00*

Date: *10/10/02*

www.synergy-lab.net  
 1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • mrsynergy@wi.ltwcbs.com

**Sample Handling Request**

Rush Analysis Date Required: \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

QUOTE # : \_\_\_\_\_

Project #: 170503

Sampler: (signature) *Bryon Frisette*

Project (Name / Location): *DB Oak*

Reports To: *Bryon Frisette*

Company: *FEC Inc*

Address: *6635 N Sidney Pl*

City/State/Zip: *Milwaukee WI 53209*

Phone: *414-403-8081*

Email: *bfrisette@fecinc.us*

Invoice To: *Same*

Company: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	
5038612M	NW-6	10/18	AM	N	3	GW	HC1													X			
	NW-6A																			X			
	NW-7																			X			
	NW-7A																			X			
	NW-7B																			X			
	NW-8																			X			
	NW-8A																			X			
	NW-8B																			X			
	NW-9																			X			
	NW-9A																			X			
	NW-10																			X			
	NW-10A																			X			

Comments: Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Ice*

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) \_\_\_\_\_

Time \_\_\_\_\_

Date \_\_\_\_\_

Received By: (sign) \_\_\_\_\_

Time \_\_\_\_\_

Date \_\_\_\_\_

Received in Laboratory By: \_\_\_\_\_

Time: \_\_\_\_\_

Date: 10/10/20

www.synergy-lab.net  
 1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • mrsynergy@wi.twcbc.com

**Sample Handling Request**

Rush Analysis Date Required: \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 QUOTE # : \_\_\_\_\_  
 Project #: 170503  
 Sampler: (signature) *[Signature]*

Project (Name / Location): DB Oak

Invoice To: Scene

Analysis Requested

Other Analysis

Reports To: Bryan Fricate  
 Company: FFC Inc.  
 Address: 6635 N Sidney Pl  
 City State Zip: Milwaukee WI 53209  
 Phone: 414-405-8081  
 Email: bfricate@fccinc.us

Company: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City State Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Email: \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID	
5038612	Y	MW-12	10/8	AM	N	3	6W	HC1																
	Z	MW-12																						
	AA	MW-12A																						
	BB	MW-13																						
	CC	MW-13A																						
	DD	MW-14																						
	EE	MW-14A																						
	FF	MW-15																						
	GG	MW-15A																						

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: ice

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice

Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]*

Time: 1:34

Date: 10/18

Received By: (sign) \_\_\_\_\_

Time: \_\_\_\_\_

Date: \_\_\_\_\_

Received in Laboratory By: *[Signature]*

Time: 10:00

Date: 10/16/20



# Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

BRYAN FRIESEKE  
FEC, INC.  
6635 N. SIDNEY PLACE  
MILWAUKEE, WI 53209

Report Date 20-Oct-20

Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612A  
Sample ID MW-1  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612A  
Sample ID MW-1  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612B  
 Sample ID MW-5  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612B  
**Sample ID** MW-5  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612C  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	5.7	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	4.2	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	0.9	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612C  
**Sample ID** MW-2  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	1.75	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	0.78	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612D  
 Sample ID MW-2A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	121	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612D  
**Sample ID** MW-2A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	29.3	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	116	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1



Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612E  
Sample ID MW-2B  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612E  
**Sample ID** MW-2B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612F  
**Sample ID** MW-3  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	4.8 "J"	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612F

Sample ID MW-3

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	690	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612G  
 Sample ID MW-3A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	14.9	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	6 "J"	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	8.1 "J"	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	8900	ug/l	39	120	100	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	400	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612G  
**Sample ID** MW-3A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	4.4 "J"	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	1980	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612H  
 Sample ID MW-3B  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	330	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	13.1	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612H  
**Sample ID** MW-3B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	460	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			10	8260B		10/12/2020	CJR	1



**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612I  
**Sample ID** MW-3C  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612I  
**Sample ID** MW-3C  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612J  
**Sample ID** MW-4  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/13/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/13/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/13/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/13/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/13/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/13/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/13/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/13/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/13/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/13/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/13/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/13/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/13/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/13/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/13/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/13/2020	CJR	1
cis-1,2-Dichloroethene	50	ug/l	3.9	12	10	8260B		10/13/2020	CJR	1
trans-1,2-Dichloroethene	4.3 "J"	ug/l	3.7	12	10	8260B		10/13/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/13/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/13/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/13/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/13/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/13/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/13/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/13/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/13/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612J  
**Sample ID** MW-4  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/13/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/13/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Vinyl Chloride	102	ug/l	2	6.5	10	8260B		10/13/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/13/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/13/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %				10 8260B		10/13/2020	CJR	1
SUR - Toluene-d8	106	REC %				10 8260B		10/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %				10 8260B		10/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %				10 8260B		10/13/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612K  
 Sample ID MW-4A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612K  
**Sample ID** MW-4A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612L  
**Sample ID** MW-4B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612L  
**Sample ID** MW-4B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1



Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612M  
Sample ID MW-6  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612M  
**Sample ID** MW-6  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612N  
Sample ID MW-6A  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612N

Sample ID MW-6A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 50386120  
 Sample ID MW-7  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 50386120  
**Sample ID** MW-7  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		10/14/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612P  
**Sample ID** MW-7A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	3	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612P

Sample ID MW-7A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	9.4	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1



**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612Q  
**Sample ID** MW-7B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	6.8	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612Q  
**Sample ID** MW-7B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	1.26 "J"	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612R  
Sample ID MW-8  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612R  
**Sample ID** MW-8  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612S  
**Sample ID** MW-8A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612S

Sample ID MW-8A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612T  
**Sample ID** MW-8B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612T  
**Sample ID** MW-8B  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	121	REC %				1 8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %				1 8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1 8260B		10/15/2020	CJR	1



**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 5038612U  
**Sample ID** MW-9  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612U  
**Sample ID** MW-9  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612V  
 Sample ID MW-9A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	100	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	1.91	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612V  
**Sample ID** MW-9A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
Project # 170503

Invoice # E38612

Lab Code 5038612W  
Sample ID MW-10  
Sample Matrix Water  
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612W  
**Sample ID** MW-10  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612X  
 Sample ID MW-10A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612X

Sample ID MW-10A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		10/15/2020	CJR	1



Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612Y  
 Sample ID MW-11  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 5038612Y  
**Sample ID** MW-11  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 5038612Z  
 Sample ID MW-12  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612Z

Sample ID MW-12

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 538612AA  
**Sample ID** MW-12A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	42	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	1.41	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612AA  
**Sample ID** MW-12A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 538612BB  
 Sample ID MW-13  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612BB  
**Sample ID** MW-13  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1



**Project Name** DB OAK  
**Project #** 170503  
**Lab Code** 538612CC  
**Sample ID** MW-13A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

**Invoice #** E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	7.6	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	4.7	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	830	ug/l	3.9	12	10	8260B		10/17/2020	CJR	1
trans-1,2-Dichloroethene	11.9	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612CC  
**Sample ID** MW-13A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	75	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 538612DD  
 Sample ID MW-14  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612DD  
**Sample ID** MW-14  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 538612EE  
 Sample ID MW-14A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	1.76	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612EE  
**Sample ID** MW-14A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 538612FF  
 Sample ID MW-15  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612FF  
**Sample ID** MW-15  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1



Project Name DB OAK  
 Project # 170503

Invoice # E38612

Lab Code 538612GG  
 Sample ID MW-15A  
 Sample Matrix Water  
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	0.33 "J"	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

**Project Name** DB OAK  
**Project #** 170503

**Invoice #** E38612

**Lab Code** 538612GG  
**Sample ID** MW-15A  
**Sample Matrix** Water  
**Sample Date** 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %				8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %				8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %				8260B		10/15/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

1              Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**