



KEY

- = SI monitoring well
- = SI boring location
- = Sediment sample
- = Former SI monitoring well
- = Vapor Intrusion Point
- = Proposed Vapor Intrusion Point
- = Proposed SI Monitoring Well



File No.: 170503
 DWG Date: 2-20-18
 Rev Date: 8-26-19
 Drawn By: BRF
 Checked By (PM): TJO

WP Site Diagram
 Former DB Oak Property
 704 Oak Street
 Fort Atkinson, Wisconsin

Figure
 2

TABLE A.1. (Page 1 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	5/26/09	5,900	52.0	3,000	350	2,700
	9/22/09	5,000	140	120	<74.0	1,300
	12/2/09	1,900	89.0	<15.0	<46.0	560
	3/23/10	3.00	0.93	1.30	0.91	1.10
	6/22/10	10.0	1.20	0.41	0.18	1.60
	9/15/10	7.80	13.0	0.16	<0.16	56.0
	12/14/10	11.0	0.33	0.54	0.61	0.66
	3/9/11	6.70	0.31	3.00	5.60	1.60
	6/28/11	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/11	0.44	<0.26	0.29	0.20	<0.18
	12/5/11	0.53	<0.26	<.21	0.64	<0.18
	3/6/12	1.90	<0.19	0.18	0.30	0.84
	9/24/12	1.10	<0.26	0.27	0.34	0.44
	3/20/13	0.31	<0.32	<0.22	0.27	<0.17
	9/16/13	1.40	<0.18	0.19	0.14	0.24
	3/24/14	0.54	<0.32	<0.16	0.74	<0.17
	9/24/14	0.36	<0.32	<0.22	<0.27	<0.17
	3/10/15	<0.30	<0.25	<0.21	<0.31	<0.16
	9/25/15	0.35	<0.18	<0.22	<0.17	0.86
3/21/16	1.40	0.19	0.88	2.00	0.69	
9/14/16	1.70	0.29	0.61	1.20	0.94	
3/8/17	4.80	0.36	0.64	1.90	1.20	
TW-02	5/26/09	6,000	64.0	320	440	240
	9/22/09	3,300	63.0	640	750	410
	12/2/09	4,100	62.0	460	710	520
	3/23/10	3,700	<100	530	640	680
	6/22/10	4,000	<65.0	370	440	1,100
	9/15/10	<250	3,600	500	560	1,000
	12/14/10	2,400	<65.0	840	790	470
	3/9/11	1,500	<33.0	730	450	830
	6/28/11	2,100	37.0	360	410	590
	9/20/11	1,900	<65.0	510	530	500
	12/5/11	1,900	<52.0	550	470	550
	3/6/12	1,300	31.0	810	490	260
	6/6/12	1,400	120	1,400	1,200	1,800
	9/24/12	1,200	29.0	420	400	290
	12/5/12	1,200	32.0	350	360	280
	3/20/13	680	<32.0	480	250	150
	6/11/13	1,000	39.0	330	270	260
	9/16/13	1,100	35.0	300	220	280
	12/4/13	700	32.0	410	290	110
	3/24/14	770	<32.0	360	200	200
	6/23/14	620	<32.0	230	180	210
	9/24/14	660	<2.00	220	180	230
	12/22/14	550	23.0	270	200	120
	3/10/15	440	17.0	260	160	99.0
	6/18/15	160	<3.50	12.0	19.0	30.0
	9/25/15	470	15.0	60.0	39.0	130
	12/21/15	550	<10.0	230	150	160
3/21/16	540	26.0	220	170	190	
6/14/16	560	21.0	130	100	200	
9/14/16	340	13.0	24.0	19.0	130	
12/20/16	450	19.0	180	120	130	
3/8/17	290	17.0	160	97.0	120	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 2 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-03	5/26/09	14.0	<5.20	210	200	<3.7
	9/22/09	5.50	<4.10	1,100	130	<3.4
	12/2/09	220	<4.10	590	130	<3.4
	3/23/10	450	<13.0	92.0	77.0	<9.2
	6/22/10	340	<6.50	10.0	7.20	58.0
	9/15/10	<3.10	290	<4.5	7.70	130
	3/9/11	62.0	<6.50	7.80	13.0	290
	6/28/11	580	5.50	51.0	79.0	460
	9/20/11	110	<6.50	<5.20	<4.20	650
	12/5/11	480	<21.0	<16.0	<13.0	560
	3/6/12	6.70	<0.19	<0.15	<0.25	13.0
	6/6/12	770	5.60	10.0	15.0	1,100
	9/24/12	180	<4.80	<3.70	<6.20	290
	12/5/12	530	<24.0	<18.0	<3.00	1,100
	3/20/13	400	<25	38.0	31.0	750
	6/11/13	90	<0.18	<13.0	20.0	1,000
	9/16/13	390	<15.0	24.0	20.0	970
	12/4/13	330	<32.0	28.0	<27	720
	3/24/14	390	<32.0	26.0	51.0	760
	6/23/14	290	<32.0	52.0	40.0	680
	9/24/14	320	<32.0	<22.0	<27.0	780
	12/22/14	350	<16.0	16.0	<14.0	700
	3/10/15	370	<20.0	130	80.0	750
	6/18/15	428	<22.0	36.8	20.6	488
9/25/15	1,300	<14.0	<17.0	<13.0	1,000	
12/21/15	600	<25.0	41.0	<31.0	950	
3/21/16	1,100	8.70	37.0	26.0	1,200	
6/14/16	1,300	<15.0	<17.0	<24.0	1,100	
9/14/16	2,100	19.0	<21.0	<30.0	1,100	
12/20/16	430	15.0	62.0	38.0	1,200	
3/8/17	1,500	<34.0	74.0	<65.0	1,100	
IW-1	5/26/09	8.80	<0.26	0.76	0.68	5.50
	9/22/09	2.70	<0.26	<0.21	<0.17	7.20
	12/2/09	2.00	<0.21	0.12	0.43	7.80
	3/23/10	1.70	<0.26	<0.21	<0.17	9.30
	6/22/10	1.80	<0.26	0.54	0.23	7.60
	9/15/10	<.13	0.99	<0.16	<0.16	6.90
	12/14/10	1.20	<0.26	0.44	0.44	7.80
	3/9/11	1.00	NR	0.43	<0.17	6.70
	6/28/11	0.82	<0.26	<0.21	<0.17	4.80
	9/20/11	0.49	<0.19	<0.15	<0.25	2.60
	12/5/11	0.43	<0.26	<0.15	<0.17	2.10
	3/6/12	0.29	<0.26	<0.21	<0.17	1.80
	9/24/12	0.54	<0.26	<0.21	<0.17	1.80
	3/20/13	0.27	<0.32	0.31	0.34	1.80
	9/16/13	0.31	<0.18	0.19	<0.14	1.50
	3/24/14	0.26	<0.32	<0.16	<0.27	1.80
	9/24/14	0.22	<0.32	<0.22	<0.27	1.50
	3/10/15	<.30	<0.25	<0.21	<0.31	1.70
	9/25/15	<.30	<0.25	<0.21	<0.31	1.40
3/21/16	<.18	<0.15	<0.17	<0.24	1.60	
9/14/16	<.24	<0.17	<0.22	<0.32	1.20	
3/8/17	2.30	<0.17	1.60	0.66	1.30	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 3 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-1	12/16/04	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.40	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-2	12/16/04	5,900	32.0	120	140	33.0
	6/1/05	3,800	160	<150	160	<53.0
	3/28/06	6,400	<85.0	190	450	<98.0
	10/25/07	1,800	<25.0	<25.0	520	27.0
	4/21/08	560	<25.0	120	85.0	<25.0
	5/26/09	260	<6.50	110	69	6.90
	9/22/09	630	<6.50	270	170	25.0
	12/2/09	510	<5.20	320	230	6.50
	3/23/10	1,000	7.60	470	360	17.0
	6/22/10	950	<10.0	400	290	16.0
	9/15/10	<5.00	360	180	150	<6.90
	12/14/10	390	<10.0	270	200	13.0
	3/9/11	530	<10.0	220	180	<7.40
	6/28/11	570	<10.0	210	200	10.0
	9/20/11	710	<7.70	250	290	6.60
	12/5/11	2,200	27.0	15.0	500	65.0
	3/6/12	3,200	<52.0	450	340	55.0
	6/6/12	3,200	<65.0	350	300	<46.0
	9/24/12	3,900	<48.0	530	490	<37.0
	12/5/12	4,800	<77.0	200	510	<60.0
	3/20/13	3,200	<130	270	500	<66.0
	6/11/13	870	<32.0	140	160	<17.0
	9/16/13	2,300	<74.0	74.0	200	<44.0
	12/4/13	1,900	<40.0	330	400	<44.0
	3/24/14	1,800	<40.0	140	190	<21.0
	6/23/14	840	<16.0	96.0	67.0	16.0
	9/24/14	1,300	<16.0	230	360	14.0
12/22/14	2,000	<32.0	230	270	24.0	
3/10/15	3,800	25.0	200	200	28.0	
6/18/15	1,800	<35.0	72.0	120	39.0	
9/25/15	2,400	<35.0	170	370	39.0	
12/21/15	1,600	<50.0	150	280	31.0	
3/21/16	1,700	<29.0	120	170	32.0	
6/14/16	1,400	<34.0	85.0	92.0	34.0	
9/14/16	2,500	21.0	180	270	20.0	
12/20/16	1,100	<42.0	160	220	43.0	
3/8/17	1,800	<42.0	150	220	43.0	
10/8/20	6	<0.37	4	2	0.8	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 4 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-2A	12/16/04	380	<5.40	44.0	69.0	29.0
	6/1/05	350	<8.70	110	83.0	36.0
	3/28/06	3,800	20.0	320	700	91.0
	10/25/07	1,800	<25.0	360	530	<25.0
	4/21/08	2,100	<25.0	610	620	<25.0
	5/26/09	660	<13.0	590	380	<9.20
	9/22/09	920	<13.0	530	280	75.0
	12/2/09	1,700	11.0	390	280	56.0
	3/23/10	1,900	16.0	250	180	76.0
	6/22/10	1,600	<26.0	290	200	<18.0
	9/15/10	<13.0	730	340	200	<17.0
	12/14/10	2,100	<26.0	370	190	25.0
	3/9/11	1,700	<26.0	220	140	48.0
	6/28/11	1,600	<26.0	240	160	<18.0
	9/20/11	1,200	<19.0	210	150	<15.0
	12/5/11	1,700	<26.0	170	110	33.0
	3/6/12	2,200	<52.0	140	100	69.0
	6/6/12	2,200	<52.0	88.0	79.0	73.0
	9/24/12	1,800	<39.0	110	85.0	66.0
	12/5/12	2,300	<39.0	74.0	87.0	67.0
	3/20/13	2,400	<63.0	66.0	61.0	<33.0
	6/11/13	1,500	<63.0	94.0	130	<33.0
	9/16/13	1,600	<37.0	62.0	91.0	32.0
	12/4/13	2,400	<63.0	65.0	65.0	54.0
	3/24/14	630	<16.0	33.0	39.0	36.0
	6/23/14	2,300	<63.0	<200	<200	59.0
	9/24/14	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/14	1,900	<32.0	42.0	36.0	62.0
	3/10/15	2,000	<31.0	44.0	49.0	47.0
	6/18/15	3,630	<34.0	135	71.0	53.9
9/25/15	2,000	<35.0	<44.0	<33.0	47.0	
12/21/15	2,200	<50.0	<43.0	<61.0	100	
3/21/16	2,500	<29.0	<33.0	<47.0	98.0	
6/14/16	1,900	<34.0	<44.0	<65.0	100	
9/14/16	1,400	<29.0	<33.0	<47.0	<32.0	
12/20/16	1,600	<21.0	<28.0	<40.0	75.0	
3/8/17	2,000	<21.0	<28.0	<40.0	290	
10/8/20	121	<3.7	<3.3	<4.7	29	
MW-2B	10/25/07	19.0	<0.50	15.0	6.20	<0.50
	4/21/08	19.0	<0.50	15.0	6.20	<0.50
	5/26/09	1.40	<0.26	11.0	6.60	<0.18
	9/22/09	1.80	<0.26	9.20	6.40	<0.18
	12/2/09	2.20	<0.21	9.80	5.90	<0.17
	3/23/10	4.60	<0.13	13.0	6.70	<0.17
	6/22/10	1.60	<0.26	11.0	6.70	<0.18
	9/15/10	<0.13	0.63	7.10	6.50	<0.17
	12/14/10	15.0	<0.26	19.0	6.30	<0.18
	3/9/11	14.0	<0.26	8.20	4.90	<0.18
	6/28/11	16.0	<0.26	8.20	4.50	<0.18
	9/20/11	15.0	<0.19	5.00	3.90	<0.15
	12/5/11	13.0	<0.26	6.90	4.80	<0.18
	3/6/12	12.0	<0.26	6.80	5.50	<0.18
	9/24/12	16.0	0.21	6.70	7.30	<0.15
	3/20/13	35.0	0.37	10.0	11.0	<0.17
	9/16/13	23.0	<0.74	5.90	5.10	<0.44
	3/24/14	39.0	<0.79	7.70	11.0	<0.42
9/24/14	7.30	<0.32	9.60	6.60	<0.17	
3/10/15	11.0	<0.25	13.0	8.50	0.19	
9/25/15	5.60	<0.18	23.0	7.80	<0.20	
3/21/16	13.0	0.22	16.0	8.10	<0.16	
9/14/16	18.0	0.25	16.0	4.80	<0.16	
3/8/17	25.0	0.38	20.0	5.60	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 5 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3	12/16/04	6,800	<540	34,000	17,000	<820
	6/1/05	2,600	<870	27,000	5,500	<270
	3/28/06	3,500	<420	28,000	7,200	<490
	11/2/06	3,000	<220	22,000	5,100	79.0
	10/25/07	5,800	<200	10,000	3,300	710
	4/21/08	2,100	<130	24,000	3,100	<130
	5/26/09	2,800	<51.0	5,700	4,000	270
	9/22/09	27,000	840	<100	<84	12,000
	12/2/09	68,000	2,000	<59.0	<190	27,000
	3/23/10	80,000	1,800	<900	<820	31,000
	6/22/10	2,500	<1300	<1000	<840	52,000
	9/15/10	<630	<600	<900	<820	27,000
	12/14/10	<510	<650	<520	<420	26,000
	3/9/11	970	<650	<520	<420	28,000
	6/28/11	<200	<260	<210	<170	13,000
	9/20/11	<100	<97.0	<73.0	<120	4,400
	12/5/11	100	<130	<100	<84.0	15,000
	3/6/12	470	<520	<410	<330	20,000
	6/6/12	<200	<260	<210	<170	12,000
	9/24/12	0.28	<0.19	<0.15	<0.25	2.10
	12/5/12	2.00	<0.19	<0.15	<0.25	83.0
	3/20/13	13.0	62.0	<1.7	<2.20	5,200
	6/11/13	<4.00	<13.0	<8.6	<11.0	380
	9/16/13	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/13	1.60	<0.32	<0.22	<0.27	0.57
	3/24/14	1.90	<0.32	<0.22	0.68	6.60
	6/23/14	3.00	<0.17	<0.21	<0.15	8.90
	9/24/14	1.10	<0.32	<0.22	0.56	0.77
	12/22/14	0.85	<0.32	<0.22	<0.27	0.54
	3/10/15	0.81	<0.25	<0.21	<0.31	0.31
	6/18/15	1.63	<0.27	0.41	0.36	0.48
	9/25/15	1.10	0.34	<0.22	<0.17	1.70
12/21/15	3.30	0.38	<0.21	1.30	4.80	
3/21/16	3.00	0.30	<0.17	<0.24	12.0	
9/14/16	1.10	0.61	<0.17	<0.24	2.10	
3/8/17	3.00	0.24	<0.22	<0.32	39.0	
10/8/20	4.9 J	<0.37	<0.33	<0.47	690.00	
MW-3A	6/1/05	13,000	250	3,000	2,300	910
	3/28/06	12,000	190	4,200	2,900	740
	11/2/06	14,000	<220	1,700	1,900	580
	10/25/07	11,000	190	2,100	1,500	520
	4/21/08	16,000	<250	4,400	2,700	990
	5/26/09	18,000	250	3,100	2,100	1,700
	9/22/09	20,000	300	1,200	1,100	2,300
	12/2/09	18,000	<260	1,500	1,200	2,200
	3/23/10	15,000	180	1,400	1,300	1,600
	6/22/10	16,000	<330	2,400	1,400	1,700
	9/15/10	<160	15,000	1,300	1,500	1,900
	12/14/10	17,000	<330	1,500	1,500	1,700
	3/9/11	14,000	<330	1,500	310	1,200
	6/28/11	8,500	<330	<260	<210	1,200
	9/20/11	14,000	<330	<260	<210	4,000
	12/5/11	8,500	<330	<260	<200	9,400
	3/6/12	4,500	<150	<120	<130	6,700
	6/6/12	7,900	<210	<160	<62	4,700
	9/24/12	3,200	50.0	<37.0	<250	2,800
	12/5/12	15,000	<190	<150	<340	2,800
	3/20/13	11,000	<400	<270	390	2,400
	6/11/13	13,000	<400	<270	<180	2,600
	9/16/13	13,000	<230	<200	<340	2,400
	12/4/13	13,000	<400	<270	<340	2,200
	3/24/14	14,000	<400	<400	<190	2,200
	6/23/14	14,000	<180	<170	<340	2,600
	9/24/14	12,000	<400	<270	<270	2,500
	12/22/14	15,000	<320	<220	<380	2,500
	3/10/15	13,000	<310	<270	<230	2,360
	6/18/15	14,700	<340	<330	<380	2,500
	9/25/15	13,000	<310	<270	<380	2,300
	12/21/15	12,000	<310	<270	<300	2,800
3/21/16	16,000	<180	<210	<400	2,800	
6/14/16	13,000	<210	<280	<400	2,500	
9/14/16	18,000	<180	<210	<300	2,900	
12/20/16	16,000	<210	<280	<400	2,800	
3/8/17	17,000	<210	<280	<400	3,100	
10/8/20	8,900	400	<3.3	<4.7	1,980	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 6 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3B	3/28/06	600	<85.0	17,000	2,800	<98.0
	11/2/06	400	<110	9,700	1,800	<22.0
	10/25/07	330	<100	5,300	1,200	<100
	4/21/08	530	<100	12,000	2,400	<100
	5/26/09	480	<51.0	9,700	2,300	<42.0
	9/22/09	1,000	<210	9,800	1,900	210
	12/2/09	1,000	<160	9,700	2,200	<140
	3/23/10	920	<100	10,000	2,200	<140
	6/22/10	860	<210	1,600	1,900	<150
	9/15/10	<170	1,000	10,000	2,400	<140
	12/14/10	740	<260	11,000	2,100	<180
	3/9/11	670	<260	9,600	1,900	<180
	6/28/11	1,800	<52.0	830	820	130
	9/20/11	4,900	<130	320	1,500	160
	12/5/11	4,800	<130	210	710	190
	3/6/12	6,500	<77.0	<58	<99	400
	6/6/12	3,400	<130	110	550	710
	9/24/12	2,200	<39.0	840	870	690
	12/5/12	1,500	<39.0	1,800	1,100	450
	3/20/13	1,100	<40.0	2,500	1,100	250
	6/11/13	1,400	<37.0	2,700	1,200	270
	9/16/13	1,100	<63.0	2,400	1,200	250
	12/4/13	960	<63.0	1,900	1,000	190
	3/24/14	900	<63.0	2,200	1,200	170
	6/23/14	950	<63.0	1,900	1,100	220
	9/24/14	1,100	<63.0	2,100	1,100	250
	12/22/14	1,300	<63.0	2,400	1,500	230
	3/10/15	990	<50.0	2,800	1,400	210
6/18/15	1,160	<54.0	3,380	1,440	218	
9/25/15	980	<50.0	2,600	1,300	230	
12/21/15	900	<50.0	3,000	1,400	220	
3/21/16	1,100	<36.0	3,400	1,300	<300	
6/14/16	940	<42.0	2,900	1,200	310	
9/14/16	1,200	<36.0	3,600	1,300	370	
12/20/16	1,300	<68.0	2,800	1,200	400	
3/8/17	1,200	<68.0	4,100	1,400	360	
10/8/20	330	13	<3.3	<4.7	460	
MW-3C	10/25/07	110	1.00	3.20	1.40	2.80
	4/21/08	49.0	<5.00	<5.00	<5.00	<5.00
	5/26/09	37.0	0.38	1.90	2.50	0.57
	9/22/09	0.35	<0.26	0.68	0.22	<0.18
	12/2/09	<0.41	<0.51	<0.30	1.10	<0.42
	3/23/10	5.00	<0.50	<0.72	<0.65	1.80
	6/22/10	11.0	<1.00	<0.82	<0.67	1.70
	9/15/10	<0.13	6.10	<0.18	0.31	0.85
	12/14/10	6.10	<0.26	34.0	5.40	1.20
	3/9/11	6.40	NR	<0.21	0.34	0.71
	6/28/11	5.30	<0.26	<0.21	0.34	0.95
	9/20/11	6.90	<0.26	0.44	0.94	0.79
	12/5/11	4.80	<0.26	<0.21	0.53	0.73
	3/6/12	4.30	<0.19	<0.15	<0.25	0.61
	9/24/12	4.10	<0.19	<0.15	<0.25	0.66
	3/20/13	4.30	<0.32	0.35	0.42	1.10
	9/16/13	1.90	<0.32	<0.22	<0.17	<0.17
	3/24/14	5.50	<0.32	4.10	1.90	0.66
9/24/14	1.50	<0.32	<0.22	<0.27	0.19	
3/10/15	1.80	<0.25	<0.21	<0.31	0.26	
9/25/15	1.40	<0.25	<0.21	<0.31	0.18	
3/21/16	1.40	<0.17	<0.22	<0.32	0.20	
9/14/16	1.20	<0.15	<0.17	<0.24	0.17	
3/8/17	1.30	<0.17	<0.22	<0.32	0.37	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 7 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4	12/16/04	<66.0	<54.0	2,500	10,000	<82.0
	6/1/05	<200	<170	2,500	4,700	<53.0
	3/28/06	<190	<170	5,400	38,000	<200
	10/25/07	42.0	<25.0	2,000	1,500	<25.0
	4/21/08	600	<500	14,000	43,000	<500
	5/26/09	<40.0	<52.0	2,400	1,100	<37.0
	9/22/09	5,200	<52.0	<41.0	44.0	1,300
	12/2/09	1,600	<21.0	110	71.0	800
	3/23/10	4,300	47.0	5,000	17,000	1,600
	6/22/10	3,600	<33.0	<26.0	<21.0	1,600
	9/15/10	<15.0	660	<23.0	<20.0	970
	12/14/10	990	<33.0	<26.0	<21.0	2,100
	3/9/11	3,100	<26	5,500	6,300	1,400
	6/28/11	7,200	69.0	70.0	1,000	7,200
	9/20/11	9,200	57.0	<18.0	730	3,200
	12/5/11	21,000	140	<100	2,000	4,400
	3/6/12	69,000	650	<180	1,900	14,000
	6/6/12	8,300	<210	<160	<130	7,000
	9/24/12	5,800	<210	<160	<130	6,800
	12/5/12	9,700	<150	<120	<200	9,100
	3/20/13	30,000	270	150	5,900	13,000
	6/11/13	5,000	<250	<170	<220	6,700
	9/16/13	1,300	<74.0	87.0	<57.0	5,200
	12/4/13	7.80	<1.30	<2.70	<3.40	160
	3/24/14	6,500	<500	<110	3,900	3,000
	6/23/14	14,000	<160	<110	<140	12,000
	9/24/14	7,400	<400	<270	<340	8,400
	12/22/14	740	<22.0	<17.0	<19.0	1,200
	3/10/15	2,600	<63.0	<53.0	<76.0	1,700
	6/18/15	6,010	<67.0	<66.0	<46.0	4,560
9/25/15	9,700	<130	<110	510	8,000	
12/21/15	3,600	<130	<110	<150	5,100	
3/21/16	3,700	<85	<110	<160	5,600	
6/14/16	3,900	<85	<110	<160	3,000	
9/14/16	620	<21.0	<28.0	<40.0	1,800	
12/20/16	3.70	0.62	<0.44	<68.0	18.0	
3/8/17	800	<17.0	<22.0	<32.0	1,100	
10/8/20	50	4.3 J	<3.3	<4.7	102	
MW-4A	12/16/04	0.89	<0.11	7.10	23.0	<0.16
	6/1/05	<0.40	<0.35	1.20	0.59	<0.11
	3/28/06	0.29	<0.17	6.90	0.97	<0.20
	10/25/07	<0.50	<0.50	1.20	8.50	<0.50
	4/21/08	<0.50	<0.50	1.50	1.10	<0.50
	5/26/09	<0.20	<0.26	3.80	1.60	<0.18
	9/22/09	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/09	0.20	<0.21	0.95	<0.37	<0.57
	3/23/10	2.60	<0.26	3.30	2.20	<0.18
	6/22/10	0.79	<0.26	1.20	0.52	<0.18
	9/15/10	<0.13	0.53	1.10	0.56	<0.17
	12/14/10	<0.2	<0.26	0.38	0.33	<0.18
	3/9/11	2.60	<0.26	6.20	1.40	<0.18
	6/28/11	0.70	<0.26	0.67	0.65	<0.18
	9/20/11	1.90	<0.19	0.82	1.70	<0.15
	12/5/11	1.60	<0.26	0.82	0.59	<0.18
	3/6/12	1.40	<0.19	0.66	0.41	<0.15
	6/6/12	1.80	<0.19	0.85	0.51	<0.15
	9/24/12	1.50	<0.26	0.74	0.61	<0.18
	3/20/13	0.44	<0.32	0.68	0.55	<0.17
9/16/13	0.30	<0.32	0.29	0.32	<0.17	
3/24/14	0.11	0.32	<0.16	0.46	<0.17	
9/24/14	<0.10	<0.32	<0.22	0.29	<0.17	
3/10/15	<0.30	<0.25	<43	<0.31	<0.16	
9/25/15	0.64	<0.25	0.34	0.40	<0.16	
3/21/16	2.10	<0.17	0.33	<0.32	<0.17	
9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17	
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 8 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4B	5/26/09	<0.20	<0.26	1.10	0.42	<0.18
	9/22/09	1.10	<0.21	3.60	1.20	<0.17
	12/2/09	2.50	<0.21	2.80	1.10	<0.57
	3/23/10	0.29	<0.26	2.20	0.25	<0.18
	6/22/10	0.39	<0.26	0.81	<0.17	<0.18
	9/15/10	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/10	2.40	<0.26	2.50	0.46	0.22
	3/9/11	7.30	<0.26	1.50	0.44	<0.18
	6/28/11	1.90	<0.26	0.40	0.23	0.29
	9/20/11	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/11	1.30	<0.26	0.37	0.39	<0.18
	3/6/12	3.10	<0.19	1.40	0.49	<0.15
	9/24/12	0.69	<0.26	<0.21	<0.17	<0.18
	3/20/13	0.33	<0.32	<0.22	<0.27	<0.17
	9/16/13	<0.10	<0.32	<0.22	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/14	0.40	<0.32	0.31	<0.27	<0.17
3/10/15	<0.30	<0.25	0.78	<0.31	<0.16	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-5	12/16/04	0.21	<0.11	2.30	1.20	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	0.17	0.77	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	0.78	0.81	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.18	0.47	<0.17
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.20	<0.26	<0.21	<0.17	<0.18
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.35	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6A	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.34	<0.17	<0.16	<0.19	<0.2
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	0.30	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-7	3/28/06	0.89	<0.17	5.40	2.90	<0.2
	11/2/06	<.83	<0.89	4.90	1.40	<0.18
	10/25/07	<0.50	<0.50	3.50	0.63	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/09	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/09	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.32	<0.16	<0.17
	9/15/10	<0.13	<0.12	0.48	<0.16	<0.17
	3/9/11	<0.20	NR	0.34	<0.17	<0.18
	9/20/11	NR	<0.48	0.47	<0.25	<0.15
	3/6/12	<0.21	<0.19	0.29	<0.25	<0.15
	9/24/12	22.0	0.28	0.80	1.40	<0.18
	3/20/13	0.99	<0.32	0.42	0.34	<0.17
	9/16/13	<0.10	<0.32	0.27	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/14	1.20	<0.32	2.30	0.64	<0.17
	3/10/15	<0.30	<0.25	0.29	<0.31	<0.16
9/25/15	<0.30	<0.25	0.30	<0.31	<0.16	
3/21/16	<0.24	<0.17	<0.22	<0.32	<0.17	
9/14/16	NR	<0.17	<0.22	<0.32	<0.17	
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 9 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7A	3/28/06	270	<10.0	850	200	<8.30
	11/2/06	290	<8.90	560	180	<1.80
	10/25/07	<5.00	<5.00	310	110	<5.00
	4/21/08	<0.50	<0.50	0.67	<0.50	<0.50
	5/26/09	<1.60	<2.10	94.0	3.90	<1.50
	9/22/09	<1.30	<1.60	68.0	5.90	<1.40
	12/2/09	0.50	<0.21	83.0	3.60	<0.57
	3/23/10	5.00	<0.63	92.0	6.40	<0.87
	6/22/10	<1.60	<2.10	82.0	2.10	<1.50
	9/15/10	<0.50	<0.48	44.0	2.10	<0.69
	12/14/10	<1.00	<1.30	55.0	1.30	<0.92
	3/9/11	1.10	NR	60.0	1.20	<0.92
	6/28/11	1.30	<1.30	45.0	2.00	1.10
	9/20/11	1.10	<0.48	43.0	1.90	<0.37
	12/5/11	3.50	<1.00	50.0	1.70	<0.74
	3/6/12	4.20	<0.77	59.0	2.90	<0.60
	6/6/12	67.0	<0.97	54.0	3.50	<0.75
	9/24/12	74.0	<1.30	67.0	6.40	<0.92
	12/5/12	74.0	<0.97	55.0	6.90	<0.75
	3/20/13	140	<1.60	69.0	25.0	<0.83
	6/11/13	96.0	<2.30	44.0	11.0	1.90
	9/16/13	45.0	<3.20	25.0	4.90	<1.70
	12/4/13	86.0	<3.20	47.0	9.70	<1.70
	3/24/14	160	<32.0	60.0	24.0	<1.70
	6/23/14	120	<3.20	49.0	20.0	<1.70
	9/24/14	77.0	<3.20	31.0	11.0	<1.70
	12/22/14	97.0	<0.87	49.0	17.0	<0.84
3/10/15	92.0	<2.00	44.0	19.0	<1.20	
6/18/15	187	<2.70	70.8	32.0	<2.00	
9/25/15	160	<2.50	71.0	45.0	<1.60	
12/21/15	180	<3.10	120	65.0	<2.00	
3/21/16	180	<12.5	100	55.0	<2.10	
6/14/16	170	<2.10	88.0	55.0	<2.10	
9/14/16	190	<2.10	130	60.0	<2.10	
12/20/16	200	<2.10	120	54.0	<2.10	
3/8/17	230	<3.40	140	61.0	<2.10	
10/8/20	3	<0.37	33	9.4	<0.2	
MW-7B	10/25/07	<0.50	<0.50	6.90	0.87	<0.50
	4/21/08	<0.50	<0.50	6.40	0.73	<0.50
	5/26/09	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/09	<0.16	<0.21	10.0	0.39	<0.17
	12/2/09	0.49	<0.21	11.0	0.62	<0.17
	3/23/10	0.20	<0.13	8.60	0.62	<0.17
	6/22/10	<0.20	<0.26	8.10	0.35	<0.18
	9/15/10	<0.13	<0.12	8.00	0.78	<0.17
	12/14/10	<0.20	<0.26	11.0	0.51	<0.15
	3/9/11	<0.20	NR	8.40	0.42	<0.18
	6/28/11	<0.21	<0.19	7.10	0.45	<0.15
	9/20/11	<0.21	<0.19	6.60	0.49	<0.15
	12/5/11	<0.20	<0.26	5.50	0.48	<0.18
	3/6/12	0.66	<0.19	3.50	0.48	<0.15
	9/24/12	0.61	<0.26	3.10	0.58	<0.18
	3/20/13	4.90	<0.32	3.10	1.30	0.79
	9/16/13	<0.10	<0.32	0.56	3.50	<0.17
	3/24/14	0.33	<0.32	4.90	1.60	<0.17
	9/24/14	<0.10	<0.32	3.80	0.40	<0.17
	3/10/15	0.50	<0.25	5.50	0.79	<0.16
9/25/15	0.77	<0.18	6.40	1.50	0.23	
3/21/16	8.40	0.25	8.50	5.10	0.52	
9/14/16	7.10	<0.17	15.0	7.70	0.35	
3/8/17	2.30	<0.17	20.0	7.40	0.39	
10/8/20	<0.39	<0.37	6.8	1.26	<0.2	
MW-8	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.22	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 10 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-8A	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	1.90	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	1.10	<0.16	<0.17
	9/15/10	<0.13	0.68	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	0.33	<0.19	<0.15	0.60	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-8B	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	1.30	<0.50	4.00	1.40	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	0.24	<0.13	2.00	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	0.37	NR	3.20	0.33	<0.18
	9/20/11	<0.20	<0.19	<0.15	<0.25	<0.15
	3/6/12	0.23	<0.19	<0.15	0.31	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-9	12/22/14	780	<17.0	<14.0	<15.0	20.0
	3/10/15	980	<20.0	<17.0	<24.0	52.0
	6/18/15	2,300	25.4	37.7	<15.0	85.6
	9/25/15	3,400	<35.0	<55.0	<42.0	230
	12/21/15	2,100	<63.0	<53.0	<76.0	75.0
	3/21/16	1,700	<34.0	<44.0	<65.0	73.0
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-9A	12/22/14	340	<7.90	<5.40	<6.80	<4.20
	3/10/15	300	<6.30	<5.30	<7.60	<3.90
	6/18/15	358	<6.70	<6.60	<4.60	16.8
	9/25/15	290	<4.40	<5.50	<4.20	<4.90
	12/21/15	480	<6.30	<5.30	<7.60	7.70
	3/21/16	320	<6.80	<8.80	<13.0	<6.80
	10/8/20	100	2	<0.33	<0.47	<0.20
MW-10	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-10A	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-11	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/16	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/17	<0.17	<0.24	0.23	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12	3/21/16	20.0	0.47 J	<0.22	<0.32	0.35 J
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12A	3/21/16	2,400	<29.0	<33.0	<47.0	290
	8/7/18	360	4.90	<0.38	<0.30	<0.20
	4/26/19	137	<3.40	<3.80	<3.00	<2.00
	10/8/20	42	1.41	<0.33	<0.47	<0.20
MW-13	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-13A	10/8/20	830	11.90	<0.33	<0.47	75.00
MW-14	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-14A	10/8/20	1.8	<0.37	<0.33	<0.47	<0.20
MW-15	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15A	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed y

**Table 3 (Page 1 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
IW-01 May-09	5/26/2009	106.00	793.35	793.11	8.09	8.33	785.02	-
	7/9/2009				9.34	9.58	783.77	-1.25
	9/22/2009				11.32	11.56	781.79	-1.98
	3/23/2010				9.88	10.12	783.23	1.44
	6/22/2010				8.57	8.81	784.54	1.31
	9/15/2010				9.29	9.53	783.82	-0.72
	12/14/2010				10.78	11.02	782.33	-1.49
	3/9/2011				10.11	10.35	783.00	0.67
	4/12/2011				9.14	9.38	783.97	0.97
	6/28/2011				9.98	10.22	783.13	-0.84
	9/20/2011				11.62	11.86	781.49	-1.64
	12/5/2011				10.84	11.08	782.27	0.78
	3/26/2012				10.40	10.64	782.71	0.44
	6/6/2012				10.30	10.54	782.81	0.10
	9/24/2012				12.39	12.63	780.72	-2.09
	12/5/2012				12.57	12.81	780.54	-0.18
	3/20/2013				11.30	11.54	781.81	1.27
	6/11/2013				8.63	8.87	784.48	2.67
	9/17/2013				10.64	10.88	782.47	-2.01
	12/4/2013				11.10	11.34	782.01	-0.46
	3/24/2014				11.19	11.43	781.92	-0.09
	6/23/2014				8.57	8.81	784.54	2.62
	9/24/2014				11.17	11.41	781.94	-2.60
	12/22/2014				11.57	11.81	781.54	-0.40
	3/10/2015				12.34	12.58	780.77	-0.77
	6/18/2015				10.88	11.12	782.23	1.46
	9/22/2015				11.16	11.40	781.95	-0.28
12/21/2015				9.83	10.07	783.28	1.33	
3/21/2016				9.91	10.15	783.20	-0.08	
4/8/2016				9.22	9.46	783.89	0.69	
6/14/2016				10.08	10.32	783.03	-0.86	
9/14/2016				10.51	10.75	782.60	-0.43	
3/8/2017				8.45	8.69	784.66	2.06	
TW-01 Jul-09	7/9/2009	15.00	793.33	793.08	8.23	8.48	784.85	-
	9/22/2009				8.88	9.13	784.20	-0.65
	3/23/2010				8.49	8.74	784.59	0.39
	6/22/2010				7.54	7.79	785.54	0.95
	9/15/2010				8.05	8.30	785.03	-0.51
	12/14/2010				9.11	9.36	783.97	-1.06
	3/9/2011				8.23	8.48	784.85	0.88
	4/12/2011				7.82	8.07	785.26	0.41
	6/28/2011				8.46	8.71	784.62	-0.64
	9/20/2011				9.92	10.17	783.16	-1.46
	12/5/2011				8.94	9.19	784.14	0.98
	3/26/2012				8.82	9.07	784.26	0.12
	6/6/2012				8.76	9.01	784.32	0.06
	9/24/2012				10.72	10.97	782.36	-1.96
	12/5/2012				10.86	11.11	782.22	-0.14
	3/20/2013				8.51	8.76	784.57	2.35
	6/11/2013				7.49	7.74	785.59	1.02
	9/17/2013				9.07	9.32	784.01	-1.58
	12/4/2013				9.49	9.74	783.59	-0.42
	3/24/2014				9.44	9.69	783.64	0.05
	6/23/2014				6.96	7.21	786.12	2.48
	9/24/2014				9.44	9.69	783.64	-2.48
	12/22/2014				9.61	9.86	783.47	-0.17
	3/10/2015				9.61	9.86	783.47	0.00
	6/18/2015				8.32	8.57	784.76	1.29
	9/22/2015				8.65	8.90	784.43	-0.33
	12/21/2015				8.02	8.27	785.06	0.63
3/21/2016				8.35	8.60	784.73	-0.33	
4/8/2016				7.61	7.86	785.47	0.74	
6/14/2016				8.11	8.36	784.97	-0.50	
9/14/2016				8.27	8.52	784.81	-0.16	
3/8/2017				7.84	8.09	785.24	0.43	

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 2 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
TW-02 Jul-09	7/9/2009	15.00	793.88	793.38	4.91	5.16	788.47	-
	9/22/2009				5.61	5.86	787.77	-0.70
	3/23/2010				3.92	4.17	789.46	1.69
	6/22/2010				3.70	3.95	789.68	0.22
	9/15/2010				4.72	4.97	788.66	-1.02
	12/14/2010				4.49	4.74	788.89	0.23
	3/9/2011				3.69	3.94	789.69	0.80
	4/12/2011				4.29	4.54	789.09	-0.60
	6/28/2011				4.22	4.47	789.16	0.07
	9/20/2011				5.80	6.05	787.58	-1.58
	12/5/2011				4.12	4.37	789.26	1.68
	3/26/2012				4.02	4.27	789.36	0.10
	6/6/2012				4.46	4.71	788.92	-0.44
	9/24/2012				6.24	6.49	787.14	-1.78
	12/5/2012				5.91	6.16	787.47	0.33
	3/20/2013				3.73	3.98	789.65	2.18
	6/11/2013				3.97	4.22	789.41	-0.24
	9/17/2013				4.96	5.21	788.42	-0.99
	12/4/2013				4.54	4.79	788.84	0.42
	3/24/2014				3.82	4.07	789.56	0.72
	6/23/2014				3.34	3.59	790.04	0.48
	9/24/2014				5.17	5.42	788.21	-1.83
	12/22/2014				4.58	4.83	788.80	0.59
	3/10/2015				5.17	5.42	788.21	-0.59
	6/18/2015				4.31	4.56	789.07	0.86
	9/22/2015				4.55	4.80	788.83	-0.24
	12/21/2015				3.75	4.00	789.63	0.80
3/21/2016				3.79	4.04	789.59	-0.04	
4/8/2016				3.40	3.65	789.98	0.39	
6/14/2016				4.30	4.55	789.08	-0.90	
9/14/2016				4.36	4.61	789.02	-0.06	
12/20/2016				4.70	4.95	788.68	-0.34	
3/8/2017				3.73	3.98	789.65	0.63	
TW-03 Jul-09	7/9/2009	15.00	792.65	793.20	2.25	2.50	790.95	-
	9/22/2009				3.13	3.38	790.07	-0.88
	3/23/2010				1.62	1.87	791.58	1.51
	6/22/2010				0.60	0.85	792.60	1.02
	9/15/2010				2.02	2.27	791.18	-1.42
	3/9/2011				1.56	1.81	791.64	0.46
	4/12/2011				1.37	1.62	791.83	0.19
	6/28/2011				2.50	2.75	790.70	-1.13
	9/20/2011				4.01	4.26	789.19	-1.51
	12/5/2011				1.50	1.75	791.70	2.51
	3/26/2012				1.71	1.96	791.49	-0.21
	6/6/2012				2.70	2.95	790.50	-0.99
	9/24/2012				5.46	5.71	787.74	-2.76
	12/5/2012				4.25	4.50	788.95	1.21
	3/20/2013				2.29	2.54	790.91	1.96
	6/11/2013				1.81	2.06	791.39	0.48
	9/17/2013				2.84	3.09	790.36	-1.03
	12/4/2013				1.84	2.09	791.36	1.00
	3/24/2014				1.52	1.77	791.68	0.32
	6/23/2014				1.06	1.31	792.14	0.46
	9/24/2014				3.49	3.74	789.71	-2.43
	12/22/2014				2.55	2.80	790.65	0.94
	3/10/2015				3.48	3.73	789.72	-0.93
	6/18/2015				2.20	2.45	791.00	1.28
	9/22/2015				3.05	3.30	790.15	-0.85
	12/21/2015				1.61	1.86	791.59	1.44
	3/21/2016				1.70	1.95	791.50	-0.09
4/8/2016				1.50	1.75	791.70	0.20	
6/14/2016				2.37	2.62	790.83	-0.87	
9/14/2016				2.59	2.84	790.61	-0.22	
12/20/2016				2.17	2.42	791.03	0.42	
3/8/2017				1.49	1.74	791.71	1.10	

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 3 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
MW-1 Dec-04	12/16/2004	18.00	791.30	793.36	12.77	10.71	780.59	-
	6/1/2005				11.77	9.71	781.59	1.00
	8/25/2005				12.38	10.32	780.98	-0.61
	3/28/2006				11.88	9.82	781.48	0.50
	10/25/2007				11.21	9.15	782.15	0.67
	12/13/2007				11.21	9.15	782.15	0.00
	4/20/2008				6.12	4.06	787.24	5.09
	5/26/2009				7.80	5.74	785.56	-1.68
	7/9/2009				9.58	7.52	783.78	-1.78
	9/22/2009				12.27	10.21	781.09	-2.69
	3/23/2010				10.88	8.82	782.48	1.39
	6/22/2010				5.84	3.78	787.52	5.04
	9/15/2010				9.47	7.41	783.89	-3.63
	12/14/2010				11.84	9.78	781.52	-2.37
	3/9/2011				11.29	9.23	782.07	0.55
	4/12/2011				9.77	7.71	783.59	1.52
	6/28/2011				10.67	8.61	782.69	-0.90
	9/20/2011				12.67	10.61	780.69	-2.00
	3/26/2012				11.58	9.52	781.78	1.09
	6/6/2012				11.14	9.08	782.22	0.44
	9/24/2012				13.49	11.43	779.87	-2.35
	12/5/2012				13.83	11.77	779.53	-0.34
	3/20/2013				11.25	9.19	782.11	2.58
	6/11/2013				8.60	6.54	784.76	2.65
	9/17/2013				11.43	9.37	781.93	-2.83
	12/4/2013				12.25	10.19	781.11	-0.82
	3/24/2014				12.54	10.48	780.82	-0.29
	6/23/2014				8.50	6.44	784.86	4.04
	9/24/2014				12.16	10.10	781.20	-3.66
	12/22/2014				12.90	10.84	780.46	-0.74
3/10/2015	13.66	11.60	779.70	-0.76				
6/18/2015	12.10	10.04	781.26	1.56				
9/22/2015	12.41	10.35	780.95	-0.31				
12/21/2015	10.95	8.89	782.41	1.46				
3/21/2016	10.88	8.82	782.48	0.07				
4/8/2016	9.97	7.91	783.39	0.91				
6/14/2016	10.22	8.16	783.14	-0.25				
9/14/2016	11.23	9.17	782.13	-1.01				
12/20/2016	11.23	9.17	782.13	0.00				
3/8/2017	10.12	8.06	783.24	1.11				
9/29/2020	11.33	9.27	782.03	-1.21				
MW-2 Dec-04	4/8/2016	15.50	791.50	791.21	8.06	8.35	783.15	-
	6/14/2016				8.98	9.27	782.23	-0.92
	9/14/2016				9.53	9.82	781.68	-0.55
	12/20/2016				9.18	9.47	782.03	0.35
	3/8/2017				8.27	8.56	782.94	0.91
9/29/2020	9.66	9.95	781.55	-1.39				
MW-2A Dec-04	4/8/2016	40.00	791.50	791.27	8.04	8.27	783.23	-
	6/14/2016				8.95	9.18	782.32	-0.91
	9/14/2016				9.52	9.75	781.75	-0.57
	12/20/2016				9.11	9.34	782.16	0.41
	3/8/2017				8.19	8.42	783.08	0.92
9/29/2020	9.72	9.95	781.55	-1.53				
MW-2B Sep-07	4/8/2016	85.00	791.50	791.20	8.09	8.39	783.11	-
	6/14/2016				9.01	9.31	782.19	-0.92
	9/14/2016				9.59	9.89	781.61	-0.58
	12/20/2016				9.59	9.89	781.61	0.00
	3/8/2017				8.29	8.59	782.91	1.30
9/29/2020	9.88	10.18	781.32	-1.59				

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 4 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
MW-3 Dec-04	4/8/2016	13.00	790.90	793.20	5.15	2.85	788.05	-
	6/14/2016				5.38	3.08	787.82	-0.23
	9/14/2016				5.59	3.29	787.61	-0.21
	12/20/2016				5.59	3.29	787.61	0.00
	3/8/2017				5.80	3.50	787.40	-0.21
	9/29/2020				5.60	3.30	787.60	0.20
MW-3A Apr-05	4/8/2016	48.00	790.90	793.51	9.68	7.07	783.83	-
	6/14/2016				10.56	7.95	782.95	-0.88
	9/14/2016				10.99	8.38	782.52	-0.43
	12/20/2016				10.68	8.07	782.83	0.31
	3/8/2017				9.80	7.19	783.71	0.88
	9/29/2020				10.81	8.20	782.70	-1.01
MW-3B Mar-06	4/8/2016	80.00	791.10	793.45	9.73	7.38	783.72	-
	6/14/2016				10.61	8.26	782.84	-0.88
	9/14/2016				11.05	8.70	782.40	-0.44
	12/20/2016				10.81	8.46	782.64	0.24
	3/8/2017				9.85	7.50	783.60	0.96
	9/29/2020				10.92	8.57	782.53	-1.07
MW-3C Sep-07	4/8/2016	130.00	791.00	793.49	9.90	7.41	783.59	-
	6/14/2016				10.75	8.26	782.74	-0.85
	9/14/2016				11.23	8.74	782.26	-0.48
	12/20/2016				11.23	8.74	782.26	0.00
	3/8/2017				10.05	7.56	783.44	1.18
	9/29/2020				10.99	8.50	782.50	-0.94
MW-4 Dec-04	4/8/2016	15.00	796.80	799.24	6.80	4.36	792.44	-
	6/14/2016				7.93	5.49	791.31	-1.13
	9/14/2016				8.37	5.93	790.87	-0.44
	12/20/2016				7.60	5.16	791.64	0.77
	3/8/2017				6.76	4.32	792.48	0.84
	9/29/2020				8.22	5.78	791.02	-1.46
MW-4A Dec-04	4/8/2016	39.00	797.10	799.13	6.68	4.65	792.45	-
	6/14/2016				7.84	5.81	791.29	-1.16
	9/14/2016				8.22	6.19	790.91	-0.38
	12/20/2016				8.22	6.19	790.91	0.00
	3/8/2017				6.76	4.73	792.37	1.46
	9/29/2020				8.32	6.29	790.81	-1.56
MW-4B Dec-04	4/8/2016	85.00	796.90	799.07	6.76	4.59	792.31	-
	6/14/2016				7.89	5.72	791.18	-1.13
	9/14/2016				8.26	6.09	790.81	-0.37
	12/20/2016				8.26	6.09	790.81	0.00
	3/8/2017				6.84	4.67	792.23	1.42
	9/29/2020				8.26	6.09	790.81	-1.42
MW-5 Dec-04	4/8/2016	14.00	796.20	798.51	4.43	2.12	794.08	-
	6/14/2016				6.13	3.82	792.38	-1.70
	9/14/2016				8.38	6.07	790.13	-2.25
	12/20/2016				8.38	6.07	790.13	0.00
	3/8/2017				4.68	2.37	793.83	3.70
	9/29/2020				8.40	6.09	790.11	-3.72
MW-6 Apr-05	4/8/2016	16.00	797.70	797.29	4.87	5.28	792.42	-
	6/14/2016				8.39	8.80	788.90	-3.52
	9/14/2016				5.51	5.92	791.78	2.88
	12/20/2016				5.51	5.92	791.78	0.00
	3/8/2017				6.66	7.07	790.63	-1.15
	9/29/2020				6.70	7.11	790.59	-0.04

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 5 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
MW-6A Apr-05	4/8/2016	40.00	797.80	797.45	15.03	15.38	782.42	-
	6/14/2016				16.27	16.62	781.18	-1.24
	9/14/2016				16.82	17.17	780.63	-0.55
	12/20/2016				16.82	17.17	780.63	0.00
	3/8/2017				15.19	15.54	782.26	1.63
	9/29/2020				17.00	17.35	780.45	-1.81
MW-7 Mar-06	4/8/2016	20.00	792.00	794.48	10.94	8.46	783.54	-
	6/14/2016				11.66	9.18	782.82	-0.72
	9/14/2016				12.28	9.80	782.20	-0.62
	12/20/2016				12.28	9.80	782.20	0.00
	3/8/2017				11.05	8.57	783.43	1.23
	9/29/2020				12.00	9.52	782.48	-0.95
MW-7A Mar-06	4/8/2016	45.00	792.10	794.28	10.86	8.68	783.42	-
	6/14/2016				11.60	9.42	782.68	-0.74
	9/14/2016				12.21	10.03	782.07	-0.61
	12/20/2016				11.90	9.72	782.38	0.31
	3/8/2017				10.97	8.79	783.31	0.93
	9/29/2020				12.10	9.92	782.18	-1.13
MW-7B Sep-07	4/8/2016	85.00	791.80	794.24	10.85	8.41	783.39	-
	6/14/2016				11.59	9.15	782.65	-0.74
	9/14/2016				12.18	9.74	782.06	-0.59
	12/20/2016				12.18	9.74	782.06	0.00
	3/8/2017				10.94	8.50	783.30	1.24
	9/29/2020				12.12	9.68	782.12	-1.18
MW-8 Sep-07	4/8/2016	20.00	792.80	795.03	3.04	0.81	791.99	-
	6/14/2016				4.02	1.79	791.01	-0.98
	9/14/2016				4.37	2.14	790.66	-0.35
	12/20/2016				4.37	2.14	790.66	0.00
	3/8/2017				3.11	0.88	791.92	1.26
	9/29/2020				4.22	1.99	790.81	-1.11
MW-8A Sep-07	4/8/2016	50.00	792.80	795.17	10.11	7.74	785.06	-
	6/14/2016				10.94	8.57	784.23	-0.83
	9/14/2016				11.43	9.06	783.74	-0.49
	12/20/2016				11.43	9.06	783.74	0.00
	3/8/2017				10.22	7.85	784.95	1.21
	9/29/2020				11.33	8.96	783.84	-1.11
MW-8B Sep-07	4/8/2016	85.00	792.70	795.19	10.12	7.63	785.07	-
	6/14/2016				10.96	8.47	784.23	-0.84
	9/14/2016				11.44	8.95	783.75	-0.48
	12/20/2016				11.44	8.95	783.75	0.00
	3/8/2017				10.23	7.74	784.96	1.21
	9/29/2020				11.43	8.94	783.76	-1.20
MW-9 Dec-14	4/8/2016	20.00	790.50	790.91	8.64	8.23	782.27	-
	6/14/2016				9.96	9.55	780.95	-1.32
	9/14/2016				10.48	10.07	780.43	-0.52
	12/20/2016				10.48	10.07	780.43	0.00
	3/8/2017				8.85	8.44	782.06	1.63
	9/29/2020				10.42	10.01	780.49	-1.57
MW-9A Dec-14	4/8/2016	44.50	791.60	791.16	8.89	9.33	782.27	-
	6/14/2016				10.21	10.65	780.95	-1.32
	9/14/2016				10.71	11.15	780.45	-0.50
	12/20/2016				10.71	11.15	780.45	0.00
	3/8/2017				9.09	9.53	782.07	1.62
	9/29/2020				10.64	11.08	780.52	-1.55

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.

**Table 3 (Page 6 of 6)
Groundwater Elevations
Former DB Oaks Property
Fort Atkinson, Wisconsin**

Well Number	Date	*Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	*Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation	Elevation Change
MW-10 Apr-16	4/8/2016	20.00	791.69	791.17	4.96	5.48	786.21	-
	6/14/2016				6.65	7.17	784.52	-1.69
	9/14/2016				6.65	7.17	784.52	0.00
	12/20/2016				8.29	8.81	782.88	-1.64
	3/8/2017				6.16	6.68	785.01	2.13
	9/29/2020				6.70	7.22	784.47	-0.54
MW-10A Apr-16	4/8/2016	46.00	791.71	791.25	8.32	8.78	782.93	-
	6/14/2016				9.34	9.80	781.91	-1.02
	9/14/2016				9.90	10.36	781.35	-0.56
	12/20/2016				8.55	9.01	782.70	1.35
	3/8/2017				8.52	8.98	782.73	1.38
	9/29/2020				9.89	10.35	781.36	-1.34
MW-11 Apr-16	4/8/2016	20.00	790.72	790.20	6.98	7.50	783.22	-
	6/14/2016				7.89	8.41	782.31	-0.91
	9/14/2016				8.30	8.82	781.90	-0.41
	12/20/2016				8.15	8.67	782.05	0.15
	3/8/2017				7.28	7.80	782.92	0.87
	9/29/2020				8.21	8.73	781.99	-0.93
MW-12 Apr-16	4/8/2016	20.00	794.12	793.72	11.56	11.96	782.16	-
	6/14/2016				12.98	13.38	780.74	-1.42
	9/14/2016				13.45	13.85	780.27	-0.47
	12/20/2016				13.45	13.85	780.27	0.00
	3/8/2017				11.79	12.19	781.93	1.66
	9/29/2020				13.65	14.05	780.07	-1.86
MW-12A Apr-16	4/8/2016	45.00	793.98	793.54	11.38	11.82	782.16	-
	6/14/2016				12.81	13.25	780.73	-1.43
	9/14/2016				13.27	13.71	780.27	-0.46
	12/20/2016				13.27	13.71	780.27	0.00
	3/8/2017				11.60	12.04	781.94	1.67
	8/7/2018				13.20	13.64	780.34	-1.60
	4/26/2019				11.81	12.25	781.73	1.39
	9/29/2020				13.20	13.64	780.34	-1.39
MW-13	9/29/2020	25.00	792.08	791.88	15.25	15.45	776.63	-
MW-13A	9/29/2020	45.00	792.21	791.96	15.12	15.37	776.84	-
MW-14	9/29/2020	25.00	791.08	790.88	16.20	16.40	774.68	-
MW-14A	9/29/2020	45.00	791.08	791.80	16.27	15.55	775.53	-
MW-15	9/29/2020	25.00	792.30	792.08	9.95	10.17	782.13	-
MW-15A	9/29/2020	45.00	792.15	791.99	15.09	15.25	776.90	-

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations referenced to a benchmark assigned an arbitrary elevation of 100.00 feet.



Environmental Lab, Inc.

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request

Rush Analysis Date Required: _____
(Flushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #
QUOTE # :
Project #: 170603
Sampler: (signature) Bryan [Signature]

Project (Name / Location): DB Oak

Reports To: Bryan Frieseke

Company: FEE Inc

Address: 6635 N Skyway P1

City State Zip: Milwaukee WI 53209

Phone: 414 403 8081

Email: bfrieseke@feeinc.us

Invoice To: Same

Company: [Blank]

Address: [Blank]

City State Zip: [Blank]

Phone: [Blank]

Email: [Blank]

Analysis Requested

Other Analysis

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	X
VOC AIR (TO - 15)	X
8-RCRA METALS	X

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
		Date	Time					
5038612A	MW-1	10/8	AM	N	3	GW	HCl	
	MW-5				M			X
	MW-2				N			X
	MW-2A				M			X
	MW-2B				M			X
	MW-3				M			X
	MW-3A				M			X
	MW-3B				M			X
	MW-3C				M			X
	MW-4				M			X
	MW-4A				M			X
	MW-4B				M			X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: [Blank]
Temp. of Temp. Blank: [Blank] °C On Ice:
Cooler seal intact upon receipt: Yes ___ No

Relinquished By: (sign) [Signature] Time: 1:34 Date: 10/8
Received In Laboratory By: (sign) [Signature] Time: 10:00 Date: 10/10/02

Environmental Lab, Inc.

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.ltwcibc.com

Sample Handling Request

Rush Analysis Date Required: _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

QUOTE #: _____

Project #: 170503

Sampler: (signature) *Bryon Frisette*

Project (Name / Location): *DB Oak*

Reports To: *Bryon Frisette*

Company: *FEC Inc*

Address: *6635 N Sidney Pl*

City State Zip: *Milwaukee WI 53209*

Phone: *414-403-8081*

Email: *bfrisette@fecinc.us*

Invoice To: *Same*

Company: _____

Address: _____

City State Zip: _____

Phone: _____

Email: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	
5038612M	NW-6	0/8	Am	N	3	GW	HCl													X			
	NW-6A																			X			
	NW-7																			X			
	NW-7A																			X			
	NW-7B																			X			
	NW-8																			X			
	NW-8A																			X			
	NW-8B																			X			
	NW-9																			X			
	NW-9A																			X			
	NW-10																			X			
	NW-10A																			X			

Comments: Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Ice*

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) _____

Time _____

Date _____

Received By: (sign) _____

Time _____

Date _____

Received in Laboratory By: _____

Time: 10:00

Date: 10/10/20

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: 170503
 Sampler: (signature) *[Signature]*

Project (Name / Location): DB Oak

Invoice To: Scene

Analysis Requested

Other Analysis

Reports To: Bryan Fricate
 Company: FFC Inc.
 Address: 6635 N Sidney Pl
 City State Zip: Milwaukee WI 53209
 Phone: 414-405-8081
 Email: bfricate@fccinc.us

Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID	
5038612	Y	MW-12	10/8	AM	N	3	GW	HCl																
	Z	MW-12																						
	AA	MW-12A																						
	BB	MW-13																						
	CC	MW-13A																						
	DD	MW-14																						
	EE	MW-14A																						
	FF	MW-15																						
	GG	MW-15A																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: ice
 Temp. of Temp. Blank: _____ °C On Ice
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]*

Time: 1:34

Date: 10/18

Received By: (sign) _____

Time: _____

Date: _____

Received in Laboratory By: *[Signature]*

Time: 10:00

Date: 10/16/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRYAN FRIESEKE
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 20-Oct-20

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612A
Sample ID MW-1
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612A
Sample ID MW-1
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612B
 Sample ID MW-5
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612B
Sample ID MW-5
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612C
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	5.7	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	4.2	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	0.9	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612C

Sample ID MW-2

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	1.75	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	0.78	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612D
 Sample ID MW-2A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	121	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612D
Sample ID MW-2A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	29.3	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	116	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612E
Sample ID MW-2B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612E
Sample ID MW-2B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612F
Sample ID MW-3
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	4.8 "J"	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612F

Sample ID MW-3

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	690	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612G
 Sample ID MW-3A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	14.9	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	6 "J"	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	8.1 "J"	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	8900	ug/l	39	120	100	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	400	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612G
Sample ID MW-3A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	4.4 "J"	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	1980	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612H
 Sample ID MW-3B
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/12/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/12/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/12/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/12/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/12/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/12/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/12/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/12/2020	CJR	1
cis-1,2-Dichloroethene	330	ug/l	3.9	12	10	8260B		10/12/2020	CJR	1
trans-1,2-Dichloroethene	13.1	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/12/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/12/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/12/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/12/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/12/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/12/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/12/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612H
Sample ID MW-3B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/12/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/12/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/12/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/12/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/12/2020	CJR	1
Vinyl Chloride	460	ug/l	2	6.5	10	8260B		10/12/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/12/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			10	8260B		10/12/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B		10/12/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			10	8260B		10/12/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612I
Sample ID MW-3C
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612I
Sample ID MW-3C
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612J
Sample ID MW-4
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		10/13/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		10/13/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		10/13/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		10/13/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/13/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		10/13/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		10/13/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		10/13/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		10/13/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		10/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		10/13/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		10/13/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		10/13/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		10/13/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		10/13/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		10/13/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		10/13/2020	CJR	1
cis-1,2-Dichloroethene	50	ug/l	3.9	12	10	8260B		10/13/2020	CJR	1
trans-1,2-Dichloroethene	4.3 "J"	ug/l	3.7	12	10	8260B		10/13/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		10/13/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		10/13/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		10/13/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		10/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		10/13/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		10/13/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		10/13/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		10/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		10/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		10/13/2020	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		10/13/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		10/13/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612J
Sample ID MW-4
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		10/13/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		10/13/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		10/13/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		10/13/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		10/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		10/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		10/13/2020	CJR	1
Vinyl Chloride	102	ug/l	2	6.5	10	8260B		10/13/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		10/13/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		10/13/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			10	8260B		10/13/2020	CJR	1
SUR - Toluene-d8	106	REC %			10	8260B		10/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			10	8260B		10/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			10	8260B		10/13/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612K
 Sample ID MW-4A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612K
Sample ID MW-4A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612L
Sample ID MW-4B
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612L
Sample ID MW-4B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612M
Sample ID MW-6
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612M
Sample ID MW-6
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612N
Sample ID MW-6A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612N

Sample ID MW-6A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 50386120
Sample ID MW-7
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 50386120
Sample ID MW-7
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612P
Sample ID MW-7A
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/14/2020	CJR	1
cis-1,2-Dichloroethene	3	ug/l	0.39	1.2	1	8260B		10/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/14/2020	CJR	1
Tetrachloroethene	33	ug/l	0.33		1	8260B		10/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/14/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612P

Sample ID MW-7A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/14/2020	CJR	1
Trichloroethene (TCE)	9.4	ug/l	0.47	1.5	1	8260B		10/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		10/14/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		10/14/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/14/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612Q
 Sample ID MW-7B
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	6.8	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612Q
Sample ID MW-7B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	1.26 "J"	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612R
Sample ID MW-8
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612R
Sample ID MW-8
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612S
Sample ID MW-8A
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612S

Sample ID MW-8A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612T
Sample ID MW-8B
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612T
Sample ID MW-8B
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	121	REC %				1	8260B	10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %				1	8260B	10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1	8260B	10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1	8260B	10/15/2020	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5038612U
Sample ID MW-9
Sample Matrix Water
Sample Date 10/8/2020

Invoice # E38612

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612U
Sample ID MW-9
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612V
 Sample ID MW-9A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	100	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	1.91	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612V
Sample ID MW-9A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612W
Sample ID MW-10
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612W
Sample ID MW-10
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612X
 Sample ID MW-10A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612X

Sample ID MW-10A

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	119	REC %				1 8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %				1 8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %				1 8260B		10/15/2020	CJR	1
SUR - Toluene-d8	105	REC %				1 8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612Y
 Sample ID MW-11
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 5038612Y
Sample ID MW-11
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 5038612Z
 Sample ID MW-12
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK

Invoice # E38612

Project # 170503

Lab Code 5038612Z

Sample ID MW-12

Sample Matrix Water

Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612AA
 Sample ID MW-12A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	42	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	1.41	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612AA
Sample ID MW-12A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612BB
 Sample ID MW-13
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612BB
Sample ID MW-13
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612CC
 Sample ID MW-13A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	7.6	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	4.7	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	830	ug/l	3.9	12	10	8260B		10/17/2020	CJR	1
trans-1,2-Dichloroethene	11.9	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612CC
Sample ID MW-13A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	75	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612DD
 Sample ID MW-14
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612DD
Sample ID MW-14
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612EE
 Sample ID MW-14A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	1.76	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612EE
Sample ID MW-14A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612FF
 Sample ID MW-15
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612FF
Sample ID MW-15
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		10/15/2020	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E38612

Lab Code 538612GG
 Sample ID MW-15A
 Sample Matrix Water
 Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		10/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		10/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		10/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		10/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		10/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		10/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		10/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		10/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		10/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		10/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		10/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		10/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		10/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		10/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		10/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		10/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		10/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		10/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		10/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		10/15/2020	CJR	1
Toluene	0.33 "J"	ug/l	0.26	0.83	1	8260B		10/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		10/15/2020	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E38612

Lab Code 538612GG
Sample ID MW-15A
Sample Matrix Water
Sample Date 10/8/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		10/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		10/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		10/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		10/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		10/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		10/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		10/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		10/15/2020	CJR	1
SUR - Toluene-d8	107	REC %				8260B		10/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %				8260B		10/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				8260B		10/15/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %				8260B		10/15/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature