

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
DB Oak Facility		02-28-176509	
Address	City	State	ZIP Code
700-710 Oak Street	Fort Atkinson	WI	53538

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Gardner Denver, Inc.

Address	City	State	ZIP Code
222 East Erie Street	Milwaukee	WI	53202

Contact Person	Phone Number (include area code)
Mary Betsch	(414) 212-4700

Person or company that collected samples

Friess Environmental Consulting, Inc.

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) Additional Sub-Slab and indoor air results 1-21-2021

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
	Indoor Air	<input checked="" type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input checked="" type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name	First Name	
Friess Environmental Consulting, Inc.		Ott	Trenton	
Address		City	State	ZIP Code
6635 North Sidney Place		Milwaukee	WI	53209
Phone # (inc. area code)	Email			
(414) 228-9815	tott@fecinc.us			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Ackerman	Jeff	(608) 275-3323		
Address		City	State	ZIP Code
3911 Fish Hatchery Road		Fitchburg	WI	53711
Email				
jeffrey.ackerman@wisconsin.gov				



February 8, 2021

Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

RE: Vapor Sample Results Notification for the DB Oak Property (former Thomas Industries) Located at 700-710 Oak Street in Fort Atkinson, Wisconsin — FEC Project No. 170503

Dear Mr. Ackerman:

As you are aware, **Friess Environmental Consulting (FEC)** is conducting environmental services at the above referenced site. Three new sub-slab vapor points (VP-20 to VP-22) were installed in January 2021 and new and select vapor points (VP-8, VP-11, and VP-15) were sampled on January 21, 2021. In addition, two indoor air samples (IA-3 and IA-4) were collected.

Please find attached the Site Investigation Sampling Results Notification (DNR Form 4400-249), a map of the site, and copies of the laboratory reports. This information is being submitted to comply with the requirements of s. NR 716.14 (2), Wisconsin Administrative Code (WAC).

The results of the sub-slab vapor sampling show a continued decrease in contaminant concentrations as a result of the operations of the vapor mitigation system (VMS). The analysis did not detect indoor air at concentrations above their DNR industrial vapor action levels ("VALs"). This letter and associated attachments were sent to the owner and tenants.

We appreciate this opportunity to provide an update on the environmental services. Please call us at (414) 228-9815 if you have any questions or if you need additional information.

Respectfully,

FRIESS ENVIRONMENTAL CONSULTING, INC.

A handwritten signature in black ink, appearing to read 'Trenton J. Ott'.

Trenton J. Ott
Project Manager

A handwritten signature in black ink, appearing to read 'Richard W. Frieseke'.

Richard W. Frieseke, P.E.
President

170503 notification 1-21-21

Inclusions

cc:

Property Owner:

DB Oak Limited Partnership
c/o Randy Knox
W9147 Red Feather Drive
Cambridge, WI 53523

Tenants:

Mr. Timothy Carnes
Storage Space Solutions LLC
710 Oak Street
Fort Atkinson, WI 53538

Mr. Jeff Begovatz
Begovatz Construction
704 Oak Street
Fort Atkinson, WI 53538


Mr. Bill Myers
704 Oak Street
Fort Atkinson, WI 53538

Mr. Andy Joaz
Joaz Painting
704 Oak Street
Fort Atkinson, WI 53538

Ms. Mabel Schumacher
Kennel Club of Fort Atkinson
P. O. Box 205
Fort Atkinson, WI 53538

Mr. Mario Rodriguez III
Mr. Plumber
408 North 4th Street
Fort Atkinson, WI 53538

Mr. Mike Vandermause
PBC Atlas Mike, LLC
P.O. Box 608
Fort Atkinson, WI 53538



A.4. Vapor Analytical Table
VOC Analytical Results - Indoor Air Samples
Former DB Oak Property
Fort Atkinson, Wisconsin

Sample Location	Location	Sampling Date	cis-1,2-DCE (ug/m ³)	trans-1,2-DCE (ug/m ³)	PCE (ug/m ³)	TCE (ug/m ³)	Vinyl Chloride (ug/m ³)
IA-1	SW Office	9/27/19	<0.197	<0.231	25.9	1.66	<0.148
IA-2	SE Garage	9/27/19	<0.197	<0.231	3.40	<0.237	<0.148
IA-3	Mid Bay	9/27/19	1.27	<0.231	20.0	<u>3.60</u>	<0.148
		1/20/21	6.30	<0.231	21.3	<u>4.30</u>	0.74
IA-4	Kennel Club	9/27/19	19.5	<0.231	18.8	<u>3.70</u>	<0.148
		1/20/21	3.20	<0.231	13.2	<u>2.95</u>	0.33 J
<i>Residential VALs</i>			<i>NS</i>	<i>NS</i>	<i>42</i>	<i>2.1</i>	<i>1.7</i>
<i>Commercial VALs</i>			<i>NS</i>	<i>NS</i>	<i>180</i>	<i>8.8</i>	<i>28</i>
<i>Industrial VALs</i>			<i>NS</i>	<i>NS</i>	<i>180</i>	<i>8.8</i>	<i>28</i>

Notes:

1. DNR Vapor Action Levels (VALs) are from U.S. EPA tables (updated November 2017)
2. Concentrations that exceed their respective residential DNR VALs are underlined.
3. Concentrations that exceed their respective small commercial DNR VALs are in **red**.
4. Concentrations that exceed their respective large commercial DNR VALs are in **red bold**.

A.4. Vapor Analytical Table
VOC Analytical Results - Sub-Slab Vapor Samples
Former DB Oak Property
Fort Atkinson, Wisconsin

Sample Location	Sampling Date	cis-1,2-DCE (ug/m ³)	trans-1,2-DCE (ug/m ³)	PCE (ug/m ³)	TCE (ug/m ³)	Vinyl Chloride (ug/m ³)
VP-1	8/7/18	820,000	19,300	<u>5,000,000</u>	<u>2,920,000</u>	<828.8
	7/21/20	400	9.2	<u>13,100</u>	<u>311</u>	1.12
VP-2	4/26/19	<551.6	2,330	<u>212,000</u>	<u>34,000</u>	<414.4
	7/21/20	69	10.4	<u>5,100</u>	<u>500</u>	<0.148
VP-3	4/26/19	NS	NS	NS	NS	NS
	10/25/19	14.9 J	<5.775	<u>27,100</u>	<u>1,810</u>	<3.70
	7/21/20	1.11	<0.231	280	4.90	<0.148
VP-4	4/26/19	<551.6	<646.8	<u>64,000</u>	<u>9,700</u>	<414.4
	7/21/20	1.74	<0.231	1,210	26.10	<0.148
VP-5	4/26/19	NS	NS	NS	NS	NS
	10/25/19	640	630	<u>86,000</u>	<u>10,900</u>	<3.70
VP-6	4/26/19	<9.85	<11.55	<u>20,100</u>	<u>204</u>	<7.40
VP-7	4/26/19	<551.6	<646.8	<u>153,000</u>	<u>23,700</u>	<414.4
	7/21/20	3,700	69.0	<u>29,800</u>	<u>12,000</u>	<u>73.00</u>
VP-8	4/26/19	910,000	9,700	<u>47,000,000</u>	<u>580,000</u>	<u>12,200</u>
	1/21/21	9.20	2.77	124	33.0	10.3
VP-9	10/3/19	23,300	<6,468	<u>2,200,000</u>	<u>196,000</u>	<4,144
VP-10	10/3/19	<4.925	<5.775	<u>3,500</u>	193	<3.7
VP-11	10/3/19	2,260,000	218,000	<u>176,000</u>	<u>31,300,000</u>	<u>9,400</u>
	7/21/20	490	21.8	37.0	<u>13,400</u>	<1.48
	1/21/21	550	48.0	17.8	<u>4,900</u>	2.25
VP-12	10/3/19	236	5.90 J	830	<u>670</u>	<3.70
	7/21/20	259	2.77 J	590	118	<1.48
VP-13	10/3/19	10.3 J	<4.62	<u>5,200</u>	<u>243</u>	<2.96
VP-14	10/3/19	2,930	1,700	<u>29,200</u>	<u>50,000</u>	<74.0
VP-15	10/3/19	<5,516	<6,468	<u>2,860,000</u>	<u>178,000</u>	<4,144
	1/21/21	520	56.0	<u>204,000</u>	<u>13,100</u>	<0.148
VP-16	10/25/19	<4.925	<5.775	<u>1,620</u>	<u>3,800</u>	<3.70
VP-17	10/25/19	137	6.90 J	<u>2,470</u>	<u>1,760</u>	<3.70
VP-18	10/25/19	80.0	134	<u>39,000</u>	<u>5,000</u>	<3.70
VP-19	10/25/19	51.0	9.90 J	<u>71,000</u>	<u>1,650</u>	<3.70
VP-20	1/21/21	241	258	<u>16,400</u>	<u>153</u>	16.3
VP-21	1/21/21	127	44.0	<u>4,700</u>	<u>500</u>	<0.148
VP-22	1/21/21	86.0	21.0	<u>13,700</u>	<u>340</u>	<0.148
<i>Residential VRSLs</i>		<i>NS</i>	<i>NS</i>	<i>1,400</i>	<i>70</i>	<i>57</i>
<i>Commercial VRSLs</i>		<i>NS</i>	<i>NS</i>	<i>6,000</i>	<i>293</i>	<i>933</i>
<i>Industrial VRSLs</i>		<i>NS</i>	<i>NS</i>	<i>18,000</i>	<i>880</i>	<i>2,800</i>

Notes:

1. DNR Vapor Risk Screening Levels (VRSLs) are from U.S. EPA tables (updated November 2017)
2. Concentrations that exceed their respective residential DNR VRSLs are underlined.
3. Concentrations that exceed their respective small commercial DNR VRSLs are in **red**.
4. Concentrations that exceed their respective large commercial DNR VRSLs are in **red bold**.
5. Sub-slab depressurization system (SSDS) start up on March 24, 2020.

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRENTON OTT
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 03-Feb-21

Project Name DB OAK
Project # 170503

Invoice # E39019

Lab Code 5039019A
Sample ID IA-3
Sample Matrix Air
Sample Date 1/20/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	6.3	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	21.3	ug/m3	0.278	0.884	1	TO-15		1/27/2021	CJR	1
Trichloroethene (TCE)	4.3	ug/m3	0.237	0.754	1	TO-15		1/27/2021	CJR	1
Vinyl Chloride	0.74	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Lab Code 5039019B
Sample ID IA-4
Sample Matrix Air
Sample Date 1/20/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	3.2	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	13.2	ug/m3	0.278	0.884	1	TO-15		1/27/2021	CJR	1
Trichloroethene (TCE)	2.95	ug/m3	0.237	0.754	1	TO-15		1/27/2021	CJR	1
Vinyl Chloride	0.33 "J"	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39019

Lab Code 5039019C
Sample ID VP-8
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	9.2	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	2.77	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	124	ug/m3	0.278	0.884	1	TO-15		1/27/2021	CJR	1
Trichloroethene (TCE)	33	ug/m3	0.237	0.754	1	TO-15		1/27/2021	CJR	1
Vinyl Chloride	10.3	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Lab Code 5039019D
Sample ID VP-11
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	550	ug/m3	9.85	31.3	50	TO-15		1/29/2021	CJR	1
trans-1,2-Dichloroethene	48	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	17.8	ug/m3	0.278	0.884	1	TO-15		1/27/2021	CJR	1
Trichloroethene (TCE)	4900	ug/m3	11.85	37.7	50	TO-15		1/29/2021	CJR	1
Vinyl Chloride	2.25	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Lab Code 5039019E
Sample ID VP-15
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	520	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	56	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	204000	ug/m3	278	884	1000	TO-15		2/1/2021	CJR	1
Trichloroethene (TCE)	13100	ug/m3	237	754	1000	TO-15		2/1/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Lab Code 5039019F
Sample ID VP-20
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	241	ug/m3	14.775	46.95	75	TO-15		2/1/2021	CJR	1
trans-1,2-Dichloroethene	258	ug/m3	17.325	55.05	75	TO-15		2/1/2021	CJR	1
Tetrachloroethene	16400	ug/m3	20.85	66.3	75	TO-15		2/1/2021	CJR	1
Trichloroethene (TCE)	153	ug/m3	0.237	0.754	1	TO-15		1/27/2021	CJR	1
Vinyl Chloride	16.3	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39019

Lab Code 5039019G
Sample ID VP-21
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	127	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	44	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	4700	ug/m3	5.56	17.68	20	TO-15		1/29/2021	CJR	1
Trichloroethene (TCE)	500	ug/m3	4.74	15.08	20	TO-15		1/29/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

Lab Code 5039019H
Sample ID VP-22
Sample Matrix Air
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	86	ug/m3	0.197	0.626	1	TO-15		1/27/2021	CJR	1
trans-1,2-Dichloroethene	21	ug/m3	0.231	0.734	1	TO-15		1/27/2021	CJR	1
Tetrachloroethene	13700	ug/m3	13.9	44.2	50	TO-15		1/29/2021	CJR	1
Trichloroethene (TCE)	340	ug/m3	11.85	37.7	50	TO-15		1/29/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/27/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Lab I.D. #
QUOTE #:
Project #: 170503
Sampler: (signature) *Mitchell J. Ott*

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request
Rush Analysis Date Required:
(Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location):

Reports To: Trenton Ott DB Oak

Company: FEC, Inc.

Address: 6635 N. Sidney Place

City State Zip: Milwaukee, WI 53209

Phone: (414) 288-9815

Email: (414) 288-9816

Invoice To: Same

Company:

Address:

City State Zip:

Phone:

Email: tott@fecinc.us

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	Other Analysis	PID/ FID	
5039019A	IA-3	1/20/21	1123	N	1	Air	-																		
B	IA-4	1/20/21	1156	N	1	Air	-																		
C	VP-8	1/21/21	1204	N	1	Air	-																		
D	VP-11	1/21/21	1215	N	1	Air	-																		
E	VP-15	1/20/21	1200	N	1	Air	-																		
F	VP-20	1/21/21	1213	N	1	Air	-																		
G	VP-21	1/20/21	1204	N	1	Air	-																		
H	VP-22	1/20/21	1222	N	1	Air	-																		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Short list - PCE, TCE, cis+trans 1,2-DCE, Vinyl Chloride

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice: _____

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *Mitchell J. Ott* Date 1/20/21
Time 930

Received By: (sign)

Time Date

Received in Laboratory By: *Mitchell J. Ott* Date: 1/23/21
Time: 10:00

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
DB Oak Facility		02-28-176509	
Address	City	State	ZIP Code
700-710 Oak Street	Fort Atkinson	WI	53538

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Gardner Denver, Inc.

Address	City	State	ZIP Code
222 East Eric Street	Milwaukee	WI	53202

Contact Person	Phone Number (include area code)
Mary Betsch	(414) 212-4700

Person or company that collected samples

Friess Environmental Consulting, Inc.

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) GW Monitoring January 2021

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input checked="" type="radio"/>
Sub-slab	<input type="radio"/>	<input checked="" type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input checked="" type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name	Contact Person Last Name	First Name		
Friess Environmental Consulting, Inc.	Ott	Trenton		
Address		City	State	ZIP Code
6635 North Sidney Place		Milwaukee	WI	53209
Phone # (inc. area code)	Email			
(414) 228-9815	tott@fecinc.us			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Ackerman	Jeff	(608) 275-3323		
Address		City	State	ZIP Code
3911 Fish Hatchery Road		Fitchburg	WI	53711
Email				
jeffrey.ackerman@wisconsin.gov				



February 8, 2021

Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

RE: Sample Results Notification for the DB Oak Property (former Thomas Industries) Located at 700-710 Oak Street in Fort Atkinson, Wisconsin — FEC Project No. 170503

Dear Mr. Ackerman:

As you are aware, **Friess Environmental Consulting (FEC)** is conducting environmental services at the above referenced site. Groundwater monitoring wells and piezometers were sampled on January 21, 2021. It should be noted that FEC did not sample groundwater wells MW-2, MW-2A, MW-2B, TW-1, TW-2, TW-3, and IW-1 as they were in accessible due to snow cover. Please find attached the Site Investigation Sampling Results Notification (DNR Form 4400-249), a map of the site, and a copy of the laboratory report. This information is being submitted to comply with the requirements of s. NR 716.14 (2), Wisconsin Administrative Code (WAC).

The results of the groundwater sampling continue to demonstrate a reduction in contaminant concentrations from across the site. However, the downgradient edge of the plume appears to require further definition. Additional groundwater monitoring well installation, groundwater monitoring and analytical testing is proposed for May 2021.

We appreciate this opportunity to provide an update on the environmental services. Please call us at (414) 228-9815 if you have any questions or if you need additional information.

Respectfully,

FRIESS ENVIRONMENTAL CONSULTING, INC.

A handwritten signature in black ink that reads 'Trenton J. Ott'.

Trenton J. Ott
Project Manager

A handwritten signature in black ink that reads 'Richard W. Frieseke'.

Richard W. Frieseke, P.E.
President

170503 notification 1-21-21
Inclusions

cc:

Property Owner:


DB Oak Limited Partnership
c/o Randy Knox
W9147 Red Feather Drive
Cambridge, WI 53523

Municipality:

Andy Selle
City Engineer
Municipal Building
101 N. Main Street
Fort Atkinson, WI 53538



Tenant:

Mr. Timothy Carnes
Storage Space Solutions LLC
710 Oak Street
Fort Atkinson, WI 53538



KEY

- ▲ = SI monitoring well
- + = SI boring location
- = Sediment sample
- ▲ = Former SI monitoring well
- ◇ = Vapor Intrusion Point
- ⊕ = Proposed Vapor Intrusion Point
- ◀ = Proposed SI Monitoring Well



File No.: 170503
 DWG Date: 2-20-18
 Rev Date: 8-26-19
 Drawn By: BRF
 Checked By (PM): TJO

WP Site Diagram
 Former DB Oak Property
 704 Oak Street
 Fort Atkinson, Wisconsin

Figure
 2



TABLE A.1. (Page 1 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	5/26/2009	5,900	52.0	3,000	350	2,700
	9/22/2009	5,000	140	120	<74.0	1,300
	12/2/2009	1,900	89.0	<15.0	<46.0	560
	3/23/2010	3.00	0.93	1.30	0.91	1.10
	6/22/2010	10.0	1.20	0.41	0.18	1.60
	9/15/2010	7.80	13.0	0.16	<0.16	56.0
	12/14/2010	11.0	0.33	0.54	0.61	0.66
	3/9/2011	6.70	0.31	3.00	5.60	1.60
	6/28/2011	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/2011	0.44	<0.26	0.29	0.20	<0.18
	12/5/2011	0.53	<0.26	<.21	0.64	<0.18
	3/6/2012	1.90	<0.19	0.18	0.30	0.84
	9/24/2012	1.10	<0.26	0.27	0.34	0.44
	3/20/2013	0.31	<0.32	<0.22	0.27	<0.17
	9/16/2013	1.40	<0.18	0.19	0.14	0.24
	3/24/2014	0.54	<0.32	<0.16	0.74	<0.17
	9/24/2014	0.36	<0.32	<0.22	<0.27	<0.17
	3/10/2015	<0.30	<0.25	<0.21	<0.31	<0.16
9/25/2015	0.35	<0.18	<0.22	<0.17	0.86	
3/21/2016	1.40	0.19	0.88	2.00	0.69	
9/14/2016	1.70	0.29	0.61	1.20	0.94	
3/8/2017	4.80	0.36	0.64	1.90	1.20	
TW-02	5/26/2009	6,000	64.0	320	440	240
	9/22/2009	3,300	63.0	640	750	410
	12/2/2009	4,100	62.0	460	710	520
	3/23/2010	3,700	<100	530	640	680
	6/22/2010	4,000	<65.0	370	440	1,100
	9/15/2010	<250	3,600	500	560	1,000
	12/14/2010	2,400	<65.0	840	790	470
	3/9/2011	1,500	<33.0	730	450	830
	6/28/2011	2,100	37.0	360	410	590
	9/20/2011	1,900	<65.0	510	530	500
	12/5/2011	1,900	<52.0	550	470	550
	3/6/2012	1,300	31.0	810	490	260
	6/6/2012	1,400	120	1,400	1,200	1,800
	9/24/2012	1,200	29.0	420	400	290
	12/5/2012	1,200	32.0	350	360	280
	3/20/2013	680	<32.0	480	250	150
	6/11/2013	1,000	39.0	330	270	260
	9/16/2013	1,100	35.0	300	220	280
	12/4/2013	700	32.0	410	290	110
	3/24/2014	770	<32.0	360	200	200
	6/23/2014	620	<32.0	230	180	210
	9/24/2014	660	<2.00	220	180	230
	12/22/2014	550	23.0	270	200	120
	3/10/2015	440	17.0	260	160	99.0
6/18/2015	160	<3.50	12.0	19.0	30.0	
9/25/2015	470	15.0	60.0	39.0	130	
12/21/2015	550	<10.0	230	150	160	
3/21/2016	540	26.0	220	170	190	
6/14/2016	560	21.0	130	100	200	
9/14/2016	340	13.0	24.0	19.0	130	
12/20/2016	450	19.0	180	120	130	
3/8/2017	290	17.0	160	97.0	120	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 2 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-03	5/26/2009	14.0	<5.20	210	200	<3.7
	9/22/2009	5.50	<4.10	1,100	130	<3.4
	12/2/2009	220	<4.10	590	130	<3.4
	3/23/2010	450	<13.0	92.0	77.0	<9.2
	6/22/2010	340	<6.50	10.0	7.20	58.0
	9/15/2010	<3.10	290	<4.5	7.70	130
	3/9/2011	62.0	<6.50	7.80	13.0	290
	6/28/2011	580	5.50	51.0	79.0	460
	9/20/2011	110	<6.50	<5.20	<4.20	650
	12/5/2011	480	<21.0	<16.0	<13.0	560
	3/6/2012	6.70	<0.19	<0.15	<0.25	13.0
	6/6/2012	770	5.60	10.0	15.0	1,100
	9/24/2012	180	<4.80	<3.70	<6.20	290
	12/5/2012	530	<24.0	<18.0	<3.00	1,100
	3/20/2013	400	<25	38.0	31.0	750
	6/11/2013	90	<0.18	<13.0	20.0	1,000
	9/16/2013	390	<15.0	24.0	20.0	970
	12/4/2013	330	<32.0	28.0	<27	720
	3/24/2014	390	<32.0	26.0	51.0	760
	6/23/2014	290	<32.0	52.0	40.0	680
	9/24/2014	320	<32.0	<22.0	<27.0	780
	12/22/2014	350	<16.0	16.0	<14.0	700
	3/10/2015	370	<20.0	130	80.0	750
	6/18/2015	428	<22.0	36.8	20.6	488
9/25/2015	1,300	<14.0	<17.0	<13.0	1,000	
12/21/2015	600	<25.0	41.0	<31.0	950	
3/21/2016	1,100	8.70	37.0	26.0	1,200	
6/14/2016	1,300	<15.0	<17.0	<24.0	1,100	
9/14/2016	2,100	19.0	<21.0	<30.0	1,100	
12/20/2016	430	15.0	62.0	38.0	1,200	
3/8/2017	1,500	<34.0	74.0	<65.0	1,100	
IW-1	5/26/2009	8.80	<0.26	0.76	0.68	5.50
	9/22/2009	2.70	<0.26	<0.21	<0.17	7.20
	12/2/2009	2.00	<0.21	0.12	0.43	7.80
	3/23/2010	1.70	<0.26	<0.21	<0.17	9.30
	6/22/2010	1.80	<0.26	0.54	0.23	7.60
	9/15/2010	<.13	0.99	<0.16	<0.16	6.90
	12/14/2010	1.20	<0.26	0.44	0.44	7.80
	3/9/2011	1.00	NR	0.43	<0.17	6.70
	6/28/2011	0.82	<0.26	<0.21	<0.17	4.80
	9/20/2011	0.49	<0.19	<0.15	<0.25	2.60
	12/5/2011	0.43	<0.26	<0.15	<0.17	2.10
	3/6/2012	0.29	<0.26	<0.21	<0.17	1.80
	9/24/2012	0.54	<0.26	<0.21	<0.17	1.80
	3/20/2013	0.27	<0.32	0.31	0.34	1.80
	9/16/2013	0.31	<0.18	0.19	<0.14	1.50
	3/24/2014	0.26	<0.32	<0.16	<0.27	1.80
	9/24/2014	0.22	<0.32	<0.22	<0.27	1.50
	3/10/2015	<.30	<0.25	<0.21	<0.31	1.70
	9/25/2015	<.30	<0.25	<0.21	<0.31	1.40
	3/21/2016	<.18	<0.15	<0.17	<0.24	1.60
9/14/2016	<.24	<0.17	<0.22	<0.32	1.20	
3/8/2017	2.30	<0.17	1.60	0.66	1.30	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 3 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-1	12/16/2004	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.40	<0.20
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-2	12/16/2004	5,900	32.0	120	140	33.0
	6/1/2005	3,800	160	<150	160	<53.0
	3/28/2006	6,400	<85.0	190	450	<98.0
	10/25/2007	1,800	<25.0	<25.0	520	27.0
	4/21/2008	560	<25.0	120	85.0	<25.0
	5/26/2009	260	<6.50	110	69	6.90
	9/22/2009	630	<6.50	270	170	25.0
	12/2/2009	510	<5.20	320	230	6.50
	3/23/2010	1,000	7.60	470	360	17.0
	6/22/2010	950	<10.0	400	290	16.0
	9/15/2010	<5.00	360	180	150	<6.90
	12/14/2010	390	<10.0	270	200	13.0
	3/9/2011	530	<10.0	220	180	<7.40
	6/28/2011	570	<10.0	210	200	10.0
	9/20/2011	710	<7.70	250	290	6.60
	12/5/2011	2,200	27.0	15.0	500	65.0
	3/6/2012	3,200	<52.0	450	340	55.0
	6/6/2012	3,200	<65.0	350	300	<46.0
	9/24/2012	3,900	<48.0	530	490	<37.0
	12/5/2012	4,800	<77.0	200	510	<60.0
	3/20/2013	3,200	<130	270	500	<66.0
	6/11/2013	870	<32.0	140	160	<17.0
	9/16/2013	2,300	<74.0	74.0	200	<44.0
	12/4/2013	1,900	<40.0	330	400	<44.0
	3/24/2014	1,800	<40.0	140	190	<21.0
	6/23/2014	840	<16.0	96.0	67.0	16.0
	9/24/2014	1,300	<16.0	230	360	14.0
	12/22/2014	2,000	<32.0	230	270	24.0
	3/10/2015	3,800	25.0	200	200	28.0
	6/18/2015	1,800	<35.0	72.0	120	39.0
9/25/2015	2,400	<35.0	170	370	39.0	
12/21/2015	1,600	<50.0	150	280	31.0	
3/21/2016	1,700	<29.0	120	170	32.0	
6/14/2016	1,400	<34.0	85.0	92.0	34.0	
9/14/2016	2,500	21.0	180	270	20.0	
12/20/2016	1,100	<42.0	160	220	43.0	
3/8/2017	1,800	<42.0	150	220	43.0	
10/8/2020	5.70	<0.37	4.20	1.75	0.78	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 4 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-2A	12/16/2004	380	<5.40	44.0	69.0	29.0
	6/1/2005	350	<8.70	110	83.0	36.0
	3/28/2006	3,800	20.0	320	700	91.0
	10/25/2007	1,800	<25.0	360	530	<25.0
	4/21/2008	2,100	<25.0	610	620	<25.0
	5/26/2009	660	<13.0	590	380	<9.20
	9/22/2009	920	<13.0	530	280	75.0
	12/2/2009	1,700	11.0	390	280	56.0
	3/23/2010	1,900	16.0	250	180	76.0
	6/22/2010	1,600	<26.0	290	200	<18.0
	9/15/2010	<13.0	730	340	200	<17.0
	12/14/2010	2,100	<26.0	370	190	25.0
	3/9/2011	1,700	<26.0	220	140	48.0
	6/28/2011	1,600	<26.0	240	160	<18.0
	9/20/2011	1,200	<19.0	210	150	<15.0
	12/5/2011	1,700	<26.0	170	110	33.0
	3/6/2012	2,200	<52.0	140	100	69.0
	6/6/2012	2,200	<52.0	88.0	79.0	73.0
	9/24/2012	1,800	<39.0	110	85.0	66.0
	12/5/2012	2,300	<39.0	74.0	87.0	67.0
	3/20/2013	2,400	<63.0	66.0	61.0	<33.0
	6/11/2013	1,500	<63.0	94.0	130	<33.0
	9/16/2013	1,600	<37.0	62.0	91.0	32.0
	12/4/2013	2,400	<63.0	65.0	65.0	54.0
	3/24/2014	630	<16.0	33.0	39.0	36.0
	6/23/2014	2,300	<63.0	<200	<200	59.0
	9/24/2014	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/2014	1,900	<32.0	42.0	36.0	62.0
	3/10/2015	2,000	<31.0	44.0	49.0	47.0
	6/18/2015	3,630	<34.0	135	71.0	53.9
9/25/2015	2,000	<35.0	<44.0	<33.0	47.0	
12/21/2015	2,200	<50.0	<43.0	<61.0	100	
3/21/2016	2,500	<29.0	<33.0	<47.0	98.0	
6/14/2016	1,900	<34.0	<44.0	<65.0	100	
9/14/2016	1,400	<29.0	<33.0	<47.0	<32.0	
12/20/2016	1,600	<21.0	<28.0	<40.0	75.0	
3/8/2017	2,000	<21.0	<28.0	<40.0	290	
10/8/2020	121	<3.70	<3.30	<4.70	29.3	
MW-2B	10/25/2007	19.0	<0.50	15.0	6.20	<0.50
	4/21/2008	19.0	<0.50	15.0	6.20	<0.50
	5/26/2009	1.40	<0.26	11.0	6.60	<0.18
	9/22/2009	1.80	<0.26	9.20	6.40	<0.18
	12/2/2009	2.20	<0.21	9.80	5.90	<0.17
	3/23/2010	4.60	<0.13	13.0	6.70	<0.17
	6/22/2010	1.60	<0.26	11.0	6.70	<0.18
	9/15/2010	<0.13	0.63	7.10	6.50	<0.17
	12/14/2010	15.0	<0.26	19.0	6.30	<0.18
	3/9/2011	14.0	<0.26	8.20	4.90	<0.18
	6/28/2011	16.0	<0.26	8.20	4.50	<0.18
	9/20/2011	15.0	<0.19	5.00	3.90	<0.15
	12/5/2011	13.0	<0.26	6.90	4.80	<0.18
	3/6/2012	12.0	<0.26	6.80	5.50	<0.18
	9/24/2012	16.0	0.21	6.70	7.30	<0.15
	3/20/2013	35.0	0.37	10.0	11.0	<0.17
	9/16/2013	23.0	<0.74	5.90	5.10	<0.44
	3/24/2014	39.0	<0.79	7.70	11.0	<0.42
	9/24/2014	7.30	<0.32	9.60	6.60	<0.17
	3/10/2015	11.0	<0.25	13.0	8.50	0.19
9/25/2015	5.60	<0.18	23.0	7.80	<0.20	
3/21/2016	13.0	0.22	16.0	8.10	<0.16	
9/14/2016	18.0	0.25	16.0	4.80	<0.16	
3/8/2017	25.0	0.38	20.0	5.60	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 5 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3	12/16/2004	6,800	<540	34,000	17,000	<820
	6/1/2005	2,600	<870	27,000	5,500	<270
	3/28/2006	3,500	<420	28,000	7,200	<490
	11/2/2006	3,000	<220	22,000	5,100	79.0
	10/25/2007	5,800	<200	10,000	3,300	710
	4/21/2008	2,100	<130	24,000	3,100	<130
	5/26/2009	2,800	<51.0	5,700	4,000	270
	9/22/2009	27,000	840	<100	<84	12,000
	12/2/2009	68,000	2,000	<59.0	<190	27,000
	3/23/2010	80,000	1,800	<900	<820	31,000
	6/22/2010	2,500	<1300	<1000	<840	52,000
	9/15/2010	<630	<600	<900	<820	27,000
	12/14/2010	<510	<650	<520	<420	26,000
	3/9/2011	970	<650	<520	<420	28,000
	6/28/2011	<200	<260	<210	<170	13,000
	9/20/2011	<100	<97.0	<73.0	<120	4,400
	12/5/2011	100	<130	<100	<84.0	15,000
	3/6/2012	470	<520	<410	<330	20,000
	6/6/2012	<200	<260	<210	<170	12,000
	9/24/2012	0.28	<0.19	<0.15	<0.25	2.10
	12/5/2012	2.00	<0.19	<0.15	<0.25	83.0
	3/20/2013	13.0	62.0	<1.7	<2.20	5,200
	6/11/2013	<4.00	<13.0	<8.6	<11.0	380
	9/16/2013	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/2013	1.60	<0.32	<0.22	<0.27	0.57
	3/24/2014	1.90	<0.32	<0.22	0.68	6.60
	6/23/2014	3.00	<0.17	<0.21	<0.15	8.90
	9/24/2014	1.10	<0.32	<0.22	0.56	0.77
	12/22/2014	0.85	<0.32	<0.22	<0.27	0.54
	3/10/2015	0.81	<0.25	<0.21	<0.31	0.31
	6/18/2015	1.63	<0.27	0.41	0.36	0.48
9/25/2015	1.10	0.34	<0.22	<0.17	1.70	
12/21/2015	3.30	0.38	<0.21	1.30	4.80	
3/21/2016	3.00	0.30	<0.17	<0.24	12.0	
9/14/2016	1.10	0.61	<0.17	<0.24	2.10	
3/8/2017	3.00	0.24	<0.22	<0.32	39.0	
10/8/2020	4.90 J	<0.37	<0.33	<0.47	690	
1/21/2021	330	4.6 J	<3.30	<4.70	1220	
MW-3A	6/1/2005	13,000	250	3,000	2,300	910
	3/28/2006	12,000	190	4,200	2,900	740
	11/2/2006	14,000	<220	1,700	1,900	580
	10/25/2007	11,000	190	2,100	1,500	520
	4/21/2008	16,000	<250	4,400	2,700	990
	5/26/2009	18,000	250	3,100	2,100	1,700
	9/22/2009	20,000	300	1,200	1,100	2,300
	12/2/2009	18,000	<260	1,500	1,200	2,200
	3/23/2010	15,000	180	1,400	1,300	1,600
	6/22/2010	16,000	<330	2,400	1,400	1,700
	9/15/2010	<160	15,000	1,300	1,500	1,900
	12/14/2010	17,000	<330	1,500	1,500	1,700
	3/9/2011	14,000	<330	1,500	310	1,200
	6/28/2011	8,500	<330	<260	<210	1,200
	9/20/2011	14,000	<330	<260	<210	4,000
	12/5/2011	8,500	<330	<260	<200	9,400
	3/6/2012	4,500	<150	<120	<130	6,700
	6/6/2012	7,900	<210	<160	<62	4,700
	9/24/2012	3,200	50.0	<37.0	<250	2,800
	12/5/2012	15,000	<190	<150	<340	2,800
	3/20/2013	11,000	<400	<270	390	2,400
	6/11/2013	13,000	<400	<270	<180	2,600
	9/16/2013	13,000	<230	<200	<340	2,400
	12/4/2013	13,000	<400	<270	<340	2,200
	3/24/2014	14,000	<400	<400	<190	2,200
	6/23/2014	14,000	<180	<170	<340	2,600
	9/24/2014	12,000	<400	<270	<270	2,500
	12/22/2014	15,000	<320	<220	<380	2,500
	3/10/2015	13,000	<310	<270	<230	2,360
	6/18/2015	14,700	<340	<330	<380	2,500
	9/25/2015	13,000	<310	<270	<380	2,300
12/21/2015	12,000	<310	<270	<300	2,800	
3/21/2016	16,000	<180	<210	<400	2,800	
6/14/2016	13,000	<210	<280	<400	2,500	
9/14/2016	18,000	<180	<210	<300	2,900	
12/20/2016	16,000	<210	<280	<400	2,800	
3/8/2017	17,000	<210	<280	<400	3,100	
10/8/2020	8,900	400	<3.30	<4.70	1,980	
1/21/2021	12,000	93	<23.50	<16.50	2,850	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 6 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3B	3/28/2006	600	<85.0	17,000	2,800	<98.0
	11/2/2006	400	<110	9,700	1,800	<22.0
	10/25/2007	330	<100	5,300	1,200	<100
	4/21/2008	530	<100	12,000	2,400	<100
	5/26/2009	480	<51.0	9,700	2,300	<42.0
	9/22/2009	1,000	<210	9,800	1,900	210
	12/2/2009	1,000	<160	9,700	2,200	<140
	3/23/2010	920	<100	10,000	2,200	<140
	6/22/2010	860	<210	1,600	1,900	<150
	9/15/2010	<170	1,000	10,000	2,400	<140
	12/14/2010	740	<260	11,000	2,100	<180
	3/9/2011	670	<260	9,600	1,900	<180
	6/28/2011	1,800	<52.0	830	820	130
	9/20/2011	4,900	<130	320	1,500	160
	12/5/2011	4,800	<130	210	710	190
	3/6/2012	6,500	<77.0	<58	<99	400
	6/6/2012	3,400	<130	110	550	710
	9/24/2012	2,200	<39.0	840	870	690
	12/5/2012	1,500	<39.0	1,800	1,100	450
	3/20/2013	1,100	<40.0	2,500	1,100	250
	6/11/2013	1,400	<37.0	2,700	1,200	270
	9/16/2013	1,100	<63.0	2,400	1,200	250
	12/4/2013	960	<63.0	1,900	1,000	190
	3/24/2014	900	<63.0	2,200	1,200	170
	6/23/2014	950	<63.0	1,900	1,100	220
	9/24/2014	1,100	<63.0	2,100	1,100	250
	12/22/2014	1,300	<63.0	2,400	1,500	230
3/10/2015	990	<50.0	2,800	1,400	210	
6/18/2015	1,160	<54.0	3,380	1,440	218	
9/25/2015	980	<50.0	2,600	1,300	230	
12/21/2015	900	<50.0	3,000	1,400	220	
3/21/2016	1,100	<36.0	3,400	1,300	<300	
6/14/2016	940	<42.0	2,900	1,200	310	
9/14/2016	1,200	<36.0	3,600	1,300	370	
12/20/2016	1,300	<68.0	2,800	1,200	400	
3/8/2017	1,200	<68.0	4,100	1,400	360	
10/8/2020	330	13.1	<3.30	<4.70	460	
1/21/2021	309	11.30 J	<3.30	<4.70	610	
MW-3C	10/25/2007	110	1.00	3.20	1.40	2.80
	4/21/2008	49.0	<5.00	<5.00	<5.00	<5.00
	5/26/2009	37.0	0.38	1.90	2.50	0.57
	9/22/2009	0.35	<0.26	0.68	0.22	<0.18
	12/2/2009	<0.41	<0.51	<0.30	1.10	<0.42
	3/23/2010	5.00	<0.50	<0.72	<0.65	1.80
	6/22/2010	11.0	<1.00	<0.82	<0.67	1.70
	9/15/2010	<0.13	6.10	<0.18	0.31	0.85
	12/14/2010	6.10	<0.26	34.0	5.40	1.20
	3/9/2011	6.40	NR	<0.21	0.34	0.71
	6/28/2011	5.30	<0.26	<0.21	0.34	0.95
	9/20/2011	6.90	<0.26	0.44	0.94	0.79
	12/5/2011	4.80	<0.26	<0.21	0.53	0.73
	3/6/2012	4.30	<0.19	<0.15	<0.25	0.61
	9/24/2012	4.10	<0.19	<0.15	<0.25	0.66
	3/20/2013	4.30	<0.32	0.35	0.42	1.10
	9/16/2013	1.90	<0.32	<0.22	<0.17	<0.17
	3/24/2014	5.50	<0.32	4.10	1.90	0.66
	9/24/2014	1.50	<0.32	<0.22	<0.27	0.19
3/10/2015	1.80	<0.25	<0.21	<0.31	0.26	
9/25/2015	1.40	<0.25	<0.21	<0.31	0.18	
3/21/2016	1.40	<0.17	<0.22	<0.32	0.20	
9/14/2016	1.20	<0.15	<0.17	<0.24	0.17	
3/8/2017	1.30	<0.17	<0.22	<0.32	0.37	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	1.29	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 7 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4	12/16/2004	<66.0	<54.0	2,500	10,000	<82.0
	6/1/2005	<200	<170	2,500	4,700	<53.0
	3/28/2006	<190	<170	5,400	38,000	<200
	10/25/2007	42.0	<25.0	2,000	1,500	<25.0
	4/21/2008	600	<500	14,000	43,000	<500
	5/26/2009	<40.0	<52.0	2,400	1,100	<37.0
	9/22/2009	5,200	<52.0	<41.0	44.0	1,300
	12/2/2009	1,600	<21.0	110	71.0	800
	3/23/2010	4,300	47.0	5,000	17,000	1,600
	6/22/2010	3,600	<33.0	<26.0	<21.0	1,600
	9/15/2010	<15.0	660	<23.0	<20.0	970
	12/14/2010	990	<33.0	<26.0	<21.0	2,100
	3/9/2011	3,100	<26	5,500	6,300	1,400
	6/28/2011	7,200	69.0	70.0	1,000	7,200
	9/20/2011	9,200	57.0	<18.0	730	3,200
	12/5/2011	21,000	140	<100	2,000	4,400
	3/6/2012	69,000	650	<180	1,900	14,000
	6/6/2012	8,300	<210	<160	<130	7,000
	9/24/2012	5,800	<210	<160	<130	6,800
	12/5/2012	9,700	<150	<120	<200	9,100
	3/20/2013	30,000	270	150	5,900	13,000
	6/11/2013	5,000	<250	<170	<220	6,700
	9/16/2013	1,300	<74.0	87.0	<57.0	5,200
	12/4/2013	7.80	<1.30	<2.70	<3.40	160
	3/24/2014	6,500	<500	<110	3,900	3,000
	6/23/2014	14,000	<160	<110	<140	12,000
	9/24/2014	7,400	<400	<270	<340	8,400
	12/22/2014	740	<22.0	<17.0	<19.0	1,200
	3/10/2015	2,600	<63.0	<53.0	<76.0	1,700
	6/18/2015	6,010	<67.0	<66.0	<46.0	4,560
9/25/2015	9,700	<130	<110	510	8,000	
12/21/2015	3,600	<130	<110	<150	5,100	
3/21/2016	3,700	<85	<110	<160	5,600	
6/14/2016	3,900	<85	<110	<160	3,000	
9/14/2016	620	<21.0	<28.0	<40.0	1,800	
12/20/2016	3.70	0.62	<0.44	<68.0	18.0	
3/8/2017	800	<17.0	<22.0	<32.0	1,100	
10/8/2020	50.0	4.30 J	<3.30	<4.70	102	
1/21/2021	180.0	2.71	<0.33	2	340	
MW-4A	12/16/2004	0.89	<0.11	7.10	23.0	<0.16
	6/1/2005	<0.40	<0.35	1.20	0.59	<0.11
	3/28/2006	0.29	<0.17	6.90	0.97	<0.20
	10/25/2007	<0.50	<0.50	1.20	8.50	<0.50
	4/21/2008	<0.50	<0.50	1.50	1.10	<0.50
	5/26/2009	<0.20	<0.26	3.80	1.60	<0.18
	9/22/2009	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/2009	0.20	<0.21	0.95	<0.37	<0.57
	3/23/2010	2.60	<0.26	3.30	2.20	<0.18
	6/22/2010	0.79	<0.26	1.20	0.52	<0.18
	9/15/2010	<0.13	0.53	1.10	0.56	<0.17
	12/14/2010	<0.2	<0.26	0.38	0.33	<0.18
	3/9/2011	2.60	<0.26	6.20	1.40	<0.18
	6/28/2011	0.70	<0.26	0.67	0.65	<0.18
	9/20/2011	1.90	<0.19	0.82	1.70	<0.15
	12/5/2011	1.60	<0.26	0.82	0.59	<0.18
	3/6/2012	1.40	<0.19	0.66	0.41	<0.15
	6/6/2012	1.80	<0.19	0.85	0.51	<0.15
	9/24/2012	1.50	<0.26	0.74	0.61	<0.18
	3/20/2013	0.44	<0.32	0.68	0.55	<0.17
9/16/2013	0.30	<0.32	0.29	0.32	<0.17	
3/24/2014	0.11	0.32	<0.16	0.46	<0.17	
9/24/2014	<0.10	<0.32	<0.22	0.29	<0.17	
3/10/2015	<0.30	<0.25	<43	<0.31	<0.16	
9/25/2015	0.64	<0.25	0.34	0.40	<0.16	
3/21/2016	2.10	<0.17	0.33	<0.32	<0.17	
9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17	
3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 8 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4B	5/26/2009	<0.20	<0.26	1.10	0.42	<0.18
	9/22/2009	1.10	<0.21	3.60	1.20	<0.17
	12/2/2009	2.50	<0.21	2.80	1.10	<0.57
	3/23/2010	0.29	<0.26	2.20	0.25	<0.18
	6/22/2010	0.39	<0.26	0.81	<0.17	<0.18
	9/15/2010	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/2010	2.40	<0.26	2.50	0.46	0.22
	3/9/2011	7.30	<0.26	1.50	0.44	<0.18
	6/28/2011	1.90	<0.26	0.40	0.23	0.29
	9/20/2011	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/2011	1.30	<0.26	0.37	0.39	<0.18
	3/6/2012	3.10	<0.19	1.40	0.49	<0.15
	9/24/2012	0.69	<0.26	<0.21	<0.17	<0.18
	3/20/2013	0.33	<0.32	<0.22	<0.27	<0.17
	9/16/2013	<0.10	<0.32	<0.22	<0.17	<0.17
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/2014	0.40	<0.32	0.31	<0.27	<0.17
	3/10/2015	<0.30	<0.25	0.78	<0.31	<0.16
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-5	12/16/2004	0.21	<0.11	2.30	1.20	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	0.17	0.77	<0.2
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	0.78	0.81	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.18	0.47	<0.17
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/2012	<0.20	<0.26	<0.21	<0.17	<0.18
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-6	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.35	<0.2
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
	MW-6A	6/1/2005	<0.40	<0.35	<0.31	<0.25
3/28/2006		<0.34	<0.17	<0.16	<0.19	<0.2
10/25/2007		<0.50	<0.50	<0.50	<0.50	<0.50
4/21/2008		<0.50	<0.50	<0.50	<0.50	<0.50
5/26/2009		<0.20	<0.26	<0.21	<0.17	<0.18
3/23/2010		<0.12	<0.13	<0.18	<0.16	<0.17
3/20/2013		<0.10	<0.32	0.30	<0.27	<0.17
10/8/2020		<0.39	<0.37	<0.33	<0.47	<0.20
1/21/2021		<0.39	<0.37	<0.33	<0.47	<0.20
MW-7		3/28/2006	0.89	<0.17	5.40	2.90
	11/2/2006	<.83	<0.89	4.90	1.40	<0.18
	10/25/2007	<0.50	<0.50	3.50	0.63	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/2009	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/2009	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/2010	<0.12	<0.13	0.32	<0.16	<0.17
	9/15/2010	<0.13	<0.12	0.48	<0.16	<0.17
	3/9/2011	<0.20	NR	0.34	<0.17	<0.18
	9/20/2011	NR	<0.48	0.47	<0.25	<0.15
	3/6/2012	<0.21	<0.19	0.29	<0.25	<0.15
	9/24/2012	22.0	0.28	0.80	1.40	<0.18
	3/20/2013	0.99	<0.32	0.42	0.34	<0.17
	9/16/2013	<0.10	<0.32	0.27	<0.17	<0.17
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/2014	1.20	<0.32	2.30	0.64	<0.17
	3/10/2015	<0.30	<0.25	0.29	<0.31	<0.16
	9/25/2015	<0.30	<0.25	0.30	<0.31	<0.16
3/21/2016	<0.24	<0.17	<0.22	<0.32	<0.17	
9/14/2016	NR	<0.17	<0.22	<0.32	<0.17	
3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 9 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7A	3/28/2006	270	<10.0	850	200	<8.30
	11/2/2006	290	<8.90	560	180	<1.80
	10/25/2007	<5.00	<5.00	310	110	<5.00
	4/21/2008	<0.50	<0.50	0.67	<0.50	<0.50
	5/26/2009	<1.60	<2.10	94.0	3.90	<1.50
	9/22/2009	<1.30	<1.60	68.0	5.90	<1.40
	12/2/2009	0.50	<0.21	83.0	3.60	<0.57
	3/23/2010	5.00	<0.63	92.0	6.40	<0.87
	6/22/2010	<1.60	<2.10	82.0	2.10	<1.50
	9/15/2010	<0.50	<0.48	44.0	2.10	<0.69
	12/14/2010	<1.00	<1.30	55.0	1.30	<0.92
	3/9/2011	1.10	NR	60.0	1.20	<0.92
	6/28/2011	1.30	<1.30	45.0	2.00	1.10
	9/20/2011	1.10	<0.48	43.0	1.90	<0.37
	12/5/2011	3.50	<1.00	50.0	1.70	<0.74
	3/6/2012	4.20	<0.77	59.0	2.90	<0.60
	6/6/2012	67.0	<0.97	54.0	3.50	<0.75
	9/24/2012	74.0	<1.30	67.0	6.40	<0.92
	12/5/2012	74.0	<0.97	55.0	6.90	<0.75
	3/20/2013	140	<1.60	69.0	25.0	<0.83
	6/11/2013	96.0	<2.30	44.0	11.0	1.90
	9/16/2013	45.0	<3.20	25.0	4.90	<1.70
	12/4/2013	86.0	<3.20	47.0	9.70	<1.70
	3/24/2014	160	<32.0	60.0	24.0	<1.70
	6/23/2014	120	<3.20	49.0	20.0	<1.70
	9/24/2014	77.0	<3.20	31.0	11.0	<1.70
	12/22/2014	97.0	<0.87	49.0	17.0	<0.84
3/10/2015	92.0	<2.00	44.0	19.0	<1.20	
6/18/2015	187	<2.70	70.8	32.0	<2.00	
9/25/2015	160	<2.50	71.0	45.0	<1.60	
12/21/2015	180	<3.10	120	65.0	<2.00	
3/21/2016	180	<12.5	100	55.0	<2.10	
6/14/2016	170	<2.10	88.0	55.0	<2.10	
9/14/2016	190	<2.10	130	60.0	<2.10	
12/20/2016	200	<2.10	120	54.0	<2.10	
3/8/2017	230	<3.40	140	61.0	<2.10	
10/8/2020	3.00	<0.37	33.0	9.40	<0.20	
1/21/2021	1.50	<0.37	22.6	3.50	<0.20	
MW-7B	10/25/2007	<0.50	<0.50	6.90	0.87	<0.50
	4/21/2008	<0.50	<0.50	6.40	0.73	<0.50
	5/26/2009	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/2009	<0.16	<0.21	10.0	0.39	<0.17
	12/2/2009	0.49	<0.21	11.0	0.62	<0.17
	3/23/2010	0.20	<0.13	8.60	0.62	<0.17
	6/22/2010	<0.20	<0.26	8.10	0.35	<0.18
	9/15/2010	<0.13	<0.12	8.00	0.78	<0.17
	12/14/2010	<0.20	<0.26	11.0	0.51	<0.15
	3/9/2011	<0.20	NR	8.40	0.42	<0.18
	6/28/2011	<0.21	<0.19	7.10	0.45	<0.15
	9/20/2011	<0.21	<0.19	6.60	0.49	<0.15
	12/5/2011	<0.20	<0.26	5.50	0.48	<0.18
	3/6/2012	0.66	<0.19	3.50	0.48	<0.15
	9/24/2012	0.61	<0.26	3.10	0.58	<0.18
	3/20/2013	4.90	<0.32	3.10	1.30	0.79
	9/16/2013	<0.10	<0.32	0.56	3.50	<0.17
	3/24/2014	0.33	<0.32	4.90	1.60	<0.17
	9/24/2014	<0.10	<0.32	3.80	0.40	<0.17
	3/10/2015	0.50	<0.25	5.50	0.79	<0.16
9/25/2015	0.77	<0.18	6.40	1.50	0.23	
3/21/2016	8.40	0.25	8.50	5.10	0.52	
9/14/2016	7.10	<0.17	15.0	7.70	0.35	
3/8/2017	2.30	<0.17	20.0	7.40	0.39	
10/8/2020	<0.39	<0.37	6.80	1.26	<0.20	
1/21/2021	<0.39	<0.37	4.90	1.06 J	<0.20	
MW-8	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	<0.12	<0.13	0.22	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

**TABLE A.1. (Page 10 of 10)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin**

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-8A	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<i>1.90</i>	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	<0.12	<0.13	<i>1.10</i>	<0.16	<0.17
	9/15/2010	<0.13	0.68	<0.16	<0.16	<0.18
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	0.33	<0.19	<0.15	<i>0.60</i>	<0.15
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-8B	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	1.30	<0.50	<i>4.00</i>	<i>1.40</i>	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	0.24	<0.13	<i>2.00</i>	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/2011	0.37	NR	<i>3.20</i>	0.33	<0.18
	9/20/2011	<0.20	<0.19	<0.15	<0.25	<0.15
	3/6/2012	0.23	<0.19	<0.15	0.31	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<i>0.96 J</i>	<0.47	<0.20
MW-9	12/22/2014	780	<17.0	<14.0	<15.0	20.0
	3/10/2015	980	<20.0	<17.0	<24.0	52.0
	6/18/2015	2,300	<i>25.4</i>	37.7	<15.0	85.6
	9/25/2015	3,400	<35.0	<55.0	<42.0	230
	12/21/2015	2,100	<63.0	<53.0	<76.0	75.0
	3/21/2016	1,700	<34.0	<44.0	<65.0	73.0
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<i>7.20</i>	<0.37	<0.33	<0.47	<0.20
MW-9A	12/22/2014	340	<7.90	<5.40	<6.80	<4.20
	3/10/2015	300	<6.30	<5.30	<7.60	<3.90
	6/18/2015	358	<6.70	<6.60	<4.60	16.8
	9/25/2015	290	<4.40	<5.50	<4.20	<4.90
	12/21/2015	480	<6.30	<5.30	<7.60	7.70
	3/21/2016	320	<6.80	<8.80	<13.0	<6.80
	10/8/2020	100	1.91	<0.33	<0.47	<0.20
	1/21/2021	161	1.51	<0.33	<0.47	0.35 J
MW-10	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-10A	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-11	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/2016	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/2017	<0.17	<0.24	0.23	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12	3/21/2016	<i>20.0</i>	0.47 J	<0.22	<0.32	0.35 J
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12A	3/21/2016	2,400	<29.0	<33.0	<47.0	290
	8/7/2018	360	4.90	<0.38	<0.30	<0.20
	4/26/2019	137	<3.40	<3.80	<3.00	<2.00
	10/8/2020	<i>42.0</i>	1.41	<0.33	<0.47	<0.20
	1/21/2021	<i>37.0</i>	0.98 J	<0.33	<0.47	<0.20
MW-13	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-13A	10/8/2020	830	11.90	<0.33	<0.47	75.0
	1/21/2021	590	5.2 J	<0.33	<0.47	35.0
MW-14	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-14A	10/8/2020	1.76	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15A	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRYAN FRIESEKE
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 05-Feb-21

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020A
Sample ID MW-1
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/25/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/25/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/25/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/25/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/25/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/25/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/25/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/25/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/25/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/25/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/25/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/25/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/25/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/25/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/25/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/25/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/25/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/25/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/25/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/25/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/25/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/25/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/25/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/25/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020A
Sample ID MW-1
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/25/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/25/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/25/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/25/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/25/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/25/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/25/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/25/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/25/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/25/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/25/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/25/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/25/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/25/2021	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/25/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/25/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/25/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/25/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/25/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/25/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/25/2021	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		1/25/2021	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		1/25/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		1/25/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/25/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020B
Sample ID MW-5
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		1/25/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/25/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		1/25/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/25/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/25/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/25/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/25/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/25/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/25/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/25/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/25/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/25/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/25/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/25/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/25/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/25/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/25/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/25/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/25/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/25/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/25/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/25/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/25/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/25/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/25/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/25/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/25/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/25/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/25/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/25/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/25/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/25/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/25/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/25/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/25/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020B

Sample ID MW-5

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/25/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/25/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/25/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/25/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/25/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/25/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/25/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/25/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/25/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/25/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		1/25/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		1/25/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		1/25/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		1/25/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020C
Sample ID MW-6
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020C

Sample ID MW-6

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020D
 Sample ID MW-6A
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020D
Sample ID MW-6A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020E
Sample ID MW-8
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020E
Sample ID MW-8
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020F
Sample ID MW-8A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	0.6 "J"	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020F

Sample ID MW-8A

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020G
 Sample ID MW-8B
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	0.96 "J"	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020G

Sample ID MW-8B

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020H
 Sample ID MW-10
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020H
Sample ID MW-10
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	93	REC %				1	8260B	1/26/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %				1	8260B	1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %				1	8260B	1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1	8260B	1/26/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020I
Sample ID MW-10A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020I
Sample ID MW-10A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020J
Sample ID MW-11
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/26/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/26/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/26/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/26/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/26/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/26/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/26/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/26/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/26/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/26/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/26/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/26/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/26/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/26/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020J
Sample ID MW-11
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/26/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/26/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/26/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/26/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		1/26/2021	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		1/26/2021	CJR	1
SUR - Toluene-d8	87	REC %			1	8260B		1/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		1/26/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020K
Sample ID MW-14
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020K
Sample ID MW-14
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020L
Sample ID MW-14A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020L

Sample ID MW-14A

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020M
Sample ID MW-15
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020M
Sample ID MW-15
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020N
Sample ID MW-15A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020N
Sample ID MW-15A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 50390200
 Sample ID MW-12
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 50390200
Sample ID MW-12
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020P
Sample ID MW-12A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	37	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	0.98 "J"	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020P
Sample ID MW-12A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020Q
 Sample ID MW-9
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	7.2	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020Q
Sample ID MW-9
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020R
 Sample ID MW-9A
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	0.5 "J"	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	161	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	1.51	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020R
Sample ID MW-9A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	0.35 "J"	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020S
Sample ID MW-13
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020S
Sample ID MW-13
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5039020T
Sample ID MW-13A
Sample Matrix Water
Sample Date 1/21/2021

Invoice # E39020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		1/27/2021	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		1/27/2021	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		1/27/2021	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		1/27/2021	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		1/27/2021	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		1/27/2021	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	590	ug/l	3.9	12	10	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	5.2 "J"	ug/l	3.7	12	10	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		1/27/2021	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		1/27/2021	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		1/27/2021	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		1/27/2021	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		1/27/2021	CJR	1

Project Name DB OAK

Invoice # E39020

Project # 170503

Lab Code 5039020T

Sample ID MW-13A

Sample Matrix Water

Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		1/27/2021	CJR	1
Vinyl Chloride	35	ug/l	2	6.5	10	8260B		1/27/2021	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		1/27/2021	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			10	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			10	8260B		1/27/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020U
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	180	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	2.71	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020U
Sample ID MW-4
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	2	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	340	ug/l	2	6.5	10	8260B		2/1/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020V
Sample ID MW-4A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020V
Sample ID MW-4A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	25.5	REC %			1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020W
Sample ID MW-4B
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		1/27/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		1/27/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		1/27/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		1/27/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		1/27/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		1/27/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		1/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		1/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		1/27/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		1/27/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		1/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		1/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		1/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		1/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		1/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		1/27/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		1/27/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		1/27/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		1/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		1/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		1/27/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		1/27/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		1/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		1/27/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020W
Sample ID MW-4B
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		1/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		1/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		1/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		1/27/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		1/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		1/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		1/27/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/27/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		1/27/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		1/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		1/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	25.3	REC %			1	8260B		1/27/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		1/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/27/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020X
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		2/2/2021	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		2/2/2021	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		2/2/2021	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		2/2/2021	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	330	ug/l	3.9	12	10	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	4.6 "J"	ug/l	3.7	12	10	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		2/2/2021	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		2/2/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020X
Sample ID MW-3
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Vinyl Chloride	1220	ug/l	2	6.5	10	8260B		2/2/2021	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		2/2/2021	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	93	REC %			10	8260B		2/2/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020Y
 Sample ID MW-3A
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	22 "J"	ug/l	16.5	50	50	8260B		2/2/2021	CJR	1
Bromobenzene	< 13	ug/l	13	42	50	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	50	50	8260B		2/2/2021	CJR	1
Bromoform	< 32.5	ug/l	32.5	105	50	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 30.5	ug/l	30.5	95	50	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 14	ug/l	14	44.5	50	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		2/2/2021	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		2/2/2021	CJR	1
Chloroethane	< 55	ug/l	55	180	50	8260B		2/2/2021	CJR	1
Chloroform	< 22	ug/l	22	70	50	8260B		2/2/2021	CJR	1
Chloromethane	< 40	ug/l	40	125	50	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 41	ug/l	41	130	50	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 11.5	ug/l	11.5	37	50	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 18	ug/l	18	55	50	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 15.5	ug/l	15.5	49	50	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 19.5	ug/l	19.5	65	50	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 23	ug/l	23	75	50	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	12000	ug/l	39	120	100	8260B		2/4/2021	CJR	1
trans-1,2-Dichloroethene	93	ug/l	18.5	60	50	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	60	50	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 17.5	ug/l	17.5	55	50	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 15	ug/l	15	47	50	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 18	ug/l	18	55	50	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 17	ug/l	17	55	50	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 12	ug/l	12	37.5	50	8260B		2/2/2021	CJR	1
Ethylbenzene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 36	ug/l	36	115	50	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	75	50	8260B		2/2/2021	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	75	50	8260B		2/2/2021	CJR	1
Naphthalene	< 55	ug/l	55	180	50	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	55	50	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 18.5	ug/l	18.5	60	50	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 44	ug/l	44	165	50	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 16.5	ug/l	16.5	50	50	8260B		2/2/2021	CJR	1
Toluene	< 13	ug/l	13	41.5	50	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	50	8260B		2/2/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020Y
Sample ID MW-3A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 50	ug/l	50	160	50	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 15	ug/l	15	47.5	50	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 18	ug/l	18	55	50	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	75	50	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 21	ug/l	21	65	50	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 15	ug/l	15	48	50	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 16	ug/l	16	50	50	8260B		2/2/2021	CJR	1
Vinyl Chloride	2850	ug/l	10	32.5	50	8260B		2/2/2021	CJR	1
m&p-Xylene	< 55	ug/l	55	165	50	8260B		2/2/2021	CJR	1
o-Xylene	< 19	ug/l	19	60	50	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			50	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			50	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			50	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			50	8260B		2/2/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 5039020Z
 Sample ID MW-3B
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		2/2/2021	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		2/2/2021	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		2/2/2021	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		2/2/2021	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	309	ug/l	3.9	12	10	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	11.3 "J"	ug/l	3.7	12	10	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		2/2/2021	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	10	10	8260B		2/2/2021	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		2/2/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 5039020Z
Sample ID MW-3B
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		2/2/2021	CJR	1
Vinyl Chloride	610	ug/l	2	6.5	10	8260B		2/2/2021	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		2/2/2021	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			10	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			10	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	93	REC %			10	8260B		2/2/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 539020AA
 Sample ID MW-3C
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/1/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/1/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/1/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/1/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/1/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/1/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/1/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/1/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/1/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/1/2021	CJR	1
Tetrachloroethene	1.29	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 539020AA
Sample ID MW-3C
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/1/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/1/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/1/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		2/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/1/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/1/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		2/1/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 539020BB
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/1/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/1/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/1/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/1/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/1/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/1/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/1/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/1/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/1/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/1/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 539020BB
Sample ID MW-7
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/1/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/1/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/1/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		2/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		2/1/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/1/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		2/1/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 539020CC
 Sample ID MW-7A
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/1/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/1/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/1/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/1/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/1/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/1/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/1/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/1/2021	CJR	1
cis-1,2-Dichloroethene	1.5	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/1/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/1/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/1/2021	CJR	1
Tetrachloroethene	22.6	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 539020CC
Sample ID MW-7A
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Trichloroethene (TCE)	3.5	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/1/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/1/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/1/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		2/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		2/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		2/1/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/1/2021	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E39020

Lab Code 539020DD
 Sample ID MW-7B
 Sample Matrix Water
 Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/1/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/1/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/1/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/1/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/1/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/1/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/1/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/1/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/1/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/1/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/1/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/1/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/1/2021	CJR	1
Tetrachloroethene	4.9	ug/l	0.33		1	8260B		2/1/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/1/2021	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E39020

Lab Code 539020DD
Sample ID MW-7B
Sample Matrix Water
Sample Date 1/21/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/1/2021	CJR	1
Trichloroethene (TCE)	1.06 "J"	ug/l	0.47	1.5	1	8260B		2/1/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/1/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/1/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/1/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/1/2021	CJR	1
SUR - Toluene-d8	94	REC %				8260B		2/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %				8260B		2/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				8260B		2/1/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %				8260B		2/1/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #

QUOTE # :

Project #: 170503

Sampler: (signature) Bryan [Signature]

Project (Name / Location): DB Oak

Reports To: Bryan Fricseke

Company: FEC Inc

Address: 6635 N Sidney Pl

City State Zip: Milwaukee WI 53209

Phone: 414-403-8081

Email: bfricseke@fecinc.us

Invoice To: Same

Company:

Address:

City State Zip:

Phone:

Email:

Analysis Requested

Other Analysis

<input type="checkbox"/>	DRO (Mod DRO Sep 95)
<input type="checkbox"/>	GRO (Mod GRO Sep 95)
<input type="checkbox"/>	LEAD
<input type="checkbox"/>	NITRATE/NITRITE
<input type="checkbox"/>	OIL & GREASE
<input type="checkbox"/>	PAH (EPA 8270)
<input type="checkbox"/>	PCB
<input type="checkbox"/>	PVOC (EPA 8021)
<input type="checkbox"/>	PVOC + NAPHTHALENE
<input type="checkbox"/>	SULFATE
<input type="checkbox"/>	TOTAL SUSPENDED SOLIDS
<input type="checkbox"/>	VOC DW (EPA 524.2)
<input type="checkbox"/>	VOC (EPA 8260)
<input type="checkbox"/>	VOC AIR (TO - 15)
<input type="checkbox"/>	8-RCRA METALS

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
S039020A	MW-1	1/21	AM	N	3	GW	HCl	
	MW-5							
	B MW-5							
	C MW-6							
	D MW-6A							
	E MW-8							
	F MW-8A							
	G MW-8B							
	H MW-10							
	I MW-10A							
	J MW-11							
	K MW-14							
	L MW-14A							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature]

Type

Date

Received By: (sign)

Time

Date

12pm 1/22

Received in Laboratory By: [Signature]

Time:

10:00

Date:

1/23/21



Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcabc.com

Chain # No 40873

Page 3 of 3

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: _____
 Project #: 170503
 Sampler: (signature) Bryan Fritzsche

Project (Name / Location): DB Oak

Analysis Requested

Other Analysis

Reports To: Bryan Fritzsche
 Company: EEC Inc
 Address: 6635 N Sidney Pl
 City State Zip: Milwaukee WI 53209
 Phone: 414-403-8081
 Email: bfritsche@eecinc.us

Invoice To: Same
 Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	
VOC AIR (TO - 15)	
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
<u>5039005</u>	<u>NW-3A</u>	<u>1/21</u>	<u>AM</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HC1</u>	
	<u>NW-3B</u>							
	<u>NW-3C</u>							
	<u>NW-7</u>							
	<u>NW-7A</u>							
	<u>NW-7B</u>							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: OS
 Temp. of Temp. Blank: _____ °C On Ice: X
 Cooler seal intact upon receipt: X Yes _____ No

Relinquished By: (sign) _____ Time/Date: 1/22
 Received By: (sign) _____ Time/Date: _____

Received in Laboratory By: (sign) _____ Time: 10:00 Date: 1/23/24