

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
DB Oak Facility		02-28-176509	
Address	City	State	ZIP Code
700-710 Oak Street	Fort Atkinson	WI	53538

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Gardner Denver, Inc.

Address	City	State	ZIP Code
222 East Eric Street	Milwaukee	WI	53202
Contact Person	Phone Number (include area code)		
Mary Betsch	(414) 212-4700		

Person or company that collected samples

Friess Environmental Consulting, Inc.

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) GW and Air Monitoring January 2022

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

This sampling event included sampling of a drinking water well.

Yes No

If yes, the sampled drinking water well had detectable contaminants.

Yes No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input checked="" type="radio"/>
Sub-slab	<input checked="" type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input checked="" type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name	First Name	
Friess Environmental Consulting, Inc.		Ott	Trenton	
Address		City	State	ZIP Code
6635 North Sidney Place		Milwaukee	WI	53209
Phone # (inc. area code)	Email			
(414) 228-9815	tott@fecinc.us			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Ackerman	Jeff	(608) 275-3323		
Address		City	State	ZIP Code
3911 Fish Hatchery Road		Fitchburg	WI	53711
Email				
jeffrey.ackerman@wisconsin.gov				

A.4. Vapor Analytical Table
VOC Analytical Results - Sub-Slab Vapor Samples
Former DB Oak Property
Fort Atkinson, Wisconsin

Sample Location	Sampling Date	cis-1,2-DCE (ug/m ³)	trans-1,2-DCE (ug/m ³)	PCE (ug/m ³)	TCE (ug/m ³)	Vinyl Chloride (ug/m ³)
VP-1	8/7/18 7/21/20	820,000 400	19,300 9.2	<u>5,000,000</u> <u>13,100</u>	<u>2,920,000</u> <u>311</u>	<828.8 1.12
VP-2	4/26/19 7/21/20	<551.6 69	2,330 10.4	<u>212,000</u> <u>5,100</u>	<u>34,000</u> <u>500</u>	<414.4 <0.148
VP-3	4/26/19 10/25/19 7/21/20	NS 14.9 J 1.11	NS <5.775 <0.231	NS <u>27,100</u> 280	NS <u>1,810</u> 4.90	NS <3.70 <0.148
VP-4	4/26/19 7/21/20	<551.6 1.74	<646.8 <0.231	<u>64,000</u> 1,210	<u>9,700</u> 26.10	<414.4 <0.148
VP-5	4/26/19 10/25/19 1/14/22	NS 640 185	NS 630 155	NS <u>86,000</u> <u>9,800</u>	NS <u>10,900</u> <u>1,310</u>	NS <3.70 0.33 J
VP-6	4/26/19	<9.85	<11.55	<u>20,100</u>	<u>204</u>	<7.40
VP-7	4/26/19 7/21/20	<551.6 3,700	<646.8 69.0	<u>153,000</u> <u>29,800</u>	<u>23,700</u> <u>12,000</u>	<414.4 73.00
VP-8	4/26/19 1/21/21	910,000 9.20	9,700 2.77	<u>47,000,000</u> 124	<u>580,000</u> 33.0	<u>12,200</u> 10.3
VP-9	10/3/19	23,300	<6,468	<u>2,200,000</u>	<u>196,000</u>	<4,144
VP-10	10/3/19	<4.925	<5.775	<u>3,500</u>	<u>193</u>	<3.7
VP-11	10/3/19 7/21/20 1/21/21	2,260,000 490 550	218,000 21.8 48.0	<u>176,000</u> 37.0 17.8	<u>31,300,000</u> <u>13,400</u> <u>4,900</u>	<u>9,400</u> <1.48 2.25
VP-12	10/3/19 7/21/20	236 259	5.90 J 2.77 J	830 590	<u>670</u> 118	<3.70 <1.48
VP-13	10/3/19	10.3 J	<4.62	<u>5,200</u>	<u>243</u>	<2.96
VP-14	10/3/19 1/14/22	2,930 115	1,700 285	<u>29,200</u> <u>5,800</u>	<u>50,000</u> <u>1,460</u>	<74.0 0.97
VP-15	10/3/19 1/21/21 1/14/22	<5,516 520 57	<6,468 56.0 3.3	<u>2,860,000</u> <u>204,000</u> <u>11,600</u>	<u>178,000</u> <u>13,100</u> <u>980</u>	<4,144 <0.148 <0.148
VP-16	10/25/19	<4.925	<5.775	<u>1,620</u>	<u>3,800</u>	<3.70
VP-17	10/25/19	137	6.90 J	<u>2,470</u>	<u>1,760</u>	<3.70
VP-18	10/25/19 1/14/22	80.0 141.0	134 85	<u>39,000</u> <u>20,200</u>	<u>5,000</u> <u>2,190</u>	<3.70 <0.148
VP-19	10/25/19 1/14/22	51.0 0.238 J	9.90 J <0.231	<u>71,000</u> 259	<u>1,650</u> 3	<3.70 <0.148
VP-20	1/21/21	241	258	<u>16,400</u>	<u>153</u>	16.3
VP-21	1/21/21	127	44.0	<u>4,700</u>	<u>500</u>	<0.148
VP-22	1/21/21	86.0	21.0	<u>13,700</u>	<u>340</u>	<0.148
Residential VRSLs		NS	NS	1,400	70	57
Commercial VRSLs		NS	NS	6,000	293	933
Industrial VRSLs		NS	NS	18,000	880	2,800

Notes:

1. DNR Vapor Risk Screening Levels (VRSLs) are from U.S. EPA tables (updated November 2017)
2. Concentrations that exceed their respective residential DNR VRSLs are underlined.
3. Concentrations that exceed their respective small commercial DNR VRSLs are in **red**.
4. Concentrations that exceed their respective large commercial DNR VRSLs are in **red bold**.
5. Sub-slab depressurization system (SSDS) start up on March 24, 2020.

**A.4. Vapor Analytical Table
VOC Analytical Results - Indoor Air Samples
Former DB Oak Property
Fort Atkinson, Wisconsin**

Sample Location	Location	Sampling Date	cis-1,2-DCE (ug/m ³)	trans-1,2-DCE (ug/m ³)	PCE (ug/m ³)	TCE (ug/m ³)	Vinyl Chloride (ug/m ³)
IA-1	SW Office	9/27/19	<0.197	<0.231	25.9	1.66	<0.148
		1/14/22	<0.197	<0.231	0.68 J	<0.237	<0.148
IA-2	SE Garage	9/27/19	<0.197	<0.231	3.40	<0.237	<0.148
		1/14/22	<0.197	<0.231	0.41 J	<0.237	<0.148
IA-3	Mid Bay	9/27/19	1.27	<0.231	20.0	<u>3.60</u>	<0.148
		1/20/21	6.30	<0.231	21.3	<u>4.30</u>	0.74
IA-4	Kennel Club	9/27/19	19.5	<0.231	18.8	<u>3.70</u>	<0.148
		1/20/21	3.20	<0.231	13.2	<u>2.95</u>	0.33 J
<i>Residential VALs</i>			<i>NS</i>	<i>NS</i>	<i>42</i>	<i>2.1</i>	<i>1.7</i>
<i>Commercial VALs</i>			<i>NS</i>	<i>NS</i>	<i>180</i>	<i>8.8</i>	<i>28</i>
<i>Industrial VALs</i>			<i>NS</i>	<i>NS</i>	<i>180</i>	<i>8.8</i>	<i>28</i>

Notes:

1. DNR Vapor Action Levels (VALs) are from U.S. EPA tables (updated November 2017)
2. Concentrations that exceed their respective residential DNR VALs are underlined.
3. Concentrations that exceed their respective small commercial DNR VALs are in **red**.
4. Concentrations that exceed their respective large commercial DNR VALs are in **red bold**.

TABLE A.1. (Page 1 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	5/26/2009	5,900	52.0	3,000	350	2,700
	9/22/2009	5,000	140	120	<74.0	1,300
	12/2/2009	1,900	89.0	<15.0	<46.0	560
	3/23/2010	3.00	0.93	1.30	0.91	1.10
	6/22/2010	10.0	1.20	0.41	0.18	1.60
	9/15/2010	7.80	13.0	0.16	<0.16	56.0
	12/14/2010	11.0	0.33	0.54	0.61	0.66
	3/9/2011	6.70	0.31	3.00	5.60	1.60
	6/28/2011	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/2011	0.44	<0.26	0.29	0.20	<0.18
	12/5/2011	0.53	<0.26	<.21	0.64	<0.18
	3/6/2012	1.90	<0.19	0.18	0.30	0.84
	9/24/2012	1.10	<0.26	0.27	0.34	0.44
	3/20/2013	0.31	<0.32	<0.22	0.27	<0.17
	9/16/2013	1.40	<0.18	0.19	0.14	0.24
	3/24/2014	0.54	<0.32	<0.16	0.74	<0.17
	9/24/2014	0.36	<0.32	<0.22	<0.27	<0.17
	3/10/2015	<0.30	<0.25	<0.21	<0.31	<0.16
9/25/2015	0.35	<0.18	<0.22	<0.17	0.86	
3/21/2016	1.40	0.19	0.88	2.00	0.69	
9/14/2016	1.70	0.29	0.61	1.20	0.94	
3/8/2017	4.80	0.36	0.64	1.90	1.20	
TW-02	5/26/2009	6,000	64.0	320	440	240
	9/22/2009	3,300	63.0	640	750	410
	12/2/2009	4,100	62.0	460	710	520
	3/23/2010	3,700	<100	530	640	680
	6/22/2010	4,000	<65.0	370	440	1,100
	9/15/2010	<250	3,600	500	560	1,000
	12/14/2010	2,400	<65.0	840	790	470
	3/9/2011	1,500	<33.0	730	450	830
	6/28/2011	2,100	37.0	360	410	590
	9/20/2011	1,900	<65.0	510	530	500
	12/5/2011	1,900	<52.0	550	470	550
	3/6/2012	1,300	31.0	810	490	260
	6/6/2012	1,400	120	1,400	1,200	1,800
	9/24/2012	1,200	29.0	420	400	290
	12/5/2012	1,200	32.0	350	360	280
	3/20/2013	680	<32.0	480	250	150
	6/11/2013	1,000	39.0	330	270	260
	9/16/2013	1,100	35.0	300	220	280
	12/4/2013	700	32.0	410	290	110
	3/24/2014	770	<32.0	360	200	200
	6/23/2014	620	<32.0	230	180	210
	9/24/2014	660	<2.00	220	180	230
	12/22/2014	550	23.0	270	200	120
	3/10/2015	440	17.0	260	160	99.0
6/18/2015	160	<3.50	12.0	19.0	30.0	
9/25/2015	470	15.0	60.0	39.0	130	
12/21/2015	550	<10.0	230	150	160	
3/21/2016	540	26.0	220	170	190	
6/14/2016	560	21.0	130	100	200	
9/14/2016	340	13.0	24.0	19.0	130	
12/20/2016	450	19.0	180	120	130	
3/8/2017	290	17.0	160	97.0	120	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 2 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-03	5/26/2009	14.0	<5.20	210	200	<3.7
	9/22/2009	5.50	<4.10	1,100	130	<3.4
	12/2/2009	220	<4.10	590	130	<3.4
	3/23/2010	450	<13.0	92.0	77.0	<9.2
	6/22/2010	340	<6.50	10.0	7.20	58.0
	9/15/2010	<3.10	290	<4.50	7.70	130
	3/9/2011	62.0	<6.50	7.80	13.0	290
	6/28/2011	580	5.50	51.0	79.0	460
	9/20/2011	110	<6.50	<5.20	<4.20	650
	12/5/2011	480	<21.0	<16.0	<13.0	560
	3/6/2012	6.70	<0.19	<0.15	<0.25	13.0
	6/6/2012	770	5.60	10.0	15.0	1,100
	9/24/2012	180	<4.80	<3.70	<6.20	290
	12/5/2012	530	<24.0	<18.0	<3.00	1,100
	3/20/2013	400	<25.0	38.0	31.0	750
	6/11/2013	90.0	<0.18	<13.0	20.0	1,000
	9/16/2013	390	<15.0	24.0	20.0	970
	12/4/2013	330	<32.0	28.0	<27.0	720
	3/24/2014	390	<32.0	26.0	51.0	760
	6/23/2014	290	<32.0	52.0	40.0	680
	9/24/2014	320	<32.0	<22.0	<27.0	780
	12/22/2014	350	<16.0	16.0	<14.0	700
	3/10/2015	370	<20.0	130	80.0	750
6/18/2015	428	<22.0	36.8	20.6	488	
9/25/2015	1,300	<14.0	<17.0	<13.0	1,000	
12/21/2015	600	<25.0	41.0	<31.0	950	
3/21/2016	1,100	8.70	37.0	26.0	1,200	
6/14/2016	1,300	<15.0	<17.0	<24.0	1,100	
9/14/2016	2,100	19.0	<21.0	<30.0	1,100	
12/20/2016	430	15.0	62.0	38.0	1,200	
3/8/2017	1,500	<34.0	74.0	<65.0	1,100	
IW-1	5/26/2009	8.80	<0.26	0.76	0.68	5.50
	9/22/2009	2.70	<0.26	<0.21	<0.17	7.20
	12/2/2009	2.00	<0.21	0.12	0.43	7.80
	3/23/2010	1.70	<0.26	<0.21	<0.17	9.30
	6/22/2010	1.80	<0.26	0.54	0.23	7.60
	9/15/2010	<0.13	0.99	<0.16	<0.16	6.90
	12/14/2010	1.20	<0.26	0.44	0.44	7.80
	3/9/2011	1.00	NR	0.43	<0.17	6.70
	6/28/2011	0.82	<0.26	<0.21	<0.17	4.80
	9/20/2011	0.49	<0.19	<0.15	<0.25	2.60
	12/5/2011	0.43	<0.26	<0.15	<0.17	2.10
	3/6/2012	0.29	<0.26	<0.21	<0.17	1.80
	9/24/2012	0.54	<0.26	<0.21	<0.17	1.80
	3/20/2013	0.27	<0.32	0.31	0.34	1.80
	9/16/2013	0.31	<0.18	0.19	<0.14	1.50
	3/24/2014	0.26	<0.32	<0.16	<0.27	1.80
	9/24/2014	0.22	<0.32	<0.22	<0.27	1.50
	3/10/2015	<0.30	<0.25	<0.21	<0.31	1.70
9/25/2015	<0.30	<0.25	<0.21	<0.31	1.40	
3/21/2016	<0.18	<0.15	<0.17	<0.24	1.60	
9/14/2016	<0.24	<0.17	<0.22	<0.32	1.20	
3/8/2017	2.30	<0.17	1.60	0.66	1.30	
6/11/2021	0.41 J	<0.60	0.92 J	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 3 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-1	12/16/2004	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.40	<0.20
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-2	12/16/2004	5,900	32.0	120	140	33.0
	6/1/2005	3,800	160	<150	160	<53.0
	3/28/2006	6,400	<85.0	190	450	<98.0
	10/25/2007	1,800	<25.0	<25.0	520	27.0
	4/21/2008	560	<25.0	120	85.0	<25.0
	5/26/2009	260	<6.50	110	69.0	6.90
	9/22/2009	630	<6.50	270	170	25.0
	12/2/2009	510	<5.20	320	230	6.50
	3/23/2010	1,000	7.60	470	360	17.0
	6/22/2010	950	<10.0	400	290	16.0
	9/15/2010	<5.00	360	180	150	<6.90
	12/14/2010	390	<10.0	270	200	13.0
	3/9/2011	530	<10.0	220	180	<7.40
	6/28/2011	570	<10.0	210	200	10.0
	9/20/2011	710	<7.70	250	290	6.60
	12/5/2011	2,200	27.0	15.0	500	65.0
	3/6/2012	3,200	<52.0	450	340	55.0
	6/6/2012	3,200	<65.0	350	300	<46.0
	9/24/2012	3,900	<48.0	530	490	<37.0
	12/5/2012	4,800	<77.0	200	510	<60.0
	3/20/2013	3,200	<130	270	500	<66.0
	6/11/2013	870	<32.0	140	160	<17.0
	9/16/2013	2,300	<74.0	74.0	200	<44.0
	12/4/2013	1,900	<40.0	330	400	<44.0
	3/24/2014	1,800	<40.0	140	190	<21.0
	6/23/2014	840	<16.0	96.0	67.0	16.0
	9/24/2014	1,300	<16.0	230	360	14.0
	12/22/2014	2,000	<32.0	230	270	24.0
3/10/2015	3,800	25.0	200	200	28.0	
6/18/2015	1,800	<35.0	72.0	120	39.0	
9/25/2015	2,400	<35.0	170	370	39.0	
12/21/2015	1,600	<50.0	150	280	31.0	
3/21/2016	1,700	<29.0	120	170	32.0	
6/14/2016	1,400	<34.0	85.0	92.0	34.0	
9/14/2016	2,500	21.0	180	270	20.0	
12/20/2016	1,100	<42.0	160	220	43.0	
3/8/2017	1,800	<42.0	150	220	43.0	
10/8/2020	5.70	<0.37	4.20	1.75	0.78	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 4 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-2A	12/16/2004	380	<5.40	44.0	69.0	29.0
	6/1/2005	350	<8.70	110	83.0	36.0
	3/28/2006	3,800	20.0	320	700	91.0
	10/25/2007	1,800	<25.0	360	530	<25.0
	4/21/2008	2,100	<25.0	610	620	<25.0
	5/26/2009	660	<13.0	590	380	<9.20
	9/22/2009	920	<13.0	530	280	75.0
	12/2/2009	1,700	11.0	390	280	56.0
	3/23/2010	1,900	16.0	250	180	76.0
	6/22/2010	1,600	<26.0	290	200	<18.0
	9/15/2010	<13.0	730	340	200	<17.0
	12/14/2010	2,100	<26.0	370	190	25.0
	3/9/2011	1,700	<26.0	220	140	48.0
	6/28/2011	1,600	<26.0	240	160	<18.0
	9/20/2011	1,200	<19.0	210	150	<15.0
	12/5/2011	1,700	<26.0	170	110	33.0
	3/6/2012	2,200	<52.0	140	100	69.0
	6/6/2012	2,200	<52.0	88.0	79.0	73.0
	9/24/2012	1,800	<39.0	110	85.0	66.0
	12/5/2012	2,300	<39.0	74.0	87.0	67.0
	3/20/2013	2,400	<63.0	66.0	61.0	<33.0
	6/11/2013	1,500	<63.0	94.0	130	<33.0
	9/16/2013	1,600	<37.0	62.0	91.0	32.0
	12/4/2013	2,400	<63.0	65.0	65.0	54.0
	3/24/2014	630	<16.0	33.0	39.0	36.0
	6/23/2014	2,300	<63.0	<200	<200	59.0
	9/24/2014	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/2014	1,900	<32.0	42.0	36.0	62.0
	3/10/2015	2,000	<31.0	44.0	49.0	47.0
	6/18/2015	3,630	<34.0	135	71.0	53.9
9/25/2015	2,000	<35.0	<44.0	<33.0	47.0	
12/21/2015	2,200	<50.0	<43.0	<61.0	100	
3/21/2016	2,500	<29.0	<33.0	<47.0	98.0	
6/14/2016	1,900	<34.0	<44.0	<65.0	100	
9/14/2016	1,400	<29.0	<33.0	<47.0	<32.0	
12/20/2016	1,600	<21.0	<28.0	<40.0	75.0	
3/8/2017	2,000	<21.0	<28.0	<40.0	290	
10/8/2020	121	<3.70	<3.30	<4.70	29.3	
6/11/2021	11.4	<0.60	<0.54	<0.47	<0.17	
MW-2B	10/25/2007	19.0	<0.50	15.0	6.20	<0.50
	4/21/2008	19.0	<0.50	15.0	6.20	<0.50
	5/26/2009	1.40	<0.26	11.0	6.60	<0.18
	9/22/2009	1.80	<0.26	9.20	6.40	<0.18
	12/2/2009	2.20	<0.21	9.80	5.90	<0.17
	3/23/2010	4.60	<0.13	13.0	6.70	<0.17
	6/22/2010	1.60	<0.26	11.0	6.70	<0.18
	9/15/2010	<0.13	0.63	7.10	6.50	<0.17
	12/14/2010	15.0	<0.26	19.0	6.30	<0.18
	3/9/2011	14.0	<0.26	8.20	4.90	<0.18
	6/28/2011	16.0	<0.26	8.20	4.50	<0.18
	9/20/2011	15.0	<0.19	5.00	3.90	<0.15
	12/5/2011	13.0	<0.26	6.90	4.80	<0.18
	3/6/2012	12.0	<0.26	6.80	5.50	<0.18
	9/24/2012	16.0	0.21	6.70	7.30	<0.15
	3/20/2013	35.0	0.37	10.0	11.0	<0.17
	9/16/2013	23.0	<0.74	5.90	5.10	<0.44
	3/24/2014	39.0	<0.79	7.70	11.0	<0.42
	9/24/2014	7.30	<0.32	9.60	6.60	<0.17
	3/10/2015	11.0	<0.25	13.0	8.50	0.19
9/25/2015	5.60	<0.18	23.0	7.80	<0.20	
3/21/2016	13.0	0.22	16.0	8.10	<0.16	
9/14/2016	18.0	0.25	16.0	4.80	<0.16	
3/8/2017	25.0	0.38	20.0	5.60	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
6/11/2021	<0.39	<0.60	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 5 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3	12/16/2004	6,800	<540	34,000	17,000	<820
	6/1/2005	2,600	<870	27,000	5,500	<270
	3/28/2006	3,500	<420	28,000	7,200	<490
	11/2/2006	3,000	<220	22,000	5,100	79.0
	10/25/2007	5,800	<200	10,000	3,300	710
	4/21/2008	2,100	<130	24,000	3,100	<130
	5/26/2009	2,800	<51.0	5,700	4,000	270
	9/22/2009	27,000	840	<100	<84	12,000
	12/2/2009	68,000	2,000	<59.0	<190	27,000
	3/23/2010	80,000	1,800	<900	<820	31,000
	6/22/2010	2,500	<1300	<1000	<840	52,000
	9/15/2010	<630	<600	<900	<820	27,000
	12/14/2010	<510	<650	<520	<420	26,000
	3/9/2011	970	<650	<520	<420	28,000
	6/28/2011	<200	<260	<210	<170	13,000
	9/20/2011	<100	<97.0	<73.0	<120	4,400
	12/5/2011	100	<130	<100	<84.0	15,000
	3/6/2012	470	<520	<410	<330	20,000
	6/6/2012	<200	<260	<210	<170	12,000
	9/24/2012	0.28	<0.19	<0.15	<0.25	2.10
	12/5/2012	2.00	<0.19	<0.15	<0.25	83.0
	3/20/2013	13.0	62.0	<1.7	<2.20	5,200
	6/11/2013	<4.00	<13.0	<8.6	<11.0	380
	9/16/2013	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/2013	1.60	<0.32	<0.22	<0.27	0.57
	3/24/2014	1.90	<0.32	<0.22	0.68	6.60
6/23/2014	3.00	<0.17	<0.21	<0.15	8.90	
9/24/2014	1.10	<0.32	<0.22	0.56	0.77	
12/22/2014	0.85	<0.32	<0.22	<0.27	0.54	
3/10/2015	0.81	<0.25	<0.21	<0.31	0.31	
6/18/2015	1.63	<0.27	0.41	0.36	0.48	
9/25/2015	1.10	0.34	<0.22	<0.17	1.70	
12/21/2015	3.30	0.38	<0.21	1.30	4.80	
3/21/2016	3.00	0.30	<0.17	<0.24	12.0	
9/14/2016	1.10	0.61	<0.17	<0.24	2.10	
3/8/2017	3.00	0.24	<0.22	<0.32	39.0	
10/8/2020	4.90 J	<0.37	<0.33	<0.47	690	
1/21/2021	330	4.60 J	<3.30	<4.70	1,220	
6/11/2021	860	12 J	<5.40	<4.70	3,700	
1/14/2022	1,200.00	29 J	<5.40	<4.70	4,000	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 6 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3A	6/1/2005	13,000	250	3,000	2,300	910
	3/28/2006	12,000	190	4,200	2,900	740
	11/2/2006	14,000	<220	1,700	1,900	580
	10/25/2007	11,000	190	2,100	1,500	520
	4/21/2008	16,000	<250	4,400	2,700	990
	5/26/2009	18,000	250	3,100	2,100	1,700
	9/22/2009	20,000	300	1,200	1,100	2,300
	12/2/2009	18,000	<260	1,500	1,200	2,200
	3/23/2010	15,000	180	1,400	1,300	1,600
	6/22/2010	16,000	<330	2,400	1,400	1,700
	9/15/2010	<160	15,000	1,300	1,500	1,900
	12/14/2010	17,000	<330	1,500	1,500	1,700
	3/9/2011	14,000	<330	1,500	310	1,200
	6/28/2011	8,500	<330	<260	<210	1,200
	9/20/2011	14,000	<330	<260	<210	4,000
	12/5/2011	8,500	<330	<260	<200	9,400
	3/6/2012	4,500	<150	<120	<130	6,700
	6/6/2012	7,900	<210	<160	<62	4,700
	9/24/2012	3,200	50.0	<37.0	<250	2,800
	12/5/2012	15,000	<190	<150	<340	2,800
	3/20/2013	11,000	<400	<270	390	2,400
	6/11/2013	13,000	<400	<270	<180	2,600
	9/16/2013	13,000	<230	<200	<340	2,400
	12/4/2013	13,000	<400	<270	<340	2,200
	3/24/2014	14,000	<400	<400	<190	2,200
	6/23/2014	14,000	<180	<170	<340	2,600
	9/24/2014	12,000	<400	<270	<270	2,500
	12/22/2014	15,000	<320	<220	<380	2,500
	3/10/2015	13,000	<310	<270	<230	2,360
	6/18/2015	14,700	<340	<330	<380	2,500
9/25/2015	13,000	<310	<270	<380	2,300	
12/21/2015	12,000	<310	<270	<300	2,800	
3/21/2016	16,000	<180	<210	<400	2,800	
6/14/2016	13,000	<210	<280	<400	2,500	
9/14/2016	18,000	<180	<210	<300	2,900	
12/20/2016	16,000	<210	<280	<400	2,800	
3/8/2017	17,000	<210	<280	<400	3,100	
10/8/2020	8,900	400	<3.30	<4.70	1,980	
1/21/2021	12,000	93.0	<23.50	<16.5	2,850	
6/11/2021	12,500	97 J	<54.0	<47.0	2,140	
1/14/2022	13,700	98 J	<54.0	<47.0	2,850	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 7 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3B	3/28/2006	600	<85.0	17,000	2,800	<98.0
	11/2/2006	400	<110	9,700	1,800	<22.0
	10/25/2007	330	<100	5,300	1,200	<100
	4/21/2008	530	<100	12,000	2,400	<100
	5/26/2009	480	<51.0	9,700	2,300	<42.0
	9/22/2009	1,000	<210	9,800	1,900	210
	12/2/2009	1,000	<160	9,700	2,200	<140
	3/23/2010	920	<100	10,000	2,200	<140
	6/22/2010	860	<210	1,600	1,900	<150
	9/15/2010	<170	1,000	10,000	2,400	<140
	12/14/2010	740	<260	11,000	2,100	<180
	3/9/2011	670	<260	9,600	1,900	<180
	6/28/2011	1,800	<52.0	830	820	130
	9/20/2011	4,900	<130	320	1,500	160
	12/5/2011	4,800	<130	210	710	190
	3/6/2012	6,500	<77.0	<58	<99	400
	6/6/2012	3,400	<130	110	550	710
	9/24/2012	2,200	<39.0	840	870	690
	12/5/2012	1,500	<39.0	1,800	1,100	450
	3/20/2013	1,100	<40.0	2,500	1,100	250
	6/11/2013	1,400	<37.0	2,700	1,200	270
	9/16/2013	1,100	<63.0	2,400	1,200	250
	12/4/2013	960	<63.0	1,900	1,000	190
	3/24/2014	900	<63.0	2,200	1,200	170
	6/23/2014	950	<63.0	1,900	1,100	220
	9/24/2014	1,100	<63.0	2,100	1,100	250
	12/22/2014	1,300	<63.0	2,400	1,500	230
	3/10/2015	990	<50.0	2,800	1,400	210
	6/18/2015	1,160	<54.0	3,380	1,440	218
	9/25/2015	980	<50.0	2,600	1,300	230
12/21/2015	900	<50.0	3,000	1,400	220	
3/21/2016	1,100	<36.0	3,400	1,300	<300	
6/14/2016	940	<42.0	2,900	1,200	310	
9/14/2016	1,200	<36.0	3,600	1,300	370	
12/20/2016	1,300	<68.0	2,800	1,200	400	
3/8/2017	1,200	<68.0	4,100	1,400	360	
10/8/2020	330	13.1	<3.30	<4.70	460	
1/21/2021	309	11.30 J	<3.30	<4.70	610	
6/11/2021	330	11 J	<5.40	<4.70	350	
1/14/2022	117	13.4 J	<5.40	<4.70	314	
MW-3C	10/25/2007	110	1.00	3.20	1.40	2.80
	4/21/2008	49.0	<5.00	<5.00	<5.00	<5.00
	5/26/2009	37.0	0.38	1.90	2.50	0.57
	9/22/2009	0.35	<0.26	0.68	0.22	<0.18
	12/2/2009	<0.41	<0.51	<0.30	1.10	<0.42
	3/23/2010	5.00	<0.50	<0.72	<0.65	1.80
	6/22/2010	11.0	<1.00	<0.82	<0.67	1.70
	9/15/2010	<0.13	6.10	<0.18	0.31	0.85
	12/14/2010	6.10	<0.26	34.0	5.40	1.20
	3/9/2011	6.40	NR	<0.21	0.34	0.71
	6/28/2011	5.30	<0.26	<0.21	0.34	0.95
	9/20/2011	6.90	<0.26	0.44	0.94	0.79
	12/5/2011	4.80	<0.26	<0.21	0.53	0.73
	3/6/2012	4.30	<0.19	<0.15	<0.25	0.61
	9/24/2012	4.10	<0.19	<0.15	<0.25	0.66
	3/20/2013	4.30	<0.32	0.35	0.42	1.10
	9/16/2013	1.90	<0.32	<0.22	<0.17	<0.17
	3/24/2014	5.50	<0.32	4.10	1.90	0.66
9/24/2014	1.50	<0.32	<0.22	<0.27	0.19	
3/10/2015	1.80	<0.25	<0.21	<0.31	0.26	
9/25/2015	1.40	<0.25	<0.21	<0.31	0.18	
3/21/2016	1.40	<0.17	<0.22	<0.32	0.20	
9/14/2016	1.20	<0.15	<0.17	<0.24	0.17	
3/8/2017	1.30	<0.17	<0.22	<0.32	0.37	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	1.29	<0.47	<0.20	
6/11/2021	<0.39	<0.60	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 8 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4	12/16/2004	<66.0	<54.0	2,500	10,000	<82.0
	6/1/2005	<200	<170	2,500	4,700	<53.0
	3/28/2006	<190	<170	5,400	38,000	<200
	10/25/2007	42.0	<25.0	2,000	1,500	<25.0
	4/21/2008	600	<500	14,000	43,000	<500
	5/26/2009	<40.0	<52.0	2,400	1,100	<37.0
	9/22/2009	5,200	<52.0	<41.0	44.0	1,300
	12/2/2009	1,600	<21.0	110	71.0	800
	3/23/2010	4,300	47.0	5,000	17,000	1,600
	6/22/2010	3,600	<33.0	<26.0	<21.0	1,600
	9/15/2010	<15.0	660	<23.0	<20.0	970
	12/14/2010	990	<33.0	<26.0	<21.0	2,100
	3/9/2011	3,100	<26.0	5,500	6,300	1,400
	6/28/2011	7,200	69.0	70.0	1,000	7,200
	9/20/2011	9,200	57.0	<18.0	730	3,200
	12/5/2011	21,000	140	<100	2,000	4,400
	3/6/2012	69,000	650	<180	1,900	14,000
	6/6/2012	8,300	<210	<160	<130	7,000
	9/24/2012	5,800	<210	<160	<130	6,800
	12/5/2012	9,700	<150	<120	<200	9,100
	3/20/2013	30,000	270	150	5,900	13,000
	6/11/2013	5,000	<250	<170	<220	6,700
	9/16/2013	1,300	<74.0	87.0	<57.0	5,200
	12/4/2013	7.80	<1.30	<2.70	<3.40	160
	3/24/2014	6,500	<500	<110	3,900	3,000
	6/23/2014	14,000	<160	<110	<140	12,000
	9/24/2014	7,400	<400	<270	<340	8,400
	12/22/2014	740	<22.0	<17.0	<19.0	1,200
	3/10/2015	2,600	<63.0	<53.0	<76.0	1,700
	6/18/2015	6,010	<67.0	<66.0	<46.0	4,560
9/25/2015	9,700	<130	<110	510	8,000	
12/21/2015	3,600	<130	<110	<150	5,100	
3/21/2016	3,700	<85	<110	<160	5,600	
6/14/2016	3,900	<85	<110	<160	3,000	
9/14/2016	620	<21.0	<28.0	<40.0	1,800	
12/20/2016	3.70	0.62	<0.44	<68.0	18.0	
3/8/2017	800	<17.0	<22.0	<32.0	1,100	
10/8/2020	50.0	4.30 J	<3.30	<4.70	102	
1/21/2021	180	2.71	<0.33	2.00	340	
6/11/2021	750	13.4 J	<5.40	<4.70	730	
1/14/2022	181	7.1 J	<5.40	<4.70	224	
MW-4A	12/16/2004	0.89	<0.11	7.10	23.0	<0.16
	6/1/2005	<0.40	<0.35	1.20	0.59	<0.11
	3/28/2006	0.29	<0.17	6.90	0.97	<0.20
	10/25/2007	<0.50	<0.50	1.20	8.50	<0.50
	4/21/2008	<0.50	<0.50	1.50	1.10	<0.50
	5/26/2009	<0.20	<0.26	3.80	1.60	<0.18
	9/22/2009	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/2009	0.20	<0.21	0.95	<0.37	<0.57
	3/23/2010	2.60	<0.26	3.30	2.20	<0.18
	6/22/2010	0.79	<0.26	1.20	0.52	<0.18
	9/15/2010	<0.13	0.53	1.10	0.56	<0.17
	12/14/2010	<0.2	<0.26	0.38	0.33	<0.18
	3/9/2011	2.60	<0.26	6.20	1.40	<0.18
	6/28/2011	0.70	<0.26	0.67	0.65	<0.18
	9/20/2011	1.90	<0.19	0.82	1.70	<0.15
	12/5/2011	1.60	<0.26	0.82	0.59	<0.18
	3/6/2012	1.40	<0.19	0.66	0.41	<0.15
	6/6/2012	1.80	<0.19	0.85	0.51	<0.15
	9/24/2012	1.50	<0.26	0.74	0.61	<0.18
	3/20/2013	0.44	<0.32	0.68	0.55	<0.17
	9/16/2013	0.30	<0.32	0.29	0.32	<0.17
	3/24/2014	0.11	0.32	<0.16	0.46	<0.17
9/24/2014	<0.10	<0.32	<0.22	0.29	<0.17	
3/10/2015	<0.30	<0.25	<43	<0.31	<0.16	
9/25/2015	0.64	<0.25	0.34	0.40	<0.16	
3/21/2016	2.10	<0.17	0.33	<0.32	<0.17	
9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17	
3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
1/14/2022	0.72 J	<0.6	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 9 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4B	5/26/2009	<0.20	<0.26	1.10	0.42	<0.18
	9/22/2009	1.10	<0.21	3.60	1.20	<0.17
	12/2/2009	2.50	<0.21	2.80	1.10	<0.57
	3/23/2010	0.29	<0.26	2.20	0.25	<0.18
	6/22/2010	0.39	<0.26	0.81	<0.17	<0.18
	9/15/2010	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/2010	2.40	<0.26	2.50	0.46	0.22
	3/9/2011	7.30	<0.26	1.50	0.44	<0.18
	6/28/2011	1.90	<0.26	0.40	0.23	0.29
	9/20/2011	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/2011	1.30	<0.26	0.37	0.39	<0.18
	3/6/2012	3.10	<0.19	1.40	0.49	<0.15
	9/24/2012	0.69	<0.26	<0.21	<0.17	<0.18
	3/20/2013	0.33	<0.32	<0.22	<0.27	<0.17
	9/16/2013	<0.10	<0.32	<0.22	<0.17	<0.17
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
9/24/2014	0.40	<0.32	0.31	<0.27	<0.17	
3/10/2015	<0.30	<0.25	0.78	<0.31	<0.16	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-5	12/16/2004	0.21	<0.11	2.30	1.20	<0.16
	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	0.17	0.77	<0.20
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	0.78	0.81	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.18	0.47	<0.17
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/2012	<0.20	<0.26	<0.21	<0.17	<0.18
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.19	<0.17	<0.16	0.35	<0.20
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/2013	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-6A	6/1/2005	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/2006	<0.34	<0.17	<0.16	<0.19	<0.20
	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/2010	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/2013	<0.10	<0.32	0.30	<0.27	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 10 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7	3/28/2006	0.89	<0.17	5.40	2.90	<0.20
	11/2/2006	<0.83	<0.89	4.90	1.40	<0.18
	10/25/2007	<0.50	<0.50	3.50	0.63	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/2009	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/2009	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/2010	<0.12	<0.13	0.32	<0.16	<0.17
	9/15/2010	<0.13	<0.12	0.48	<0.16	<0.17
	3/9/2011	<0.20	NR	0.34	<0.17	<0.18
	9/20/2011	NR	<0.48	0.47	<0.25	<0.15
	3/6/2012	<0.21	<0.19	0.29	<0.25	<0.15
	9/24/2012	22.0	0.28	0.80	1.40	<0.18
	3/20/2013	0.99	<0.32	0.42	0.34	<0.17
	9/16/2013	<0.10	<0.32	0.27	<0.17	<0.17
	3/24/2014	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/2014	1.20	<0.32	2.30	0.64	<0.17
	3/10/2015	<0.30	<0.25	0.29	<0.31	<0.16
	9/25/2015	<0.30	<0.25	0.30	<0.31	<0.16
	3/21/2016	<0.24	<0.17	<0.22	<0.32	<0.17
9/14/2016	NR	<0.17	<0.22	<0.32	<0.17	
3/8/2017	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-7A	3/28/2006	270	<10.0	850	200	<8.30
	11/2/2006	290	<8.90	560	180	<1.80
	10/25/2007	<5.00	<5.00	310	110	<5.00
	4/21/2008	<0.50	<0.50	0.67	<0.50	<0.50
	5/26/2009	<1.60	<2.10	94.0	3.90	<1.50
	9/22/2009	<1.30	<1.60	68.0	5.90	<1.40
	12/2/2009	0.50	<0.21	83.0	3.60	<0.57
	3/23/2010	5.00	<0.63	92.0	6.40	<0.87
	6/22/2010	<1.60	<2.10	82.0	2.10	<1.50
	9/15/2010	<0.50	<0.48	44.0	2.10	<0.69
	12/14/2010	<1.00	<1.30	55.0	1.30	<0.92
	3/9/2011	1.10	NR	60.0	1.20	<0.92
	6/28/2011	1.30	<1.30	45.0	2.00	1.10
	9/20/2011	1.10	<0.48	43.0	1.90	<0.37
	12/5/2011	3.50	<1.00	50.0	1.70	<0.74
	3/6/2012	4.20	<0.77	59.0	2.90	<0.60
	6/6/2012	67.0	<0.97	54.0	3.50	<0.75
	9/24/2012	74.0	<1.30	67.0	6.40	<0.92
	12/5/2012	74.0	<0.97	55.0	6.90	<0.75
	3/20/2013	140	<1.60	69.0	25.0	<0.83
	6/11/2013	96.0	<2.30	44.0	11.0	1.90
	9/16/2013	45.0	<3.20	25.0	4.90	<1.70
	12/4/2013	86.0	<3.20	47.0	9.70	<1.70
	3/24/2014	160	<32.0	60.0	24.0	<1.70
	6/23/2014	120	<3.20	49.0	20.0	<1.70
	9/24/2014	77.0	<3.20	31.0	11.0	<1.70
	12/22/2014	97.0	<0.87	49.0	17.0	<0.84
	3/10/2015	92.0	<2.00	44.0	19.0	<1.20
	6/18/2015	187	<2.70	70.8	32.0	<2.00
	9/25/2015	160	<2.50	71.0	45.0	<1.60
12/21/2015	180	<3.10	120	65.0	<2.00	
3/21/2016	180	<12.5	100	55.0	<2.10	
6/14/2016	170	<2.10	88.0	55.0	<2.10	
9/14/2016	190	<2.10	130	60.0	<2.10	
12/20/2016	200	<2.10	120	54.0	<2.10	
3/8/2017	230	<3.40	140	61.0	<2.10	
10/8/2020	3.00	<0.37	33.0	9.40	<0.20	
1/21/2021	1.50	<0.37	22.6	3.50	<0.20	
6/11/2021	0.43 J	<0.60	26.6	1.10 J	<0.17	
1/14/2022	5.20	<0.6	24.70	1.39 J	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 11 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7B	10/25/2007	<0.50	<0.50	6.90	0.87	<0.50
	4/21/2008	<0.50	<0.50	6.40	0.73	<0.50
	5/26/2009	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/2009	<0.16	<0.21	10.0	0.39	<0.17
	12/2/2009	0.49	<0.21	11.0	0.62	<0.17
	3/23/2010	0.20	<0.13	8.60	0.62	<0.17
	6/22/2010	<0.20	<0.26	8.10	0.35	<0.18
	9/15/2010	<0.13	<0.12	8.00	0.78	<0.17
	12/14/2010	<0.20	<0.26	11.0	0.51	<0.15
	3/9/2011	<0.20	NR	8.40	0.42	<0.18
	6/28/2011	<0.21	<0.19	7.10	0.45	<0.15
	9/20/2011	<0.21	<0.19	6.60	0.49	<0.15
	12/5/2011	<0.20	<0.26	5.50	0.48	<0.18
	3/6/2012	0.66	<0.19	3.50	0.48	<0.15
	9/24/2012	0.61	<0.26	3.10	0.58	<0.18
	3/20/2013	4.90	<0.32	3.10	1.30	0.79
	9/16/2013	<0.10	<0.32	0.56	3.50	<0.17
	3/24/2014	0.33	<0.32	4.90	1.60	<0.17
	9/24/2014	<0.10	<0.32	3.80	0.40	<0.17
	3/10/2015	0.50	<0.25	5.50	0.79	<0.16
	9/25/2015	0.77	<0.18	6.40	1.50	0.23
3/21/2016	8.40	0.25	8.50	5.10	0.52	
9/14/2016	7.10	<0.17	15.0	7.70	0.35	
3/8/2017	2.30	<0.17	20.0	7.40	0.39	
10/8/2020	<0.39	<0.37	6.80	1.26	<0.20	
1/21/2021	<0.39	<0.37	4.90	1.06 J	<0.20	
6/11/2021	<0.39	<0.60	5.19	0.76 J	<0.17	
1/14/2022	0.96 J	<0.6	5.10	0.91 J	<0.17	
MW-8	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	<0.12	<0.13	0.22	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-8A	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	<0.50	<0.50	1.90	<0.50	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	<0.12	<0.13	1.10	<0.16	<0.17
	9/15/2010	<0.13	0.68	<0.16	<0.16	<0.18
	3/9/2011	<0.20	NR	<0.21	<0.17	<0.18
	9/20/2011	0.33	<0.19	<0.15	0.60	<0.15
	3/6/2012	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-8B	10/25/2007	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/2008	1.30	<0.50	4.00	1.40	<0.50
	5/26/2009	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/2010	0.24	<0.13	2.00	<0.16	<0.17
	9/15/2010	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/2011	0.37	NR	3.20	0.33	<0.18
	9/20/2011	<0.20	<0.19	<0.15	<0.25	<0.15
	3/6/2012	0.23	<0.19	<0.15	0.31	<0.15
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	0.96 J	<0.47	<0.20
MW-9	12/22/2014	780	<17.0	<14.0	<15.0	20.0
	3/10/2015	980	<20.0	<17.0	<24.0	52.0
	6/18/2015	2,300	25.4	37.7	<15.0	85.6
	9/25/2015	3,400	<35.0	<55.0	<42.0	230
	12/21/2015	2,100	<63.0	<53.0	<76.0	75.0
	3/21/2016	1,700	<34.0	<44.0	<65.0	73.0
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	7.20	<0.37	<0.33	<0.47	<0.20
	6/11/2021	24.3	<0.37	<0.33	<0.47	<0.20
	1/14/2022	500.00	5.90	6.00	2.70	3.50
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 12 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-9A	12/22/2014	340	<7.90	<5.40	<6.80	<4.20
	3/10/2015	300	<6.30	<5.30	<7.60	<3.90
	6/18/2015	358	<6.70	<6.60	<4.60	16.8
	9/25/2015	290	<4.40	<5.50	<4.20	<4.90
	12/21/2015	480	<6.30	<5.30	<7.60	7.70
	3/21/2016	320	<6.80	<8.80	<13.0	<6.80
	10/8/2020	100	1.91	<0.33	<0.47	<0.20
	1/21/2021	161	1.51	<0.33	<0.47	0.35 J
	6/11/2021	218	3.00	<0.33	<0.47	<0.17
	1/14/2022	520.00	3.30	<0.54	<0.47	0.28 J
MW-10	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-10A	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/2016	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/2017	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-11	6/14/2016	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/2016	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/2016	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/2017	<0.17	<0.24	0.23	<0.32	<0.17
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-12	3/21/2016	20.0	0.47 J	<0.22	<0.32	0.35 J
	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
	6/11/2021	<0.39	<0.60	<0.54	<0.47	<0.17
MW-12A	3/21/2016	2,400	<29.0	<33.0	<47.0	290
	8/7/2018	360	4.90	<0.38	<0.30	<0.20
	4/26/2019	137	<3.40	<3.80	<3.00	<2.00
	10/8/2020	42.0	1.41	<0.33	<0.47	<0.20
	1/21/2021	37.0	0.98 J	<0.33	<0.47	<0.20
	6/11/2021	20.0	0.8 J	<0.33	<0.47	<0.20
	1/14/2022	4.00	1.23 J	<0.54	<0.47	<0.17
MW-13	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
	6/11/2021	<0.39	<0.60	<0.54	<0.47	<0.17
MW-13A	10/8/2020	830	11.90	<0.33	<0.47	75.0
	1/21/2021	590	5.20 J	<0.33	<0.47	35.0
	6/11/2021	830	10.8 J	<5.4	<4.7	3.6 J
	1/14/2022	90	<6	<5.4	<4.7	5.8 J
MW-14	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-14A	10/8/2020	1.76	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15A	10/8/2020	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/2021	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: 170503
 Sampler: (signature) Walter J. Ott

Project (Name / Location): DB Oak

Reports To: Trenton Ott Invoice To: Same

Company FEC, Inc. Company _____

Address 6635 N. Sidney Place Address _____

City State Zip Milwaukee, WI 53209 City State Zip _____

Phone (414) 228-9815 Phone _____

Email tott@fecinc.us Email _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID		
		Date	Time																						
<u>S04044A</u>	<u>MW-4A</u>	<u>1/14/22</u>	<u>PM</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																		
<u>B</u>	<u>MW-12A</u>																								
<u>C</u>	<u>MW-9</u>																								
<u>D</u>	<u>MW-9A</u>																								
<u>E</u>	<u>MW-13A</u>																								
<u>F</u>	<u>MW-7B</u>																								
<u>G</u>	<u>MW-7A</u>																								
<u>H</u>	<u>MW-3B</u>																								
<u>I</u>	<u>MW-4</u>																								
<u>J</u>	<u>MW-3</u>																								
<u>K</u>	<u>MW-3A</u>																								

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By (sign) Walter J. Ott Time _____ Date _____
 Received By: (sign) _____ Time _____ Date _____

Received in Laboratory By: Cheryl Ruen Time: 8:00 Date: 1/18/22

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRENTON OTT
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 25-Jan-22

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444A
Sample ID MW-4A
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/19/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/19/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/19/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/19/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/19/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/19/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/19/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/19/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/19/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/19/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/19/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/19/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/19/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		1/19/2022	CJR	1
cis-1,2-Dichloroethene	0.72 "J"	ug/l	0.39	1.59	1	8260B		1/19/2022	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		1/19/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444A
Sample ID MW-4A
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/19/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/19/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/19/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/19/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/19/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/19/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/19/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/19/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/19/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/19/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/19/2022	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		1/19/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/19/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/19/2022	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/19/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/19/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/19/2022	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		1/19/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/19/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/19/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		1/19/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/19/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/19/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		1/19/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		1/19/2022	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		1/19/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		1/19/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040444B
Sample ID MW-12A
Sample Matrix Water
Sample Date 1/14/2022

Invoice # E40444

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/19/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/19/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/19/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/19/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/19/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/19/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/19/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/19/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/19/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/19/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/19/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/19/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/19/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		1/19/2022	CJR	1
cis-1,2-Dichloroethene	4.0	ug/l	0.39	1.59	1	8260B		1/19/2022	CJR	1
trans-1,2-Dichloroethene	1.23 "J"	ug/l	0.6	2.46	1	8260B		1/19/2022	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/19/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/19/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/19/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/19/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/19/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/19/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/19/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/19/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/19/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/19/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/19/2022	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		1/19/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/19/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/19/2022	CJR	1

Project Name DB OAK

Invoice # E40444

Project # 170503

Lab Code 5040444B

Sample ID MW-12A

Sample Matrix Water

Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/19/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/19/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/19/2022	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		1/19/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/19/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/19/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		1/19/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/19/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/19/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		1/19/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		1/19/2022	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		1/19/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		1/19/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E40444

Lab Code 5040444C
 Sample ID MW-9
 Sample Matrix Water
 Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.51 "J"	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/19/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/19/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/19/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/19/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/19/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/19/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/19/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/19/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/19/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/19/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/19/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/19/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/19/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/19/2022	CJR	1
1,1-Dichloroethene	1.71 "J"	ug/l	0.55	2.25	1	8260B		1/19/2022	CJR	1
cis-1,2-Dichloroethene	500	ug/l	3.9	15.9	10	8260B		1/25/2022	CJR	1
trans-1,2-Dichloroethene	5.9	ug/l	0.6	2.46	1	8260B		1/19/2022	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/19/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/19/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/19/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/19/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/19/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/19/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/19/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/19/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/19/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/19/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/19/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/19/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/19/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/19/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/19/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/19/2022	CJR	1
Tetrachloroethene	6.0	ug/l	0.54	2.22	1	8260B		1/19/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/19/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/19/2022	CJR	1

Project Name DB OAK

Invoice # E40444

Project # 170503

Lab Code 5040444C

Sample ID MW-9

Sample Matrix Water

Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/19/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/19/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/19/2022	CJR	1
Trichloroethene (TCE)	2.7	ug/l	0.47	1.92	1	8260B		1/19/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/19/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/19/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/19/2022	CJR	1
Vinyl Chloride	3.5	ug/l	0.17	0.65	1	8260B		1/19/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/19/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/19/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		1/19/2022	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		1/19/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		1/19/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		1/19/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E40444

Lab Code 5040444D
 Sample ID MW-9A
 Sample Matrix Water
 Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/20/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/20/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	1.85 "J"	ug/l	0.55	2.25	1	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	520	ug/l	3.9	15.9	10	8260B		1/25/2022	CJR	1
trans-1,2-Dichloroethene	3.3	ug/l	0.6	2.46	1	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/20/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/20/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		1/20/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444D
Sample ID MW-9A
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Vinyl Chloride	0.28 "J"	ug/l	0.17	0.65	1	8260B		1/20/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/20/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040444E
Sample ID MW-13A
Sample Matrix Water
Sample Date 1/14/2022

Invoice # E40444

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Bromobenzene	< 4	ug/l	4	16.5	10	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
Bromoform	< 4.6	ug/l	4.6	18.7	10	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 4.5	ug/l	4.5	18.4	10	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 3.1	ug/l	3.1	12.8	10	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
Chlorobenzene	< 3.8	ug/l	3.8	15.3	10	8260B		1/20/2022	CJR	1
Chloroethane	< 7.8	ug/l	7.8	31.6	10	8260B		1/20/2022	CJR	1
Chloroform	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
Chloromethane	< 8.4	ug/l	8.4	34.2	10	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 3.6	ug/l	3.6	14.7	10	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.2	10	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 5.4	ug/l	5.4	22	10	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	18.5	10	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 4.8	ug/l	4.8	19.7	10	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 5.5	ug/l	5.5	22.4	10	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 4.8	ug/l	4.8	19.5	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 5.5	ug/l	5.5	22.5	10	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	90	ug/l	3.9	15.9	10	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 6	ug/l	6	24.6	10	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 4.5	ug/l	4.5	18.2	10	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 5.1	ug/l	5.1	20.7	10	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 4.7	ug/l	4.7	19	10	8260B		1/20/2022	CJR	1
Ethylbenzene	< 3.7	ug/l	3.7	15.1	10	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	30	10	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 3	ug/l	3	12.4	10	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 4.3	ug/l	4.3	17.6	10	8260B		1/20/2022	CJR	1
Methylene chloride	< 8.9	ug/l	8.9	33.8	10	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Naphthalene	< 14	ug/l	14	56.7	10	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 3.6	ug/l	3.6	14.6	10	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 7.6	ug/l	7.6	31	10	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 5.4	ug/l	5.4	22.2	10	8260B		1/20/2022	CJR	1
Toluene	< 4.2	ug/l	4.2	17.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.7	ug/l	6.7	27.3	10	8260B		1/20/2022	CJR	1

Project Name DB OAK

Invoice # E40444

Project # 170503

Lab Code 5040444E

Sample ID MW-13A

Sample Matrix Water

Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 6.6	ug/l	6.6	28.2	10	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 4.1	ug/l	4.1	16.9	10	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	19.6	10	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	19.2	10	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 4.9	ug/l	4.9	20.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14	10	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Vinyl Chloride	5.8 "J"	ug/l	1.7	6.5	10	8260B		1/20/2022	CJR	1
m&p-Xylene	< 7.7	ug/l	7.7	31.4	10	8260B		1/20/2022	CJR	1
o-Xylene	< 4.4	ug/l	4.4	18	10	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	106	REC %			10	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			10	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040444F
Sample ID MW-7B
Sample Matrix Water
Sample Date 1/14/2022

Invoice # E40444

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/20/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/20/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	0.96 "J"	ug/l	0.39	1.59	1	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/20/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/20/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/20/2022	CJR	1
Tetrachloroethene	5.1	ug/l	0.54	2.22	1	8260B		1/20/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444F
Sample ID MW-7B
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	0.91 "J"	ug/l	0.47	1.92	1	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		1/20/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/20/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		1/20/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E40444

Lab Code 5040444G
 Sample ID MW-7A
 Sample Matrix Water
 Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		1/20/2022	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		1/20/2022	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	5.2	ug/l	0.39	1.59	1	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		1/20/2022	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		1/20/2022	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		1/20/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		1/20/2022	CJR	1
Tetrachloroethene	24.7	ug/l	0.54	2.22	1	8260B		1/20/2022	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444G
Sample ID MW-7A
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	1.39 "J"	ug/l	0.47	1.92	1	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		1/20/2022	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		1/20/2022	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		1/20/2022	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444H
Sample ID MW-3B
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Bromobenzene	< 4	ug/l	4	16.5	10	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
Bromoform	< 4.6	ug/l	4.6	18.7	10	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 4.5	ug/l	4.5	18.4	10	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 3.1	ug/l	3.1	12.8	10	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
Chlorobenzene	< 3.8	ug/l	3.8	15.3	10	8260B		1/20/2022	CJR	1
Chloroethane	< 7.8	ug/l	7.8	31.6	10	8260B		1/20/2022	CJR	1
Chloroform	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
Chloromethane	< 8.4	ug/l	8.4	34.2	10	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 3.6	ug/l	3.6	14.7	10	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.2	10	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 5.4	ug/l	5.4	22	10	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	18.5	10	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 4.8	ug/l	4.8	19.7	10	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 5.5	ug/l	5.5	22.4	10	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 4.8	ug/l	4.8	19.5	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 5.5	ug/l	5.5	22.5	10	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	117	ug/l	3.9	15.9	10	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	13.4 "J"	ug/l	6	24.6	10	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 4.5	ug/l	4.5	18.2	10	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 5.1	ug/l	5.1	20.7	10	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 4.7	ug/l	4.7	19	10	8260B		1/20/2022	CJR	1
Ethylbenzene	< 3.7	ug/l	3.7	15.1	10	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	30	10	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 3	ug/l	3	12.4	10	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 4.3	ug/l	4.3	17.6	10	8260B		1/20/2022	CJR	1
Methylene chloride	< 8.9	ug/l	8.9	33.8	10	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Naphthalene	< 14	ug/l	14	56.7	10	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 3.6	ug/l	3.6	14.6	10	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 7.6	ug/l	7.6	31	10	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 5.4	ug/l	5.4	22.2	10	8260B		1/20/2022	CJR	1
Toluene	< 4.2	ug/l	4.2	17.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.7	ug/l	6.7	27.3	10	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444H
Sample ID MW-3B
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 6.6	ug/l	6.6	28.2	10	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 4.1	ug/l	4.1	16.9	10	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	19.6	10	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	19.2	10	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 4.9	ug/l	4.9	20.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14	10	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Vinyl Chloride	314	ug/l	1.7	6.5	10	8260B		1/20/2022	CJR	1
m&p-Xylene	< 7.7	ug/l	7.7	31.4	10	8260B		1/20/2022	CJR	1
o-Xylene	< 4.4	ug/l	4.4	18	10	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			10	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	101	REC %			10	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040444I
Sample ID MW-4
Sample Matrix Water
Sample Date 1/14/2022

Invoice # E40444

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Bromobenzene	< 4	ug/l	4	16.5	10	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
Bromoform	< 4.6	ug/l	4.6	18.7	10	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 4.5	ug/l	4.5	18.4	10	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 3.1	ug/l	3.1	12.8	10	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
Chlorobenzene	< 3.8	ug/l	3.8	15.3	10	8260B		1/20/2022	CJR	1
Chloroethane	< 7.8	ug/l	7.8	31.6	10	8260B		1/20/2022	CJR	1
Chloroform	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
Chloromethane	< 8.4	ug/l	8.4	34.2	10	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 3.6	ug/l	3.6	14.7	10	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.2	10	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 5.4	ug/l	5.4	22	10	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	18.5	10	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 4.8	ug/l	4.8	19.7	10	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 5.5	ug/l	5.5	22.4	10	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 4.4	ug/l	4.4	18.1	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 4.8	ug/l	4.8	19.5	10	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 5.5	ug/l	5.5	22.5	10	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	181	ug/l	3.9	15.9	10	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	7.1 "J"	ug/l	6	24.6	10	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	15.4	10	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 4	ug/l	4	16.4	10	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 4.5	ug/l	4.5	18.2	10	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 5.1	ug/l	5.1	20.7	10	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 4.7	ug/l	4.7	19.3	10	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 4.7	ug/l	4.7	19	10	8260B		1/20/2022	CJR	1
Ethylbenzene	< 3.7	ug/l	3.7	15.1	10	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	30	10	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 3	ug/l	3	12.4	10	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 4.3	ug/l	4.3	17.6	10	8260B		1/20/2022	CJR	1
Methylene chloride	< 8.9	ug/l	8.9	33.8	10	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.6	ug/l	4.6	18.8	10	8260B		1/20/2022	CJR	1
Naphthalene	< 14	ug/l	14	56.7	10	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 4.4	ug/l	4.4	17.9	10	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 3.6	ug/l	3.6	14.6	10	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 7.6	ug/l	7.6	31	10	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 5.4	ug/l	5.4	22.2	10	8260B		1/20/2022	CJR	1
Toluene	< 4.2	ug/l	4.2	17.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.7	ug/l	6.7	27.3	10	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40444

Lab Code 5040444I
Sample ID MW-4
Sample Matrix Water
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 6.6	ug/l	6.6	28.2	10	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 4.1	ug/l	4.1	16.9	10	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	19.6	10	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	19.2	10	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 4.9	ug/l	4.9	20.1	10	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14	10	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 3.8	ug/l	3.8	15.5	10	8260B		1/20/2022	CJR	1
Vinyl Chloride	224	ug/l	1.7	6.5	10	8260B		1/20/2022	CJR	1
m&p-Xylene	< 7.7	ug/l	7.7	31.4	10	8260B		1/20/2022	CJR	1
o-Xylene	< 4.4	ug/l	4.4	18	10	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	111	REC %			10	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			10	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			10	8260B		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040444J
Sample ID MW-3
Sample Matrix Water
Sample Date 1/14/2022

Invoice # E40444

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 7.6	ug/l	7.6	31	20	8260B		1/20/2022	CJR	1
Bromobenzene	< 8	ug/l	8	33	20	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 9.4	ug/l	9.4	38.6	20	8260B		1/20/2022	CJR	1
Bromoform	< 9.2	ug/l	9.2	37.4	20	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 9	ug/l	9	36.8	20	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 6.2	ug/l	6.2	25.6	20	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 9.2	ug/l	9.2	37.6	20	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 8.8	ug/l	8.8	35.8	20	8260B		1/20/2022	CJR	1
Chlorobenzene	< 7.6	ug/l	7.6	30.6	20	8260B		1/20/2022	CJR	1
Chloroethane	< 15.6	ug/l	15.6	63.2	20	8260B		1/20/2022	CJR	1
Chloroform	< 8	ug/l	8	32.8	20	8260B		1/20/2022	CJR	1
Chloromethane	< 16.8	ug/l	16.8	68.4	20	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 7.2	ug/l	7.2	29.4	20	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 8	ug/l	8	32.4	20	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 10.8	ug/l	10.8	44	20	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 9	ug/l	9	37	20	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 9.6	ug/l	9.6	39.4	20	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 7.6	ug/l	7.6	30.8	20	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 8.8	ug/l	8.8	36.2	20	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 11	ug/l	11	44.8	20	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 8.8	ug/l	8.8	36.2	20	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 9.6	ug/l	9.6	39	20	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 11	ug/l	11	45	20	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	1200	ug/l	7.8	31.8	20	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	29 "J"	ug/l	12	49.2	20	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	30.8	20	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 8	ug/l	8	32.8	20	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 9	ug/l	9	36.4	20	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 10.2	ug/l	10.2	41.4	20	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 9.4	ug/l	9.4	38.6	20	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 9.4	ug/l	9.4	38	20	8260B		1/20/2022	CJR	1
Ethylbenzene	< 7.4	ug/l	7.4	30.2	20	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	60	20	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 6	ug/l	6	24.8	20	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 8.6	ug/l	8.6	35.2	20	8260B		1/20/2022	CJR	1
Methylene chloride	< 17.8	ug/l	17.8	67.6	20	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.2	ug/l	9.2	37.6	20	8260B		1/20/2022	CJR	1
Naphthalene	< 28	ug/l	28	113.4	20	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 8.8	ug/l	8.8	35.8	20	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 7.2	ug/l	7.2	29.2	20	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 15.2	ug/l	15.2	62	20	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 10.8	ug/l	10.8	44.4	20	8260B		1/20/2022	CJR	1
Toluene	< 8.4	ug/l	8.4	34.2	20	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 13.4	ug/l	13.4	54.6	20	8260B		1/20/2022	CJR	1

Project Name DB OAK

Invoice # E40444

Project # 170503

Lab Code 5040444J

Sample ID MW-3

Sample Matrix Water

Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 13.2	ug/l	13.2	56.4	20	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 8.2	ug/l	8.2	33.8	20	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 9.6	ug/l	9.6	39.2	20	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 9.4	ug/l	9.4	38.4	20	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 9.8	ug/l	9.8	40.2	20	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 7	ug/l	7	28	20	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 7.6	ug/l	7.6	31	20	8260B		1/20/2022	CJR	1
Vinyl Chloride	4000	ug/l	3.4	13	20	8260B		1/20/2022	CJR	1
m&p-Xylene	< 15.4	ug/l	15.4	62.8	20	8260B		1/20/2022	CJR	1
o-Xylene	< 8.8	ug/l	8.8	36	20	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	107	REC %			20	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			20	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			20	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	99	REC %			20	8260B		1/20/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E40444

Lab Code 5040444K
 Sample ID MW-3A
 Sample Matrix Water
 Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 38	ug/l	38	155	100	8260B		1/20/2022	CJR	1
Bromobenzene	< 40	ug/l	40	165	100	8260B		1/20/2022	CJR	1
Bromodichloromethane	< 47	ug/l	47	193	100	8260B		1/20/2022	CJR	1
Bromoform	< 46	ug/l	46	187	100	8260B		1/20/2022	CJR	1
tert-Butylbenzene	< 45	ug/l	45	184	100	8260B		1/20/2022	CJR	1
sec-Butylbenzene	< 31	ug/l	31	128	100	8260B		1/20/2022	CJR	1
n-Butylbenzene	< 46	ug/l	46	188	100	8260B		1/20/2022	CJR	1
Carbon Tetrachloride	< 44	ug/l	44	179	100	8260B		1/20/2022	CJR	1
Chlorobenzene	< 38	ug/l	38	153	100	8260B		1/20/2022	CJR	1
Chloroethane	< 78	ug/l	78	316	100	8260B		1/20/2022	CJR	1
Chloroform	< 40	ug/l	40	164	100	8260B		1/20/2022	CJR	1
Chloromethane	< 84	ug/l	84	342	100	8260B		1/20/2022	CJR	1
2-Chlorotoluene	< 36	ug/l	36	147	100	8260B		1/20/2022	CJR	1
4-Chlorotoluene	< 40	ug/l	40	162	100	8260B		1/20/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 54	ug/l	54	220	100	8260B		1/20/2022	CJR	1
Dibromochloromethane	< 45	ug/l	45	185	100	8260B		1/20/2022	CJR	1
1,4-Dichlorobenzene	< 48	ug/l	48	197	100	8260B		1/20/2022	CJR	1
1,3-Dichlorobenzene	< 38	ug/l	38	154	100	8260B		1/20/2022	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	181	100	8260B		1/20/2022	CJR	1
Dichlorodifluoromethane	< 55	ug/l	55	224	100	8260B		1/20/2022	CJR	1
1,2-Dichloroethane	< 44	ug/l	44	181	100	8260B		1/20/2022	CJR	1
1,1-Dichloroethane	< 48	ug/l	48	195	100	8260B		1/20/2022	CJR	1
1,1-Dichloroethene	< 55	ug/l	55	225	100	8260B		1/20/2022	CJR	1
cis-1,2-Dichloroethene	13700	ug/l	39	159	100	8260B		1/20/2022	CJR	1
trans-1,2-Dichloroethene	98 "J"	ug/l	60	246	100	8260B		1/20/2022	CJR	1
1,2-Dichloropropane	< 38	ug/l	38	154	100	8260B		1/20/2022	CJR	1
1,3-Dichloropropane	< 40	ug/l	40	164	100	8260B		1/20/2022	CJR	1
trans-1,3-Dichloropropene	< 45	ug/l	45	182	100	8260B		1/20/2022	CJR	1
cis-1,3-Dichloropropene	< 51	ug/l	51	207	100	8260B		1/20/2022	CJR	1
Di-isopropyl ether	< 47	ug/l	47	193	100	8260B		1/20/2022	CJR	1
EDB (1,2-Dibromoethane)	< 47	ug/l	47	190	100	8260B		1/20/2022	CJR	1
Ethylbenzene	< 37	ug/l	37	151	100	8260B		1/20/2022	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	300	100	8260B		1/20/2022	CJR	1
Isopropylbenzene	< 30	ug/l	30	124	100	8260B		1/20/2022	CJR	1
p-Isopropyltoluene	< 43	ug/l	43	176	100	8260B		1/20/2022	CJR	1
Methylene chloride	< 89	ug/l	89	338	100	8260B		1/20/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 46	ug/l	46	188	100	8260B		1/20/2022	CJR	1
Naphthalene	< 140	ug/l	140	567	100	8260B		1/20/2022	CJR	1
n-Propylbenzene	< 44	ug/l	44	179	100	8260B		1/20/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 36	ug/l	36	146	100	8260B		1/20/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 76	ug/l	76	310	100	8260B		1/20/2022	CJR	1
Tetrachloroethene	< 54	ug/l	54	222	100	8260B		1/20/2022	CJR	1
Toluene	< 42	ug/l	42	171	100	8260B		1/20/2022	CJR	1
1,2,4-Trichlorobenzene	< 67	ug/l	67	273	100	8260B		1/20/2022	CJR	1

Project Name DB OAK

Invoice # E40444

Project # 170503

Lab Code 5040444K

Sample ID MW-3A

Sample Matrix Water

Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 66	ug/l	66	282	100	8260B		1/20/2022	CJR	1
1,1,1-Trichloroethane	< 41	ug/l	41	169	100	8260B		1/20/2022	CJR	1
1,1,2-Trichloroethane	< 48	ug/l	48	196	100	8260B		1/20/2022	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	192	100	8260B		1/20/2022	CJR	1
Trichlorofluoromethane	< 49	ug/l	49	201	100	8260B		1/20/2022	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	140	100	8260B		1/20/2022	CJR	1
1,3,5-Trimethylbenzene	< 38	ug/l	38	155	100	8260B		1/20/2022	CJR	1
Vinyl Chloride	2850	ug/l	17	65	100	8260B		1/20/2022	CJR	1
m&p-Xylene	< 77	ug/l	77	314	100	8260B		1/20/2022	CJR	1
o-Xylene	< 44	ug/l	44	180	100	8260B		1/20/2022	CJR	1
SUR - Toluene-d8	100	REC %			100	8260B		1/20/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			100	8260B		1/20/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			100	8260B		1/20/2022	CJR	1
SUR - Dibromofluoromethane	112	REC %			100	8260B		1/20/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #
 QUOTE # :
 Project #: 176503
 Sampler: (signature) Matthew J. Ott

Project (Name / Location): DB Oak
 Reports To: Trenton Ott
 Company: FEC, Inc.
 Address: 6635 N. Sidney Place
 City State Zip: Milwaukee, WI 53209
 Phone: (414) 278-9815
 Email: tott@fecinc.us

Invoice To: Same
 Company:
 Address:
 City State Zip:
 Phone:
 Email:

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15) * Short	8-PCRA METALS	PID/ FID	
		Date	Time																					
<u>504045A</u>	<u>VP-5</u>	<u>4/14/22</u>	<u>AM</u>	<u>N</u>	<u>1</u>	<u>Air</u>	<u>None</u>																	
<u>B</u>	<u>VP-14</u>	↓	↓	↓	↓	↓	↓																	
<u>C</u>	<u>VP-15</u>	↓	↓	↓	↓	↓	↓																	
<u>D</u>	<u>VP-18</u>	↓	↓	↓	↓	↓	↓																	
<u>E</u>	<u>VP-19</u>	↓	↓	↓	↓	↓	↓																	
<u>F</u>	<u>IA-1</u>	↓	<u>8hr</u>	↓	↓	↓	↓																	
<u>G</u>	<u>IA-2</u>	↓	↓	↓	↓	↓	↓																	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

*Short list - PCE, TCE, cis+trans 1,2-DCE, + Vinyl Chloride

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: ES
 Temp. of Temp. Blank: _____ °C On Ice: _____
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) Matthew J. Ott Time _____ Date _____
 Received By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: Chris Brown Time: 8:00 Date: 4/18/22

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRENTON OTT
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 27-Jan-22

Project Name DB OAK
Project # 170503

Invoice # E40445

Lab Code 5040445A
Sample ID VP-5
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	186	ug/m3	19.7	62.6	100	TO-15		1/21/2022	CJR	1
trans-1,2-Dichloroethene	155	ug/m3	23.1	73.4	100	TO-15		1/21/2022	CJR	1
Tetrachloroethene	9800	ug/m3	27.8	88.4	100	TO-15		1/21/2022	CJR	1
Trichloroethene (TCE)	1310	ug/m3	23.7	75.4	100	TO-15		1/21/2022	CJR	1
Vinyl Chloride	0.33 "J"	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Lab Code 5040445B
Sample ID VP-14
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	115	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	285	ug/m3	23.1	73.4	100	TO-15		1/21/2022	CJR	1
Tetrachloroethene	5800	ug/m3	27.8	88.4	100	TO-15		1/21/2022	CJR	1
Trichloroethene (TCE)	1460	ug/m3	23.7	75.4	100	TO-15		1/21/2022	CJR	1
Vinyl Chloride	0.97	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E40445

Lab Code 5040445C
Sample ID VP-15
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	57	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	3.3	ug/m3	0.231	0.734	1	TO-15		1/20/2022	CJR	1
Tetrachloroethene	11600	ug/m3	27.8	88.4	100	TO-15		1/21/2022	CJR	1
Trichloroethene (TCE)	980	ug/m3	23.7	75.4	100	TO-15		1/21/2022	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Lab Code 5040445D
Sample ID VP-18
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	141	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	85	ug/m3	0.231	0.734	1	TO-15		1/20/2022	CJR	1
Tetrachloroethene	20200	ug/m3	27.8	88.4	100	TO-15		1/21/2022	CJR	1
Trichloroethene (TCE)	2190	ug/m3	23.7	75.4	100	TO-15		1/21/2022	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Lab Code 5040445E
Sample ID VP-19
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	0.238 "J"	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		1/20/2022	CJR	1
Tetrachloroethene	259	ug/m3	0.278	0.884	1	TO-15		1/20/2022	CJR	1
Trichloroethene (TCE)	3.4	ug/m3	0.237	0.754	1	TO-15		1/20/2022	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Lab Code 5040445F
Sample ID IA-1
Sample Matrix Air
Sample Date 1/14/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		1/20/2022	CJR	1
Tetrachloroethene	0.68 "J"	ug/m3	0.278	0.884	1	TO-15		1/20/2022	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		1/20/2022	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5040445G
Sample ID IA-2
Sample Matrix Air
Sample Date 1/14/2022

Invoice # E40445

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		1/20/2022	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		1/20/2022	CJR	1
Tetrachloroethene	0.41 "J"	ug/m3	0.278	0.884	1	TO-15		1/20/2022	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		1/20/2022	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		1/20/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature