

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
DB Oak Facility		02-28-176509	
Address	City	State	ZIP Code
700-710 Oak Street	Fort Atkinson	WI	53538

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Gardner Denver, Inc.

Address	City	State	ZIP Code
222 East Eric Street	Milwaukee	WI	53202
Contact Person	Phone Number (include area code)		
Mary Betsch	(414) 212-4700		

Person or company that collected samples

Friess Environmental Consulting, Inc.

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) GW Monitoring Sept 2022

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Solvents	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Heavy Metals	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pesticides	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other: _____	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

This sampling event included sampling of a drinking water well. <input type="radio"/> Yes <input checked="" type="radio"/> No
If yes, the sampled drinking water well had detectable contaminants. <input type="radio"/> Yes <input type="radio"/> No

Contaminants in Vapor

	Yes	No
Indoor Air	<input type="radio"/>	<input checked="" type="radio"/>
Sub-slab	<input type="radio"/>	<input checked="" type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input checked="" type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name	First Name	
Friess Environmental Consulting, Inc.		Ott	Trenton	
Address		City	State	ZIP Code
6635 North Sidney Place		Milwaukee	WI	53209
Phone # (inc. area code)	Email			
(414) 228-9815	tott@fecinc.us			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)		
Ackerman	Jeff	(608) 275-3323		
Address		City	State	ZIP Code
3911 Fish Hatchery Road		Fitchburg	WI	53711
Email				
jeffrey.ackerman@wisconsin.gov				

TABLE A.1. (Page 1 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-01	5/26/09	5,900	52.0	3,000	350	2,700
	9/22/09	5,000	140	120	<74.0	1,300
	12/2/09	1,900	89.0	<15.0	<46.0	560
	3/23/10	3.00	0.93	1.30	0.91	1.10
	6/22/10	10.0	1.20	0.41	0.18	1.60
	9/15/10	7.80	13.0	0.16	<0.16	56.0
	12/14/10	11.0	0.33	0.54	0.61	0.66
	3/9/11	6.70	0.31	3.00	5.60	1.60
	6/28/11	1.10	<0.19	<0.15	<0.25	<0.15
	9/20/11	0.44	<0.26	0.29	0.20	<0.18
	12/5/11	0.53	<0.26	<.21	0.64	<0.18
	3/6/12	1.90	<0.19	0.18	0.30	0.84
	9/24/12	1.10	<0.26	0.27	0.34	0.44
	3/20/13	0.31	<0.32	<0.22	0.27	<0.17
	9/16/13	1.40	<0.18	0.19	0.14	0.24
	3/24/14	0.54	<0.32	<0.16	0.74	<0.17
	9/24/14	0.36	<0.32	<0.22	<0.27	<0.17
	3/10/15	<0.30	<0.25	<0.21	<0.31	<0.16
	9/25/15	0.35	<0.18	<0.22	<0.17	0.86
3/21/16	1.40	0.19	0.88	2.00	0.69	
9/14/16	1.70	0.29	0.61	1.20	0.94	
3/8/17	4.80	0.36	0.64	1.90	1.20	
TW-02	5/26/09	6,000	64.0	320	440	240
	9/22/09	3,300	63.0	640	750	410
	12/2/09	4,100	62.0	460	710	520
	3/23/10	3,700	<100	530	640	680
	6/22/10	4,000	<65.0	370	440	1,100
	9/15/10	<250	3,600	500	560	1,000
	12/14/10	2,400	<65.0	840	790	470
	3/9/11	1,500	<33.0	730	450	830
	6/28/11	2,100	37.0	360	410	590
	9/20/11	1,900	<65.0	510	530	500
	12/5/11	1,900	<52.0	550	470	550
	3/6/12	1,300	31.0	810	490	260
	6/6/12	1,400	120	1,400	1,200	1,800
	9/24/12	1,200	29.0	420	400	290
	12/5/12	1,200	32.0	350	360	280
	3/20/13	680	<32.0	480	250	150
	6/11/13	1,000	39.0	330	270	260
	9/16/13	1,100	35.0	300	220	280
	12/4/13	700	32.0	410	290	110
	3/24/14	770	<32.0	360	200	200
	6/23/14	620	<32.0	230	180	210
	9/24/14	660	<2.00	220	180	230
	12/22/14	550	23.0	270	200	120
	3/10/15	440	17.0	260	160	99.0
	6/18/15	160	<3.50	12.0	19.0	30.0
	9/25/15	470	15.0	60.0	39.0	130
	12/21/15	550	<10.0	230	150	160
3/21/16	540	26.0	220	170	190	
6/14/16	560	21.0	130	100	200	
9/14/16	340	13.0	24.0	19.0	130	
12/20/16	450	19.0	180	120	130	
3/8/17	290	17.0	160	97.0	120	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 2 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
TW-03	5/26/09	14.0	<5.20	210	200	<3.7
	9/22/09	5.50	<4.10	1,100	130	<3.4
	12/2/09	220	<4.10	590	130	<3.4
	3/23/10	450	<13.0	92.0	77.0	<9.2
	6/22/10	340	<6.50	10.0	7.20	58.0
	9/15/10	<3.10	290	<4.50	7.70	130
	3/9/11	62.0	<6.50	7.80	13.0	290
	6/28/11	580	5.50	51.0	79.0	460
	9/20/11	110	<6.50	<5.20	<4.20	650
	12/5/11	480	<21.0	<16.0	<13.0	560
	3/6/12	6.70	<0.19	<0.15	<0.25	13.0
	6/6/12	770	5.60	10.0	15.0	1,100
	9/24/12	180	<4.80	<3.70	<6.20	290
	12/5/12	530	<24.0	<18.0	<3.00	1,100
	3/20/13	400	<25.0	38.0	31.0	750
	6/11/13	90.0	<0.18	<13.0	20.0	1,000
	9/16/13	390	<15.0	24.0	20.0	970
	12/4/13	330	<32.0	28.0	<27.0	720
	3/24/14	390	<32.0	26.0	51.0	760
	6/23/14	290	<32.0	52.0	40.0	680
	9/24/14	320	<32.0	<22.0	<27.0	780
	12/22/14	350	<16.0	16.0	<14.0	700
	3/10/15	370	<20.0	130	80.0	750
	6/18/15	428	<22.0	36.8	20.6	488
	9/25/15	1,300	<14.0	<17.0	<13.0	1,000
	12/21/15	600	<25.0	41.0	<31.0	950
	3/21/16	1,100	8.70	37.0	26.0	1,200
	6/14/16	1,300	<15.0	<17.0	<24.0	1,100
9/14/16	2,100	19.0	<21.0	<30.0	1,100	
12/20/16	430	15.0	62.0	38.0	1,200	
3/8/17	1,500	<34.0	74.0	<65.0	1,100	
IW-1	5/26/09	8.80	<0.26	0.76	0.68	5.50
	9/22/09	2.70	<0.26	<0.21	<0.17	7.20
	12/2/09	2.00	<0.21	0.12	0.43	7.80
	3/23/10	1.70	<0.26	<0.21	<0.17	9.30
	6/22/10	1.80	<0.26	0.54	0.23	7.60
	9/15/10	<0.13	0.99	<0.16	<0.16	6.90
	12/14/10	1.20	<0.26	0.44	0.44	7.80
	3/9/11	1.00	NR	0.43	<0.17	6.70
	6/28/11	0.82	<0.26	<0.21	<0.17	4.80
	9/20/11	0.49	<0.19	<0.15	<0.25	2.60
	12/5/11	0.43	<0.26	<0.15	<0.17	2.10
	3/6/12	0.29	<0.26	<0.21	<0.17	1.80
	9/24/12	0.54	<0.26	<0.21	<0.17	1.80
	3/20/13	0.27	<0.32	0.31	0.34	1.80
	9/16/13	0.31	<0.18	0.19	<0.14	1.50
	3/24/14	0.26	<0.32	<0.16	<0.27	1.80
	9/24/14	0.22	<0.32	<0.22	<0.27	1.50
	3/10/15	<0.30	<0.25	<0.21	<0.31	1.70
9/25/15	<0.30	<0.25	<0.21	<0.31	1.40	
3/21/16	<0.18	<0.15	<0.17	<0.24	1.60	
9/14/16	<0.24	<0.17	<0.22	<0.32	1.20	
3/8/17	2.30	<0.17	1.60	0.66	1.30	
6/11/21	0.41 J	<0.60	0.92 J	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 3 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-1	12/16/04	0.14	<0.11	<0.13	<0.12	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.40	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
MW-2	12/16/04	5,900	32.0	120	140	33.0
	6/1/05	3,800	160	<150	160	<53.0
	3/28/06	6,400	<85.0	190	450	<98.0
	10/25/07	1,800	<25.0	<25.0	520	27.0
	4/21/08	560	<25.0	120	85.0	<25.0
	5/26/09	260	<6.50	110	69.0	6.90
	9/22/09	630	<6.50	270	170	25.0
	12/2/09	510	<5.20	320	230	6.50
	3/23/10	1,000	7.60	470	360	17.0
	6/22/10	950	<10.0	400	290	16.0
	9/15/10	<5.00	360	180	150	<6.90
	12/14/10	390	<10.0	270	200	13.0
	3/9/11	530	<10.0	220	180	<7.40
	6/28/11	570	<10.0	210	200	10.0
	9/20/11	710	<7.70	250	290	6.60
	12/5/11	2,200	27.0	15.0	500	65.0
	3/6/12	3,200	<52.0	450	340	55.0
	6/6/12	3,200	<65.0	350	300	<46.0
	9/24/12	3,900	<48.0	530	490	<37.0
	12/5/12	4,800	<77.0	200	510	<60.0
	3/20/13	3,200	<130	270	500	<66.0
	6/11/13	870	<32.0	140	160	<17.0
	9/16/13	2,300	<74.0	74.0	200	<44.0
	12/4/13	1,900	<40.0	330	400	<44.0
	3/24/14	1,800	<40.0	140	190	<21.0
	6/23/14	840	<16.0	96.0	67.0	16.0
	9/24/14	1,300	<16.0	230	360	14.0
	12/22/14	2,000	<32.0	230	270	24.0
	3/10/15	3,800	25.0	200	200	28.0
	6/18/15	1,800	<35.0	72.0	120	39.0
9/25/15	2,400	<35.0	170	370	39.0	
12/21/15	1,600	<50.0	150	280	31.0	
3/21/16	1,700	<29.0	120	170	32.0	
6/14/16	1,400	<34.0	85.0	92.0	34.0	
9/14/16	2,500	21.0	180	270	20.0	
12/20/16	1,100	<42.0	160	220	43.0	
3/8/17	1,800	<42.0	150	220	43.0	
10/8/20	5.70	<0.37	4.20	1.75	0.78	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 5 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3	12/16/04	6,800	<540	34,000	17,000	<820
	6/1/05	2,600	<870	27,000	5,500	<270
	3/28/06	3,500	<420	28,000	7,200	<490
	11/2/06	3,000	<220	22,000	5,100	79.0
	10/25/07	5,800	<200	10,000	3,300	710
	4/21/08	2,100	<130	24,000	3,100	<130
	5/26/09	2,800	<51.0	5,700	4,000	270
	9/22/09	27,000	840	<100	<84	12,000
	12/2/09	68,000	2,000	<59.0	<190	27,000
	3/23/10	80,000	1,800	<900	<820	31,000
	6/22/10	2,500	<1300	<1000	<840	52,000
	9/15/10	<630	<600	<900	<820	27,000
	12/14/10	<510	<650	<520	<420	26,000
	3/9/11	970	<650	<520	<420	28,000
	6/28/11	<200	<260	<210	<170	13,000
	9/20/11	<100	<97.0	<73.0	<120	4,400
	12/5/11	100	<130	<100	<84.0	15,000
	3/6/12	470	<520	<410	<330	20,000
	6/6/12	<200	<260	<210	<170	12,000
	9/24/12	0.28	<0.19	<0.15	<0.25	2.10
	12/5/12	2.00	<0.19	<0.15	<0.25	83.0
	3/20/13	13.0	62.0	<1.7	<2.20	5,200
	6/11/13	<4.00	<13.0	<8.6	<11.0	380
	9/16/13	1.30	<0.74	<0.65	<0.57	<0.44
	12/4/13	1.60	<0.32	<0.22	<0.27	0.57
	3/24/14	1.90	<0.32	<0.22	0.68	6.60
	6/23/14	3.00	<0.17	<0.21	<0.15	8.90
	9/24/14	1.10	<0.32	<0.22	0.56	0.77
	12/22/14	0.85	<0.32	<0.22	<0.27	0.54
	3/10/15	0.81	<0.25	<0.21	<0.31	0.31
6/18/15	1.63	<0.27	0.41	0.36	0.48	
9/25/15	1.10	0.34	<0.22	<0.17	1.70	
12/21/15	3.30	0.38	<0.21	1.30	4.80	
3/21/16	3.00	0.30	<0.17	<0.24	12.0	
9/14/16	1.10	0.61	<0.17	<0.24	2.10	
3/8/17	3.00	0.24	<0.22	<0.32	39.0	
10/8/20	4.90 J	<0.37	<0.33	<0.47	690	
1/21/21	330	4.60 J	<3.30	<4.70	1,220	
6/11/21	860	12.0 J	<5.40	<4.70	3,700	
1/14/22	1,200	29.0 J	<5.40	<4.70	4,000	
5/22/22	191	<10	<7.60	<9.40	820	
9/16/22	17.50	<5.0	<4.70	<3.80	1,250	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 6 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3A	6/1/05	13,000	250	3,000	2,300	910
	3/28/06	12,000	190	4,200	2,900	740
	11/2/06	14,000	<220	1,700	1,900	580
	10/25/07	11,000	190	2,100	1,500	520
	4/21/08	16,000	<250	4,400	2,700	990
	5/26/09	18,000	250	3,100	2,100	1,700
	9/22/09	20,000	300	1,200	1,100	2,300
	12/2/09	18,000	<260	1,500	1,200	2,200
	3/23/10	15,000	180	1,400	1,300	1,600
	6/22/10	16,000	<330	2,400	1,400	1,700
	9/15/10	<160	15,000	1,300	1,500	1,900
	12/14/10	17,000	<330	1,500	1,500	1,700
	3/9/11	14,000	<330	1,500	310	1,200
	6/28/11	8,500	<330	<260	<210	1,200
	9/20/11	14,000	<330	<260	<210	4,000
	12/5/11	8,500	<330	<260	<200	9,400
	3/6/12	4,500	<150	<120	<130	6,700
	6/6/12	7,900	<210	<160	<62	4,700
	9/24/12	3,200	50.0	<37.0	<250	2,800
	12/5/12	15,000	<190	<150	<340	2,800
	3/20/13	11,000	<400	<270	390	2,400
	6/11/13	13,000	<400	<270	<180	2,600
	9/16/13	13,000	<230	<200	<340	2,400
	12/4/13	13,000	<400	<270	<340	2,200
	3/24/14	14,000	<400	<400	<190	2,200
	6/23/14	14,000	<180	<170	<340	2,600
	9/24/14	12,000	<400	<270	<270	2,500
	12/22/14	15,000	<320	<220	<380	2,500
	3/10/15	13,000	<310	<270	<230	2,360
	6/18/15	14,700	<340	<330	<380	2,500
9/25/15	13,000	<310	<270	<380	2,300	
12/21/15	12,000	<310	<270	<300	2,800	
3/21/16	16,000	<180	<210	<400	2,800	
6/14/16	13,000	<210	<280	<400	2,500	
9/14/16	18,000	<180	<210	<300	2,900	
12/20/16	16,000	<210	<280	<400	2,800	
3/8/17	17,000	<210	<280	<400	3,100	
10/8/20	8,900	400	<3.30	<4.70	1,980	
1/21/21	12,000	93.0	<23.50	<16.5	2,850	
6/11/21	12,500	97.0 J	<54.0	<47.0	2,140	
1/14/22	13,700	98.0 J	<54.0	<47.0	2,850	
5/22/22	11,000	95 J	<38.0	<47.0	2,600	
9/16/22	10,000	65 J	<47.0	<38.0	2,090	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 7 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-3B	3/28/06	600	<85.0	17,000	2,800	<98.0
	11/2/06	400	<110	9,700	1,800	<22.0
	10/25/07	330	<100	5,300	1,200	<100
	4/21/08	530	<100	12,000	2,400	<100
	5/26/09	480	<51.0	9,700	2,300	<42.0
	9/22/09	1,000	<210	9,800	1,900	210
	12/2/09	1,000	<160	9,700	2,200	<140
	3/23/10	920	<100	10,000	2,200	<140
	6/22/10	860	<210	1,600	1,900	<150
	9/15/10	<170	1,000	10,000	2,400	<140
	12/14/10	740	<260	11,000	2,100	<180
	3/9/11	670	<260	9,600	1,900	<180
	6/28/11	1,800	<52.0	830	820	130
	9/20/11	4,900	<130	320	1,500	160
	12/5/11	4,800	<130	210	710	190
	3/6/12	6,500	<77.0	<58	<99	400
	6/6/12	3,400	<130	110	550	710
	9/24/12	2,200	<39.0	840	870	690
	12/5/12	1,500	<39.0	1,800	1,100	450
	3/20/13	1,100	<40.0	2,500	1,100	250
	6/11/13	1,400	<37.0	2,700	1,200	270
	9/16/13	1,100	<63.0	2,400	1,200	250
	12/4/13	960	<63.0	1,900	1,000	190
	3/24/14	900	<63.0	2,200	1,200	170
	6/23/14	950	<63.0	1,900	1,100	220
	9/24/14	1,100	<63.0	2,100	1,100	250
	12/22/14	1,300	<63.0	2,400	1,500	230
	3/10/15	990	<50.0	2,800	1,400	210
	6/18/15	1,160	<54.0	3,380	1,440	218
	9/25/15	980	<50.0	2,600	1,300	230
12/21/15	900	<50.0	3,000	1,400	220	
3/21/16	1,100	<36.0	3,400	1,300	<300	
6/14/16	940	<42.0	2,900	1,200	310	
9/14/16	1,200	<36.0	3,600	1,300	370	
12/20/16	1,300	<68.0	2,800	1,200	400	
3/8/17	1,200	<68.0	4,100	1,400	360	
10/8/20	330	13.1	<3.30	<4.70	460	
1/21/21	309	11.30 J	<3.30	<4.70	610	
6/11/21	330	11.0 J	<5.40	<4.70	350	
1/14/22	117	13.4 J	<5.40	<4.70	314	
5/22/22	30	<5.0	<3.80	<4.70	100	
9/16/22	133	5.20	<0.47	1.80	51	
MW-3C	10/25/07	110	1.00	3.20	1.40	2.80
	4/21/08	49.0	<5.00	<5.00	<5.00	<5.00
	5/26/09	37.0	0.38	1.90	2.50	0.57
	9/22/09	0.35	<0.26	0.68	0.22	<0.18
	12/2/09	<0.41	<0.51	<0.30	1.10	<0.42
	3/23/10	5.00	<0.50	<0.72	<0.65	1.80
	6/22/10	11.0	<1.00	<0.82	<0.67	1.70
	9/15/10	<0.13	6.10	<0.18	0.31	0.85
	12/14/10	6.10	<0.26	34.0	5.40	1.20
	3/9/11	6.40	NR	<0.21	0.34	0.71
	6/28/11	5.30	<0.26	<0.21	0.34	0.95
	9/20/11	6.90	<0.26	0.44	0.94	0.79
	12/5/11	4.80	<0.26	<0.21	0.53	0.73
	3/6/12	4.30	<0.19	<0.15	<0.25	0.61
	9/24/12	4.10	<0.19	<0.15	<0.25	0.66
	3/20/13	4.30	<0.32	0.35	0.42	1.10
	9/16/13	1.90	<0.32	<0.22	<0.17	<0.17
	3/24/14	5.50	<0.32	4.10	1.90	0.66
	9/24/14	1.50	<0.32	<0.22	<0.27	0.19
	3/10/15	1.80	<0.25	<0.21	<0.31	0.26
9/25/15	1.40	<0.25	<0.21	<0.31	0.18	
3/21/16	1.40	<0.17	<0.22	<0.32	0.20	
9/14/16	1.20	<0.15	<0.17	<0.24	0.17	
3/8/17	1.30	<0.17	<0.22	<0.32	0.37	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/21	<0.39	<0.37	1.29	<0.47	<0.20	
6/11/21	<0.39	<0.60	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 8 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4	12/16/04	<66.0	<54.0	2,500	10,000	<82.0
	6/1/05	<200	<170	2,500	4,700	<53.0
	3/28/06	<190	<170	5,400	38,000	<200
	10/25/07	42.0	<25.0	2,000	1,500	<25.0
	4/21/08	600	<500	14,000	43,000	<500
	5/26/09	<40.0	<52.0	2,400	1,100	<37.0
	9/22/09	5,200	<52.0	<41.0	44.0	1,300
	12/2/09	1,600	<21.0	110	71.0	800
	3/23/10	4,300	47.0	5,000	17,000	1,600
	6/22/10	3,600	<33.0	<26.0	<21.0	1,600
	9/15/10	<15.0	660	<23.0	<20.0	970
	12/14/10	990	<33.0	<26.0	<21.0	2,100
	3/9/11	3,100	<26.0	5,500	6,300	1,400
	6/28/11	7,200	69.0	70.0	1,000	7,200
	9/20/11	9,200	57.0	<18.0	730	3,200
	12/5/11	21,000	140	<100	2,000	4,400
	3/6/12	69,000	650	<180	1,900	14,000
	6/6/12	8,300	<210	<160	<130	7,000
	9/24/12	5,800	<210	<160	<130	6,800
	12/5/12	9,700	<150	<120	<200	9,100
	3/20/13	30,000	270	150	5,900	13,000
	6/11/13	5,000	<250	<170	<220	6,700
	9/16/13	1,300	<74.0	87.0	<57.0	5,200
	12/4/13	7.80	<1.30	<2.70	<3.40	160
	3/24/14	6,500	<500	<110	3,900	3,000
	6/23/14	14,000	<160	<110	<140	12,000
	9/24/14	7,400	<400	<270	<340	8,400
	12/22/14	740	<22.0	<17.0	<19.0	1,200
	3/10/15	2,600	<63.0	<53.0	<76.0	1,700
	6/18/15	6,010	<67.0	<66.0	<46.0	4,560
	9/25/15	9,700	<130	<110	510	8,000
	12/21/15	3,600	<130	<110	<150	5,100
3/21/16	3,700	<85	<110	<160	5,600	
6/14/16	3,900	<85	<110	<160	3,000	
9/14/16	620	<21.0	<28.0	<40.0	1,800	
12/20/16	3.70	0.62	<0.44	<68.0	18.0	
3/8/17	800	<17.0	<22.0	<32.0	1,100	
10/8/20	50.0	4.30 J	<3.30	<4.70	102	
1/21/21	180	2.71	<0.33	2.00	340	
6/11/21	750	13.4 J	<5.40	<4.70	730	
1/14/22	181	7.10 J	<5.40	<4.70	224	
9/16/22	24	<5.00	<4.70	<3.80	55	
MW-4A	12/16/04	0.89	<0.11	7.10	23.0	<0.16
	6/1/05	<0.40	<0.35	1.20	0.59	<0.11
	3/28/06	0.29	<0.17	6.90	0.97	<0.20
	10/25/07	<0.50	<0.50	1.20	8.50	<0.50
	4/21/08	<0.50	<0.50	1.50	1.10	<0.50
	5/26/09	<0.20	<0.26	3.80	1.60	<0.18
	9/22/09	0.36	<0.21	<0.12	<0.37	<0.17
	12/2/09	0.20	<0.21	0.95	<0.37	<0.57
	3/23/10	2.60	<0.26	3.30	2.20	<0.18
	6/22/10	0.79	<0.26	1.20	0.52	<0.18
	9/15/10	<0.13	0.53	1.10	0.56	<0.17
	12/14/10	<0.2	<0.26	0.38	0.33	<0.18
	3/9/11	2.60	<0.26	6.20	1.40	<0.18
	6/28/11	0.70	<0.26	0.67	0.65	<0.18
	9/20/11	1.90	<0.19	0.82	1.70	<0.15
	12/5/11	1.60	<0.26	0.82	0.59	<0.18
	3/6/12	1.40	<0.19	0.66	0.41	<0.15
	6/6/12	1.80	<0.19	0.85	0.51	<0.15
	9/24/12	1.50	<0.26	0.74	0.61	<0.18
	3/20/13	0.44	<0.32	0.68	0.55	<0.17
9/16/13	0.30	<0.32	0.29	0.32	<0.17	
3/24/14	0.11	0.32	<0.16	0.46	<0.17	
9/24/14	<0.10	<0.32	<0.22	0.29	<0.17	
3/10/15	<0.30	<0.25	<43	<0.31	<0.16	
9/25/15	0.64	<0.25	0.34	0.40	<0.16	
3/21/16	2.10	<0.17	0.33	<0.32	<0.17	
9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17	
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
1/14/22	0.72 J	<0.60	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 9 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-4B	5/26/09	<0.20	<0.26	1.10	0.42	<0.18
	9/22/09	1.10	<0.21	3.60	1.20	<0.17
	12/2/09	2.50	<0.21	2.80	1.10	<0.57
	3/23/10	0.29	<0.26	2.20	0.25	<0.18
	6/22/10	0.39	<0.26	0.81	<0.17	<0.18
	9/15/10	<0.13	0.24	<0.18	<0.16	<0.17
	12/14/10	2.40	<0.26	2.50	0.46	0.22
	3/9/11	7.30	<0.26	1.50	0.44	<0.18
	6/28/11	1.90	<0.26	0.40	0.23	0.29
	9/20/11	0.92	<0.19	<0.15	<0.25	<0.15
	12/5/11	1.30	<0.26	0.37	0.39	<0.18
	3/6/12	3.10	<0.19	1.40	0.49	<0.15
	9/24/12	0.69	<0.26	<0.21	<0.17	<0.18
	3/20/13	0.33	<0.32	<0.22	<0.27	<0.17
	9/16/13	<0.10	<0.32	<0.22	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
9/24/14	0.40	<0.32	0.31	<0.27	<0.17	
3/10/15	<0.30	<0.25	0.78	<0.31	<0.16	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-5	12/16/04	0.21	<0.11	2.30	1.20	<0.16
	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	0.17	0.77	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	0.78	0.81	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.18	0.47	<0.17
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.20	<0.26	<0.21	<0.17	<0.18
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-6	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.19	<0.17	<0.16	0.35	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	<0.22	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-6A	6/1/05	<0.40	<0.35	<0.31	<0.25	<0.11
	3/28/06	<0.34	<0.17	<0.16	<0.19	<0.20
	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	<0.21	<0.17	<0.18
	3/23/10	<0.12	<0.13	<0.18	<0.16	<0.17
	3/20/13	<0.10	<0.32	0.30	<0.27	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 4 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-2A	12/16/04	380	<5.40	44.0	69.0	29.0
	6/1/05	350	<8.70	110	83.0	36.0
	3/28/06	3,800	20.0	320	700	91.0
	10/25/07	1,800	<25.0	360	530	<25.0
	4/21/08	2,100	<25.0	610	620	<25.0
	5/26/09	660	<13.0	590	380	<9.20
	9/22/09	920	<13.0	530	280	75.0
	12/2/09	1,700	11.0	390	280	56.0
	3/23/10	1,900	16.0	250	180	76.0
	6/22/10	1,600	<26.0	290	200	<18.0
	9/15/10	<13.0	730	340	200	<17.0
	12/14/10	2,100	<26.0	370	190	25.0
	3/9/11	1,700	<26.0	220	140	48.0
	6/28/11	1,600	<26.0	240	160	<18.0
	9/20/11	1,200	<19.0	210	150	<15.0
	12/5/11	1,700	<26.0	170	110	33.0
	3/6/12	2,200	<52.0	140	100	69.0
	6/6/12	2,200	<52.0	88.0	79.0	73.0
	9/24/12	1,800	<39.0	110	85.0	66.0
	12/5/12	2,300	<39.0	74.0	87.0	67.0
	3/20/13	2,400	<63.0	66.0	61.0	<33.0
	6/11/13	1,500	<63.0	94.0	130	<33.0
	9/16/13	1,600	<37.0	62.0	91.0	32.0
	12/4/13	2,400	<63.0	65.0	65.0	54.0
	3/24/14	630	<16.0	33.0	39.0	36.0
	6/23/14	2,300	<63.0	<200	<200	59.0
	9/24/14	1,500	<63.0	<43.0	<55.0	<33.0
	12/22/14	1,900	<32.0	42.0	36.0	62.0
	3/10/15	2,000	<31.0	44.0	49.0	47.0
	6/18/15	3,630	<34.0	135	71.0	53.9
9/25/15	2,000	<35.0	<44.0	<33.0	47.0	
12/21/15	2,200	<50.0	<43.0	<61.0	100	
3/21/16	2,500	<29.0	<33.0	<47.0	98.0	
6/14/16	1,900	<34.0	<44.0	<65.0	100	
9/14/16	1,400	<29.0	<33.0	<47.0	<32.0	
12/20/16	1,600	<21.0	<28.0	<40.0	75.0	
3/8/17	2,000	<21.0	<28.0	<40.0	290	
10/8/20	121	<3.70	<3.30	<4.70	29.3	
6/11/21	11.4	<0.60	<0.54	<0.47	<0.17	
MW-2B	10/25/07	19.0	<0.50	15.0	6.20	<0.50
	4/21/08	19.0	<0.50	15.0	6.20	<0.50
	5/26/09	1.40	<0.26	11.0	6.60	<0.18
	9/22/09	1.80	<0.26	9.20	6.40	<0.18
	12/2/09	2.20	<0.21	9.80	5.90	<0.17
	3/23/10	4.60	<0.13	13.0	6.70	<0.17
	6/22/10	1.60	<0.26	11.0	6.70	<0.18
	9/15/10	<0.13	0.63	7.10	6.50	<0.17
	12/14/10	15.0	<0.26	19.0	6.30	<0.18
	3/9/11	14.0	<0.26	8.20	4.90	<0.18
	6/28/11	16.0	<0.26	8.20	4.50	<0.18
	9/20/11	15.0	<0.19	5.00	3.90	<0.15
	12/5/11	13.0	<0.26	6.90	4.80	<0.18
	3/6/12	12.0	<0.26	6.80	5.50	<0.18
	9/24/12	16.0	0.21	6.70	7.30	<0.15
	3/20/13	35.0	0.37	10.0	11.0	<0.17
	9/16/13	23.0	<0.74	5.90	5.10	<0.44
	3/24/14	39.0	<0.79	7.70	11.0	<0.42
	9/24/14	7.30	<0.32	9.60	6.60	<0.17
	3/10/15	11.0	<0.25	13.0	8.50	0.19
9/25/15	5.60	<0.18	23.0	7.80	<0.20	
3/21/16	13.0	0.22	16.0	8.10	<0.16	
9/14/16	18.0	0.25	16.0	4.80	<0.16	
3/8/17	25.0	0.38	20.0	5.60	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
6/11/21	<0.39	<0.60	<0.54	<0.47	<0.17	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 10 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7	3/28/06	0.89	<0.17	5.40	2.90	<0.20
	11/2/06	<0.83	<0.89	4.90	1.40	<0.18
	10/25/07	<0.50	<0.50	3.50	0.63	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.20	<0.26	0.34	<0.17	<0.18
	9/22/09	<0.16	<0.21	0.85	<0.37	<0.17
	12/2/09	<0.16	<0.21	0.98	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.32	<0.16	<0.17
	9/15/10	<0.13	<0.12	0.48	<0.16	<0.17
	3/9/11	<0.20	NR	0.34	<0.17	<0.18
	9/20/11	NR	<0.48	0.47	<0.25	<0.15
	3/6/12	<0.21	<0.19	0.29	<0.25	<0.15
	9/24/12	22.0	0.28	0.80	1.40	<0.18
	3/20/13	0.99	<0.32	0.42	0.34	<0.17
	9/16/13	<0.10	<0.32	0.27	<0.17	<0.17
	3/24/14	<0.10	0.32	<0.16	<0.27	<0.17
	9/24/14	1.20	<0.32	2.30	0.64	<0.17
	3/10/15	<0.30	<0.25	0.29	<0.31	<0.16
	9/25/15	<0.30	<0.25	0.30	<0.31	<0.16
	3/21/16	<0.24	<0.17	<0.22	<0.32	<0.17
	9/14/16	NR	<0.17	<0.22	<0.32	<0.17
3/8/17	<0.24	<0.17	<0.22	<0.32	<0.17	
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-7A	3/28/06	270	<10.0	850	200	<8.30
	11/2/06	290	<8.90	560	180	<1.80
	10/25/07	<5.00	<5.00	310	110	<5.00
	4/21/08	<0.50	<0.50	0.67	<0.50	<0.50
	5/26/09	<1.60	<2.10	94.0	3.90	<1.50
	9/22/09	<1.30	<1.60	68.0	5.90	<1.40
	12/2/09	0.50	<0.21	83.0	3.60	<0.57
	3/23/10	5.00	<0.63	92.0	6.40	<0.87
	6/22/10	<1.60	<2.10	82.0	2.10	<1.50
	9/15/10	<0.50	<0.48	44.0	2.10	<0.69
	12/14/10	<1.00	<1.30	55.0	1.30	<0.92
	3/9/11	1.10	NR	60.0	1.20	<0.92
	6/28/11	1.30	<1.30	45.0	2.00	1.10
	9/20/11	1.10	<0.48	43.0	1.90	<0.37
	12/5/11	3.50	<1.00	50.0	1.70	<0.74
	3/6/12	4.20	<0.77	59.0	2.90	<0.60
	6/6/12	67.0	<0.97	54.0	3.50	<0.75
	9/24/12	74.0	<1.30	67.0	6.40	<0.92
	12/5/12	74.0	<0.97	55.0	6.90	<0.75
	3/20/13	140	<1.60	69.0	25.0	<0.83
	6/11/13	96.0	<2.30	44.0	11.0	1.90
	9/16/13	45.0	<3.20	25.0	4.90	<1.70
	12/4/13	86.0	<3.20	47.0	9.70	<1.70
	3/24/14	160	<32.0	60.0	24.0	<1.70
	6/23/14	120	<3.20	49.0	20.0	<1.70
	9/24/14	77.0	<3.20	31.0	11.0	<1.70
	12/22/14	97.0	<0.87	49.0	17.0	<0.84
3/10/15	92.0	<2.00	44.0	19.0	<1.20	
6/18/15	187	<2.70	70.8	32.0	<2.00	
9/25/15	160	<2.50	71.0	45.0	<1.60	
12/21/15	180	<3.10	120	65.0	<2.00	
3/21/16	180	<12.5	100	55.0	<2.10	
6/14/16	170	<2.10	88.0	55.0	<2.10	
9/14/16	190	<2.10	130	60.0	<2.10	
12/20/16	200	<2.10	120	54.0	<2.10	
3/8/17	230	<3.40	140	61.0	<2.10	
10/8/20	3.00	<0.37	33.0	9.40	<0.20	
1/21/21	1.50	<0.37	22.6	3.50	<0.20	
6/11/21	0.43 J	<0.60	26.6	1.10 J	<0.17	
1/14/22	5.20	<0.60	24.7	1.39 J	<0.17	
9/16/22	28.50	<0.50	32.00	2.62	<0.15	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 11 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-7B	10/25/07	<0.50	<0.50	6.90	0.87	<0.50
	4/21/08	<0.50	<0.50	6.40	0.73	<0.50
	5/26/09	<0.16	<0.21	8.60	<0.37	<0.18
	9/22/09	<0.16	<0.21	10.0	0.39	<0.17
	12/2/09	0.49	<0.21	11.0	0.62	<0.17
	3/23/10	0.20	<0.13	8.60	0.62	<0.17
	6/22/10	<0.20	<0.26	8.10	0.35	<0.18
	9/15/10	<0.13	<0.12	8.00	0.78	<0.17
	12/14/10	<0.20	<0.26	11.0	0.51	<0.15
	3/9/11	<0.20	NR	8.40	0.42	<0.18
	6/28/11	<0.21	<0.19	7.10	0.45	<0.15
	9/20/11	<0.21	<0.19	6.60	0.49	<0.15
	12/5/11	<0.20	<0.26	5.50	0.48	<0.18
	3/6/12	0.66	<0.19	3.50	0.48	<0.15
	9/24/12	0.61	<0.26	3.10	0.58	<0.18
	3/20/13	4.90	<0.32	3.10	1.30	0.79
	9/16/13	<0.10	<0.32	0.56	3.50	<0.17
	3/24/14	0.33	<0.32	4.90	1.60	<0.17
	9/24/14	<0.10	<0.32	3.80	0.40	<0.17
	3/10/15	0.50	<0.25	5.50	0.79	<0.16
	9/25/15	0.77	<0.18	6.40	1.50	0.23
	3/21/16	8.40	0.25	8.50	5.10	0.52
	9/14/16	7.10	<0.17	15.0	7.70	0.35
3/8/17	2.30	<0.17	20.0	7.40	0.39	
10/8/20	<0.39	<0.37	6.80	1.26	<0.20	
1/21/21	<0.39	<0.37	4.90	1.06 J	<0.20	
6/11/21	<0.39	<0.60	5.19	0.76 J	<0.17	
1/14/22	0.96 J	<0.60	5.10	0.91 J	<0.17	
9/16/22	<0.32	<0.50	3.40	0.64 J	<0.15	
MW-8	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	<0.50	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	0.22	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	<0.21	<0.19	<0.15	<0.25	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
MW-8A	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	<0.50	<0.50	1.90	<0.50	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	<0.12	<0.13	1.10	<0.16	<0.17
	9/15/10	<0.13	0.68	<0.16	<0.16	<0.18
	3/9/11	<0.20	NR	<0.21	<0.17	<0.18
	9/20/11	0.33	<0.19	<0.15	0.60	<0.15
	3/6/12	<0.21	<0.19	<0.15	<0.25	<0.15
10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20	
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-8B	10/25/07	<0.50	<0.50	<0.50	<0.50	<0.50
	4/21/08	1.30	<0.50	4.00	1.40	<0.50
	5/26/09	<0.16	<0.21	<0.12	<0.37	<0.17
	3/23/10	0.24	<0.13	2.00	<0.16	<0.17
	9/15/10	<0.13	<0.12	<0.16	<0.16	<0.18
	3/9/11	0.37	NR	3.20	0.33	<0.18
	9/20/11	<0.20	<0.19	<0.15	<0.25	<0.15
	3/6/12	0.23	<0.19	<0.15	0.31	<0.15
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	0.96 J	<0.47	<0.20	
MW-9	12/22/14	780	<17.0	<14.0	<15.0	20.0
	3/10/15	980	<20.0	<17.0	<24.0	52.0
	6/18/15	2,300	25.4	37.7	<15.0	85.6
	9/25/15	3,400	<35.0	<55.0	<42.0	230
	12/21/15	2,100	<63.0	<53.0	<76.0	75.0
	3/21/16	1,700	<34.0	<44.0	<65.0	73.0
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	7.20	<0.37	<0.33	<0.47	<0.20
	6/11/21	24.3	<0.37	<0.33	<0.47	<0.20
	1/14/22	500	5.90	6.00	2.70	3.50
5/22/22	<3.20	<5.00	<4.70	<3.80	<1.5	
9/16/22	33.00	<0.5	0.99 J	0.44 J	<0.15	
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

TABLE A.1. (Page 12 of 12)
Groundwater Analytical Tables - VOCs
Former DB Oak Property
Fort Atkinson, Wisconsin

Well ID	Sampling Date	cis-1,2-DCE (ppb)	trans-1,2-DCE (ppb)	PCE (ppb)	TCE (ppb)	Vinyl chloride (ppb)
MW-9A	12/22/14	340	<7.90	<5.40	<6.80	<4.20
	3/10/15	300	<6.30	<5.30	<7.60	<3.90
	6/18/15	358	<6.70	<6.60	<4.60	16.8
	9/25/15	290	<4.40	<5.50	<4.20	<4.90
	12/21/15	480	<6.30	<5.30	<7.60	7.70
	3/21/16	320	<6.80	<8.80	<13.0	<6.80
	10/8/20	100	1.91	<0.33	<0.47	<0.20
	1/21/21	161	1.51	<0.33	<0.47	0.35 J
	6/11/21	218	3.00	<0.33	<0.47	<0.17
	1/14/22	520	3.30	<0.54	<0.47	0.28 J
5/22/22	238	<5.0	<4.70	<3.80	<1.50	
9/16/22	303	<5.0	<4.70	<3.80	<1.50	
MW-10	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-10A	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	<0.22	<0.32	<0.17
	12/20/16	<0.17	<0.24	<0.17	<0.32	<0.17
	3/8/17	<0.17	<0.24	<0.17	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-11	6/14/16	<0.18	<0.15	<0.17	<0.24	<0.16
	9/14/16	<0.24	<0.17	0.47	<0.32	<0.17
	12/20/16	<0.17	<0.24	0.37	<0.32	<0.17
	3/8/17	<0.17	<0.24	0.23	<0.32	<0.17
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20	
MW-12	3/21/16	<i>20.0</i>	0.47 J	<0.22	<0.32	0.35 J
	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
	6/11/21	<0.39	<0.60	<0.54	<0.47	<0.17
MW-12A	3/21/16	2,400	<29.0	<33.0	<47.0	290
	8/7/18	360	4.90	<0.38	<0.30	<0.20
	4/26/19	137	<3.40	<3.80	<3.00	<2.00
	10/8/20	<i>42.0</i>	1.41	<0.33	<0.47	<0.20
	1/21/21	<i>37.0</i>	0.98 J	<0.33	<0.47	<0.20
	6/11/21	<i>20.0</i>	0.8 J	<0.33	<0.47	<0.20
	1/14/22	4.00	1.23 J	<0.54	<0.47	<0.17
	5/22/22	<i>14.90</i>	<0.5	<0.38	<0.47	<0.15
9/16/22	<i>18.80</i>	1.13 J	<0.38	<0.47	<0.15	
MW-13	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
	6/11/21	<0.39	<0.60	<0.54	<0.47	<0.17
MW-13A	10/8/20	830	11.90	<0.33	<0.47	75.0
	1/21/21	590	5.20 J	<0.33	<0.47	35.0
	6/11/21	830	10.8 J	<5.40	<4.70	3.60 J
	1/14/22	90.0	<6.00	<5.40	<4.70	5.80 J
	5/22/22	74.0	1.06 J	<0.38	<0.47	3.6
9/16/22	182.0	1.62 J	0.62 J	<0.47	2.7	
MW-14	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
MW-14A	10/8/20	1.76	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
MW-15A	10/8/20	<0.39	<0.37	<0.33	<0.47	<0.20
	1/21/21	<0.39	<0.37	<0.33	<0.47	<0.20
ES (ug/L)	-	70	100	5	5	0.2
PAL (ug/L)	-	7	20	0.5	0.5	0.02

Notes:

- 1.) Concentrations in red bold exceed their respective enforcement standard (ES)
- 2.) Concentrations in blue italics exceed their respective preventive action limit (PAL).
- 3.) NR = Samples were not taken during this round of sampling or well was not constructed yet.

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request
 Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around _____

Lab I.D. # _____
QUOTE #: _____
 Project #: 170503
 Sampler: (signature) *Prystycki*
 Project (Name / Location): DB BTK
 Reports To: Rick Friesede
 Company: FEC
 Address: _____
 City State Zip: _____
 Phone: (414) 403-8081
 Email: rfriesede@fecinc.us

Invoice To: *FEC*
 Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested	Other Analysis
<i>5041467A</i>	MW-12A	9/16/12	AM	N	3	GW	ice	DRO (Mod DRO Sep 95) GRO (Mod GRO Sep 95) LEAD NITRATE/NITRITE OIL & GREASE PAH (EPA 8270) PCB PVC (EPA 8021) PVC + NAPHTHALENE SULFATE TOTAL SUSPENDED SOLIDS VOC DW (EPA 524.2) VOC (EPA 8260) VOC AIR (TO - 15) 8-PCRA METALS	PID/ FID
<i>B</i>	MW-9								
<i>C</i>	MW-9A								
<i>D</i>	MW-13A								
<i>E</i>	MW-7A								
<i>F</i>	MW-7B								
<i>G</i>	MW-4								
<i>H</i>	MW-3B								
<i>I</i>	MW-3A								
	MW-3								

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *CS* °C On Ice:
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes ___ No

Relinquished By: (sign) *Rick Friesede* Date: *9/11/12*
 Received in Laboratory By: *[Signature]* Date: *9/22/12*
 Received By: (sign) _____ Time: *8:00*

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

RICK FRIESEKE
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 28-Sep-22

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467A
Sample ID MW-12A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/27/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/27/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/27/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/27/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/27/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/27/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/27/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/27/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/27/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/27/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/27/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/27/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/27/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/27/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/27/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/27/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/27/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/27/2022	CJR	1
cis-1,2-Dichloroethene	18.8	ug/l	0.32	1.29	1	8260B		9/27/2022	CJR	1
trans-1,2-Dichloroethene	1.13 "J"	ug/l	0.5	2.02	1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467A
Sample ID MW-12A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/27/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/27/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/27/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/27/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/27/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/27/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/27/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/27/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/27/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/27/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/27/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/27/2022	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/27/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/27/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/27/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/27/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/27/2022	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		9/27/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/27/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/27/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/27/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E41467

Lab Code 5041467B
 Sample ID MW-9
 Sample Matrix Water
 Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/27/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/27/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/27/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/27/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/27/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/27/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/27/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/27/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/27/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/27/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/27/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/27/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/27/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/27/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/27/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/27/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/27/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/27/2022	CJR	1
cis-1,2-Dichloroethene	33	ug/l	0.32	1.29	1	8260B		9/27/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/27/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/27/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/27/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/27/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/27/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/27/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/27/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/27/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/27/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/27/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/27/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/27/2022	CJR	1
Tetrachloroethene	0.99 "J"	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467B
Sample ID MW-9
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/27/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
Trichloroethene (TCE)	0.44 "J"	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/27/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/27/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/27/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/27/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/27/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/27/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		9/27/2022	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467C
Sample ID MW-9A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3	ug/l	3	12.5	10	8260B		9/28/2022	CJR	1
Bromobenzene	< 3.4	ug/l	3.4	14	10	8260B		9/28/2022	CJR	1
Bromodichloromethane	< 3.6	ug/l	3.6	14.7	10	8260B		9/28/2022	CJR	1
Bromoform	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
tert-Butylbenzene	< 3.7	ug/l	3.7	14.9	10	8260B		9/28/2022	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	29	10	8260B		9/28/2022	CJR	1
Carbon Tetrachloride	< 3.4	ug/l	3.4	13.9	10	8260B		9/28/2022	CJR	1
Chlorobenzene	< 2.9	ug/l	2.9	11.9	10	8260B		9/28/2022	CJR	1
Chloroethane	< 6.2	ug/l	6.2	25.4	10	8260B		9/28/2022	CJR	1
Chloroform	< 3.3	ug/l	3.3	13.3	10	8260B		9/28/2022	CJR	1
Chloromethane	< 7.4	ug/l	7.4	30.3	10	8260B		9/28/2022	CJR	1
2-Chlorotoluene	< 3.4	ug/l	3.4	13.7	10	8260B		9/28/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.3	10	8260B		9/28/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 7.4	ug/l	7.4	30.1	10	8260B		9/28/2022	CJR	1
Dibromochloromethane	< 3.6	ug/l	3.6	14.6	10	8260B		9/28/2022	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	20.1	10	8260B		9/28/2022	CJR	1
1,3-Dichlorobenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,2-Dichlorobenzene	< 4	ug/l	4	16.5	10	8260B		9/28/2022	CJR	1
Dichlorodifluoromethane	< 3	ug/l	3	12.3	10	8260B		9/28/2022	CJR	1
1,2-Dichloroethane	< 4.3	ug/l	4.3	17.5	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethane	< 4.3	ug/l	4.3	17.4	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethene	< 4.3	ug/l	4.3	17.6	10	8260B		9/28/2022	CJR	1
cis-1,2-Dichloroethene	303	ug/l	3.2	12.9	10	8260B		9/28/2022	CJR	1
trans-1,2-Dichloroethene	< 5	ug/l	5	20.2	10	8260B		9/28/2022	CJR	1
1,2-Dichloropropane	< 3.9	ug/l	3.9	15.8	10	8260B		9/28/2022	CJR	1
1,3-Dichloropropane	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
trans-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
cis-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
Di-isopropyl ether	< 4.8	ug/l	4.8	19.6	10	8260B		9/28/2022	CJR	1
EDB (1,2-Dibromoethane)	< 3.9	ug/l	3.9	15.9	10	8260B		9/28/2022	CJR	1
Ethylbenzene	< 3.3	ug/l	3.3	13.7	10	8260B		9/28/2022	CJR	1
Hexachlorobutadiene	< 8.1	ug/l	8.1	34.4	10	8260B		9/28/2022	CJR	1
Isopropylbenzene	< 3.4	ug/l	3.4	13.8	10	8260B		9/28/2022	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Methylene chloride	< 7.9	ug/l	7.9	32.3	10	8260B		9/28/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Naphthalene	< 14	ug/l	14	55.6	10	8260B		9/28/2022	CJR	1
n-Propylbenzene	< 3.9	ug/l	3.9	16	10	8260B		9/28/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 4.3	ug/l	4.3	17.7	10	8260B		9/28/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 5.5	ug/l	5.5	22.5	10	8260B		9/28/2022	CJR	1
Tetrachloroethene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Toluene	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.3	ug/l	6.3	25.7	10	8260B		9/28/2022	CJR	1

Project Name DB OAK

Invoice # E41467

Project # 170503

Lab Code 5041467C

Sample ID MW-9A

Sample Matrix Water

Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 14	ug/l	14	59.4	10	8260B		9/28/2022	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
Trichloroethene (TCE)	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
Trichlorofluoromethane	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,3,5-Trimethylbenzene	< 4.1	ug/l	4.1	16.6	10	8260B		9/28/2022	CJR	1
Vinyl Chloride	< 1.5	ug/l	1.5	6.1	10	8260B		9/28/2022	CJR	1
m&p-Xylene	< 6.4	ug/l	6.4	26.3	10	8260B		9/28/2022	CJR	1
o-Xylene	< 3.7	ug/l	3.7	15.1	10	8260B		9/28/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			10	8260B		9/28/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			10	8260B		9/28/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		9/28/2022	CJR	1
SUR - Toluene-d8	88	REC %			10	8260B		9/28/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E41467

Lab Code 5041467D
 Sample ID MW-13A
 Sample Matrix Water
 Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	1.2 "J"	ug/l	0.3	1.25	1	8260B		9/27/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/27/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/27/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/27/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/27/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/27/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/27/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/27/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/27/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/27/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/27/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/27/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/27/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/27/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/27/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/27/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/27/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethene	0.50 "J"	ug/l	0.43	1.76	1	8260B		9/27/2022	CJR	1
cis-1,2-Dichloroethene	182	ug/l	0.32	1.29	1	8260B		9/27/2022	CJR	1
trans-1,2-Dichloroethene	1.62 "J"	ug/l	0.5	2.02	1	8260B		9/27/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/27/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/27/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/27/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/27/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/27/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/27/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/27/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/27/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/27/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/27/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/27/2022	CJR	1
Tetrachloroethene	0.62 "J"	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467D
Sample ID MW-13A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/27/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/27/2022	CJR	1
Vinyl Chloride	2.73	ug/l	0.15	0.61	1	8260B		9/27/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/27/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/27/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/27/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/27/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/27/2022	CJR	1
SUR - Toluene-d8	86	REC %			1	8260B		9/27/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E41467

Lab Code 5041467E
 Sample ID MW-7A
 Sample Matrix Water
 Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/27/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/27/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/27/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/27/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/27/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/27/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/27/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/27/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/27/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/27/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/27/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/27/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/27/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/27/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/27/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/27/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/27/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/27/2022	CJR	1
cis-1,2-Dichloroethene	28.5	ug/l	0.32	1.29	1	8260B		9/27/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/27/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/27/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/27/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/27/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/27/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/27/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/27/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/27/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/27/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/27/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/27/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/27/2022	CJR	1
Tetrachloroethene	32	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467E
Sample ID MW-7A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/27/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
Trichloroethene (TCE)	2.62	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/27/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/27/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/27/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/27/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		9/27/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/27/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/27/2022	CJR	1
SUR - Toluene-d8	87	REC %			1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5041467F
Sample ID MW-7B
Sample Matrix Water
Sample Date 9/16/2022

Invoice # E41467

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/27/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/27/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/27/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/27/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/27/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/27/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/27/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/27/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/27/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/27/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/27/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/27/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/27/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/27/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/27/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/27/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/27/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/27/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/27/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		9/27/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		9/27/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/27/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/27/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/27/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/27/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/27/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/27/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/27/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/27/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/27/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/27/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/27/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/27/2022	CJR	1
Tetrachloroethene	3.4	ug/l	0.47	1.91	1	8260B		9/27/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/27/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467F
Sample ID MW-7B
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/27/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/27/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/27/2022	CJR	1
Trichloroethene (TCE)	0.64 "J"	ug/l	0.38	1.55	1	8260B		9/27/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/27/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/27/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/27/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		9/27/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/27/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/27/2022	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		9/27/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/27/2022	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		9/27/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/27/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E41467

Lab Code 5041467G
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3	ug/l	3	12.5	10	8260B		9/28/2022	CJR	1
Bromobenzene	< 3.4	ug/l	3.4	14	10	8260B		9/28/2022	CJR	1
Bromodichloromethane	< 3.6	ug/l	3.6	14.7	10	8260B		9/28/2022	CJR	1
Bromoform	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
tert-Butylbenzene	< 3.7	ug/l	3.7	14.9	10	8260B		9/28/2022	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	29	10	8260B		9/28/2022	CJR	1
Carbon Tetrachloride	< 3.4	ug/l	3.4	13.9	10	8260B		9/28/2022	CJR	1
Chlorobenzene	< 2.9	ug/l	2.9	11.9	10	8260B		9/28/2022	CJR	1
Chloroethane	< 6.2	ug/l	6.2	25.4	10	8260B		9/28/2022	CJR	1
Chloroform	< 3.3	ug/l	3.3	13.3	10	8260B		9/28/2022	CJR	1
Chloromethane	< 7.4	ug/l	7.4	30.3	10	8260B		9/28/2022	CJR	1
2-Chlorotoluene	< 3.4	ug/l	3.4	13.7	10	8260B		9/28/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.3	10	8260B		9/28/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 7.4	ug/l	7.4	30.1	10	8260B		9/28/2022	CJR	1
Dibromochloromethane	< 3.6	ug/l	3.6	14.6	10	8260B		9/28/2022	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	20.1	10	8260B		9/28/2022	CJR	1
1,3-Dichlorobenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,2-Dichlorobenzene	< 4	ug/l	4	16.5	10	8260B		9/28/2022	CJR	1
Dichlorodifluoromethane	< 3	ug/l	3	12.3	10	8260B		9/28/2022	CJR	1
1,2-Dichloroethane	< 4.3	ug/l	4.3	17.5	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethane	< 4.3	ug/l	4.3	17.4	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethene	< 4.3	ug/l	4.3	17.6	10	8260B		9/28/2022	CJR	1
cis-1,2-Dichloroethene	23.9	ug/l	3.2	12.9	10	8260B		9/28/2022	CJR	1
trans-1,2-Dichloroethene	< 5	ug/l	5	20.2	10	8260B		9/28/2022	CJR	1
1,2-Dichloropropane	< 3.9	ug/l	3.9	15.8	10	8260B		9/28/2022	CJR	1
1,3-Dichloropropane	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
trans-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
cis-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
Di-isopropyl ether	< 4.8	ug/l	4.8	19.6	10	8260B		9/28/2022	CJR	1
EDB (1,2-Dibromoethane)	< 3.9	ug/l	3.9	15.9	10	8260B		9/28/2022	CJR	1
Ethylbenzene	< 3.3	ug/l	3.3	13.7	10	8260B		9/28/2022	CJR	1
Hexachlorobutadiene	< 8.1	ug/l	8.1	34.4	10	8260B		9/28/2022	CJR	1
Isopropylbenzene	< 3.4	ug/l	3.4	13.8	10	8260B		9/28/2022	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Methylene chloride	< 7.9	ug/l	7.9	32.3	10	8260B		9/28/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Naphthalene	< 14	ug/l	14	55.6	10	8260B		9/28/2022	CJR	1
n-Propylbenzene	< 3.9	ug/l	3.9	16	10	8260B		9/28/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 4.3	ug/l	4.3	17.7	10	8260B		9/28/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 5.5	ug/l	5.5	22.5	10	8260B		9/28/2022	CJR	1
Tetrachloroethene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Toluene	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.3	ug/l	6.3	25.7	10	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467G
Sample ID MW-4
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 14	ug/l	14	59.4	10	8260B		9/28/2022	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
Trichloroethene (TCE)	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
Trichlorofluoromethane	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,3,5-Trimethylbenzene	< 4.1	ug/l	4.1	16.6	10	8260B		9/28/2022	CJR	1
Vinyl Chloride	55	ug/l	1.5	6.1	10	8260B		9/28/2022	CJR	1
m&p-Xylene	< 6.4	ug/l	6.4	26.3	10	8260B		9/28/2022	CJR	1
o-Xylene	< 3.7	ug/l	3.7	15.1	10	8260B		9/28/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			10	8260B		9/28/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			10	8260B		9/28/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		9/28/2022	CJR	1
SUR - Toluene-d8	85	REC %			10	8260B		9/28/2022	CJR	1

Project Name DB OAK
 Project # 170503

Invoice # E41467

Lab Code 5041467H
 Sample ID MW-3B
 Sample Matrix Water
 Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		9/28/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		9/28/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		9/28/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		9/28/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		9/28/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		9/28/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		9/28/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		9/28/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		9/28/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		9/28/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		9/28/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		9/28/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		9/28/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		9/28/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		9/28/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		9/28/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		9/28/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/28/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		9/28/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		9/28/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		9/28/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		9/28/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		9/28/2022	CJR	1
cis-1,2-Dichloroethene	133	ug/l	0.32	1.29	1	8260B		9/28/2022	CJR	1
trans-1,2-Dichloroethene	5.2	ug/l	0.5	2.02	1	8260B		9/28/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		9/28/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		9/28/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/28/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		9/28/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		9/28/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		9/28/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		9/28/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		9/28/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		9/28/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		9/28/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		9/28/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		9/28/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		9/28/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		9/28/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		9/28/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		9/28/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		9/28/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		9/28/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467H
Sample ID MW-3B
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		9/28/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		9/28/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		9/28/2022	CJR	1
Trichloroethene (TCE)	1.8	ug/l	0.38	1.55	1	8260B		9/28/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		9/28/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		9/28/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		9/28/2022	CJR	1
Vinyl Chloride	51	ug/l	0.15	0.61	1	8260B		9/28/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		9/28/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		9/28/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/28/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/28/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/28/2022	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5041467I
Sample ID MW-3A
Sample Matrix Water
Sample Date 9/16/2022

Invoice # E41467

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 30	ug/l	30	125	100	8260B		9/28/2022	CJR	1
Bromobenzene	< 34	ug/l	34	140	100	8260B		9/28/2022	CJR	1
Bromodichloromethane	< 36	ug/l	36	147	100	8260B		9/28/2022	CJR	1
Bromoform	< 42	ug/l	42	172	100	8260B		9/28/2022	CJR	1
tert-Butylbenzene	< 37	ug/l	37	149	100	8260B		9/28/2022	CJR	1
sec-Butylbenzene	< 33	ug/l	33	134	100	8260B		9/28/2022	CJR	1
n-Butylbenzene	< 71	ug/l	71	290	100	8260B		9/28/2022	CJR	1
Carbon Tetrachloride	< 34	ug/l	34	139	100	8260B		9/28/2022	CJR	1
Chlorobenzene	< 29	ug/l	29	119	100	8260B		9/28/2022	CJR	1
Chloroethane	< 62	ug/l	62	254	100	8260B		9/28/2022	CJR	1
Chloroform	< 33	ug/l	33	133	100	8260B		9/28/2022	CJR	1
Chloromethane	< 74	ug/l	74	303	100	8260B		9/28/2022	CJR	1
2-Chlorotoluene	< 34	ug/l	34	137	100	8260B		9/28/2022	CJR	1
4-Chlorotoluene	< 40	ug/l	40	163	100	8260B		9/28/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 74	ug/l	74	301	100	8260B		9/28/2022	CJR	1
Dibromochloromethane	< 36	ug/l	36	146	100	8260B		9/28/2022	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	201	100	8260B		9/28/2022	CJR	1
1,3-Dichlorobenzene	< 35	ug/l	35	144	100	8260B		9/28/2022	CJR	1
1,2-Dichlorobenzene	< 40	ug/l	40	165	100	8260B		9/28/2022	CJR	1
Dichlorodifluoromethane	< 30	ug/l	30	123	100	8260B		9/28/2022	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	175	100	8260B		9/28/2022	CJR	1
1,1-Dichloroethane	< 43	ug/l	43	174	100	8260B		9/28/2022	CJR	1
1,1-Dichloroethene	< 43	ug/l	43	176	100	8260B		9/28/2022	CJR	1
cis-1,2-Dichloroethene	10000	ug/l	32	129	100	8260B		9/28/2022	CJR	1
trans-1,2-Dichloroethene	65 "J"	ug/l	50	202	100	8260B		9/28/2022	CJR	1
1,2-Dichloropropane	< 39	ug/l	39	158	100	8260B		9/28/2022	CJR	1
1,3-Dichloropropane	< 38	ug/l	38	155	100	8260B		9/28/2022	CJR	1
trans-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B		9/28/2022	CJR	1
cis-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B		9/28/2022	CJR	1
Di-isopropyl ether	< 48	ug/l	48	196	100	8260B		9/28/2022	CJR	1
EDB (1,2-Dibromoethane)	< 39	ug/l	39	159	100	8260B		9/28/2022	CJR	1
Ethylbenzene	< 33	ug/l	33	137	100	8260B		9/28/2022	CJR	1
Hexachlorobutadiene	< 81	ug/l	81	344	100	8260B		9/28/2022	CJR	1
Isopropylbenzene	< 34	ug/l	34	138	100	8260B		9/28/2022	CJR	1
p-Isopropyltoluene	< 47	ug/l	47	191	100	8260B		9/28/2022	CJR	1
Methylene chloride	< 79	ug/l	79	323	100	8260B		9/28/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 47	ug/l	47	191	100	8260B		9/28/2022	CJR	1
Naphthalene	< 140	ug/l	140	556	100	8260B		9/28/2022	CJR	1
n-Propylbenzene	< 39	ug/l	39	160	100	8260B		9/28/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 43	ug/l	43	177	100	8260B		9/28/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 55	ug/l	55	225	100	8260B		9/28/2022	CJR	1
Tetrachloroethene	< 47	ug/l	47	191	100	8260B		9/28/2022	CJR	1
Toluene	< 33	ug/l	33	135	100	8260B		9/28/2022	CJR	1
1,2,4-Trichlorobenzene	< 63	ug/l	63	257	100	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467I
Sample ID MW-3A
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 140	ug/l	140	594	100	8260B		9/28/2022	CJR	1
1,1,1-Trichloroethane	< 33	ug/l	33	134	100	8260B		9/28/2022	CJR	1
1,1,2-Trichloroethane	< 42	ug/l	42	172	100	8260B		9/28/2022	CJR	1
Trichloroethene (TCE)	< 38	ug/l	38	155	100	8260B		9/28/2022	CJR	1
Trichlorofluoromethane	< 33	ug/l	33	135	100	8260B		9/28/2022	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	144	100	8260B		9/28/2022	CJR	1
1,3,5-Trimethylbenzene	< 41	ug/l	41	166	100	8260B		9/28/2022	CJR	1
Vinyl Chloride	2090	ug/l	15	61	100	8260B		9/28/2022	CJR	1
m&p-Xylene	< 64	ug/l	64	263	100	8260B		9/28/2022	CJR	1
o-Xylene	< 37	ug/l	37	151	100	8260B		9/28/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			100	8260B		9/28/2022	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			100	8260B		9/28/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			100	8260B		9/28/2022	CJR	1
SUR - Toluene-d8	86	REC %			100	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503
Lab Code 5041467J
Sample ID MW-3
Sample Matrix Water
Sample Date 9/16/2022

Invoice # E41467

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3	ug/l	3	12.5	10	8260B		9/28/2022	CJR	1
Bromobenzene	< 3.4	ug/l	3.4	14	10	8260B		9/28/2022	CJR	1
Bromodichloromethane	< 3.6	ug/l	3.6	14.7	10	8260B		9/28/2022	CJR	1
Bromoform	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
tert-Butylbenzene	< 3.7	ug/l	3.7	14.9	10	8260B		9/28/2022	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	29	10	8260B		9/28/2022	CJR	1
Carbon Tetrachloride	< 3.4	ug/l	3.4	13.9	10	8260B		9/28/2022	CJR	1
Chlorobenzene	< 2.9	ug/l	2.9	11.9	10	8260B		9/28/2022	CJR	1
Chloroethane	< 6.2	ug/l	6.2	25.4	10	8260B		9/28/2022	CJR	1
Chloroform	< 3.3	ug/l	3.3	13.3	10	8260B		9/28/2022	CJR	1
Chloromethane	< 7.4	ug/l	7.4	30.3	10	8260B		9/28/2022	CJR	1
2-Chlorotoluene	< 3.4	ug/l	3.4	13.7	10	8260B		9/28/2022	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.3	10	8260B		9/28/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 7.4	ug/l	7.4	30.1	10	8260B		9/28/2022	CJR	1
Dibromochloromethane	< 3.6	ug/l	3.6	14.6	10	8260B		9/28/2022	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	20.1	10	8260B		9/28/2022	CJR	1
1,3-Dichlorobenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,2-Dichlorobenzene	< 4	ug/l	4	16.5	10	8260B		9/28/2022	CJR	1
Dichlorodifluoromethane	< 3	ug/l	3	12.3	10	8260B		9/28/2022	CJR	1
1,2-Dichloroethane	< 4.3	ug/l	4.3	17.5	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethane	< 4.3	ug/l	4.3	17.4	10	8260B		9/28/2022	CJR	1
1,1-Dichloroethene	< 4.3	ug/l	4.3	17.6	10	8260B		9/28/2022	CJR	1
cis-1,2-Dichloroethene	17.5	ug/l	3.2	12.9	10	8260B		9/28/2022	CJR	1
trans-1,2-Dichloroethene	< 5	ug/l	5	20.2	10	8260B		9/28/2022	CJR	1
1,2-Dichloropropane	< 3.9	ug/l	3.9	15.8	10	8260B		9/28/2022	CJR	1
1,3-Dichloropropane	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
trans-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
cis-1,3-Dichloropropene	< 4.1	ug/l	4.1	16.7	10	8260B		9/28/2022	CJR	1
Di-isopropyl ether	< 4.8	ug/l	4.8	19.6	10	8260B		9/28/2022	CJR	1
EDB (1,2-Dibromoethane)	< 3.9	ug/l	3.9	15.9	10	8260B		9/28/2022	CJR	1
Ethylbenzene	< 3.3	ug/l	3.3	13.7	10	8260B		9/28/2022	CJR	1
Hexachlorobutadiene	< 8.1	ug/l	8.1	34.4	10	8260B		9/28/2022	CJR	1
Isopropylbenzene	< 3.4	ug/l	3.4	13.8	10	8260B		9/28/2022	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Methylene chloride	< 7.9	ug/l	7.9	32.3	10	8260B		9/28/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Naphthalene	< 14	ug/l	14	55.6	10	8260B		9/28/2022	CJR	1
n-Propylbenzene	< 3.9	ug/l	3.9	16	10	8260B		9/28/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 4.3	ug/l	4.3	17.7	10	8260B		9/28/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 5.5	ug/l	5.5	22.5	10	8260B		9/28/2022	CJR	1
Tetrachloroethene	< 4.7	ug/l	4.7	19.1	10	8260B		9/28/2022	CJR	1
Toluene	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trichlorobenzene	< 6.3	ug/l	6.3	25.7	10	8260B		9/28/2022	CJR	1

Project Name DB OAK
Project # 170503

Invoice # E41467

Lab Code 5041467J
Sample ID MW-3
Sample Matrix Water
Sample Date 9/16/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 14	ug/l	14	59.4	10	8260B		9/28/2022	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	13.4	10	8260B		9/28/2022	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	17.2	10	8260B		9/28/2022	CJR	1
Trichloroethene (TCE)	< 3.8	ug/l	3.8	15.5	10	8260B		9/28/2022	CJR	1
Trichlorofluoromethane	< 3.3	ug/l	3.3	13.5	10	8260B		9/28/2022	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14.4	10	8260B		9/28/2022	CJR	1
1,3,5-Trimethylbenzene	< 4.1	ug/l	4.1	16.6	10	8260B		9/28/2022	CJR	1
Vinyl Chloride	1250	ug/l	1.5	6.1	10	8260B		9/28/2022	CJR	1
m&p-Xylene	< 6.4	ug/l	6.4	26.3	10	8260B		9/28/2022	CJR	1
o-Xylene	< 3.7	ug/l	3.7	15.1	10	8260B		9/28/2022	CJR	1
SUR - Toluene-d8	86	REC %				10	8260B	9/28/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				10	8260B	9/28/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %				10	8260B	9/28/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %				10	8260B	9/28/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature