



Northern Lake Service, Inc • 400 N Lake Ave • Crandon, WI 54520
800-278-1254 • www.nlslab.com

March 24, 2023

Mark Pauli
Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Work Order: CB02032
Received: 03/03/23

Enclosed are the results of analyses for samples received by our laboratory on 3/3/2023. If you have any questions concerning this report, please feel free to contact a client service representative at clientservices@nlslab.com.

Sincerely,

A handwritten signature in black ink, appearing to read "Tom Priebe".

Tom Priebe For Client Services
Northern Lake Service, Inc.



Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Project Manager: Mark Pauli

Reported:
3/24/23 9:40

Work Order:
CB02032

Sample Summary

Descriptions of all qualifiers listed throughout this report can be found on the Qualifiers and Definitions Page.

Lab ID	Sample	Matrix	Sample Type	Qualifiers	Date Sampled	Date Received
CB02032-01	QZ887	DW			3/3/23 11:30	3/3/23 15:00
CB02032-02	Field Blank	DW			3/3/23 0:00	3/3/23 15:00



Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Project Manager: Mark Pauli

Reported:
3/24/23 9:40

Work Order:
CB02032

Sample Results

Sample: QZ887

CB02032-01 (DW) Sampled: 03/03/23 11:30

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Semi-Volatiles												
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		1	0.31	1.0		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		1	0.34	1.1		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		1	0.37	1.2		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		1	0.41	1.4		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1	0.47	1.6		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		1	0.40	1.3		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	0.56	J	1	0.30	1.0		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		1	0.33	1.1		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		1	0.23	0.77		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	ND		1	0.44	1.5		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	ND		1	0.47	1.6		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	2.4		1	0.34	1.1		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		1	0.46	1.5		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	2.1		1	0.49	1.6		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	ND		1	0.31	1.0		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		1	0.34	1.1		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTrDA)	ND		1	0.43	1.4		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		1	0.30	1.0		ng/L	3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFHxA	91%			Limits: 70-130%				3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-HFPODA	91%			Limits: 70-130%				3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFDA	97%			Limits: 70-130%				3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) d5-NEtFOSAA	86%			Limits: 70-130%				3/10/23 7:03	3/13/23 15:41	RAW	EPA 537.1, Rev 2.0	2

Sample: Field Blank

CB02032-02 (DW) Sampled: 03/03/23 00:00

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Semi-Volatiles												



Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Project Manager: Mark Pauli

Reported:
3/24/23 9:40

Work Order:
CB02032

Sample Results (Continued)

Sample: Field Blank (Continued)

CB02032-02 (DW) Sampled: 03/03/23 00:00

Analyte	Result	Qualifier	Dilution	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Semi-Volatiles (Continued)												
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		1	0.31	1.0		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		1	0.34	1.1		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		1	0.37	1.2		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		1	0.41	1.4		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1	0.47	1.6		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		1	0.40	1.3		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	ND		1	0.30	1.0		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		1	0.33	1.1		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		1	0.23	0.77		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	ND		1	0.44	1.5		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	ND		1	0.47	1.6		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	ND		1	0.34	1.1		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		1	0.46	1.5		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	ND		1	0.49	1.6		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	ND		1	0.31	1.0		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		1	0.34	1.1		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTTrDA)	ND		1	0.43	1.4		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		1	0.30	1.0		ng/L	3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFHxA	98%			Limits: 70-130%				3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-HFPODA	99%			Limits: 70-130%				3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFDA	100%			Limits: 70-130%				3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) d5-NEtFOSAA	93%			Limits: 70-130%				3/15/23 7:07	3/17/23 1:55	RAW	EPA 537.1, Rev 2.0	2



Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Project Manager: Mark Pauli

Reported:
3/24/23 9:40

Work Order:
CB02032

List of Certifications

Code	Description	Number	Expires
2	NLS (Crandon) WDNR Laboratory ID No.	721026460	8/31/23



Wisconsin Department of Natural Resources
101 S Webster St
Madison, WI 53707

Project: 2023 Drinking Water Testing - Starks Expanded Area
Project Number: PFAS Private Wells
Project Manager: Mark Pauli

Reported:
3/24/23 9:40

Work Order:
CB02032

Qualifiers and Definitions

Item	Definition
J	Result is between LOD and LOQ and considered to be within a region of less-certain quantitation.
ND	Analyte NOT DETECTED at or above the LOD or MRL.
LOD	Limit of Detection.
LOQ	Limit of Quantitation.
NA	Not Applicable.
Dry	Dry Weight Basis.
Wet	Wet Weight Basis.
% Dry	Equal to: (mg/kg dry) / 10000.
1000 ug/L	Equal to: 1 mg/L.
MCL	Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.
RPD	Relative Percent Difference.
%REC	Percent Recovery.
Source	Sample that was matrix spiked or duplicated.

All LOD/LOQs adjusted to reflect preparation volumes, dilutions, and/or solids content.

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

CB02032




Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

CLIENT: WISCONSIN DNR-DRINKING AND GROUNDWATER
 ADDRESS: PO Box 7921, D615
 CITY: MADISON STATE: WI ZIP: 53707
 PROJECT DESCRIPTION NO.: PEAS PRICHTE WELLS QUOTATION NO.
 DNR FID #: DNR LICENSE #
 CONTACT: MARK PAULI PHONE: 725-499-0612
 PURCHASE ORDER NO.: 0000022899 FAX:

USE BOXES TO INDICATE G OR C IF WW SAMPLE IS GRAB OR COMPOSITE.
 MATRIX: SW = surface water, WW = waste water, GW = groundwater, DW = drinking water, TIS = tissue, AIR = air, SOIL = soil, SED = sediment, PROD = product, SL = sludge, OTHER

ITEM NO.	NLS LAB NO.	SAMPLE ID	COLLECTION DATE	TIME	MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS	COLLECTION REMARKS (i.e. DNR Well ID #)
1.		QZ887	3/3/23	11:30	GW	X EPA METHOD 537.1	(2) SAMPLES (1) FB
2.							
3.							
4.							
5.							
6.							
7.							
8.							
9.							
10.							



COLLECTED BY (signature): *William Roberts* DATE/TIME: 3-3-23 11:30
 CUSTODY SEAL NO. (IF ANY):
 RELINQUISHED BY (signature): *William Roberts* DATE/TIME: 3-3-23 15:00
 DISPATCHED BY (signature):
 METHOD OF TRANSPORT: *hand*

RECEIVED AT NLS BY (signature): *William Roberts* DATE/TIME: 3-3-23 15:00
 RECEIVED BY (signature):
 CONDITION: *Good* TEMP: *20C*
 REMARKS & OTHER INFORMATION:
 WDNR FACILITY NUMBER: E-MAIL ADDRESS:

COOLER #
 PRESERVATIVE: N = nitric acid, OH = sodium hydroxide, NP = no preservative, Z = zinc acetate, HA = hydrochloric & ascorbic acid, M = methanol, H = hydrochloric acid, S = sulfuric acid
IMPORTANT:
 1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
 2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
 3. RETURN THIS FORM WITH SAMPLES-CLIENT MAY KEEP PINK COPY.
 4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICED TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

REPORT TO:
 INVOICE TO:

COMM GWT = QZ887