


City: Minneapolis/Citrix Div/Group: IMDVC Created By: Last Saved By: mgress
 TYCO Marinette, WI
 Z:\GIS\Projects_Env\TYCO_Marinette_WI\MXD\2018-06\Res_Drinking_Well_LocsV2_20180613.mxd 6/20/2018 11:36:08 AM



LEGEND:

- NOT DETECTED
- PFOA DETECTION ABOVE HAL
- PFOA DETECTION BELOW HAL
- RESULTS NOT AVAILABLE
- APPROXIMATE SITE PROPERTY BOUNDARY
- APPROXIMATE MARINETTE CITY BOUNDARY
- DITCH/STREAM
- WATERBODY



6/20/2018

NOTES:


1. WELL LOCATIONS ARE APPROXIMATE
2. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, GARMIN, USGS, INTERMAP, INCREMENT P, NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI KOREA, ESRI (THAILAND), NGCC, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY

TYCO FIRE PRODUCTS, LP
 MARINETTE, WISCONSIN

DRINKING WATER WELL LOCATIONS



FIGURE
1



TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-002	4/18/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	523	+,-
WS-002 DUP	4/18/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	523	+,-
WS-005	12/12/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	30	-
WS-005 DUP	12/12/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Shallow	30	-
WS-005	4/6/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Shallow	30	-
WS-006	12/12/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	521	+,-
WS-006	4/18/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	521	+,-
WS-007A	12/12/2017	25	< 7.0	< 17	22	7.3 J	< 8.2	Shallow	23	-
WS-007A	1/3/2018	24	< 7.2	< 17	22	6.7 J	< 8.5	Shallow	23	-
WS-007B	12/12/2017	360 D	120	< 17	150 D	90	58	Shallow	46	+,-
WS-007B	1/3/2018	330 D	110	< 17	130 D	82	56	Shallow	46	+,-
WS-007B	4/18/2018	300 D	120	< 16	120 D	91	54	Shallow	46	+,-
WS-008	12/12/2017	550 D	20 J	< 17	170 D	160	23	Shallow	23	-
WS-008	1/3/2018	670 D	20 J	< 16	200 D	180	25	Shallow	23	-
WS-008	4/10/2018	580 D	17 J	< 16	170 D	200	23	Shallow	23	-
WS-008	4/17/2018	640 D	17 J	< 16	180 D	210	23	Shallow	23	-
WS-008	4/24/2018	580 D	18 J	< 16	160 DJ	200	22	Shallow	23	-
WS-009	12/12/2017	18 J	< 7.0	< 16	5.1 J	< 5.6	< 8.2	Shallow	62	+,-
WS-009	1/12/2018	18 J	< 6.8	< 16	4.9 J	< 5.5	< 8.0	Shallow	62	+,-
WS-009	4/4/2018	20 J	< 7.0	< 17	6.2 J	< 5.6	< 8.2	Shallow	62	+,-
WS-010	12/12/2017	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-010	4/16/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-011	12/12/2017	< 2.9	< 7.0	< 17	< 1.9	< 5.6	< 8.2	Deep	104	+,-
WS-011	4/3/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	104	+,-
WS-012	12/12/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	510	+,-
WS-012	4/13/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	510	+,-
WS-013	12/12/2017	9.6 J	< 7.0	< 17	6.7 J	< 5.7	< 8.3	Shallow	15	-
WS-013	1/2/2018	11 J	< 7.6	< 18	9.6 J	< 6.2	< 9.0	Shallow	15	-
WS-013 DUP	1/2/2018	11 J	< 6.7	< 16	9.9	< 5.4	< 7.9	Shallow	15	-
WS-013	4/7/2018	6.7 J	< 6.9	< 16	3.4 J	< 5.6	< 8.1	Shallow	15	-
WS-014	12/12/2017	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	264	+,-
WS-014	4/3/2018	< 2.3	< 5.7	< 13	< 1.6	< 4.6	< 6.7	Deep	264	+,-
WS-015	12/12/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-015	4/4/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-016	12/12/2017	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	175	-
WS-016	4/10/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.4	< 7.8	Deep	175	-
WS-017	12/12/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	120	+,-
WS-017	4/4/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	120	+,-
WS-018	12/12/2017	6.8 J	< 7.0	< 17	3.7 J	< 5.7	< 8.3	Shallow	28	-
WS-018	1/23/2018	20 J	< 7.1	< 17	8.5 J	< 5.8	< 8.4	Shallow	28	-
WS-018 DUP	1/23/2018	18 J	< 7.0	< 17	7.5 J	< 5.6	< 8.2	Shallow	28	-
WS-018	4/4/2018	13 J	< 6.7	< 16	5.0 J	< 5.4	< 7.9	Shallow	28	-
WS-019	12/13/2017	110	13 J	< 16	51	18 J	12 J	Shallow	20	-
WS-019	1/2/2018	110	12 J	< 17	47	17 J	12 J	Shallow	20	-
WS-019	3/19/2018	110	15 J	< 16	44	17 J	14 J	Shallow	20	-

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-019	3/27/2018	88	12 J	< 16	38	16 J	12 J	Shallow	20	-
WS-019	4/5/2018	83	11 J	< 16	35	15 J	10 J	Shallow	20	-
WS-019 DUP	4/5/2018	85	12 J	< 16	35	15 J	11 J	Shallow	20	-
WS-019	4/19/2018	94	13 J	< 16	40	17 J	12 J	Shallow	20	-
WS-019	6/1/2018	91	14 J	< 15	38	15 J	13 J	Shallow	20	-
WS-020	12/13/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	NA	NA	NA
WS-020 DUP	12/13/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-020	4/7/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-020 DUP	4/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-021	12/13/2017	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	114	+, -
WS-022	12/13/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-022	4/13/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-023	12/13/2017	6.5 J	< 7.2	< 17	2.1 J	< 5.8	< 8.5	Deep	100	-
WS-023	5/2/2018	4.7 J	< 6.5	< 15	< 1.8	< 5.2	< 7.6	Deep	100	-
WS-023 DUP	5/2/2018	5.0 J	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	100	-
WS-024	12/13/2017	37	< 7.0	< 16	8.8 J	< 5.6	< 8.2	Shallow	<20	-
WS-024	4/2/2018	28	< 5.9	< 14	10	< 4.8	< 6.9	Shallow	<20	-
WS-025	12/13/2017	21	< 6.8	< 16	10	< 5.5	< 8.0	Shallow	30-40	-
WS-025	1/16/2018	23	< 7.0	< 17	11	< 5.7	< 8.3	Shallow	30-40	-
WS-025 DUP	1/16/2018	22	< 7.1	< 17	10	< 5.8	< 8.4	Shallow	30-40	-
WS-025	4/11/2018	23	< 6.9	< 16	9.5 J	< 5.6	< 8.1	Shallow	30-40	-
WS-026	12/13/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	NA	NA	NA
WS-026	4/3/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA	NA	NA
WS-027	12/13/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-027	4/19/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA
WS-028	12/13/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.9	< 8.5	Deep	454	+, -
WS-028	4/10/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	454	+, -
WS-029	12/14/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	90	-
WS-029	4/5/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	90	-
WS-030	12/14/2017	36	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Shallow	28	+, -
WS-030 DUP	12/14/2017	38	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Shallow	28	+, -
WS-030	1/12/2018	45	< 6.5	< 15	< 1.8	< 5.2	< 7.6	Shallow	28	+, -
WS-030	4/7/2018	45	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Shallow	28	+, -
WS-031	12/14/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-031	5/21/2018	< 3.2	< 7.7	< 18	< 2.2	< 6.2	< 9.1	NA	NA	NA
WS-031 DUP	5/21/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-032	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-032	4/4/2018	11 J	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-033	12/14/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.6	< 8.2	Deep	125	+
WS-033	4/3/2018	< 2.3	< 5.5	< 13	< 1.5	< 4.4	< 6.4	Deep	125	+
WS-034	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	NA	NA
WS-034	4/4/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Shallow	NA	NA
WS-035	12/14/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-036	12/14/2017	75	13 J	< 16	15	6.5 J	< 7.9	Shallow	<30	-
WS-036	1/2/2018	72	12 J	< 17	15	5.7 J	< 8.3	Shallow	<30	-

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-036	2/16/2018	60	13 J	< 15	12	< 5.0	< 7.2	Shallow	<30	-
WS-036	2/23/2018	41	8.9 J	< 15	7.8 J	< 5.3	< 7.7	Shallow	<30	-
WS-036	3/2/2018	54	10 J	< 16	11	< 5.4	< 7.8	Shallow	<30	-
WS-036	3/9/2018	65	12 J	< 16	11	< 5.4	< 7.9	Shallow	<30	-
WS-036	3/15/2018	39	7.8 J	< 15	7.9 J	< 5.3	< 7.7	Shallow	<30	-
WS-036	4/19/2018	44	7.1 J	< 16	9.1 J	< 5.5	< 8.0	Shallow	<30	-
WS-036	5/21/2018	54	9.2 J	< 17	10	< 5.8	< 8.4	Shallow	<30	-
WS-037	12/14/2017	18 J	< 7.0	< 16	40	< 5.6	< 8.2	Shallow	23	-
WS-037	4/5/2018	18 J	< 6.8	< 16	41	< 5.5	< 8.0	Shallow	23	-
WS-038	12/15/2017	39	< 6.7	< 16	5.7 J	< 5.4	< 7.8	Shallow	28	+, -
WS-038	1/11/2018	40	< 6.7	< 16	5.1 J	< 5.4	< 7.9	Shallow	28	+, -
WS-038	5/8/2018	30	< 6.9	< 16	3.6 J	< 5.6	< 8.1	Shallow	28	+, -
WS-039	12/15/2017	< 3.0	< 7.2	< 17	< 2.0	< 5.8	< 8.5	Deep	80	-
WS-039 DUP	12/15/2017	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Deep	80	-
WS-039	5/7/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	80	-
WS-040	12/15/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	Deep	124	+
WS-041	12/15/2017	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA
WS-042	12/15/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	110	+
WS-043	12/15/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA
WS-043	5/14/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA
WS-044	12/16/2017	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	Shallow	28	-
WS-044	5/21/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Shallow	28	-
WS-045	12/16/2017	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Deep	180	-
WS-045 DUP	12/16/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	180	-
WS-045	4/10/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	Deep	180	-
WS-046	12/16/2017	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA	NA	NA
WS-046	6/1/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA	NA	NA
WS-047	12/16/2017	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA	NA	NA
WS-048	12/18/2017	16 J	< 7.1	< 17	2.3 J	< 5.8	< 8.4	Shallow	20	-
WS-048	1/10/2018	12 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	20	-
WS-049	12/18/2017	6.7 J	< 6.5	< 15	3.2 J	< 5.3	< 7.7	Shallow	24	+
WS-049 DUP	12/18/2017	6.7 J	< 6.4	< 15	3.0 J	< 5.2	< 7.6	Shallow	24	+
WS-049	4/5/2018	7.9 J	< 6.9	< 16	3.8 J	< 5.6	< 8.1	Shallow	24	+
WS-050	12/18/2017	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	Deep	90	-
WS-050	4/5/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	90	-
WS-051	12/19/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	107	+, -
WS-051	6/1/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	107	+, -
WS-052	12/18/2017	410 D	8.0 J	< 15	100 D	57	23	Shallow	22	-
WS-052	1/2/2018	410 D	7.9 J	< 17	100 D	55	24	Shallow	22	-
WS-052	2/7/2018	420 D	12 J	< 14	110 D	63	30	Shallow	22	-
WS-052	2/14/2018	360 D	12 J	< 14	96 D	66	37	Shallow	22	-
WS-052 DUP	2/14/2018	340 D	14 J	< 15	94 D	67	36	Shallow	22	-
WS-052	2/16/2018	340 D	11 J	< 15	92 DJ	65	32	Shallow	22	-
WS-052	2/21/2018	380 D	12 J	< 15	100 D	69	36	Shallow	22	-
WS-052	3/7/2018	430 D	13 J	< 15	110 D	77	33	Shallow	22	-
WS-052	3/14/2018	450 D	12 J	< 15	120 D	80	31	Shallow	22	-

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-052	4/11/2018	430 D	13 J	< 15	110 DJ	78	33	Shallow	22	-
WS-053	12/20/2017	3.9 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	30	+, -
WS-053	1/10/2018	4.2 J	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	30	+, -
WS-053	4/10/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	30	+, -
WS-054	12/20/2017	44	< 6.8	< 16	3.0 J	< 5.5	< 8.0	NA	NA	NA
WS-054 DUP	12/20/2017	40	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA	NA	NA
WS-054	1/12/2018	49	< 6.8	< 16	3.0 J	< 5.5	< 8.0	NA	NA	NA
WS-054	4/4/2018	39	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-055	12/27/2017	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Shallow	NA	NA
WS-055	4/16/2018	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Shallow	NA	NA
WS-056	12/27/2017	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	495	+, -
WS-056 DUP	12/27/2017	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	495	+, -
WS-056	5/1/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	Deep	495	+, -
WS-057	1/2/2018	95	13 J	< 16	25	13 J	< 7.7	Shallow	NA	NA
WS-057	1/18/2018	87	14 J	< 17	24	12 J	< 8.5	Shallow	NA	NA
WS-057 DUP	1/18/2018	86	13 J	< 17	23	13 J	< 8.3	Shallow	NA	NA
WS-057	4/4/2018	47	12 J	< 16	14	7.1 J	< 8.1	Shallow	NA	NA
WS-058	1/3/2018	380 D	46	< 17	170 D	54	19 J	Shallow	NA	NA
WS-058	1/18/2018	400 D	49	< 17	180 D	57	20 J	Shallow	NA	NA
WS-058	2/7/2018	390 D	< 6.0	< 14	180 D	49	19	Shallow	NA	NA
WS-058	2/14/2018	320 D	59	< 15	140 D	58	24	Shallow	NA	NA
WS-058	2/21/2018	330 D	58	< 16	150 D	56	24	Shallow	NA	NA
WS-058	2/28/2018	350 DJ	50	< 15	160 DJ	49	23	Shallow	NA	NA
WS-058	3/9/2018	340 D	47	< 16	160 D	55	19	Shallow	NA	NA
WS-058	4/6/2018	370 D	48	< 17	170 D	60	20 J	Shallow	NA	NA
WS-058	5/2/2018	370 D	58	< 16	160 D	67	20	Shallow	NA	NA
WS-059	1/3/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	125	+, -
WS-059	4/3/2018	< 2.6	< 6.3	< 15	< 1.7	< 5.1	< 7.4	Deep	125	+, -
WS-059 DUP	4/3/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	Deep	125	+, -
WS-060	1/3/2018	15 J	< 6.7	< 16	9.1 J	< 5.4	< 7.9	Shallow	25-30	-
WS-060	4/16/2018	12 J	< 7.0	< 17	7.4 J	< 5.7	< 8.2	Shallow	25-30	-
WS-060 DUP	4/16/2018	12 J	< 7.0	< 17	7.6 J	< 5.7	< 8.3	Shallow	25-30	-
WS-061A	1/3/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-061A	6/1/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	Deep	124	+, -
WS-061A DUP	6/1/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	Deep	124	+, -
WS-061B	3/1/2018	11 J	< 6.7	< 16	4.5 J	< 5.5	< 7.9	Shallow	NA	NA
WS-061B	5/29/2018	7.3 J	< 6.7	< 16	3.0 J	< 5.4	< 7.9	Shallow	NA	NA
WS-062	1/9/2018	30 J	< 6.8 UJ	< 16 UJ	8.9 J	< 5.5 UJ	< 8.0 UJ	Shallow	15	-
WS-062	4/9/2018	24	< 6.7	< 16	9.4 J	< 5.4	< 7.9	Shallow	15	-
WS-063	1/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-063 DUP	1/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	124	+, -
WS-063	4/11/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.1	Deep	124	+, -
WS-064	1/9/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-064	4/12/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-065	1/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	95	+, -

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-065	5/9/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	95	+, -
WS-066	1/9/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	77	+, -
WS-066	4/19/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	77	+, -
WS-067	1/9/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA
WS-067	5/8/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-067 DUP	5/8/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-068	1/9/2018	31	< 6.4	< 15	9.4	6.1 J	< 7.5	Shallow	30	-
WS-068	4/11/2018	34	< 6.9	< 16	10	5.8 J	< 8.1	Shallow	30	-
WS-069A	1/9/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	Deep	520	+, -
WS-069A	4/23/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	520	+, -
WS-069A DUP	4/23/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	520	+, -
WS-069B	1/9/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	Shallow	17-20	-
WS-069B	4/23/2018	2.9 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	17-20	-
WS-070	1/9/2018	260 D	24 J	< 15	92 D	43	17 J	Shallow	NA	NA
WS-070	1/24/2018	290 D	23 J	< 16	100 D	47	16 J	Shallow	NA	NA
WS-070 DUP	1/24/2018	280 D	24 J	< 16	99 D	47	16 J	Shallow	NA	NA
WS-071	1/10/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	Shallow	40	-
WS-071 DUP	1/10/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	40	-
WS-071	6/1/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Shallow	40	-
WS-072	1/10/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA
WS-072	4/5/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	NA	NA	NA
WS-073	1/10/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.2	Deep	110	+, -
WS-073	4/11/2018	< 2.3	< 5.7	< 13	< 1.6	< 4.6	< 6.7	Deep	110	+, -
WS-074	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	Deep	182	+, -
WS-075	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.6	Deep	80	-
WS-075	4/6/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	80	-
WS-076	1/10/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.1	< 7.5	Deep	78	+, -
WS-076	5/21/2018	< 3.0	< 7.2	< 17	< 2.0	< 5.8	< 8.4	Deep	78	+, -
WS-077	1/10/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Deep	120	-
WS-078	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.4	Deep	129	+, -
WS-078	4/4/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	Deep	129	+, -
WS-079	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	97	+, -
WS-079	4/4/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	97	+, -
WS-080	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-080	4/4/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	NA	NA	NA
WS-081	1/10/2018	< 3.9	< 9.4	< 22	< 2.6	< 7.6	< 11	Shallow	NA	NA
WS-082	1/10/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-082B	1/27/2018	11 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	19	-
WS-082C	1/27/2018	4.9 J	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Shallow	20	-
WS-082D	1/27/2018	1900 D	< 6.9	< 16	46	< 5.6	< 8.1	Shallow	28	+, -
WS-082D Reanalysis	1/27/2018	1900 D	< 6.0	< 14	49	< 4.9	< 7.1	Shallow	28	+, -
WS-082D	3/1/2018	1700 D	< 6.6	< 16	38	< 5.3	< 7.8	Shallow	28	+, -
WS-082D	3/1/2018	1600 D	< 6.8	< 16	35	< 5.5	< 8.0	Shallow	28	+, -
WS-082D DUP	3/1/2018	1800 D	< 6.7	< 16	36	< 5.4	< 7.9	Shallow	28	+, -
WS-083	1/11/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	400	-

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-083	4/24/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	400	-
WS-084	1/11/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	122	+, -
WS-084 DUP	1/11/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.3	Deep	122	+, -
WS-084	5/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	122	+, -
WS-084 DUP	5/7/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	122	+, -
WS-085	1/11/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	118	+, -
WS-085	5/7/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	118	+, -
WS-086	1/11/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-087	1/11/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	15-20	-
WS-087	4/6/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Shallow	15-20	-
WS-088	1/11/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-088	4/6/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	25	-
WS-089	1/12/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	64	+, -
WS-089	4/2/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.2	Shallow	64	+, -
WS-090	1/12/2018	290 D	< 6.8	< 16	21	16 J	< 8.0	Shallow	31	+, -
WS-090 DUP	1/12/2018	300 D	< 6.8	< 16	21	16 J	< 7.9	Shallow	31	+, -
WS-090	1/31/2018	310 D	< 6.8	< 16	23	17 J	< 8.0	Shallow	31	+, -
WS-090	3/2/2018	290 D	< 6.8	< 16	19	17 J	< 8.0	Shallow	31	+, -
WS-090	3/9/2018	270 D	< 6.9	< 16	18	17 J	< 8.1	Shallow	31	+, -
WS-090	3/16/2018	260 D	< 6.5	< 15	17	16 J	< 7.6	Shallow	31	+, -
WS-090	3/22/2018	250 D	< 6.8	< 16	16	14 J	< 8.0	Shallow	31	+, -
WS-090	3/28/2018	210 D	< 6.9	< 16	13	13 J	< 8.2	Shallow	31	+, -
WS-090	5/8/2018	160 D	< 6.0	< 14	8.2 J	9.9 J	< 7.0	Shallow	31	+, -
WS-090	5/30/2018	78	< 6.7	< 16	4.0 J	< 5.4	< 7.9	Shallow	31	+, -
WS-091	1/12/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA	NA	NA
WS-091	5/14/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA	NA	NA
WS-092	1/16/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	18	-
WS-092	4/20/2018	3.0 J	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Shallow	18	-
WS-093	1/18/2018	< 3.0	< 7.2	< 17	< 2.0	< 5.9	< 8.5	Shallow	45	+, -
WS-093	4/18/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Shallow	45	+, -
WS-094	1/19/2018	< 2.4	< 5.8	< 14	2.4 J	< 4.7	< 6.9	Shallow	NA	NA
WS-094 DUP	1/19/2018	< 2.4	< 5.8	< 14	2.4 J	< 4.7	< 6.8	Shallow	NA	NA
WS-094	4/9/2018	4.0 J	< 7.0	< 17	2.9 J	< 5.7	< 8.2	Shallow	NA	NA
WS-095	1/23/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-095	4/18/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-096	1/24/2018	87	< 6.9	< 16	8.1 J	6.6 J	< 8.1	Shallow	27	-
WS-096	2/7/2018	95 J	< 6.3	< 15	7.8 J	6.7 J	< 7.4	Shallow	27	-
WS-096	3/21/2018	86	19 J	< 16	8.3 J	6.7 J	< 7.9	Shallow	27	-
WS-096	3/28/2018	73	< 6.9	< 16	7.1 J	6.0 J	< 8.2	Shallow	27	-
WS-096	4/4/2018	82	< 7.0	< 17	7.9 J	6.4 J	< 8.3	Shallow	27	-
WS-096	5/2/2018	90	< 6.7	< 16	10	8.8 J	< 7.9	Shallow	27	-
WS-096	5/30/2018	77	< 6.5	< 15	7.7 J	6.2 J	< 7.7	Shallow	27	-
WS-097	1/24/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-097	5/7/2018	7.2 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-098	1/27/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Deep	100	+, -
WS-098	5/30/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	100	+, -

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-099	1/27/2018	4.1 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	18	-
WS-099 DUP	1/27/2018	4.1 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Shallow	18	-
WS-099	4/5/2018	5.2 J	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	18	-
WS-100	1/30/2018	7.7 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-100	4/12/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-100 DUP	4/12/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-101	1/30/2018	14 J	27 J	< 16	18	< 5.5	12 J	Shallow	20	-
WS-101 DUP	1/30/2018	13 J	29 J	< 16	18	< 5.4	11 J	Shallow	20	-
WS-102	1/31/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-102	4/18/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-103	2/2/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	622	+
WS-103	4/5/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	622	+
WS-103 DUP	4/5/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	Deep	622	+
WS-104	2/2/2018	< 20 UB	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	>100	-
WS-104 DUP	2/2/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	>100	-
WS-104	4/7/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	Deep	>100	-
WS-105	2/2/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Deep	142	+
WS-106	2/2/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	Shallow	18	-
WS-106	4/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	18	-
WS-107	2/2/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	109	+, -
WS-107	5/21/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Deep	109	+, -
WS-108	2/3/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-108	4/4/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA	NA	NA
WS-109	2/3/2018	< 20 UB	< 6.8	< 16	2.9 J	< 5.5	< 8.0	NA	NA	NA
WS-109	4/20/2018	3.1 J	< 6.4	< 15	1.8 J	< 5.2	< 7.5	NA	NA	NA
WS-109 DUP	4/20/2018	3.0 J	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA	NA	NA
WS-110A	2/3/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	88	+, -
WS-110A	4/4/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Deep	88	+, -
WS-111	2/5/2018	13 J	< 6.8	< 16	4.4 J	< 5.5	< 8.0	Shallow	17	-
WS-111	4/11/2018	9.9 J	< 5.9	< 14	2.4 J	< 4.8	< 7.0	Shallow	17	-
WS-112	2/5/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	87	+, -
WS-112	4/12/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	87	+, -
WS-113	2/5/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	100	+, -
WS-113	4/11/2018	< 2.2	< 5.4	< 13	< 1.5	< 4.4	< 6.4	Deep	100	+, -
WS-113 DUP	4/11/2018	< 2.2	< 5.4	< 13	< 1.5	< 4.3	< 6.3	Deep	100	+, -
WS-114	2/5/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	400-500	-
WS-114	4/11/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	400-500	-
WS-115	2/6/2018	11 J	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA	NA	NA
WS-115	4/4/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA
WS-116	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA	NA	NA
WS-116	4/9/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-117	2/6/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.7	< 8.4	Deep	121	+, -
WS-117 DUP	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	121	+, -
WS-117	4/3/2018	< 2.2	< 5.4	< 13	< 1.5	< 4.4	< 6.4	Deep	121	+, -
WS-118A	2/6/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	18	-

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-118A	5/21/2018	< 3.1	< 7.6	< 18	< 2.1	< 6.2	< 9.0	Shallow	18	-
WS-118B	2/6/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Shallow	41	+, -
WS-118B	5/21/2018	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Shallow	41	+, -
WS-119	2/6/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-119	4/10/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA	NA	NA
WS-119 DUP	4/10/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	NA	NA	NA
WS-120	2/6/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	127	-
WS-120	4/18/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Deep	127	-
WS-120 DUP	4/18/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Deep	127	-
WS-121A	2/6/2018	9.0 J	< 6.7	< 16	3.1 J	< 5.4	< 7.9	NA	NA	NA
WS-121A	4/2/2018	4.4 J	< 6.4	< 15	3.7 J	< 5.1	< 7.5	NA	NA	NA
WS-121B	4/2/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	Shallow	NA	NA
WS-121B DUP	4/2/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.4	< 7.8	Shallow	NA	NA
WS-122	2/7/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	Shallow	20	-
WS-122 DUP	2/7/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	Shallow	20	-
WS-122	5/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	20	-
WS-123	2/7/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	98	+, -
WS-123 DUP	2/7/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	98	+, -
WS-123	4/10/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	98	+, -
WS-124	2/7/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Shallow	28	-
WS-124	4/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	28	-
WS-124 Reanalysis	4/9/2018	2.4 J	< 5.9 UJ	< 14 UJ	< 1.6 UJ	< 4.7 UJ	< 6.9 UJ	Shallow	28	-
WS-124 DUP	4/9/2018	3.0 J	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	28	-
WS-124 DUP Reanalysis	4/9/2018	< 2.5 UJ	< 6.0 UJ	< 14 UJ	< 1.7 UJ	< 4.8 UJ	< 7.0 UJ	Shallow	28	-
WS-125	2/13/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Shallow	NA	NA
WS-125	5/21/2018	< 2.9	< 7.0	< 17	< 1.9	< 5.6	< 8.2	Shallow	NA	NA
WS-126	2/13/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	Shallow	32	+
WS-126 DUP	2/13/2018	6.1 J	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Shallow	32	+
WS-126	5/21/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	Shallow	32	+
WS-127	2/14/2018	< 3.0	< 7.3	< 17	< 2.0	< 5.9	< 8.6	Deep	112	+
WS-128	2/14/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.1	Shallow	NA	NA
WS-129	2/22/2018	3.3 J	< 6.3	< 15	< 1.8	< 5.1	< 7.4	Shallow	20	-
WS-129 DUP	2/22/2018	3.1 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Shallow	20	-
WS-129	5/14/2018	2.8 J	< 6.3	< 15	< 1.8	< 5.1	< 7.5	Shallow	20	-
WS-129 DUP	5/14/2018	2.7 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	Shallow	20	-
WS-130	2/27/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.1	< 7.5	Deep	465	+, -
WS-130	4/6/2018	< 2.8 UJ	< 6.8 UJ	< 16 UJ	< 1.9 UJ	< 5.5 UJ	< 8.0 UJ	Deep	465	+, -
WS-131	2/28/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Shallow	28-30	-
WS-131 DUP	2/28/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	Shallow	28-30	-
WS-131	4/2/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	Shallow	28-30	-
WS-132	3/1/2018	< 2.9 UJ	< 6.9 UJ	< 16 UJ	< 1.9 UJ	< 5.6 UJ	< 8.2 UJ	Shallow	21	-
WS-132	4/5/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	Shallow	21	-
WS-133	3/6/2018	8.5 J	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA
WS-133 DUP	3/6/2018	9.1 J	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA	NA	NA
WS-133	5/14/2018	6.9 J	< 5.8	< 14	< 1.6	< 4.7	< 6.9	NA	NA	NA

NOTES ARE PROVIDED ON PAGE 9

TOWN OF PESHTIGO PRELIMINARY DRINKING WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	General Well Depth	Detailed Well Depth	Source
WS-134	3/19/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	Deep	105	+
WS-134 DUP	3/19/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Deep	105	+
WS-134	5/14/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.1	< 7.5	Deep	105	+
WS-135	4/2/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 7.9	Deep	109	+, -
WS-136	4/2/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	Shallow	25	-
WS-137	4/4/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	Deep	130	-
WS-137 DUP	4/4/2018	< 2.9	< 7.0	< 17	< 1.9	< 5.6	< 8.2	Deep	130	-
WS-138	4/6/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.4	< 7.8	Deep	116	+, -
WS-138 DUP	4/6/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	116	+, -
WS-139	4/6/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	Shallow	NA	NA
WS-140	4/6/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	Shallow	29	-
WS-141	4/9/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	110	-
WS-142	4/10/2018	< 2.9	< 7.0	< 16	< 1.9	< 5.6	< 8.2	Deep	122	+
WS-143	4/11/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	Deep	90	+
WS-144	4/13/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	NA	NA	NA
WS-144 DUP	4/13/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA
WS-145	5/14/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	Deep	124	+, -
WS-146A	5/29/2018	230 D	< 6.4	< 15	180 D	5.4 J	< 7.6	Shallow	26	-
WS-146A DUP	5/29/2018	210 D	< 6.8	< 16	170 D	< 5.5	< 8.0	Shallow	26	-
WS-146B	5/29/2018	88	41	< 16	47	21 J	22	Shallow	65	-
WS-147	5/30/2018	38	< 7.0	< 17	14	< 5.7	< 8.3	Shallow	25	-
WS-148	6/7/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	NA	NA	NA
WS-148 DUP	6/7/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	NA	NA	NA

NOTES:

- = Information gathered from sampling log according to homeowners

+ = Information gathered from well construction form

+, - = Information gathered from well construction form, but information also available from sampling log

Detections are boldfaced

< = Compound not detected at method detection limit

D = Dilution required for sample analysis

DUP = Duplicate sample result

J = Compound was detected; however, the reported numerical value is estimated

NA = Not available

UB = Compound considered non-detect at the listed value due to associated blank contamination

UJ = The compound was not detected above the reported sample method detection limit. However, the reported limit is approximate and may or may not represent the actual method detection limit.

PFOA = Perfluorooctanoic acid

PFOS = Perfluorooctanesulfonic acid

PFBS = Perfluorobutanesulfonic acid

PFHpA = Perfluoroheptanoic acid

PFHxS = Perfluorohexanesulfonic acid

PFNA = Perfluorononanoic acid

Units are in ng/L (nanogram per liter) unless otherwise stated

TOWN OF PESHTIGO PRELIMINARY POET SYSTEM WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	Arsenic
WS-058	2/7/2018	390 D	< 6.0	< 14	180 D	49	19	NA
WS-058	2/14/2018	320 D	59	< 15	140 D	58	24	0.51 J
WS-058	2/21/2018	330 D	58	< 16	150 D	56	24	NA
WS-058	2/28/2018	350 DJ	50	< 15	160 DJ	49	23	< 1.0 UB
WS-058	3/9/2018	340 D	47	< 16	160 D	55	19	0.45 J
WS-058	4/6/2018	370 D	48	< 17	170 D	60	20 J	NA
WS-058	5/2/2018	370 D	58	< 16	160 D	67	20	NA
POET-1-MID	2/7/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.1	< 7.5	NA
POET-1-MID	2/14/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA
POET-1-MID	2/21/2018	< 2.5	< 6.1	< 15	< 1.7	< 5.0	< 7.2	NA
POET-1-MID DUP	2/21/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.1	< 7.3	NA
POET-1-MID	2/28/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	< 1.0 UB
POET-1-MID DUP	2/28/2018	< 2.4	< 5.9	< 14	< 1.7	< 4.8	< 7.0	NA
POET-1-MID	3/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	0.46 J
POET-1-MID	4/6/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 7.9	NA
POET-1-MID	5/2/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	NA
POET-1-POST	2/7/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA
POET-1-POST	2/14/2018	NA	NA	NA	NA	NA	NA	1.7
POET-1-POST	2/28/2018	NA	NA	NA	NA	NA	NA	1.1
POET-1-POST	3/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	0.83 J
POET-1-POST	4/6/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA
POET-1-POST DUP	4/6/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA
POET-1-POST	5/2/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA
WS-052	2/7/2018	420 D	12 J	< 14	110 D	63	30	NA
WS-052	2/14/2018	360 D	12 J	< 14	96 D	66	37	0.68 J
WS-052 DUP	2/14/2018	340 D	14 J	< 15	94 D	67	36	NA
WS-052	2/16/2018	340 D	11 J	< 15	92 DJ	65	32	NA
WS-052	2/21/2018	380 D	12 J	< 15	100 D	69	36	NA
WS-052	3/7/2018	430 D	13 J	< 15	110 D	77	33	0.70 J
WS-052	3/14/2018	450 D	12 J	< 15	120 D	80	31	0.57 J
WS-052	4/11/2018	430 D	13 J	< 15	110 DJ	78	33	NA

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO PRELIMINARY POET SYSTEM WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	Arsenic
POET-2-MID	2/7/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA
POET-2-MID	2/14/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.4	< 7.8	NA
POET-2-MID	2/16/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA
POET-2-MID	2/21/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA
POET-2-MID	3/7/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	0.27 J
POET-2-MID DUP	3/7/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	NA
POET-2-MID	3/14/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	0.22 J
POET-2-MID DUP	3/14/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	NA
POET-2-MID	4/11/2018	< 2.5	< 6.1	< 15	< 1.7	< 5.0	< 7.2	NA
POET-2-MID DUP	4/11/2018	< 2.5	< 6.0	< 14	< 1.7	< 4.9	< 7.1	NA
POET-2-POST	2/7/2018	< 2.4	12 J	< 14	< 1.6	< 4.6	< 6.8	NA
POET-2-POST	2/14/2018	NA	NA	NA	NA	NA	NA	0.95 J
POET-2-POST	2/16/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.5	NA
POET-2-POST DUP	2/16/2018	< 2.6	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA
POET-2-POST	2/21/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA
POET-2-POST	3/7/2018	NA	NA	NA	NA	NA	NA	0.42 J
POET-2-POST	3/14/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	0.22 J
POET-2-POST	4/11/2018	< 2.5	< 6.1	< 14	< 1.7	< 4.9	< 7.2	NA
WS-036	2/16/2018	60	13 J	< 15	12	< 5.0	< 7.2	0.63 J
WS-036	2/23/2018	41	8.9 J	< 15	7.8 J	< 5.3	< 7.7	0.50 J
WS-036	3/2/2018	54	10 J	< 16	11	< 5.4	< 7.8	0.59 J
WS-036	3/9/2018	65	12 J	< 16	11	< 5.4	< 7.9	NA
WS-036	3/15/2018	39	7.8 J	< 15	7.9 J	< 5.3	< 7.7	NA
WS-036	4/19/2018	44	7.1 J	< 16	9.1 J	< 5.5	< 8.0	NA
WS-036	5/21/2018	54	9.2 J	< 17	10	< 5.8	< 8.4	NA
POET-3-MID	2/16/2018	< 2.6	< 6.3	< 15	< 1.7	< 5.1	< 7.4	NA
POET-3-MID	2/23/2018	< 2.5	< 6.2	< 15	< 1.7	< 5.0	< 7.3	0.74 J
POET-3-MID DUP	2/23/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA
POET-3-MID	3/2/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	0.27 J
POET-3-MID DUP	3/2/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-3-MID	3/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	NA
POET-3-MID	3/15/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.4	NA
POET-3-MID DUP	3/15/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA
POET-3-MID	4/19/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	NA
POET-3-MID DUP	4/19/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-3-MID	5/21/2018	< 2.9	< 7.1	< 17	< 2.0	< 5.8	< 8.4	NA
POET-3-MID DUP	5/21/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.2	NA

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO PRELIMINARY POET SYSTEM WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	Arsenic
POET-3-POST	2/16/2018	< 2.6	< 6.3	< 15	< 1.7	< 5.1	< 7.4	5.5
POET-3-POST	2/23/2018	NA	NA	NA	NA	NA	NA	1.7
POET-3-POST	3/2/2018	NA	NA	NA	NA	NA	NA	0.62 J
POET-3-POST	3/15/2018	< 2.7	< 6.6	< 16	< 1.9	< 5.4	< 7.8	NA
POET-3-POST	4/19/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA
POET-3-POST	5/21/2018	< 3.0	< 7.2	< 17	< 2.0	< 5.9	< 8.5	NA
WS-036-KITCHEN	3/15/2018	< 2.6	< 6.4	< 15	< 1.8	< 5.2	< 7.5	NA
WS-090	3/2/2018	290 D	< 6.8	< 16	19	17 J	< 8.0	0.28 J
WS-090	3/9/2018	270 D	< 6.9	< 16	18	17 J	< 8.1	0.29 J
WS-090	3/16/2018	260 D	< 6.5	< 15	17	16 J	< 7.6	0.18 J
WS-090	3/22/2018	250 D	< 6.8	< 16	16	14 J	< 8.0	NA
WS-090	3/28/2018	210 D	< 6.9	< 16	13	13 J	< 8.2	NA
WS-090	5/8/2018	160 D	< 6.0	< 14	8.2 J	9.9 J	< 7.0	NA
WS-090	5/30/2018	78	< 6.7	< 16	4.0 J	< 5.4	< 7.9	NA
POET-4-MID	3/2/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	0.93 J
POET-4-MID	3/9/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	0.30 J
POET-4-MID DUP	3/9/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-4-MID	3/16/2018	< 2.6	< 6.3	< 15	< 1.8	< 5.1	< 7.5	< 0.15
POET-4-MID	3/22/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA
POET-4-MID	3/28/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-4-MID	5/8/2018	4.7 J	< 6.0	< 14	< 1.7	< 4.8	< 7.0	NA
POET-4-MID DUP	5/8/2018	2.5 J	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA
POET-4-MID	5/30/2018	44	< 7.1	< 17	2.4 J	< 5.7	< 8.3	NA
POET-4-POST	3/2/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	0.86 J
POET-4-POST	3/9/2018	NA	NA	NA	NA	NA	NA	< 0.15
POET-4-POST	3/16/2018	NA	NA	NA	NA	NA	NA	0.16 J
POET-4-POST	3/28/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-4-POST DUP	3/28/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.5	< 8.1	NA
POET-4-POST	5/8/2018	< 2.4	< 5.8	< 14	< 1.6	< 4.7	< 6.8	NA
POET-4-POST	5/30/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA
WS-019	3/19/2018	110	15 J	< 16	44	17 J	14 J	2.9
WS-019	3/27/2018	88	12 J	< 16	38	16 J	12 J	0.92 J
WS-019	4/5/2018	83	11 J	< 16	35	15 J	10 J	0.99 J
WS-019 DUP	4/5/2018	85	12 J	< 16	35	15 J	11 J	NA
WS-019	4/19/2018	94	13 J	< 16	40	17 J	12 J	NA
WS-019	6/1/2018	91	14 J	< 15	38	15 J	13 J	NA

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO PRELIMINARY POET SYSTEM WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	Arsenic
POET-5-MID	3/19/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	3.4
POET-5-MID DUP	3/19/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA
POET-5-MID	3/27/2018	< 2.9	< 7.0	< 17	< 2.0	< 5.7	< 8.3	0.38 J
POET-5-MID	4/5/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	0.34 J
POET-5-MID	4/12/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-5-MID DUP	4/12/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-5-MID	4/19/2018	3.4 J	< 7.0	< 17	< 2.0	< 5.7	< 8.3	NA
POET-5-MID DUP	4/19/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA
POET-5-MID	6/1/2018	4.1 J	< 6.1	< 15	1.9 J	< 5.0	< 7.2	NA
POET-5-MID DUP	6/1/2018	2.6 J	< 6.2	< 15	< 1.7	< 5.0	< 7.3	NA
POET-5-POST	3/19/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	3.9
POET-5-POST	3/27/2018	NA	NA	NA	NA	NA	NA	0.68 J
POET-5-POST	4/5/2018	NA	NA	NA	NA	NA	NA	0.37 J
POET-5-POST	4/12/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA
POET-5-POST	4/19/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA
POET-5-POST	6/1/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA
WS-096	3/21/2018	86	19 J	< 16	8.3 J	6.7 J	< 7.9	0.47 J
WS-096	3/28/2018	73	< 6.9	< 16	7.1 J	6.0 J	< 8.2	0.46 J
WS-096	4/4/2018	82	< 7.0	< 17	7.9 J	6.4 J	< 8.3	0.57 J
WS-096	5/2/2018	90	< 6.7	< 16	10	8.8 J	< 7.9	NA
WS-096	5/30/2018	77	< 6.5	< 15	7.7 J	6.2 J	< 7.7	NA
POET-6-MID	3/21/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.2	< 7.6	2.2
POET-6-MID Reanalysis	3/21/2018	< 2.9 UJ	< 7.0 UJ	< 17 UJ	< 2.0 UJ	< 5.7 UJ	< 8.2 UJ	NA
POET-6-MID DUP	3/21/2018	< 2.7	15 J	< 16	< 1.8	< 5.3	< 7.8	NA
POET-6-MID DUP Reanalysis	3/21/2018	< 2.9 UJ	< 7.0 UJ	< 16 UJ	< 1.9 UJ	< 5.6 UJ	< 8.2 UJ	NA
POET-6-MID	3/28/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	1.0
POET-6-MID	4/4/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	0.49 J
POET-6-MID DUP	4/4/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-6-MID	5/2/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-6-MID DUP	5/2/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA
POET-6-MID	5/30/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 8.0	NA
POET-6-MID DUP	5/30/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.8	NA

NOTES ARE PROVIDED ON PAGE 5

TOWN OF PESHTIGO PRELIMINARY POET SYSTEM WATER SAMPLE RESULTS - JUNE 20, 2018

NOTE: PRELIMINARY DATA IS PRESENTED BELOW. DATA VALIDATION ON RESULTS IS PENDING.

Location	Sample Date	PFOA	PFOS	PFBS	PFHpA	PFHxS	PFNA	Arsenic
POET-6-POST	3/21/2018	< 2.7	< 6.4	< 15	< 1.8	< 5.2	< 7.6	2.3
POET-6-POST	3/28/2018	NA	NA	NA	NA	NA	NA	2.1
POET-6-POST	4/4/2018	NA	NA	NA	NA	NA	NA	1.4
POET-6-POST	5/2/2018	< 2.8	< 6.8	< 16	< 1.9	< 5.5	< 7.9	NA
POET-6-POST	5/30/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.6	NA
WS-008	4/10/2018	580 D	17 J	< 16	170 D	200	23	0.50 J
WS-008	4/17/2018	640 D	17 J	< 16	180 D	210	23	0.36 J
WS-008	4/24/2018	580 D	18 J	< 16	160 DJ	200	22	0.21 J
POET-7-MID	4/10/2018	3.0 J	< 6.7	< 16	< 1.9	< 5.4	< 7.9	6.7
POET-7-MID Reanalysis	4/10/2018	< 2.7	< 6.6	< 16	< 1.8	< 5.3	< 7.7	NA
POET-7-MID DUP	4/10/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-7-MID DUP Reanalysis	4/10/2018	< 2.8	< 6.9	< 16	< 1.9	< 5.6	< 8.1	NA
POET-7-MID	4/17/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.5	< 7.9	0.77 J
POET-7-MID DUP	4/17/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	NA
POET-7-MID	4/24/2018	< 2.7	< 6.7	< 16	< 1.9	< 5.4	< 7.8	0.17 J
POET-7-MID DUP	4/24/2018	< 2.7	< 6.5	< 15	< 1.8	< 5.3	< 7.7	NA
POET-7-POST	4/10/2018	< 2.8	< 6.7	< 16	< 1.9	< 5.4	< 7.9	7.9
POET-7-POST	4/17/2018	< 2.9	< 6.9	< 16	< 1.9	< 5.6	< 8.2	1.5
POET-7-POST	4/24/2018	NA	NA	NA	NA	NA	NA	< 0.15

Notes:

Arsenic unit is ug/L (microgram per liter), all others are in ng/L (nanogram per liter)

Detections are boldfaced

< = Compound not detected at method detection limit

D = Dilution required for sample analysis

DUP = Field Duplicate

J = Result is between method detection limit and reporting limit, and is therefore estimated

NA = Not Analyzed/Not Available

UB = Compound considered non-detect at the listed value due to associated blank contamination

UJ = The compound was not detected above the reported sample method detection limit. However, the reported limit is approximate and may or may not represent the actual method detection limit.

PFBS = Perfluorobutanesulfonic acid

PFHpA = Perfluoroheptanoic acid

PFHxS = Perfluorohexanesulfonic acid

PFNA = Perfluorononanoic acid

PFOS = Perfluorooctanesulfonic acid

PFOA = Perfluorooctanoic acid