February 3, 2021

Tyler Nadiger
705 47th Street
Kenosha, WI 53140

Subject: 705 47th Street Environmental Investigation Sampling Results
BRRTS#: 02-30-287150

Dear Mr. Nadiger:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of the environmental sample collected from your home located at 705 47th Avenue in Kenosha, Wisconsin during January 2021. The sampling activities are part of an environmental investigation being performed for the Martino's Master Drycleaners facility located at 4700 7th Avenue in Kenosha, Wisconsin at the direction of the WDNR pursuant to the authority granted to it under state and federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

Sampling and Results

One (1) indoor air sample designated "6189-STORE-F2-IA-24" was collected during the sampling event. The laboratory report associated with the sample is attached. The sample results are compared to the residential Vapor Action Levels (VALs) established by WDNR in the attached **Table 1**. The chemicals of concern were not detected in the air sample.

The PCE concentration has been below its VAL in six (6) of the last seven (7) indoor air samples. EnviroForensics will continue monitoring indoor air quality in your home to confirm that concentrations remain below action levels. A sub-slab depressurization system on the first floor of the building was returned to service last year, and is currently operating to prevent vapors from entering the building. Additionally, an energy recovery ventilator (ERV) installed on the heating and ventilation system in May 2016 continues to operate, increasing the amount of fresh air exchange to your home.

If you have any questions or would like to discuss the sample results, please contact me at 262-290-4001 or by email at bkappen@ enviroforensics.com. The WDNR project manager, Jane Pfeiffer, can be reached at (414) 435-8021.

Document: 6189-2509

We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

Brian Kappen, PG
Project Manager

Attachments: Table 1 - Summary of Vapor Intrusion Sampling Results
Laboratory Analytical Report

Copy: Jane Pfeiffer, Wisconsin Department of Natural Resources
Dan Martino, Sr., Martino's Master Drycleaners

TABLE 1
SUMMARY OF VAPOR INTRUSION SAMPLING RESULTS - 705 47th STREET
Martino's Master Dry Cleaners
4700 7th Avenue, Kenosha, Wisconsin

Sample Location	Applicable Criteria	Sample Identification	Date Sampled	Mitigation	Tetrachloroethene	Trichlorethene	Acetone	Benzene	2-Butanone	Chloroform	Chloromethane	1,2-Dichloroethane	Dichlorodifluoromethane	Ethanol	Ethylbenzene
					INDOOR AIR										
Residential Vapor Action Level					**42**	**2.1**	**32,000**	**3.6**	**5,200**	**1.2**	**94**	**1.1**	**100**	**NL**	**11**
705 47th St (2nd Floor)	Residential	6189-STORE-F2-IA-24	Dec-06	No	**2,687**	NA	< 2380	NA	NA	BDL	NA	NA	NA	NA	NA
			Oct-07	No	**1,280**	NA	< 2380	NA	NA	BDL	NA	NA	NA	NA	NA
			Oct-10	No	**180**	< 1.07	**410**	NA	**23**	<2.6	**1.6**	< 0.40	< 49.5	**3,300**	< 8.68
			May-13	Yes	**350 E**	< 1.07	< 2380	NA	<2950	NA	**4.7**	**2.2**	**2.5**	NA	**2.7**
			Dec-14	Yes	**83.8**	<1.07	<2380	NA	<2950	**0.93**	<20.6	<0.40	<49.5	NA	<8.68
			Mar-16	Yes	**58.7**	<1.07	<2380	**2.49**	<2950	**1.07**	<20.6	**3.64**	<49.5	NA	<8.68
			Aug-16	Yes	<3.19	<1.07	<2380	**1.98**	<2950	**1.37**	<20.6	**1.86**	<49.5	NA	<8.68
			Dec-16	No*	**42.5**	<1.07	<2380	<1.60	<2950	<0.89	<20.6	<0.40	<49.5	NA	<8.68
			Jul-17	Yes	**47.1**	<1.07	<2380	<1.60	<2950	**2.3**	<20.6	<0.40	<49.5	NA	<8.68
			Dec-17	Yes	**6.78**	<1.07	<2380	<1.60	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Jan-19	No*	**9.29**	**1.61**	<2380	<1.60	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Apr-19	No*	**17.8**	<1.07	<2380	**2.14**	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Jul-19	No*	**72.4**	<1.07	<2380	**3.39**	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Oct-19	No*	**29.5**	<1.07	<2380	<1.60	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Jun-20	No*	**11.3**	<1.07	<2380	<1.60	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
			Jan-21	Yes	<3.19	<1.07	<2380	<1.60	<2950	<0.83	<20.6	<0.40	<49.5	NA	<8.68
705 47th St (2nd Floor)	Residential	6189-STORE-F2-IA-1WK	Dec-17	Yes	**13.0**	<0.161	NA	NA	NA	NA	NA	NA	NA	NA	NA
		6189-STORE-F2-IA-2WK	Dec-17	Yes	**13.8**	<0.0800	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
Results reported in micrograms per cubic meter ($\mu g/m^3$)
Samples analyzed according to EPA Method TO-15
Bolded values are above detection limits
Bolded and blue shaded concentrations exceed the applicable residential screening level
1WK = Sample collected using a thermal desorption tube over a one week period.
2WK = Sample collected using a thermal desorption tube over a two week period.
BDL = Below Detection Limit
E = Exceeds intrument calibration range
NA = Not Analyzed
NL = Vapor Action Level not established
No* = Sub-slab depressurization system installed but not operating.
Energy recovery ventilator providing fresh air to apartment.

ENVIRO forensics

TABLE 1
SUMMARY OF VAPOR INTRUSION SAMPLING RESULTS - 705 47th STREET
Martino's Master Dry Cleaners
4700 7th Avenue, Kenosha, Wisconsin

Sample Location	Applicable Criteria	Sample Identification	Date Sampled	Mitigation	4-Ethyltoluene	n-Heptane	n-Hexane	Isopropanol	Styrene	Tetrahydrofuran	Toluene	Trichlorofluoromethane	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylene
					INDOOR AIR											
Residential Vapor Action Level					**NL**	**NL**	**730**	**210**	**1,000**	**2,100**	**5,200**	**730**	**5,200**	**63**	**63**	**100**
705 47th St (2nd Floor)	Residential	6189-STORE-F2-IA-24	Dec-06	No	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
			Oct-07	No	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
			Oct-10	No	**14**	**2.3**	**4.4**	**89**	< 426	**11**	**5.5**	NA	**3.2**	**2.6**	< 4.92	**2.3**
			May-13	Yes	< 492	< 410	< 176	NA	**1.0**	< 295	**16**	**1.4**	**9.2**	**22**	**8.2**	**14.0**
			Dec-14	Yes	<492	<410	<176	NA	<426	<295	<3770	NA	<546	<4.92	<4.92	<43.4
			Mar-16	Yes	<492	<410	<176	NA	<426	<295	<3770	NA	<546	<4.92	<4.92	<43.4
			Aug-16	Yes	<492	<410	<176	NA	<426	<295	<3770	NA	<546	<4.92	<4.92	<43.4
			Dec-16	No*	<492	<410	<176	NA	<426	<295	<3770	NA	<546	<4.92	<4.92	<43.4
			Jul-17	Yes	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Dec-17	Yes	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Jan-19	No*	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Apr-19	No*	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Jul-19	No*	<492	<410	<176	NA	<426	<295	<3770	<562	<546	**16.3**	<4.92	<43.4
			Oct-19	No*	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Jun-20	No*	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
			Jan-21	Yes	<492	<410	<176	NA	<426	<295	<3770	<562	<546	<4.92	<4.92	<43.4
705 47th St (2nd Floor)	Residential	6189-STORE-F2-IA-1WK	Dec-17	Yes	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		6189-STORE-F2-IA-2WK	Dec-17	Yes	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
Results reported in micrograms per cubic meter ($\mu g/m^3$)
Samples analyzed according to EPA Method TO-15
Bolded values are above detection limits
Bolded and blue shaded concentrations exceed the applicable residential screening level
1WK = Sample collected using a thermal desorption tube over a one week period.
2WK = Sample collected using a thermal desorption tube over a two week period.
BDL = Below Detection Limit
E = Exceeds intrument calibration range
NA = Not Analyzed
NL = Vapor Action Level not established
No* = Sub-slab depressurization system installed but not operating.
Energy recovery ventilator providing fresh air to apartment.

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Mr. Brian Kappen
Enviroforensics
N16 W. 23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188

January 26, 2021

EnvisionAir Project Number: 2021-19
Client Project Name: 6189 – Martino's 7th

Dear Mr. Kappen,

Please find the attached analytical report for the samples received January 20, 2021. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. EnvisionAir looks forward to working with you on your next project.

Yours Sincerely,

Stanley A Hunnicutt

Project Manager
EnvisionAir, LLC

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Client Name: ENVIROFORENSICS

Project ID: 6189 - MARTINO'S 7TH

Client Project Manager: BRIAN KAPPEN

EnvisionAir Project Number: 2021-19

Sample Summary

Laboratory Sample Number:	Sample Description:	Matrix:	START Date Collected:	START Time Collected:	End Date Collected:	End Time Collected:	Date Received:	Time Received	Canister Pressure / Vacuum Initial Field (in. Hg)	Final Field (in. Hg)	Lab Received (in. Hg)
21-75	6189-STORE-F2-IA-24	A	1/18/21	14:21	1/19/21	14:29	1/20/21	15:50	-29	-3	-3

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Client Name: ENVIROFORENSICS

Project ID: 6189 - MARTINO'S 7TH

Client Project Manager: BRIAN KAPPEN

EnvisionAir Project Number: 2021-19

Analytical Method: TO-15
Analytical Batch: 012021AIR

Client Sample ID: 6189-STORE-F2-IA-24

EnvisionAir Sample Number: 21-75
Sample Matrix: AIR

Sample Collection START Date/Time: 1/18/21 14:21
Sample Collection END Date/Time: 1/19/21 14:29
Sample Received Date/Time: 1/20/21 15:50

Compounds	Sample Results ug/m³	Reporting Limit ug/m³	Flag
4-Ethyltoluene	< 492	492	
4-Methyl-2-pentanone (MIBK)	< 2050	2050	
1,1,1-Trichloroethane	< 546	546	
1,1,2,2-Tetrachloroethane	< 0.34	0.34	1
1,1,2-Trichloroethane	< 0.21	0.21	1
1,1-Dichloroethane	< 4.05	4.05	
1,1-Dichloroethene	< 198	198	
1,2,4-Trichlorobenzene	< 0.74	0.74	
1,2,4-Trimethylbenzene	< 4.92	4.92	
1,2-Dibromoethane (EDB)	< 0.03	0.03	1
1,2-Dichlorobenzene	< 60.1	60.1	
1,2-Dichloroethane	< 0.40	0.40	
1,2-Dichloropropane	< 0.46	0.46	
1,3,5-Trimethylbenzene	< 4.92	4.92	
1,3-Butadiene	< 0.22	0.22	
1,3-Dichlorobenzene	< 60.1	60.1	
1,4-Dichlorobenzene	< 0.60	0.60	
1,4-Dioxane	< 1.80	1.80	
2-Butanone (MEK)	< 2950	2950	
2-Hexanone	< 20.5	20.5	
Acetone	< 2380	2380	
Benzene	< 1.60	1.60	
Benzyl Chloride	< 0.41	0.41	1
Bromodichloromethane	< 0.54	0.54	1
Bromoform	< 10.3	10.3	
Bromomethane	< 3.88	3.88	
Carbon Disulfide	< 311	311	
Carbon Tetrachloride	< 0.63	0.63	
Chlorobenzene	< 23.0	23.0	
Chloroethane	< 13.2	13.2	

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Compounds	Sample Results ug/m³	Reporting Limit ug/m³	Flag
Chloroform	< 0.83	0.83	
Chloromethane	< 20.6	20.6	
cis-1,2-Dichloroethene	< 19.8	19.8	
cis-1,3-Dichloropropene	< 4.54	4.54	
Cyclohexane	< 5510	5510	
Dibromochloromethane	< 0.85	0.85	
Dichlorodifluoromethane	< 49.5	49.5	
Ethyl Acetate	< 54.1	54.1	
Ethylbenzene	< 8.68	8.68	
Hexachloro-1,3-butadiene	< 1.07	1.07	
Isooctane	< 467	467	
m,p-Xylene	< 43.4	43.4	
Methylene Chloride	< 41.7	41.7	
Methyl-tert-butyl ether	< 36.1	36.1	
N-Heptane	< 410	410	
N-Hexane	< 176	176	
o-Xylene	< 43.4	43.4	
Propylene	< 172	172	
Styrene	< 426	426	
Tetrachloroethene	< 3.19	3.19	
Tetrahydrofuran	< 295	295	
Toluene	< 3770	3770	
trans-1,2-Dichloroethene	< 39.6	39.6	
trans-1,3-Dichloropropene	< 4.54	4.54	
Trichloroethene	< 1.07	1.07	
Trichlorofluoromethane	< 562	562	
Vinyl Acetate	< 176	176	
Vinyl Bromide	< 0.44	0.44	
Vinyl Chloride	< 1.28	1.28	
4-bromofluorobenzene (surrogate)	92%		
Analysis Date/Time:	1-21-21/20:24		
Analyst Initials	tjg		

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Analytical Report

TO-15 Quality Control Data

EnvisionAir Batch Number: 012021AIR

Method Blank (MB):	MB Results (ppbv)	Reporting Limit (ppbv)	Flags
4-Ethyltoluene	< 100	100	
4-Methyl-2-pentanone (MIBK)	< 500	500	
1,1,1-Trichloroethane	< 100	100	
1,1,2,2-Tetrachloroethane	< 0.049	0.049	1
1,1,2-Trichloroethane	< 0.038	0.038	1
1,1-Dichloroethane	< 1	1	
1,1-Dichloroethene	< 50	50	
1,2,4-Trichlorobenzene	< 0.1	0.1	
1,2,4-Trimethylbenzene	< 1	1	
1,2-dibromoethane (EDB)	< 0.0041	0.0041	1
1,2-Dichlorobenzene	< 10	10	
1,2-Dichloroethane	< 0.1	0.1	
1,2-Dichloropropane	< 0.1	0.1	
1,3,5-Trimethylbenzene	< 1	1	
1,3-Butadiene	< 0.1	0.1	
1,3-Dichlorobenzene	< 10	10	
1,4-Dichlorobenzene	< 0.1	0.1	
1,4-Dioxane	< 0.5	0.5	
2-Butanone (MEK)	< 1000	1000	
2-Hexanone	< 5	5	
Acetone	< 1000	1000	
Benzene	< 0.5	0.5	
Benzyl Chloride	< 0.08	0.08	1
Bromodichloromethane	< 0.08	0.08	1
Bromoform	< 1	1	
Bromomethane	< 1	1	
Carbon Disulfide	< 100	100	
Carbon Tetrachloride	< 0.1	0.1	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
Chloroform	< 0.17	0.17	
Chloromethane	< 10	10	
cis-1,2-Dichloroethene	< 5	5	
cis-1,3-Dichloropropene	< 1	1	
Cyclohexane	< 1600	1600	
Dibromochloromethane	< 0.1	0.1	
Dichlorodifluoromethane	< 10	10	
Ethyl Acetate	< 15	15	
Ethylbenzene	< 2	2	
Hexachloro-1,3-butadiene	< 0.1	0.1	
Isooctane	< 100	100	
m,p-Xylene	< 10	10	
Methylene Chloride	< 12	12	
Methyl-tert-butyl ether	< 10	10	
N-Heptane	< 100	100	
N-Hexane	< 50	50	
Naphthalene	< 0.1	0.1	
o-Xylene	< 10	10	
Propylene	< 100	100	
Styrene	< 100	100	
Tetrachloroethene	< 0.47	0.47	
Tetrahydrofuran	< 100	100	

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Analytical Report

Method Blank (MB):	MB Results (ppbv)	Reporting Limit (ppbv)	Flags
Toluene	< 1000	1000	
trans-1,2-Dichloroethene	< 10	10	
trans-1,3-Dichloropropene	< 1	1	
Trichloroethene	< 0.2	0.2	
Trichlorofluoromethane	< 100	100	
Vinyl Acetate	< 50	50	
Vinyl Bromide	< 0.1	0.1	
Vinyl Chloride	< 0.5	0.5	
4-bromofluorobenzene (surrogate)	97%		
Analysis Date/Time:	1-21-21/16:39		
Analyst Initials	tjg		

LCS/LCSD	LCS Results (ppbv)	LCSD Results (ppbv)	LCS/D Conc(ppbv)	LCS Rec.	LCSD Rec.	RPD	Flag
Propylene	11.2	9.58	10	112%	96%	15.6%	
Dichlorodifluoromethane	9.98	9.68	10	100%	97%	3.1%	
Chloromethane	11.6	10.6	10	116%	106%	9.0%	
Vinyl Chloride	11.6	10.3	10	116%	103%	11.9%	
1,3-Butadiene	9.17	9.41	10	92%	94%	2.6%	
Bromomethane	11.3	11.4	10	113%	114%	0.9%	
Chloroethane	9.48	9.56	10	95%	96%	0.8%	
Vinyl Bromide	11.6	9.94	10	116%	99%	15.4%	
Trichlorofluoromethane	10.4	10.6	10	104%	106%	1.9%	
Acetone	9.93	10.3	10	99%	103%	3.7%	
1,1-Dichloroethene	10.3	10.5	10	103%	105%	1.9%	
Methylene Chloride	10.1	10.2	10	101%	102%	1.0%	
Carbon Disulfide	11	11.2	10	110%	112%	1.8%	
trans-1,2-Dichloroethene	10.5	10.4	10	105%	104%	1.0%	
Methyl-tert-butyl ether	9.86	9.81	10	99%	98%	0.5%	
1,1-Dichloroethane	9.82	9.89	10	98%	99%	0.7%	
Vinyl Acetate	8.94	8.98	10	89%	90%	0.4%	
N-Hexane	9.6	9.4	10	96%	94%	2.1%	
2-Butanone (MEK)	8.79	8.99	10	88%	90%	2.2%	
cis-1,2-Dichloroethene	8.42	8.7	10	84%	87%	3.3%	
Ethyl Acetate	9.68	9.4	10	97%	94%	2.9%	
Chloroform	10	9.98	10	100%	100%	0.2%	
Tetrahydrofuran	10.4	9.95	10	104%	100%	4.4%	
1,2-Dichloroethane	8.29	9.69	10	83%	97%	15.6%	
1,1,1-Trichloroethane	10.6	10.2	10	106%	102%	3.8%	
Carbon Tetrachloride	9.89	9.63	10	99%	96%	2.7%	
Benzene	9.92	9.37	10	99%	94%	5.7%	
Cyclohexane	10.2	9.57	10	102%	96%	6.4%	
1,2-Dichloropropane	9.69	9.44	10	97%	94%	2.6%	
Trichloroethene	10.4	10	10	104%	100%	3.9%	
Bromodichloromethane	9.27	9.1	10	93%	91%	1.9%	
1,4-Dioxane	10.1	10.9	10	101%	109%	7.6%	
Isooctane	9.47	9.67	10	95%	97%	2.1%	
N-Heptane	9.16	10.2	10	92%	102%	10.7%	
cis-1,3-Dichloropropene	9.63	9.48	10	96%	95%	1.6%	
4-Methyl-2-pentanone (MIBK)	10.1	11	10	101%	110%	8.5%	
trans-1,3-Dichloropropene	9.35	9.02	10	94%	90%	3.6%	
1,1,2-Trichloroethane	9.64	9.36	10	96%	94%	2.9%	
Toluene	9.76	9.37	10	98%	94%	4.1%	
2-Hexanone	10.5	10.1	10	105%	101%	3.9%	
Dibromochloromethane	10.3	10.3	10	103%	103%	0.0%	
1,2-dibromoethane (EDB)	10.8	10.6	10	108%	106%	1.9%	
Tetrachloroethene	11.2	10.5	10	112%	105%	6.5%	
Chlorobenzene	10.4	10.2	10	104%	102%	1.9%	
Ethylbenzene	8.78	8.71	10	88%	87%	0.8%	
m,p-Xylene	17.3	19.7	20	87%	99%	13.0%	
Bromoform	8.74	8.74	10	87%	87%	0.0%	

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Analytical Report

LCS/LCSD	LCS Results (ppbv)	LCSD Results (ppbv)	LCS/D Conc(ppbv)	LCS Rec.	LCSD Rec.	RPD	Flag
Styrene	9.69	9.41	10	97%	94%	2.9%	
1,1,2,2-Tetrachloroethane	10.9	9.35	10	109%	94%	15.3%	
o-Xylene	8.91	8.98	10	89%	90%	0.8%	
4-Ethyltoluene	8.6	8.38	10	86%	84%	2.6%	
1,3,5-Trimethylbenzene	9.19	8.45	10	92%	85%	8.4%	
1,2,4-Trimethylbenzene	9.21	8.23	10	92%	82%	11.2%	
1,3-Dichlorobenzene	9.35	9.82	10	94%	98%	4.9%	
Benzyl Chloride	9.96	8.73	10	100%	87%	13.2%	
1,4-Dichlorobenzene	8.98	8.22	10	90%	82%	8.8%	
1,2-Dichlorobenzene	8.38	8.43	10	84%	84%	0.6%	
1,2,4-Trichlorobenzene	9.13	9.5	10	91%	95%	4.0%	
Hexachloro-1,3-butadiene	8.97	8.3	10	90%	83%	7.8%	
Naphthalene	10.1	10	10	101%	100%	1.0%	
4-bromofluorobenzene (surrogate)	86%	87%					
Analysis Date/Time:	1-21-21/14:30	1-21-21/16:03					
Analyst Initials	tjg	tjg					

EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Flag Number	Comments
1	Reporting limit is supported by MDL. TJG

EnvisionAir Proj#: 2021-19 Page 1 of 1

CHAIN OF CUSTODY RECORD

EnvisionAir | 1441 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-0885 | Fax: (317) 351-0882

Client:	P.O. Number: 2021-0021
Report Address: DIGW23390 Store Ridge Dr Ste G Waukesha Wisconsin 53188	Project Name or Number: 6189-Martin's 7th
Report To: B. Kapper	Sampled by: R Brown
Phone: 262-290-4001	QA/QC Required: (circle if applicable) Level III Level IV
Invoice Address:	Reporting Units needed: (circle) ug/m³ mg/m³ PPBV PPMV
Desired TAT: (Please Circle One) 1 day 2 days 3 days Std (5 bus. days)	Media type: 1LC = 1 Liter Canister; 6LC = 6 Liter Canister; TB = Tedlar Bag; TD = Thermal Desorption Tube

REQUESTED PARAMETERS

TO-15 Full List

TO-15 Short List (Specify in notes)

ENVISIONAIR

Sampling Type:
Soil-Gas: ☐
Sub-Slab: ☐
Indoor-Air: ☒

www.envision-air.com

Air Sample ID	Media Type (see code above)	Coll. Date (Grab/Comp Start)	Coll. Time (Grab/Comp Start)	Coll. Date (Comp. End)	Coll. Time (Comp. End)					Canister Serial #	Flow Controller Serial #	Initial Field (in. Hg)	Final Field (in. Hg)	Lab Received (in. Hg)	EnvisionAir Sample Number
										Canister Pressure / Vacuum					
6189-STORE-FZ-JA-21	6LC	1-18-21	14:21	1-19-21	14:21	X				11083	7434	-29	-3	-3	21-75

Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
TL TL	1-19-21	15:15	FedEX	1-19-21	15:15
			[illegible]	1/20/21	1550