Table 4 Soil Gas Analytical Data
MCCANN BARREL CO INC
5311 S. 9th Street
Milwaukee, Wisconsin
BRRTS# 02-41-184833

Laboratory ID	Sub-Slab Vapor Risk Screening Level Large Commercial/Industrial Building	*Sub-Slab Vapor Risk Screening Level Small Commercial Building*	Non-Residential Vapor Action Level Indoor Air[1]	*Sub-Slab Vapor Risk Screening Level Residential Building*	*Residential Vapor Action Level Indoor Air[1]*	18120346-001	18120346-002	22060109-001	22060109-002	22060109-003
Sample ID						60282	60337	60342	60318	60286
Date Collected						12/10/2018 13:00	12/10/2018 13:05	06/01/2022 10:26	06/01/2022 10:37	06/01/2022 10:50
Sample Location						VP-1 East	VP-2 West	South Interior (VP-1)	South Interior (VP-2)	East Office
Analyte	**Attenuation Factor[2] 0.01**	**Attenuation Factor[2] 0.03**		**Attenuation Factor[2] 0.03**		**Results are shown in ug/m3 = micrograms per cubic meter**				
1,1,2,2-Tetrachloroethane	**210**	**70**	2.1	*16*	0.48	< 2.0	< 2.0	5.3	< 2.2	< 2.2
1,1-Dichloroethane	**7,700**	**2,600**	77	*600*	18	< 1.2	2.3	< 1.3	9.4	< 1.3
1,1-Dichloroethene	**88,000**	**29,000**	880	*7,000*	210	< 1.2	< 1.2	< 1.2	< 1.3	< 1.3
1,2,4-Trichlorobenzene	**900**	**300**	9	*67*	2	< 2.2	< 2.2	14	9.5	7.6
1,2,4-Trimethylbenzene	**26,000**	**8,700**	260	*2,100*	63	5.0	6.9	17	18	1.8
1,2-Dibromoethane	**20**	**7**	0.20	*2*	0.05	< 2.3	< 2.3	< 2.4	< 2.4	< 2.5
1,2-Dichlorobenzene	**87,600**	**29,200**	876	*6,967*	209	< 1.8	< 1.8	3.3	2.3	< 2.0
1,3,5-Trimethylbenzene	**26,000**	**8,700**	260	*2,100*	63	< 1.4	2.0	5.4	5.3	< 1.6
1,3-Butadiene	**410**	**137**	4	*31*	0.94	< 0.65	< 0.65	< 0.69	3.1	< 0.72
1,3-Dichlorobenzene	**- -**	**- -**	**- -**	**- -**	**- -**	< 1.8	< 1.8	2.7	< 1.9	< 2.0
1,4-Dichlorobenzene	**1,100**	**367**	11	*100*	3	< 1.8	< 1.8	2.7	< 1.9	< 2.0
1,4-Dioxane	**2,500**	**833**	25	*200*	6	6.7	< 2.7	< 2.8	< 2.9	< 2.9
2-Butanone (MEK)	**2,200,000**	**733,333**	22,000	*173,000*	5,200	2.6	< 2.2	7.8	12	< 2.4
2-Hexanone	**13,100**	**4,367**	131	*1,043*	31	< 6.0	< 6.1	< 6.4	< 6.5	< 6.7
4-Ethyltoluene	**- -**	**- -**	- -	- -	- -	< 1.4	< 1.5	5.9	6.6	< 1.6
4-Methyl-2-pentanone (MIBK)	**1,300,000**	**433,333**	13,000	*103,333*	3,100	< 6.0	< 6.1	< 6.4	< 6.5	< 6.7
Acetone	**14,000,000**	**4,700,000**	140,000	*1,067,000*	32,000	47	18	120	160	18
Benzene	**1,600**	**530**	16	*120*	3.6	2.9	1.2	4.8	16	< 1.0
Benzyl chloride	**300**	**100**	3	*19*	0.6	< 3.8	< 3.8	< 4.0	< 4.1	< 4.2
Bromodichloromethane	**330**	**110**	3	*25*	0.76	< 2.0	< 2.0	< 2.1	< 2.1	< 2.2
Bromomethane	**2,200**	**733**	22	*200*	6	< 2.8	< 2.9	< 3.0	< 3.1	< 3.2
Carbon disulfide	**310,000**	**103,000**	3,100	*24,000*	730	< 0.91	< 0.92	38	2.1	< 1.0
Carbon Tetrachloride	**2,000**	**670**	20	*160*	5	< 1.8	< 1.9	< 2.0	< 2.0	< 2.0
Chlorobenzene	**21,900**	**7,300**	219	*1,733*	52	< 1.4	< 1.4	2.8	5.3	< 1.5
Chloroform	**500**	**167**	5	*40*	1.2	< 1.4	< 1.4	1.9	< 1.5	< 1.6
Chloromethane	**39,000**	**13,000**	390	*3,100*	94	< 1.5	< 1.5	< 1.6	< 1.6	< 1.7
cis-1,2-Dichloroethene	**- -**	**- -**	- -	- -	- -	< 1.2	< 1.2	< 1.2	< 1.3	< 1.3
Cyclohexane	**2,600,000**	**858,000**	26,000	*210,000*	6,300	2.5	< 1.0	< 1.1	13	< 1.1
Dichlorodifluoromethane (Freon 12)	**44,000**	**15,000**	440	*3,300*	100	470	1600	980	1300	420
Ethyl Acetate	**31,000**	**10,333**	310	*2,433*	73	< 2.6	< 2.7	3.0	< 2.9	5.7
Ethylbenzene	**4900**	**1600**	49	*370*	11	2.7	2.2	11	20	< 1.4
n-Heptane	**180,000**	**60,000**	1,800	*14,000*	420	2.2	< 1.2	1.4	29	< 1.3
Hexachlorobutadiene	**600**	**200**	6	*43*	1.3	< 3.1	< 3.2	20	14	12
n-Hexane	**310,000**	**103,000**	3,100	*24,000*	730	20	< 2.6	< 2.8	36	< 2.9
Isopropyl Alcohol	**87,600**	**29,200**	876	*6,700*	209	7.8	< 3.6	< 3.8	5.2	9.1
m&p-Xylene	**44,000**	**15,000**	440	*3,300*	100	11	8.4	45	80	2.8
Methylene Chloride	**260,000**	**87,000**	2,600	*21,000*	630	100	< 10	13	< 11	24
Naphthalene	**360**	**120**	3.6	*28*	0.83	< 1.5	< 1.6	11	9.8	5.2
o-Xylene	**44,000**	**15,000**	440	*3,300*	100	4.2	4.3	15	26	< 1.4
Propene	**1,300,000**	**433,000**	13,000	*103,000*	3,100	< 5.0	< 5.1	< 5.4	45	13
Styrene	**440,000**	**147,000**	4,400	*37,000*	1,100	< 1.2	< 1.3	1.9	1.6	< 1.4
Tetrachloroethene (PCE)	**18,000**	**6,000**	180	*1,400*	42	69	85	150	100	< 2.2
Tetrahydrofuran	**876,000**	**292,000**	8,760	*70,000*	2,100	< 2.2	< 2.2	7.4	8.4	< 2.4
Toluene	**2,200,000**	**730,000**	22,000	*170,000*	5,200	13	11	96	210	3.1
trans -1,2-Dichloroethene	**- -**	**- -**	- -	- -	- -	< 1.2	< 1.2	< 1.2	< 1.3	< 1.3
Trichloroethene (TCE)	**880**	**290**	8.8	*70*	2.1	6.3	4.9	13	6.1	< 1.7
Trichlorofluoromethane	**- -**	**- -**	- -	- -	- -	< 1.6	4.3	10	16	< 1.8
Vinyl Chloride	**2,800**	**930**	28	*57*	1.7	< 0.75	< 0.76	< 0.80	< 0.81	< 0.83
Xylenes, Total	**44,000**	**15,000**	440	*3,300*	100	15	13	60	110	< 4.2

Notes:
- - : No VRSL Established
Sample results in excess of Large Commercial/Industrial Building VRSLs are shown in **bold font.**
(1) Vapor Action Levels (VAL) are based on a hazard index of 1 or a life-time excess cancer risk of 10^{-5}, per WDNR Pub-RR-800 .
WDNR Quick-Look-up Table, from the EPA RSL calculator, updated November 2017
Several VOCs not detected are not included in this summary for brevity

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

June 10, 2022

L.F. Green Development, LLC
5600 W Brown Deer Rd.
Milwaukee, WI 53223
Telephone: (414) 254-4813
Fax:

Analytical Report for STAT Work Order: 22060109 Revision 0

RE: McCann Barrel, 5311 S. 9th, Milwaukee

Dear L.F. Green Development, LLC:

STAT Analysis received 3 samples for the referenced project on 6/3/2022 10:45:00 AM. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAP standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 733-0551.

Sincerely,

Justice Kwateng
Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples as received and tested. If you have received this report in error, please notify us immediately by phone.This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory. This analytical report shall become property of the Customer upon payment in full. Otherwise, STAT will be under no obligation to support, defend or discuss the analytical report.

STAT Analysis Corporation

Date: June 10, 2022

Client: L.F. Green Development, LLC
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Work Order: 22060109 Revision 0

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
22060109-001A	60342		6/1/2022 10:26:00 AM	6/3/2022
22060109-002A	60318		6/1/2022 10:37:00 AM	6/3/2022
22060109-003A	60286		6/1/2022 10:50:00 AM	6/3/2022

CLIENT: L.F. Green Development, LLC
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Work Order: 22060109 Revision 0

CASE NARRATIVE

TO-15 results that are reported in µg/m³ are calculated based on a temperature of 25°C, atmospheric pressure of 760 mm Hg, and the molecular weight of the analyte.

Please refer to Analytical QC Summary Report for QC outliers.

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-001

Client Sample ID: 60342
Collection Date: 6/1/2022 10:26:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	0.31		ppbv	1	6/6/2022
1,1,2,2-Tetrachloroethane	0.77	0.31		ppbv	1	6/6/2022
1,1,2-Trichloroethane	ND	0.31		ppbv	1	6/6/2022
1,1-Dichloroethane	ND	0.31		ppbv	1	6/6/2022
1,1-Dichloroethene	ND	0.31		ppbv	1	6/6/2022
1,2,4-Trichlorobenzene	1.9	0.31		ppbv	1	6/6/2022
1,2,4-Trimethylbenzene	3.5	0.31		ppbv	1	6/6/2022
1,2-Dibromoethane	ND	0.31		ppbv	1	6/6/2022
1,2-Dichlorobenzene	0.55	0.31		ppbv	1	6/6/2022
1,2-Dichloroethane	ND	0.31		ppbv	1	6/6/2022
1,2-Dichloropropane	ND	0.31		ppbv	1	6/6/2022
1,3,5-Trimethylbenzene	1.1	0.31		ppbv	1	6/6/2022
1,3-Butadiene	ND	0.31		ppbv	1	6/6/2022
1,3-Dichlorobenzene	0.45	0.31		ppbv	1	6/6/2022
1,4-Dichlorobenzene	0.45	0.31		ppbv	1	6/6/2022
1,4-Dioxane	ND	0.78		ppbv	1	6/6/2022
2-Butanone	2.7	0.78		ppbv	1	6/6/2022
2-Hexanone	ND	1.6		ppbv	1	6/6/2022
4-Ethyltoluene	1.2	0.31		ppbv	1	6/6/2022
4-Methyl-2-pentanone	ND	1.6		ppbv	1	6/6/2022
Acetone	51	3.1	*	ppbv	1	6/6/2022
Benzene	1.5	0.31		ppbv	1	6/6/2022
Benzyl chloride	ND	0.78		ppbv	1	6/6/2022
Bromodichloromethane	ND	0.31		ppbv	1	6/6/2022
Bromoform	ND	0.78		ppbv	1	6/6/2022
Bromomethane	ND	0.78		ppbv	1	6/6/2022
Carbon disulfide	12	0.31		ppbv	1	6/6/2022
Carbon tetrachloride	ND	0.31		ppbv	1	6/6/2022
Chlorobenzene	0.61	0.31		ppbv	1	6/6/2022
Chloroethane	ND	0.31		ppbv	1	6/6/2022
Chloroform	0.39	0.31		ppbv	1	6/6/2022
Chloromethane	ND	0.78		ppbv	1	6/6/2022
cis-1,2-Dichloroethene	ND	0.31		ppbv	1	6/6/2022
cis-1,3-Dichloropropene	ND	0.31		ppbv	1	6/6/2022
Cyclohexane	ND	0.31		ppbv	1	6/6/2022
Dibromochloromethane	ND	0.31		ppbv	1	6/6/2022
Dichlorodifluoromethane	200	78		ppbv	250	6/8/2022
Ethyl acetate	0.83	0.78		ppbv	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-001

Client Sample ID: 60342
Collection Date: 6/1/2022 10:26:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Ethylbenzene	2.5	0.31		ppbv	1	6/6/2022
Freon-113	ND	0.31		ppbv	1	6/6/2022
Freon-114	ND	1.6		ppbv	1	6/6/2022
Heptane	0.34	0.31		ppbv	1	6/6/2022
Hexachlorobutadiene	1.8	0.31		ppbv	1	6/6/2022
Hexane	ND	0.78		ppbv	1	6/6/2022
Isopropyl Alcohol	ND	1.6		ppbv	1	6/6/2022
m,p-Xylene	10	0.62		ppbv	1	6/6/2022
Methyl tert-butyl ether	ND	0.31		ppbv	1	6/6/2022
Methylene chloride	3.6	3.1		ppbv	1	6/6/2022
Naphthalene	2.2	0.31		ppbv	1	6/6/2022
o-Xylene	3.4	0.31		ppbv	1	6/6/2022
Propene	ND	3.1		ppbv	1	6/6/2022
Styrene	0.44	0.31		ppbv	1	6/6/2022
Tetrachloroethene	23	0.31		ppbv	1	6/6/2022
Tetrahydrofuran	2.5	0.78		ppbv	1	6/6/2022
Toluene	25	0.31		ppbv	1	6/6/2022
trans-1,2-Dichloroethene	ND	0.31		ppbv	1	6/6/2022
trans-1,3-Dichloropropene	ND	0.31		ppbv	1	6/6/2022
Trichloroethene	2.3	0.31		ppbv	1	6/6/2022
Trichlorofluoromethane	1.8	0.31		ppbv	1	6/6/2022
Vinyl acetate	ND	3.1		ppbv	1	6/6/2022
Vinyl chloride	ND	0.31		ppbv	1	6/6/2022
Xylenes, Total	14	0.94		ppbv	1	6/6/2022
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	1.7		µg/m³	1	6/6/2022
1,1,2,2-Tetrachloroethane	5.3	2.1		µg/m³	1	6/6/2022
1,1,2-Trichloroethane	ND	1.7		µg/m³	1	6/6/2022
1,1-Dichloroethane	ND	1.3		µg/m³	1	6/6/2022
1,1-Dichloroethene	ND	1.2		µg/m³	1	6/6/2022
1,2,4-Trichlorobenzene	14	2.3		µg/m³	1	6/6/2022
1,2,4-Trimethylbenzene	17	1.5		µg/m³	1	6/6/2022
1,2-Dibromoethane	ND	2.4		µg/m³	1	6/6/2022
1,2-Dichlorobenzene	3.3	1.9		µg/m³	1	6/6/2022
1,2-Dichloroethane	ND	1.3		µg/m³	1	6/6/2022
1,2-Dichloropropane	ND	1.4		µg/m³	1	6/6/2022
1,3,5-Trimethylbenzene	5.4	1.5		µg/m³	1	6/6/2022
1,3-Butadiene	ND	0.69		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-001

Client Sample ID: 60342
Collection Date: 6/1/2022 10:26:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,3-Dichlorobenzene	2.7	1.9		µg/m³	1	6/6/2022
1,4-Dichlorobenzene	2.7	1.9		µg/m³	1	6/6/2022
1,4-Dioxane	ND	2.8		µg/m³	1	6/6/2022
2-Butanone	7.8	2.3		µg/m³	1	6/6/2022
2-Hexanone	ND	6.4		µg/m³	1	6/6/2022
4-Ethyltoluene	5.9	1.5		µg/m³	1	6/6/2022
4-Methyl-2-pentanone	ND	6.4		µg/m³	1	6/6/2022
Acetone	120	7.4	*	µg/m³	1	6/6/2022
Benzene	4.8	1.0		µg/m³	1	6/6/2022
Benzyl chloride	ND	4.0		µg/m³	1	6/6/2022
Bromodichloromethane	ND	2.1		µg/m³	1	6/6/2022
Bromoform	ND	8.1		µg/m³	1	6/6/2022
Bromomethane	ND	3.0		µg/m³	1	6/6/2022
Carbon disulfide	38	0.97		µg/m³	1	6/6/2022
Carbon tetrachloride	ND	2.0		µg/m³	1	6/6/2022
Chlorobenzene	2.8	1.4		µg/m³	1	6/6/2022
Chloroethane	ND	0.82		µg/m³	1	6/6/2022
Chloroform	1.9	1.5		µg/m³	1	6/6/2022
Chloromethane	ND	1.6		µg/m³	1	6/6/2022
cis-1,2-Dichloroethene	ND	1.2		µg/m³	1	6/6/2022
cis-1,3-Dichloropropene	ND	1.4		µg/m³	1	6/6/2022
Cyclohexane	ND	1.1		µg/m³	1	6/6/2022
Dibromochloromethane	ND	2.7		µg/m³	1	6/6/2022
Dichlorodifluoromethane	980	390		µg/m³	250	6/8/2022
Ethyl acetate	3.0	2.8		µg/m³	1	6/6/2022
Ethylbenzene	11	1.4		µg/m³	1	6/6/2022
Freon-113	ND	2.4		µg/m³	1	6/6/2022
Freon-114	ND	11		µg/m³	1	6/6/2022
Heptane	1.4	1.3		µg/m³	1	6/6/2022
Hexachlorobutadiene	20	3.3		µg/m³	1	6/6/2022
Hexane	ND	2.8		µg/m³	1	6/6/2022
Isopropyl Alcohol	ND	3.8		µg/m³	1	6/6/2022
m,p-Xylene	45	2.7		µg/m³	1	6/6/2022
Methyl tert-butyl ether	ND	1.1		µg/m³	1	6/6/2022
Methylene chloride	13	11		µg/m³	1	6/6/2022
Naphthalene	11	1.6		µg/m³	1	6/6/2022
o-Xylene	15	1.4		µg/m³	1	6/6/2022
Propene	ND	5.4		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-001

Client Sample ID: 60342
Collection Date: 6/1/2022 10:26:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Styrene	1.9	1.3		µg/m³	1	6/6/2022
Tetrachloroethene	150	2.1		µg/m³	1	6/6/2022
Tetrahydrofuran	7.4	2.3		µg/m³	1	6/6/2022
Toluene	96	1.2		µg/m³	1	6/6/2022
trans-1,2-Dichloroethene	ND	1.2		µg/m³	1	6/6/2022
trans-1,3-Dichloropropene	ND	1.4		µg/m³	1	6/6/2022
Trichloroethene	13	1.7		µg/m³	1	6/6/2022
Trichlorofluoromethane	10	1.8		µg/m³	1	6/6/2022
Vinyl acetate	ND	11		µg/m³	1	6/6/2022
Vinyl chloride	ND	0.80		µg/m³	1	6/6/2022
Xylenes, Total	60	4.1		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-002

Client Sample ID: 60318
Collection Date: 6/1/2022 10:37:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	0.32		ppbv	1	6/6/2022
1,1,2,2-Tetrachloroethane	ND	0.32		ppbv	1	6/6/2022
1,1,2-Trichloroethane	ND	0.32		ppbv	1	6/6/2022
1,1-Dichloroethane	2.3	0.32		ppbv	1	6/6/2022
1,1-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
1,2,4-Trichlorobenzene	1.3	0.32		ppbv	1	6/6/2022
1,2,4-Trimethylbenzene	3.7	0.32		ppbv	1	6/6/2022
1,2-Dibromoethane	ND	0.32		ppbv	1	6/6/2022
1,2-Dichlorobenzene	0.38	0.32		ppbv	1	6/6/2022
1,2-Dichloroethane	ND	0.32		ppbv	1	6/6/2022
1,2-Dichloropropane	ND	0.32		ppbv	1	6/6/2022
1,3,5-Trimethylbenzene	1.1	0.32		ppbv	1	6/6/2022
1,3-Butadiene	1.4	0.32		ppbv	1	6/6/2022
1,3-Dichlorobenzene	ND	0.32		ppbv	1	6/6/2022
1,4-Dichlorobenzene	ND	0.32		ppbv	1	6/6/2022
1,4-Dioxane	ND	0.79		ppbv	1	6/6/2022
2-Butanone	4.2	0.79		ppbv	1	6/6/2022
2-Hexanone	ND	1.6		ppbv	1	6/6/2022
4-Ethyltoluene	1.3	0.32		ppbv	1	6/6/2022
4-Methyl-2-pentanone	ND	1.6		ppbv	1	6/6/2022
Acetone	69	3.2	*	ppbv	1	6/6/2022
Benzene	4.9	0.32		ppbv	1	6/6/2022
Benzyl chloride	ND	0.79		ppbv	1	6/6/2022
Bromodichloromethane	ND	0.32		ppbv	1	6/6/2022
Bromoform	ND	0.79		ppbv	1	6/6/2022
Bromomethane	ND	0.79		ppbv	1	6/6/2022
Carbon disulfide	0.68	0.32		ppbv	1	6/6/2022
Carbon tetrachloride	ND	0.32		ppbv	1	6/6/2022
Chlorobenzene	1.1	0.32		ppbv	1	6/6/2022
Chloroethane	ND	0.32		ppbv	1	6/6/2022
Chloroform	ND	0.32		ppbv	1	6/6/2022
Chloromethane	ND	0.79		ppbv	1	6/6/2022
cis-1,2-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
cis-1,3-Dichloropropene	ND	0.32		ppbv	1	6/6/2022
Cyclohexane	3.7	0.32		ppbv	1	6/6/2022
Dibromochloromethane	ND	0.32		ppbv	1	6/6/2022
Dichlorodifluoromethane	260	7.9		ppbv	25	6/6/2022
Ethyl acetate	ND	0.79		ppbv	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-002

Client Sample ID: 60318
Collection Date: 6/1/2022 10:37:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Ethylbenzene	4.7	0.32		ppbv	1	6/6/2022
Freon-113	ND	0.32		ppbv	1	6/6/2022
Freon-114	ND	1.6		ppbv	1	6/6/2022
Heptane	7.1	0.32		ppbv	1	6/6/2022
Hexachlorobutadiene	1.3	0.32		ppbv	1	6/6/2022
Hexane	10	0.79		ppbv	1	6/6/2022
Isopropyl Alcohol	2.1	1.6		ppbv	1	6/6/2022
m,p-Xylene	18	0.63		ppbv	1	6/6/2022
Methyl tert-butyl ether	ND	0.32		ppbv	1	6/6/2022
Methylene chloride	ND	3.2		ppbv	1	6/6/2022
Naphthalene	1.9	0.32		ppbv	1	6/6/2022
o-Xylene	6.0	0.32		ppbv	1	6/6/2022
Propene	26	3.2		ppbv	1	6/6/2022
Styrene	0.37	0.32		ppbv	1	6/6/2022
Tetrachloroethene	15	0.32		ppbv	1	6/6/2022
Tetrahydrofuran	2.8	0.79		ppbv	1	6/6/2022
Toluene	55	0.32		ppbv	1	6/6/2022
trans-1,2-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
trans-1,3-Dichloropropene	ND	0.32		ppbv	1	6/6/2022
Trichloroethene	1.1	0.32		ppbv	1	6/6/2022
Trichlorofluoromethane	2.8	0.32		ppbv	1	6/6/2022
Vinyl acetate	ND	3.2		ppbv	1	6/6/2022
Vinyl chloride	ND	0.32		ppbv	1	6/6/2022
Xylenes, Total	24	0.95		ppbv	1	6/6/2022
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	1.7		µg/m³	1	6/6/2022
1,1,2,2-Tetrachloroethane	ND	2.2		µg/m³	1	6/6/2022
1,1,2-Trichloroethane	ND	1.7		µg/m³	1	6/6/2022
1,1-Dichloroethane	9.4	1.3		µg/m³	1	6/6/2022
1,1-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
1,2,4-Trichlorobenzene	9.5	2.4		µg/m³	1	6/6/2022
1,2,4-Trimethylbenzene	18	1.6		µg/m³	1	6/6/2022
1,2-Dibromoethane	ND	2.4		µg/m³	1	6/6/2022
1,2-Dichlorobenzene	2.3	1.9		µg/m³	1	6/6/2022
1,2-Dichloroethane	ND	1.3		µg/m³	1	6/6/2022
1,2-Dichloropropane	ND	1.5		µg/m³	1	6/6/2022
1,3,5-Trimethylbenzene	5.3	1.6		µg/m³	1	6/6/2022
1,3-Butadiene	3.1	0.70		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-002

Client Sample ID: 60318
Collection Date: 6/1/2022 10:37:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS	**TO-15**			Prep Date: **6/3/2022**		Analyst: **KWV**
1,3-Dichlorobenzene	ND	1.9		µg/m³	1	6/6/2022
1,4-Dichlorobenzene	ND	1.9		µg/m³	1	6/6/2022
1,4-Dioxane	ND	2.9		µg/m³	1	6/6/2022
2-Butanone	12	2.3		µg/m³	1	6/6/2022
2-Hexanone	ND	6.5		µg/m³	1	6/6/2022
4-Ethyltoluene	6.6	1.6		µg/m³	1	6/6/2022
4-Methyl-2-pentanone	ND	6.5		µg/m³	1	6/6/2022
Acetone	160	7.5	*	µg/m³	1	6/6/2022
Benzene	16	1.0		µg/m³	1	6/6/2022
Benzyl chloride	ND	4.1		µg/m³	1	6/6/2022
Bromodichloromethane	ND	2.1		µg/m³	1	6/6/2022
Bromoform	ND	8.2		µg/m³	1	6/6/2022
Bromomethane	ND	3.1		µg/m³	1	6/6/2022
Carbon disulfide	2.1	0.99		µg/m³	1	6/6/2022
Carbon tetrachloride	ND	2.0		µg/m³	1	6/6/2022
Chlorobenzene	5.3	1.5		µg/m³	1	6/6/2022
Chloroethane	ND	0.84		µg/m³	1	6/6/2022
Chloroform	ND	1.5		µg/m³	1	6/6/2022
Chloromethane	ND	1.6		µg/m³	1	6/6/2022
cis-1,2-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
cis-1,3-Dichloropropene	ND	1.4		µg/m³	1	6/6/2022
Cyclohexane	13	1.1		µg/m³	1	6/6/2022
Dibromochloromethane	ND	2.7		µg/m³	1	6/6/2022
Dichlorodifluoromethane	1300	39		µg/m³	25	6/6/2022
Ethyl acetate	ND	2.9		µg/m³	1	6/6/2022
Ethylbenzene	20	1.4		µg/m³	1	6/6/2022
Freon-113	ND	2.4		µg/m³	1	6/6/2022
Freon-114	ND	11		µg/m³	1	6/6/2022
Heptane	29	1.3		µg/m³	1	6/6/2022
Hexachlorobutadiene	14	3.4		µg/m³	1	6/6/2022
Hexane	36	2.8		µg/m³	1	6/6/2022
Isopropyl Alcohol	5.2	3.9		µg/m³	1	6/6/2022
m,p-Xylene	80	2.8		µg/m³	1	6/6/2022
Methyl tert-butyl ether	ND	1.1		µg/m³	1	6/6/2022
Methylene chloride	ND	11		µg/m³	1	6/6/2022
Naphthalene	9.8	1.7		µg/m³	1	6/6/2022
o-Xylene	26	1.4		µg/m³	1	6/6/2022
Propene	45	5.5		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-002

Client Sample ID: 60318
Collection Date: 6/1/2022 10:37:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Styrene	1.6	1.4		µg/m³	1	6/6/2022
Tetrachloroethene	100	2.2		µg/m³	1	6/6/2022
Tetrahydrofuran	8.4	2.3		µg/m³	1	6/6/2022
Toluene	210	1.2		µg/m³	1	6/6/2022
trans-1,2-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
trans-1,3-Dichloropropene	ND	1.4		µg/m³	1	6/6/2022
Trichloroethene	6.1	1.7		µg/m³	1	6/6/2022
Trichlorofluoromethane	16	1.8		µg/m³	1	6/6/2022
Vinyl acetate	ND	11		µg/m³	1	6/6/2022
Vinyl chloride	ND	0.81		µg/m³	1	6/6/2022
Xylenes, Total	110	4.1		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-003

Client Sample ID: 60286
Collection Date: 6/1/2022 10:50:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	0.32		ppbv	1	6/6/2022
1,1,2,2-Tetrachloroethane	ND	0.32		ppbv	1	6/6/2022
1,1,2-Trichloroethane	ND	0.32		ppbv	1	6/6/2022
1,1-Dichloroethane	ND	0.32		ppbv	1	6/6/2022
1,1-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
1,2,4-Trichlorobenzene	1.0	0.32		ppbv	1	6/6/2022
1,2,4-Trimethylbenzene	0.36	0.32		ppbv	1	6/6/2022
1,2-Dibromoethane	ND	0.32		ppbv	1	6/6/2022
1,2-Dichlorobenzene	ND	0.32		ppbv	1	6/6/2022
1,2-Dichloroethane	ND	0.32		ppbv	1	6/6/2022
1,2-Dichloropropane	ND	0.32		ppbv	1	6/6/2022
1,3,5-Trimethylbenzene	ND	0.32		ppbv	1	6/6/2022
1,3-Butadiene	ND	0.32		ppbv	1	6/6/2022
1,3-Dichlorobenzene	ND	0.32		ppbv	1	6/6/2022
1,4-Dichlorobenzene	ND	0.32		ppbv	1	6/6/2022
1,4-Dioxane	ND	0.81		ppbv	1	6/6/2022
2-Butanone	ND	0.81		ppbv	1	6/6/2022
2-Hexanone	ND	1.6		ppbv	1	6/6/2022
4-Ethyltoluene	ND	0.32		ppbv	1	6/6/2022
4-Methyl-2-pentanone	ND	1.6		ppbv	1	6/6/2022
Acetone	7.5	3.2	*	ppbv	1	6/6/2022
Benzene	ND	0.32		ppbv	1	6/6/2022
Benzyl chloride	ND	0.81		ppbv	1	6/6/2022
Bromodichloromethane	ND	0.32		ppbv	1	6/6/2022
Bromoform	ND	0.81		ppbv	1	6/6/2022
Bromomethane	ND	0.81		ppbv	1	6/6/2022
Carbon disulfide	ND	0.32		ppbv	1	6/6/2022
Carbon tetrachloride	ND	0.32		ppbv	1	6/6/2022
Chlorobenzene	ND	0.32		ppbv	1	6/6/2022
Chloroethane	ND	0.32		ppbv	1	6/6/2022
Chloroform	ND	0.32		ppbv	1	6/6/2022
Chloromethane	ND	0.81		ppbv	1	6/6/2022
cis-1,2-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
cis-1,3-Dichloropropene	ND	0.32		ppbv	1	6/6/2022
Cyclohexane	ND	0.32		ppbv	1	6/6/2022
Dibromochloromethane	ND	0.32		ppbv	1	6/6/2022
Dichlorodifluoromethane	85	8.1		ppbv	25	6/6/2022
Ethyl acetate	1.6	0.81		ppbv	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-003

Client Sample ID: 60286
Collection Date: 6/1/2022 10:50:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Ethylbenzene	ND	0.32		ppbv	1	6/6/2022
Freon-113	ND	0.32		ppbv	1	6/6/2022
Freon-114	ND	1.6		ppbv	1	6/6/2022
Heptane	ND	0.32		ppbv	1	6/6/2022
Hexachlorobutadiene	1.2	0.32		ppbv	1	6/6/2022
Hexane	ND	0.81		ppbv	1	6/6/2022
Isopropyl Alcohol	3.7	1.6		ppbv	1	6/6/2022
m,p-Xylene	ND	0.65		ppbv	1	6/6/2022
Methyl tert-butyl ether	ND	0.32		ppbv	1	6/6/2022
Methylene chloride	6.9	3.2		ppbv	1	6/6/2022
Naphthalene	0.99	0.32		ppbv	1	6/6/2022
o-Xylene	ND	0.32		ppbv	1	6/6/2022
Propene	7.5	3.2		ppbv	1	6/6/2022
Styrene	ND	0.32		ppbv	1	6/6/2022
Tetrachloroethene	ND	0.32		ppbv	1	6/6/2022
Tetrahydrofuran	ND	0.81		ppbv	1	6/6/2022
Toluene	0.81	0.32		ppbv	1	6/6/2022
trans-1,2-Dichloroethene	ND	0.32		ppbv	1	6/6/2022
trans-1,3-Dichloropropene	ND	0.32		ppbv	1	6/6/2022
Trichloroethene	ND	0.32		ppbv	1	6/6/2022
Trichlorofluoromethane	ND	0.32		ppbv	1	6/6/2022
Vinyl acetate	ND	3.2		ppbv	1	6/6/2022
Vinyl chloride	ND	0.32		ppbv	1	6/6/2022
Xylenes, Total	ND	0.97		ppbv	1	6/6/2022
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,1,1-Trichloroethane	ND	1.8		µg/m³	1	6/6/2022
1,1,2,2-Tetrachloroethane	ND	2.2		µg/m³	1	6/6/2022
1,1,2-Trichloroethane	ND	1.8		µg/m³	1	6/6/2022
1,1-Dichloroethane	ND	1.3		µg/m³	1	6/6/2022
1,1-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
1,2,4-Trichlorobenzene	7.6	2.4		µg/m³	1	6/6/2022
1,2,4-Trimethylbenzene	1.8	1.6		µg/m³	1	6/6/2022
1,2-Dibromoethane	ND	2.5		µg/m³	1	6/6/2022
1,2-Dichlorobenzene	ND	2.0		µg/m³	1	6/6/2022
1,2-Dichloroethane	ND	1.3		µg/m³	1	6/6/2022
1,2-Dichloropropane	ND	1.5		µg/m³	1	6/6/2022
1,3,5-Trimethylbenzene	ND	1.6		µg/m³	1	6/6/2022
1,3-Butadiene	ND	0.72		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-003

Client Sample ID: 60286
Collection Date: 6/1/2022 10:50:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
1,3-Dichlorobenzene	ND	2.0		µg/m³	1	6/6/2022
1,4-Dichlorobenzene	ND	2.0		µg/m³	1	6/6/2022
1,4-Dioxane	ND	2.9		µg/m³	1	6/6/2022
2-Butanone	ND	2.4		µg/m³	1	6/6/2022
2-Hexanone	ND	6.7		µg/m³	1	6/6/2022
4-Ethyltoluene	ND	1.6		µg/m³	1	6/6/2022
4-Methyl-2-pentanone	ND	6.7		µg/m³	1	6/6/2022
Acetone	18	7.7	*	µg/m³	1	6/6/2022
Benzene	ND	1.0		µg/m³	1	6/6/2022
Benzyl chloride	ND	4.2		µg/m³	1	6/6/2022
Bromodichloromethane	ND	2.2		µg/m³	1	6/6/2022
Bromoform	ND	8.4		µg/m³	1	6/6/2022
Bromomethane	ND	3.2		µg/m³	1	6/6/2022
Carbon disulfide	ND	1.0		µg/m³	1	6/6/2022
Carbon tetrachloride	ND	2.0		µg/m³	1	6/6/2022
Chlorobenzene	ND	1.5		µg/m³	1	6/6/2022
Chloroethane	ND	0.86		µg/m³	1	6/6/2022
Chloroform	ND	1.6		µg/m³	1	6/6/2022
Chloromethane	ND	1.7		µg/m³	1	6/6/2022
cis-1,2-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
cis-1,3-Dichloropropene	ND	1.5		µg/m³	1	6/6/2022
Cyclohexane	ND	1.1		µg/m³	1	6/6/2022
Dibromochloromethane	ND	2.8		µg/m³	1	6/6/2022
Dichlorodifluoromethane	420	40		µg/m³	25	6/6/2022
Ethyl acetate	5.7	2.9		µg/m³	1	6/6/2022
Ethylbenzene	ND	1.4		µg/m³	1	6/6/2022
Freon-113	ND	2.5		µg/m³	1	6/6/2022
Freon-114	ND	11		µg/m³	1	6/6/2022
Heptane	ND	1.3		µg/m³	1	6/6/2022
Hexachlorobutadiene	12	3.5		µg/m³	1	6/6/2022
Hexane	ND	2.9		µg/m³	1	6/6/2022
Isopropyl Alcohol	9.1	4.0		µg/m³	1	6/6/2022
m,p-Xylene	2.8	2.8		µg/m³	1	6/6/2022
Methyl tert-butyl ether	ND	1.2		µg/m³	1	6/6/2022
Methylene chloride	24	11		µg/m³	1	6/6/2022
Naphthalene	5.2	1.7		µg/m³	1	6/6/2022
o-Xylene	ND	1.4		µg/m³	1	6/6/2022
Propene	13	5.6		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 West Harrison St., Suite 200, Chicago, IL 60612-3766
Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com
Accreditations:IEPA ELAP 100445;ORELAP IL300001;AIHA-LAP, LLC 101160;NVLAP LabCode 101202-0

Date Reported: June 10, 2022
Date Printed: June 10, 2022

ANALYTICAL RESULTS

Client: L.F. Green Development, LLC
Work Order: 22060109 Revision 0
Project: McCann Barrel, 5311 S. 9th, Milwaukee
Lab ID: 22060109-003

Client Sample ID: 60286
Collection Date: 6/1/2022 10:50:00 AM
Matrix: Air

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds in Air by GC/MS TO-15				Prep Date: **6/3/2022**		Analyst: **KWV**
Styrene	ND	1.4		µg/m³	1	6/6/2022
Tetrachloroethene	ND	2.2		µg/m³	1	6/6/2022
Tetrahydrofuran	ND	2.4		µg/m³	1	6/6/2022
Toluene	3.1	1.2		µg/m³	1	6/6/2022
trans-1,2-Dichloroethene	ND	1.3		µg/m³	1	6/6/2022
trans-1,3-Dichloropropene	ND	1.5		µg/m³	1	6/6/2022
Trichloroethene	ND	1.7		µg/m³	1	6/6/2022
Trichlorofluoromethane	ND	1.8		µg/m³	1	6/6/2022
Vinyl acetate	ND	11		µg/m³	1	6/6/2022
Vinyl chloride	ND	0.83		µg/m³	1	6/6/2022
Xylenes, Total	ND	4.2		µg/m³	1	6/6/2022

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter
RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation
2242 W. Harrison Suite 200, Chicago, Illinois 60612 Phone: (312) 733-0551 Fax: (312) 733-2386
e-mail address: STATinfo@STATAnalysis.com

CHAIN OF CUSTODY RECORD

№: 934448

Page : ____ of ____

Company: LF Green Developments
Project Number: Client Tracking No.:
Project Name: ~~[illegible]~~ McCANN BARREL
Project Location: 5311 S. 9th Milwaukee
Sampler(s): Brad Karstaedt
Report To: Linor Fellenz Phone: 414 2544813
Fax:
QC Level: 1 ___ 2 ___ 3 ___ 4 ___ e-mail:

Quote No.:
P.O. No.:
Turn Around Time (Days): 1 2 3 4 5-7 10
Results Needed: / / am/pm

Client Sample Number/Description:	Date Taken	Time Taken	Matrix	Comp.	Grab	Preserv.	No. of Containers	TO 15	Additional Information:	Lab No.:
60342	6/1/22	10:26	AIR				1	X	S. interior	001
60318	↓	10:37	↓				1	X	S. interior	002
60286	↓	10:50	↓				1	X	E. office	003

Relinquished by: (Signature) [signature] Date/Time: 6/1/22
Received by: (Signature) SP0206190300387761 Date/Time:
Relinquished by: (Signature) SPEE-DEE Date/Time:
Received by: (Signature) [signature] Date/Time: 6/3/22 1045
Relinquished by: (Signature) Date/Time:
Received by: (Signature) Date/Time:

Comments:

Preservation Code: A = None B = HNO_3 C = NaOH D = H_2SO_4 E = HCl F = 5035/EnCore G = Other

Laboratory Work Order No.: 22060109

Received on Ice: Yes ☐ No ☑

Temperature: Ambient °C

STAT Analysis Corporation

Sample Receipt Checklist

Client Name LF GREEN DEVELOPMENT

Date and Time Received: 6/3/2022 10:45:00 AM

Work Order Number 22060109

Received by: MM

Checklist completed by: _____ 6/3/22
Signature | Date

Reviewed by: JP 6/8/22
Initials | Date

Matrix:

Carrier name: Courier

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shippping container/cooler?	Yes ☐	No ☐	Not Present ☑
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	
Chain of custody agrees with sample labels/containers?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container or Temp Blank temperature in compliance?	Yes ☑	No ☐	Temperature Ambient °C
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☐	No ☐
Water - Samples pH checked?	Yes ☐	No ☐	Checked by: _____
Water - Samples properly preserved?	Yes ☐	No ☐	pH Adjusted? _____

Any No response must be detailed in the comments section below.

Comments: _____

Client / Person contacted: _____ Date contacted: _____ Contacted by: _____

Response: _____

ANALYTICAL RUN SUMMARY

SeqNo	Sample ID	Type	Test Code	Batch	DF	Date Analyzed
5486622	BFB060622-5	TUNE	BFB	R187204	1	06/06/2022 15:09
5486623	CCV060622-5 5.0	CCV	TO_15A+	R187204	1	06/06/2022 15:09
5486624	MB060622-5	MBLK	TO_15A+	R187204	1	06/06/2022 16:55
5486629	MB060622-5	MBLK	TO_15MG+	R187204	1	06/06/2022 16:55
5486632	MB060622-5	MBLK	TO_15UG+	R187204	1	06/06/2022 16:55
5486625	LCS060622-5	LCS	TO_15A+	R187204	1	06/06/2022 17:32
5486630	LCS060622-5	LCS	TO_15MG+	R187204	1	06/06/2022 17:32
5486633	LCS060622-5	LCS	TO_15UG+	R187204	1	06/06/2022 17:32
5486626	LCSD060622-5	LCSD	TO_15A+	R187204	1	06/06/2022 18:08
5486631	LCSD060622-5	LCSD	TO_15MG+	R187204	1	06/06/2022 18:08
5486634	LCSD060622-5	LCSD	TO_15UG+	R187204	1	06/06/2022 18:08
5486635	22060109-001A	SAMP	TO_15A+	141963	1	06/06/2022 19:36
5486636	22060109-001A	SAMP	TO_15UG+	141963	1	06/06/2022 19:36
5486651	22060109-002A	SAMP	TO_15A+	141963	1	06/06/2022 20:58
5486652	22060109-002A	SAMP	TO_15UG+	141963	1	06/06/2022 20:58
5486653	22060109-002A	SAMP	TO_15A+	141963	25	06/06/2022 21:33
5486654	22060109-002A	SAMP	TO_15UG+	141963	25	06/06/2022 21:33
5486661	22060109-003A	SAMP	TO_15A+	141963	1	06/06/2022 22:19
5486662	22060109-003A	SAMP	TO_15UG+	141963	1	06/06/2022 22:19
5486663	22060109-003A	SAMP	TO_15A+	141963	25	06/06/2022 22:54
5486664	22060109-003A	SAMP	TO_15UG+	141963	25	06/06/2022 22:54
5486665	22060110-001A	SAMP	TO_15A+	141963	1	06/07/2022 00:17
5486712	22060110-001A	SAMP	TO_15UG+	141963	1	06/07/2022 00:17
5486769	22060110-001A	SAMP	TO_15A+	141963	25	06/07/2022 00:52
5486810	22060110-001A	SAMP	TO_15UG+	141963	25	06/07/2022 00:52
5486811	22060110-002A	SAMP	TO_15A+	141963	1	06/07/2022 01:38
5486812	22060110-002A	SAMP	TO_15UG+	141963	1	06/07/2022 01:38
5486813	22060110-003A	SAMP	TO_15A+	141963	1	06/07/2022 03:00
5486814	22060110-003A	SAMP	TO_15UG+	141963	1	06/07/2022 03:00
5486815	22060091-008A	SAMP	TO_15MG+	141962	2	06/07/2022 04:51
5486818	22060157-001A	SAMP	TO_15MG+	141969	2	06/07/2022 06:42
5486819	22060157-001A	SAMP	TO_15MG+	141969	25	06/07/2022 07:16
5486826	22060157-002A	SAMP	TO_15MG+	141969	2	06/07/2022 07:57
5486827	22060157-002A	SAMP	TO_15MG+	141969	25	06/07/2022 08:32
5486828	22060157-003A	SAMP	TO_15MG+	141969	2	06/07/2022 09:28
5486829	22060157-003A	SAMP	TO_15MG+	141969	25	06/07/2022 10:02
5486830	22060164-007A	SAMP	TO_15MG+	142001	2	06/07/2022 11:19
5488256	CBLK060422B	MBLK	TO_15A+	R187204	1	06/07/2022 13:12
5486824	22060157-001A	SAMP	TO_15MG+	141969	250	06/07/2022 15:04

QC SUMMARY

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486624**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	0.20									
1,1,2,2-Tetrachloroethane	ND	0.20									
1,1,2-Trichloroethane	ND	0.20									

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486624**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethane	ND	0.20									
1,1-Dichloroethene	ND	0.20									
1,2,4-Trichlorobenzene	0.1	0.20									J
1,2,4-Trimethylbenzene	ND	0.20									
1,2-Dibromoethane	ND	0.20									
1,2-Dichlorobenzene	ND	0.20									
1,2-Dichloroethane	ND	0.20									
1,2-Dichloropropane	ND	0.20									
1,3,5-Trimethylbenzene	ND	0.20									
1,3-Butadiene	ND	0.20									
1,3-Dichlorobenzene	ND	0.20									
1,4-Dichlorobenzene	ND	0.20									
1,4-Dioxane	ND	0.50									
2-Butanone	ND	0.50									
2-Hexanone	ND	1.0									
4-Ethyltoluene	ND	0.20									
4-Methyl-2-pentanone	ND	1.0									
Acetone	ND	2.0									*
Benzene	ND	0.20									
Benzyl chloride	ND	0.50									
Bromodichloromethane	ND	0.20									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon disulfide	ND	0.20									
Carbon tetrachloride	ND	0.20									
Chlorobenzene	ND	0.20									
Chloroethane	ND	0.20									
Chloroform	ND	0.20									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.20									
cis-1,3-Dichloropropene	ND	0.20									
Cyclohexane	ND	0.20									
Dibromochloromethane	ND	0.20									
Dichlorodifluoromethane	ND	0.20									
Ethyl acetate	ND	0.50									
Ethylbenzene	ND	0.20									
Freon-113	ND	0.20									
Freon-114	ND	1.0									
Heptane	ND	0.20									
Hexachlorobutadiene	0.12	0.20									J
Hexane	ND	0.50									
Isopropyl Alcohol	ND	1.0									
m,p-Xylene	ND	0.40									
Methyl tert-butyl ether	ND	0.20									
Methylene chloride	ND	2.0									
Naphthalene	0.07	0.20									J
o-Xylene	ND	0.20									
Propene	ND	2.0									
Styrene	ND	0.20									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486624**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Tetrachloroethene	ND	0.20									
Tetrahydrofuran	ND	0.50									
Toluene	ND	0.20									
trans-1,2-Dichloroethene	ND	0.20									
trans-1,3-Dichloropropene	ND	0.20									
Trichloroethene	ND	0.20									
Trichlorofluoromethane	ND	0.20									
Vinyl acetate	ND	2.0									
Vinyl chloride	ND	0.20									
Xylenes, Total	ND	0.60									

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060622-5	**ZZZZZ**	**LCS**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486625**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	5.1	0.20	5	0	102	70	130	0	0		
1,1,2,2-Tetrachloroethane	4.69	0.20	5	0	93.8	70	130	0	0		
1,1,2-Trichloroethane	4.9	0.20	5	0	98	70	130	0	0		
1,1-Dichloroethane	4.55	0.20	5	0	91	70	130	0	0		
1,1-Dichloroethene	4.43	0.20	5	0	88.6	70	130	0	0		
1,2,4-Trichlorobenzene	3.5	0.20	5	0.1	68	70	130	0	0		S
1,2,4-Trimethylbenzene	4.29	0.20	5	0	85.8	70	130	0	0		
1,2-Dibromoethane	4.96	0.20	5	0	99.2	70	130	0	0		
1,2-Dichlorobenzene	4.37	0.20	5	0	87.4	70	130	0	0		
1,2-Dichloroethane	4.73	0.20	5	0	94.6	70	130	0	0		
1,2-Dichloropropane	4.35	0.20	5	0	87	70	130	0	0		
1,3,5-Trimethylbenzene	4.47	0.20	5	0	89.4	70	130	0	0		
1,3-Butadiene	4.09	0.20	5	0	81.8	70	130	0	0		
1,3-Dichlorobenzene	4.36	0.20	5	0	87.2	70	130	0	0		
1,4-Dichlorobenzene	4.4	0.20	5	0	88	70	130	0	0		
1,4-Dioxane	4.2	0.50	5	0	84	70	130	0	0		
2-Butanone	4.04	0.50	5	0	80.8	70	130	0	0		
2-Hexanone	4.78	1.0	5	0	95.6	70	130	0	0		
4-Ethyltoluene	4.2	0.20	5	0	84	70	130	0	0		
4-Methyl-2-pentanone	4.74	1.0	5	0	94.8	70	130	0	0		
Acetone	4.08	2.0	5	0	81.6	70	130	0	0		*
Benzene	4.59	0.20	5	0	91.8	70	130	0	0		
Benzyl chloride	4.64	0.50	5	0	92.8	70	130	0	0		
Bromodichloromethane	4.81	0.20	5	0	96.2	70	130	0	0		
Bromoform	5.19	0.50	5	0	104	70	130	0	0		
Bromomethane	5.07	0.50	5	0	101	70	130	0	0		
Carbon disulfide	4.19	0.20	5	0	83.8	70	130	0	0		
Carbon tetrachloride	4.99	0.20	5	0	99.8	70	130	0	0		
Chlorobenzene	4.87	0.20	5	0	97.4	70	130	0	0		
Chloroethane	4.12	0.20	5	0	82.4	70	130	0	0		
Chloroform	4.71	0.20	5	0	94.2	70	130	0	0		
Chloromethane	0.91	0.50	5	0	18.2	70	130	0	0		S
cis-1,2-Dichloroethene	4.6	0.20	5	0	92	70	130	0	0		
cis-1,3-Dichloropropene	4.96	0.20	5	0	99.2	70	130	0	0		
Cyclohexane	4.19	0.20	5	0	83.8	70	130	0	0		

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060622-5	**ZZZZZ**	**LCS**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486625**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dibromochloromethane	5.26	0.20	5	0	105	70	130	0	0		
Dichlorodifluoromethane	4.62	0.20	5	0	92.4	70	130	0	0		
Ethyl acetate	4.26	0.50	5	0	85.2	70	130	0	0		
Ethylbenzene	4.6	0.20	5	0	92	70	130	0	0		
Freon-113	4.92	0.20	5	0	98.4	70	130	0	0		
Freon-114	4.96	1.0	5	0	99.2	70	130	0	0		
Heptane	4.59	0.20	5	0	91.8	70	130	0	0		
Hexachlorobutadiene	3.42	0.20	5	0.12	66	70	130	0	0		S
Hexane	4.27	0.50	5	0	85.4	70	130	0	0		
Isopropyl Alcohol	4.53	1.0	5	0	90.6	70	130	0	0		
m,p-Xylene	9.04	0.40	10	0	90.4	70	130	0	0		
Methyl tert-butyl ether	4.61	0.20	5	0	92.2	70	130	0	0		
Methylene chloride	4.03	2.0	5	0	80.6	70	130	0	0		
Naphthalene	3	0.20	5	0.07	58.6	70	130	0	0		S
o-Xylene	4.37	0.20	5	0	87.4	70	130	0	0		
Propene	4.35	2.0	5	0	87	70	130	0	0		
Styrene	4.12	0.20	5	0	82.4	70	130	0	0		
Tetrachloroethene	5.15	0.20	5	0	103	70	130	0	0		
Tetrahydrofuran	4.57	0.50	5	0	91.4	70	130	0	0		
Toluene	5.04	0.20	5	0	101	70	130	0	0		
trans-1,2-Dichloroethene	4.28	0.20	5	0	85.6	70	130	0	0		
trans-1,3-Dichloropropene	4.75	0.20	5	0	95	70	130	0	0		
Trichloroethene	4.8	0.20	5	0	96	70	130	0	0		
Trichlorofluoromethane	4.68	0.20	5	0	93.6	70	130	0	0		
Vinyl acetate	5.07	2.0	5	0	101	70	130	0	0		
Vinyl chloride	4.32	0.20	5	0	86.4	70	130	0	0		
Xylenes, Total	13.42	0.60	15	0	89.5	70	130	0	0		

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060622-5	**ZZZZZ**	**LCSD**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486626**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	5.01	0.20	5	0	100	70	130	5.1	1.78	25	
1,1,2,2-Tetrachloroethane	4.76	0.20	5	0	95.2	70	130	4.69	1.48	25	
1,1,2-Trichloroethane	4.66	0.20	5	0	93.2	70	130	4.9	5.02	25	
1,1-Dichloroethane	4.48	0.20	5	0	89.6	70	130	4.55	1.55	25	
1,1-Dichloroethene	4.43	0.20	5	0	88.6	70	130	4.43	0	25	
1,2,4-Trichlorobenzene	2.71	0.20	5	0.1	52.2	70	130	3.5	25.4	25	SR
1,2,4-Trimethylbenzene	4.1	0.20	5	0	82	70	130	4.29	4.53	25	
1,2-Dibromoethane	5.12	0.20	5	0	102	70	130	4.96	3.17	25	
1,2-Dichlorobenzene	4.36	0.20	5	0	87.2	70	130	4.37	0.229	25	
1,2-Dichloroethane	4.62	0.20	5	0	92.4	70	130	4.73	2.35	25	
1,2-Dichloropropane	4.27	0.20	5	0	85.4	70	130	4.35	1.86	25	
1,3,5-Trimethylbenzene	4.38	0.20	5	0	87.6	70	130	4.47	2.03	25	
1,3-Butadiene	4.03	0.20	5	0	80.6	70	130	4.09	1.48	25	
1,3-Dichlorobenzene	4.4	0.20	5	0	88	70	130	4.36	0.913	25	
1,4-Dichlorobenzene	4.36	0.20	5	0	87.2	70	130	4.4	0.913	25	
1,4-Dioxane	4.03	0.50	5	0	80.6	70	130	4.2	4.13	25	
2-Butanone	3.98	0.50	5	0	79.6	70	130	4.04	1.50	25	
2-Hexanone	4.66	1.0	5	0	93.2	70	130	4.78	2.54	25	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060622-5	**ZZZZZ**	**LCSD**	**ppbv**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486626**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
4-Ethyltoluene	4.18	0.20	5	0	83.6	70	130	4.2	0.477	25	
4-Methyl-2-pentanone	4.49	1.0	5	0	89.8	70	130	4.74	5.42	25	
Acetone	4.03	2.0	5	0	80.6	70	130	4.08	1.23	25	*
Benzene	4.68	0.20	5	0	93.6	70	130	4.59	1.94	25	
Benzyl chloride	4.71	0.50	5	0	94.2	70	130	4.64	1.50	25	
Bromodichloromethane	4.73	0.20	5	0	94.6	70	130	4.81	1.68	25	
Bromoform	5.18	0.50	5	0	104	70	130	5.19	0.193	25	
Bromomethane	5.08	0.50	5	0	102	70	130	5.07	0.197	25	
Carbon disulfide	4.23	0.20	5	0	84.6	70	130	4.19	0.950	25	
Carbon tetrachloride	5.03	0.20	5	0	101	70	130	4.99	0.798	25	
Chlorobenzene	4.91	0.20	5	0	98.2	70	130	4.87	0.818	25	
Chloroethane	4.14	0.20	5	0	82.8	70	130	4.12	0.484	25	
Chloroform	4.67	0.20	5	0	93.4	70	130	4.71	0.853	25	
Chloromethane	0.88	0.50	5	0	17.6	70	130	0.91	3.35	25	S
cis-1,2-Dichloroethene	4.58	0.20	5	0	91.6	70	130	4.6	0.436	25	
cis-1,3-Dichloropropene	4.83	0.20	5	0	96.6	70	130	4.96	2.66	25	
Cyclohexane	4.1	0.20	5	0	82	70	130	4.19	2.17	25	
Dibromochloromethane	5.36	0.20	5	0	107	70	130	5.26	1.88	25	
Dichlorodifluoromethane	4.65	0.20	5	0	93	70	130	4.62	0.647	25	
Ethyl acetate	4.34	0.50	5	0	86.8	70	130	4.26	1.86	25	
Ethylbenzene	4.52	0.20	5	0	90.4	70	130	4.6	1.75	25	
Freon-113	4.81	0.20	5	0	96.2	70	130	4.92	2.26	25	
Freon-114	5.13	1.0	5	0	103	70	130	4.96	3.37	25	
Heptane	4.49	0.20	5	0	89.8	70	130	4.59	2.20	25	
Hexachlorobutadiene	3.46	0.20	5	0.12	66.8	70	130	3.42	1.16	25	S
Hexane	4.32	0.50	5	0	86.4	70	130	4.27	1.16	25	
Isopropyl Alcohol	4.55	1.0	5	0	91	70	130	4.53	0.441	25	
m,p-Xylene	9.11	0.40	10	0	91.1	70	130	9.04	0.771	25	
Methyl tert-butyl ether	4.68	0.20	5	0	93.6	70	130	4.61	1.51	25	
Methylene chloride	4	2.0	5	0	80	70	130	4.03	0.747	25	
Naphthalene	2.08	0.20	5	0.07	40.2	70	130	3	36.2	25	SR
o-Xylene	4.43	0.20	5	0	88.6	70	130	4.37	1.36	25	
Propene	4.24	2.0	5	0	84.8	70	130	4.35	2.56	25	
Styrene	4.21	0.20	5	0	84.2	70	130	4.12	2.16	25	
Tetrachloroethene	5.35	0.20	5	0	107	70	130	5.15	3.81	25	
Tetrahydrofuran	4.42	0.50	5	0	88.4	70	130	4.57	3.34	25	
Toluene	5.03	0.20	5	0	101	70	130	5.04	0.199	25	
trans-1,2-Dichloroethene	4.42	0.20	5	0	88.4	70	130	4.28	3.22	25	
trans-1,3-Dichloropropene	4.68	0.20	5	0	93.6	70	130	4.75	1.48	25	
Trichloroethene	4.79	0.20	5	0	95.8	70	130	4.8	0.209	25	
Trichlorofluoromethane	4.8	0.20	5	0	96	70	130	4.68	2.53	25	
Vinyl acetate	4.97	2.0	5	0	99.4	70	130	5.07	1.99	25	
Vinyl chloride	4.41	0.20	5	0	88.2	70	130	4.32	2.06	25	
Xylenes, Total	13.54	0.60	15	0	90.3	70	130	13.42	0.890	25	

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486632**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	1.1									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486632**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,2,2-Tetrachloroethane	ND	1.4									
1,1,2-Trichloroethane	ND	1.1									
1,1-Dichloroethane	ND	0.81									
1,1-Dichloroethene	ND	0.79									
1,2,4-Trichlorobenzene	0.7421	1.5									J
1,2,4-Trimethylbenzene	ND	0.98									
1,2-Dibromoethane	ND	1.5									
1,2-Dichlorobenzene	ND	1.2									
1,2-Dichloroethane	ND	0.81									
1,2-Dichloropropane	ND	0.92									
1,3,5-Trimethylbenzene	ND	0.98									
1,3-Butadiene	ND	0.44									
1,3-Dichlorobenzene	ND	1.2									
1,4-Dichlorobenzene	ND	1.2									
1,4-Dioxane	ND	1.8									
2-Butanone	ND	1.5									
2-Hexanone	ND	4.1									
4-Ethyltoluene	ND	0.98									
4-Methyl-2-pentanone	ND	4.1									
Acetone	ND	4.8									*
Benzene	ND	0.64									
Benzyl chloride	ND	2.6									
Bromodichloromethane	ND	1.3									
Bromoform	ND	5.2									
Bromomethane	ND	1.9									
Carbon disulfide	ND	0.62									
Carbon tetrachloride	ND	1.3									
Chlorobenzene	ND	0.92									
Chloroethane	ND	0.53									
Chloroform	ND	0.98									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	0.79									
cis-1,3-Dichloropropene	ND	0.91									
Cyclohexane	ND	0.69									
Dibromochloromethane	ND	1.7									
Dichlorodifluoromethane	ND	0.99									
Ethyl acetate	ND	1.8									
Ethylbenzene	ND	0.87									
Freon-113	ND	1.5									
Freon-114	ND	7.0									
Heptane	ND	0.82									
Hexachlorobutadiene	1.28	2.1									J
Hexane	ND	1.8									
Isopropyl Alcohol	ND	2.5									
m,p-Xylene	ND	1.7									
Methyl tert-butyl ether	ND	0.72									
Methylene chloride	ND	6.9									
Naphthalene	0.3669	1.0									J
o-Xylene	ND	0.87									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060622-5	**ZZZZZ**	**MBLK**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486632**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Propene	ND	3.4									
Styrene	ND	0.85									
Tetrachloroethene	ND	1.4									
Tetrahydrofuran	ND	1.5									
Toluene	ND	0.75									
trans-1,2-Dichloroethene	ND	0.79									
trans-1,3-Dichloropropene	ND	0.91									
Trichloroethene	ND	1.1									
Trichlorofluoromethane	ND	1.1									
Vinyl acetate	ND	7.0									
Vinyl chloride	ND	0.51									
Xylenes, Total	ND	2.6									

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060622-5	**ZZZZZ**	**LCS**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486633**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	27.83	1.1	27.28	0	102	70	130	0	0		
1,1,2,2-Tetrachloroethane	32.21	1.4	34.34	0	93.8	70	130	0	0		
1,1,2-Trichloroethane	26.73	1.1	27.28	0	98	70	130	0	0		
1,1-Dichloroethane	18.42	0.81	20.24	0	91	70	130	0	0		
1,1-Dichloroethene	17.56	0.79	19.82	0	88.6	70	130	0	0		
1,2,4-Trichlorobenzene	25.97	1.5	37.11	0.7421	68	70	130	0	0		S
1,2,4-Trimethylbenzene	21.09	0.98	24.58	0	85.8	70	130	0	0		
1,2-Dibromoethane	38.11	1.5	38.42	0	99.2	70	130	0	0		
1,2-Dichlorobenzene	26.27	1.2	30.06	0	87.4	70	130	0	0		
1,2-Dichloroethane	19.14	0.81	20.24	0	94.6	70	130	0	0		
1,2-Dichloropropane	20.1	0.92	23.11	0	87	70	130	0	0		
1,3,5-Trimethylbenzene	21.97	0.98	24.58	0	89.4	70	130	0	0		
1,3-Butadiene	9.048	0.44	11.06	0	81.8	70	130	0	0		
1,3-Dichlorobenzene	26.21	1.2	30.06	0	87.2	70	130	0	0		
1,4-Dichlorobenzene	26.45	1.2	30.06	0	88	70	130	0	0		
1,4-Dioxane	15.14	1.8	18.02	0	84	70	130	0	0		
2-Butanone	11.92	1.5	14.75	0	80.8	70	130	0	0		
2-Hexanone	19.58	4.1	20.48	0	95.6	70	130	0	0		
4-Ethyltoluene	20.65	0.98	24.58	0	84	70	130	0	0		
4-Methyl-2-pentanone	19.42	4.1	20.48	0	94.8	70	130	0	0		
Acetone	9.692	4.8	11.88	0	81.6	70	130	0	0		*
Benzene	14.66	0.64	15.97	0	91.8	70	130	0	0		
Benzyl chloride	24.02	2.6	25.89	0	92.8	70	130	0	0		
Bromodichloromethane	32.23	1.3	33.5	0	96.2	70	130	0	0		
Bromoform	53.65	5.2	51.68	0	104	70	130	0	0		
Bromomethane	19.69	1.9	19.42	0	101	70	130	0	0		
Carbon disulfide	13.05	0.62	15.57	0	83.8	70	130	0	0		
Carbon tetrachloride	31.39	1.3	31.46	0	99.8	70	130	0	0		
Chlorobenzene	22.42	0.92	23.02	0	97.4	70	130	0	0		
Chloroethane	10.87	0.53	13.19	0	82.4	70	130	0	0		
Chloroform	23	0.98	24.41	0	94.2	70	130	0	0		
Chloromethane	1.879	1.0	10.33	0	18.2	70	130	0	0		S
cis-1,2-Dichloroethene	18.24	0.79	19.82	0	92	70	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060622-5	**ZZZZZ**	**LCS**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486633**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,3-Dichloropropene	22.51	0.91	22.69	0	99.2	70	130	0	0		
Cyclohexane	14.42	0.69	17.21	0	83.8	70	130	0	0		
Dibromochloromethane	44.81	1.7	42.59	0	105	70	130	0	0		
Dichlorodifluoromethane	22.85	0.99	24.73	0	92.4	70	130	0	0		
Ethyl acetate	15.35	1.8	18.02	0	85.2	70	130	0	0		
Ethylbenzene	19.97	0.87	21.71	0	92	70	130	0	0		
Freon-113	37.7	1.5	38.32	0	98.4	70	130	0	0		
Freon-114	34.67	7.0	34.95	0	99.2	70	130	0	0		
Heptane	18.81	0.82	20.49	0	91.8	70	130	0	0		
Hexachlorobutadiene	36.47	2.1	53.33	1.28	66	70	130	0	0		S
Hexane	15.05	1.8	17.62	0	85.4	70	130	0	0		
Isopropyl Alcohol	11.14	2.5	12.29	0	90.6	70	130	0	0		
m,p-Xylene	39.25	1.7	43.42	0	90.4	70	130	0	0		
Methyl tert-butyl ether	16.62	0.72	18.03	0	92.2	70	130	0	0		
Methylene chloride	14	6.9	17.37	0	80.6	70	130	0	0		
Naphthalene	15.73	1.0	26.21	0.3669	58.6	70	130	0	0		S
o-Xylene	18.97	0.87	21.71	0	87.4	70	130	0	0		
Propene	7.487	3.4	8.605	0	87	70	130	0	0		
Styrene	17.55	0.85	21.3	0	82.4	70	130	0	0		
Tetrachloroethene	34.93	1.4	33.91	0	103	70	130	0	0		
Tetrahydrofuran	13.48	1.5	14.75	0	91.4	70	130	0	0		
Toluene	18.99	0.75	18.84	0	101	70	130	0	0		
trans-1,2-Dichloroethene	16.97	0.79	19.82	0	85.6	70	130	0	0		
trans-1,3-Dichloropropene	21.56	0.91	22.69	0	95	70	130	0	0		
Trichloroethene	25.79	1.1	26.87	0	96	70	130	0	0		
Trichlorofluoromethane	26.29	1.1	28.09	0	93.6	70	130	0	0		
Vinyl acetate	17.85	7.0	17.61	0	101	70	130	0	0		
Vinyl chloride	11.04	0.51	12.78	0	86.4	70	130	0	0		
Xylenes, Total	58.27	2.6	65.13	0	89.5	70	130	0	0		

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060622-5	**ZZZZZ**	**LCSD**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486634**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	27.33	1.1	27.28	0	100	70	130	27.83	1.78	25	
1,1,2,2-Tetrachloroethane	32.69	1.4	34.34	0	95.2	70	130	32.21	1.48	25	
1,1,2-Trichloroethane	25.43	1.1	27.28	0	93.2	70	130	26.73	5.02	25	
1,1-Dichloroethane	18.13	0.81	20.24	0	89.6	70	130	18.42	1.55	25	
1,1-Dichloroethene	17.56	0.79	19.82	0	88.6	70	130	17.56	0	25	
1,2,4-Trichlorobenzene	20.11	1.5	37.11	0.7421	52.2	70	130	25.97	25.4	25	SR
1,2,4-Trimethylbenzene	20.15	0.98	24.58	0	82	70	130	21.09	4.53	25	
1,2-Dibromoethane	39.34	1.5	38.42	0	102	70	130	38.11	3.17	25	
1,2-Dichlorobenzene	26.21	1.2	30.06	0	87.2	70	130	26.27	0.229	25	
1,2-Dichloroethane	18.7	0.81	20.24	0	92.4	70	130	19.14	2.35	25	
1,2-Dichloropropane	19.73	0.92	23.11	0	85.4	70	130	20.1	1.86	25	
1,3,5-Trimethylbenzene	21.53	0.98	24.58	0	87.6	70	130	21.97	2.03	25	
1,3-Butadiene	8.915	0.44	11.06	0	80.6	70	130	9.048	1.48	25	
1,3-Dichlorobenzene	26.45	1.2	30.06	0	88	70	130	26.21	0.913	25	
1,4-Dichlorobenzene	26.21	1.2	30.06	0	87.2	70	130	26.45	0.913	25	
1,4-Dioxane	14.52	1.8	18.02	0	80.6	70	130	15.14	4.13	25	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187204

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060622-5	**ZZZZZ**	**LCSD**	**µg/m³**	**TO-15**		**6/6/2022**	**VOA-5_220606A**	**5486634**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
2-Butanone	11.74	1.5	14.75	0	79.6	70	130	11.92	1.50	25	
2-Hexanone	19.09	4.1	20.48	0	93.2	70	130	19.58	2.54	25	
4-Ethyltoluene	20.55	0.98	24.58	0	83.6	70	130	20.65	0.477	25	
4-Methyl-2-pentanone	18.39	4.1	20.48	0	89.8	70	130	19.42	5.42	25	
Acetone	9.573	4.8	11.88	0	80.6	70	130	9.692	1.23	25	*
Benzene	14.95	0.64	15.97	0	93.6	70	130	14.66	1.94	25	
Benzyl chloride	24.38	2.6	25.89	0	94.2	70	130	24.02	1.50	25	
Bromodichloromethane	31.69	1.3	33.5	0	94.6	70	130	32.23	1.68	25	
Bromoform	53.54	5.2	51.68	0	104	70	130	53.65	0.193	25	
Bromomethane	19.73	1.9	19.42	0	102	70	130	19.69	0.197	25	
Carbon disulfide	13.17	0.62	15.57	0	84.6	70	130	13.05	0.950	25	
Carbon tetrachloride	31.64	1.3	31.46	0	101	70	130	31.39	0.798	25	
Chlorobenzene	22.6	0.92	23.02	0	98.2	70	130	22.42	0.818	25	
Chloroethane	10.92	0.53	13.19	0	82.8	70	130	10.87	0.484	25	
Chloroform	22.8	0.98	24.41	0	93.4	70	130	23	0.853	25	
Chloromethane	1.817	1.0	10.33	0	17.6	70	130	1.879	3.35	25	S
cis-1,2-Dichloroethene	18.16	0.79	19.82	0	91.6	70	130	18.24	0.436	25	
cis-1,3-Dichloropropene	21.92	0.91	22.69	0	96.6	70	130	22.51	2.66	25	
Cyclohexane	14.11	0.69	17.21	0	82	70	130	14.42	2.17	25	
Dibromochloromethane	45.66	1.7	42.59	0	107	70	130	44.81	1.88	25	
Dichlorodifluoromethane	23	0.99	24.73	0	93	70	130	22.85	0.647	25	
Ethyl acetate	15.64	1.8	18.02	0	86.8	70	130	15.35	1.86	25	
Ethylbenzene	19.63	0.87	21.71	0	90.4	70	130	19.97	1.75	25	
Freon-113	36.86	1.5	38.32	0	96.2	70	130	37.7	2.26	25	
Freon-114	35.86	7.0	34.95	0	103	70	130	34.67	3.37	25	
Heptane	18.4	0.82	20.49	0	89.8	70	130	18.81	2.20	25	
Hexachlorobutadiene	36.9	2.1	53.33	1.28	66.8	70	130	36.47	1.16	25	S
Hexane	15.23	1.8	17.62	0	86.4	70	130	15.05	1.16	25	
Isopropyl Alcohol	11.18	2.5	12.29	0	91	70	130	11.14	0.441	25	
m,p-Xylene	39.55	1.7	43.42	0	91.1	70	130	39.25	0.771	25	
Methyl tert-butyl ether	16.87	0.72	18.03	0	93.6	70	130	16.62	1.51	25	
Methylene chloride	13.89	6.9	17.37	0	80	70	130	14	0.747	25	
Naphthalene	10.9	1.0	26.21	0.3669	40.2	70	130	15.73	36.2	25	SR
o-Xylene	19.23	0.87	21.71	0	88.6	70	130	18.97	1.36	25	
Propene	7.297	3.4	8.605	0	84.8	70	130	7.487	2.56	25	
Styrene	17.93	0.85	21.3	0	84.2	70	130	17.55	2.16	25	
Tetrachloroethene	36.29	1.4	33.91	0	107	70	130	34.93	3.81	25	
Tetrahydrofuran	13.04	1.5	14.75	0	88.4	70	130	13.48	3.34	25	
Toluene	18.95	0.75	18.84	0	101	70	130	18.99	0.199	25	
trans-1,2-Dichloroethene	17.52	0.79	19.82	0	88.4	70	130	16.97	3.22	25	
trans-1,3-Dichloropropene	21.24	0.91	22.69	0	93.6	70	130	21.56	1.48	25	
Trichloroethene	25.74	1.1	26.87	0	95.8	70	130	25.79	0.209	25	
Trichlorofluoromethane	26.97	1.1	28.09	0	96	70	130	26.29	2.53	25	
Vinyl acetate	17.5	7.0	17.61	0	99.4	70	130	17.85	1.99	25	
Vinyl chloride	11.27	0.51	12.78	0	88.2	70	130	11.04	2.06	25	
Xylenes, Total	58.79	2.6	65.13	0	90.3	70	130	58.27	0.890	25	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187207

ANALYTICAL RUN SUMMARY

SeqNo	Sample ID	Type	Test Code	Batch	DF	Date Analyzed
5486918	BFB060822-5	TUNE	BFB	R187207	1	06/08/2022 09:39
5486921	CCV060822-5 5.0	CCV	TO_15A+	R187207	1	06/08/2022 09:39
5486922	MB060822-5	MBLK	TO_15A+	R187207	1	06/08/2022 11:02
5486923	MB060822-5	MBLK	TO_15UG+	R187207	1	06/08/2022 11:02
5487211	MB060822-5	MBLK	TO_15A-TVOC	R187207	1	06/08/2022 11:02
5487212	MB060822-5	MBLK	TO_15UG-TVOC	R187207	1	06/08/2022 11:02
5488009	MB060822-5	MBLK	TO_15MG+	R187207	1	06/08/2022 11:02
5486924	LCS060822-5	LCS	TO_15A+	R187207	1	06/08/2022 11:38
5486925	LCS060822-5	LCS	TO_15UG+	R187207	1	06/08/2022 11:38
5488010	LCS060822-5	LCS	TO_15MG+	R187207	1	06/08/2022 11:38
5486926	LCSD060822-5	LCSD	TO_15A+	R187207	1	06/08/2022 12:14
5486927	LCSD060822-5	LCSD	TO_15UG+	R187207	1	06/08/2022 12:14
5488011	LCSD060822-5	LCSD	TO_15MG+	R187207	1	06/08/2022 12:14
5487213	22060253-001A	SAMP	TO_15A-TVOC	142031	1	06/08/2022 13:38
5487214	22060253-001A	SAMP	TO_15UG-TVOC	142031	1	06/08/2022 13:38
5487215	22060253-001A	SAMP	TO_15A+	142031	1	06/08/2022 13:38
5487216	22060253-001A	SAMP	TO_15UG+	142031	1	06/08/2022 13:38
5488006	22060109-001A	SAMP	TO_15A+	141963	250	06/08/2022 17:03
5488007	22060109-001A	SAMP	TO_15UG+	141963	250	06/08/2022 17:03
5488016	22060217-001A	SAMP	TO_15MG+	142002	25	06/08/2022 18:56

QC SUMMARY

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060822-5	**ZZZZZ**	**MBLK**	**ppbv**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486922**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	0.20									

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060822-5	**ZZZZZ**	**LCS**	**ppbv**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486924**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	5.32	0.20	5	0	106	70	130	0	0		

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060822-5	**ZZZZZ**	**LCSD**	**ppbv**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486926**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	5.22	0.20	5	0	104	70	130	5.32	1.90	25	

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
MB060822-5	**ZZZZZ**	**MBLK**	**µg/m³**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486923**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	0.99									

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCS060822-5	**ZZZZZ**	**LCS**	**µg/m³**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486925**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	26.31	0.99	24.73	0	106	70	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range

CLIENT: L.F. Green Development, LLC
Work Order: 22060109
Project: McCann Barrel, 5311 S. 9th, Milwaukee

ANALYTICAL QC SUMMARY REPORT
Air Toxics
BatchID: R187207

Sample ID:	Customer ID:	SampType:	Units:	TestNo:	Prep Date:	Analysis Date:	Run ID:	SeqNo:
LCSD060822-5	**ZZZZZ**	**LCSD**	**µg/m³**	**TO-15**		**6/8/2022**	**VOA-5_220608A**	**5486927**

Analyte	Result	PQL	SPK value	SPK Ref Val	% REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	25.81	0.99	24.73	0	104	70	130	26.31	1.90	25	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
* - Non Accredited Parameter
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
H/HT - Holding Time Exceeded
B - Analyte detected in the associated Method Blank
E - Value above quantitation range