State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
Waukesha Service Center
141 NW Barstow St., Room 180
Waukesha WI 53188

Scott Walker, Governor
Cathy Stepp, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711

December 22, 2016

Mr. Edward Rich
OMA, LLC
3270 E. Carollton Drive
Oak Creek, WI 53154

Subject: Off-site Liability exemption for property located at 10484 Corporate Drive, Pleasant Prairie, WI with groundwater contamination from an off-site source
FID: 230216030 BRRTS: 07-30-578181
Parcel #: 92-4-122-302-0132

Dear Mr. Rich:

Purpose

The Department of Natural Resources ("the Department") has recently reviewed your request for an off-site exemption letter for the property located at 10484 Corporate Drive, Pleasant Prairie, WI, which will be referred to in this letter as "the Property." Refer to the attached Attachment 1 for a site map of the Property. The Department received a $700 fee for providing this letter pursuant to s. 292.13 (2) and (3), Stats, and ch. NR 749, Wis. Admin. Code.

Summary Determination

The Department, based on the information made available to it, is confirming that Mr. Edward Rich qualifies for the off-site liability exemption, and Mr. Edward Rich is not responsible for investigation or cleanup of the contamination that originated on a neighboring property. The Property owner would have limited responsibility under ss. 292.12 and 292.13, Stats, for the groundwater contamination that has migrated or is migrating onto the Property.

Request

You have requested that the Department determine if Mr. Edward Rich is exempt from ss. 292.11(3), (4) and (7)(b) and (c), Wis. Stats. (commonly known as the "Hazardous Substance Spill Law"), with respect to the existence of a hazardous substance in the groundwater, that you believe is migrating onto the Property from an off-site source.

Section 292.13(2), Wis. Stats., requires the Department to issue upon request, a written determination regarding a liability exemption for a person who possesses or controls property that is contaminated by an off-site source, when certain conditions are met. In order to make this determination, the Department has reviewed information about the Property, including

groundwater sampling data for the Property and/or other sites contained in the following documents:

- The Off-Site Application form dated October 18, 2016;
- STS Phase I ESA, dated July 1999;
- Status Report for Vidhya Corporation/BP Gas Station, dated October 5, 2016;
- Comprehensive Site Investigation of Vidhya Corporation, dated December 19, 2014.

Background

The Department considered the documents listed above in making the determinations presented in this letter. The STS Phase I ESA from July 1999 indicates that the Property was originally agricultural and has never spilled, stored or used petroleum products onsite. The Culver's building was constructed in 2001 and has been in operation to date. The Vidhya/BP Station is located on the same property as the historic release site BP Amoco, closed with a soil and groundwater GIS registry listing on 12/20/2006 after undergoing several years of investigation and remedial actions. In 2011 a new case was opened for the currently operating BP Station due to an identified leak in the piping system which led to a surface water discharge to the ditch that runs parallel to Highway 165. Additional investigation was performed as well as the installation of a dewatering system around the tank basin. The dewatering system has been shut down since August 15, 2016. Groundwater levels in the sumps, monitoring wells and the ditch have been under close observation and in the November 2016 Status Update it appears that groundwater levels have stabilized. Additional observation and groundwater monitoring will continue for a minimum of one year from system shut down and if groundwater continues to remain stable in elevation and contamination levels a case closure request will be submitted for Department review.

Determination

Based upon the available information and in accordance with s. 292.13, Stats., the Department makes the following determinations regarding the presence of benzene in the groundwater on the Property in MW-102. See Attachment 1 and data tables, Attachment 2.

The Department, based on the information available, has determined that the Property owner/lessee has met the conditions in s.292.13, Stats., to qualify for the liability exemption, including but not limited to the following provisions:

1. The hazardous substance discharge originated from a source on property that is not possessed or controlled by Mr. Edward Rich.

2. Mr. Edward Rich did not possess or control the hazardous substance on the property on which the discharge originated.

3. Mr. Edward Rich did not cause the discharge.

4. Mr. Edward Rich will not have liability under the Hazardous Substance Spill Law for investigation or remediation of the soil, sediment or groundwater contamination originating from off-site onto the Property, provided that Mr. Edward Rich does not take possession or control of the property on which the discharge originated.

Exemption Conditions

The Department's determination, as set forth in this letter, is subject to the following conditions being complied with, as specified in ss. 292.13(1) and (1m), Wis. Stats:

1. The facts upon which the Department based its determination are accurate and do not change.

2. Mr. Edward Rich agrees to allow the following parties to enter the Property to take action to respond to the discharge: the Department and its authorized representatives; any party that possessed or controlled the hazardous substance or caused the discharge; and any consultant or contractor of such a party.

3. Mr. Edward Rich agrees to avoid any interference with action undertaken to respond to the discharge and to avoid actions that worsen the discharge.

4. Mr. Edward Rich agrees to any other condition that the Department determines is reasonable and necessary to ensure that the Department and any other authorized party can adequately respond to the discharge.

Responsibilities for Continuing Obligations

In addition to the conditions above, after the contamination at the source property is remediated, the Department's approval of the clean-up may include continuing obligations at the source property as well as your Property. Often residual contamination remains after an approved environmental cleanup is completed. This approval may include requirements to maintain engineering controls, such as a cap or soil cover, to reduce the impact of the contamination. In that event, you may also be required to obtain DNR approval to construct a water supply well on your Property. If the request for cleanup approval includes requirements for your Property, the party conducting the cleanup is required to notify you before the DNR reviews the proposal for final approval of the clean-up.

Conclusion

The Department has granted Mr. Edward Rich an off-site exemption under s. 292.13, Stats. Please note that the Department may revoke the determinations made in this letter if it determines that any of the requirements under ss. 292.13, Stats., cease to be met.

Future Property owners are eligible for the exemption under s. 292.13, Stats., if they meet the requirements listed in that statute section. The determinations in this letter regarding a liability exemption, however, only apply to Mr. Edward Rich, and may not be transferred or assigned to other parties. The Department will provide a written determination to future owners of this Property, if such a determination is requested in accordance with the requirements of s. 292.13, Wis. Stats.

The Bureau for Remediation and Redevelopment Tracking System (BRRTS) identification number for this activity is shown at the top of this letter. The Department tracks information on all determinations such as this in a Department database that is available on the Internet at. http://dnr.wi.gov/topic/Brownfields/botw.html

If you have any questions or concerns regarding this letter, please contact me at 262-574-2142 or by email at shanna.laubeanderson@wisconsin.gov.

Sincerely,

Shanna L. Laube-Anderson
Hydrogeologist

Attachments:
1. Map Groundwater Chemistry September 9, 2016
2. Table 4.

cc: Michael Prager RR/5 (electronic)
Margaret Brunette(electronic)
Donald Gallo, 20800 Swenson Drive, Waukesha, WI 53186
Matt Dahlem, Fehr-Graham Engineering and Environmental,
1237 Pilgrim Rd., Plymouth, WI 53073
Lisa Wood, 111 E. Kilbourn Ave., Suite 1400, Milwaukee, WI 53202



LEGEND

Fehr-Graham Monitoring Well - installed 5/19/14

MES MW-1 Midwest (MES) Monitoring Well (EXISTING)

MW-2	Sample Name
B	Benzene (ug/L)
E	Ethylbenzene (ug/L)
T	Toluene (ug/L)
X	Xylenes (m&p,-o) (ug/L)
N	Naphthalene (ug/L)
MTBE	Methyl-tert-butyl-ether (ug/L)
TMB	TMB (124 & 135-Trimethylbenzene) (ug/L)
PVOC+N	Petroleum Volatile Organic Compounds (ug/L)

\+ Exceeds NR 140 Preventive Action Limit
++ Exceeds NR 140 Enforcement Standard
ND No Detect
J Between limit of Detection & limit of Quantification
Note: Sample MW-102 duplicate sample, results presented are average of both samples.

TITLE: Groundwater Chemistry September 9, 2016

SITE: BP Gas Station Release, 10477 120th Ave, Pleasant Prairie, WI

SCALE:

ATS/FG PROJECT NUMBER: VID-2013-02 / 14-1147 / 16-1390

DATE: 4/10/14

DWG #: Base Map-Vidhya and Culvers.skf

REV | DATE | DESCRIPTION | APP'VD

DRAWN BY: MKH

FIGURE 9

FEHR GRAHAM
ENGINEERING & ENVIRONMENTAL

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MW-1[1]							MW-2[1]								MW-3[1]			
Date				6/30/00	3/22/01	6/18/01	9/4/01	7/12/02	7/22/04	10/15/04	6/30/00	6/30/00	3/22/01	6/18/01	9/4/01	7/12/02	7/22/04	10/15/04	6/30/00	3/22/01	6/18/01	9/4/01
Groundwater Elevation				NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Comments												D										
Benzene	(ug/L)	*0.5*	5	Well Dry	<0.13	<0.13	<0.13	<0.13	<1.0	<5.0	<0.10	<0.10	<0.13	<0.13	<0.13	<0.13	<1.0	<1.0	<0.10	<0.13	*1.2*	Removed during Station Rebuild Sept 2004
Ethylbenzene	(ug/L)	*140*	700		<0.22	<0.22	<0.22	<0.22	<1.0	<5.0	<0.25	<0.25	<0.22	<0.22	<0.22	<0.22	<1.0	<1.0	<0.25	<0.22	0.39	
Toluene	(ug/L)	*160*	800		<0.20	<0.20	<0.20	<0.20	<1.0	<5.0	<0.10	<0.10	<0.20	<0.20	<0.20	<0.20	<1.0	<1.0	<0.10	<0.20	<0.20	
Xylenes (TOTAL)	(ug/L)	*400*	2,000		<0.23	<0.23	<0.23	<0.23	<3.0	<15.0	<0.25	<0.25	<0.23	<0.23	<0.23	<0.23	<3.0	<3.0	<0.25	<0.23	1.4	
m&p-Xylene	(ug/L)	NS	NS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
o-Xylene	(ug/L)	NS	NS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
Naphthalene	(ug/L)	*10*	100		<0.46	NA	NA	NA	NA	<5.0	<0.25	<0.25	<0.46	NA	NA	NA	NA	<1.0	<0.25	<0.46	NA	
MTBE	(ug/L)	*12*	60		<0.16	0.18	<0.16	<0.16	<4.0	<5.0	<0.25	<0.25	<0.16	<0.16	<0.16	<0.16	<4.0	<1.0	10	4.6	8.7	
1,2,4-Trimethylbenzene	(ug/L)	NS	NS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
1,3,5-Trimethylbenzene	(ug/L)	NS	NS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480		<0.29	<0.29	<0.29	<0.29	<1.0	<5.0	<0.10	<0.10	<0.29	<0.29	<0.29	<0.29	<1.0	<1.0	<0.10	<0.29	2.32	
GRO	(ug/L)	NS	NS		<50	<50	<50	<50	NA	NA	<50	<50	<50	<50	<50	NA	NA	NA	<50	<50	<50	
Lead	(ug/L)	*1.5*	15		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:
Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS Indicates exceedance of NR 140.10 Preventive Action Limit
BOLD Indicates exceedance of NR 140.10 Enforcement Standard
MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MW-4[1]													MW-5[1]		MW-6[1]		MW-7[1]	
Date				6/30/00	3/22/01	3/22/01	6/18/01	6/18/01	9/4/01	9/4/01	7/12/02	7/12/02	7/22/04	7/22/04	10/15/04	10/15/04	7/22/04	10/15/04	7/22/04	10/15/04	7/22/04	10/15/04
Groundwater Elevation				NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Comments						D		D		D		D		D		D						
Benzene	(ug/L)	0.5	5	*15,000*	*8,800*	*8,600*	*5,700*	*5,600*	*4,900*	*4,600*	*4,100*	*3,700*	*3,900*	*3,300*	*2,360*	*2,800*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	(ug/L)	*140*	700	*1,300*	*1,300*	*1,200*	*1,200*	*1,200*	*970*	*900*	*1,200*	*910*	*1,100*	*930*	*835*	*1,110*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	(ug/L)	*160*	800	*37,000*	*31,000*	*30,000*	*20,000*	*19,000*	*16,000*	*15,000*	*10,000*	*8,600*	*8,000*	*6,000*	*3,150*	*6,100*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Xylenes (TOTAL)	(ug/L)	*400*	2,000	*6,800*	*7,700*	*7,300*	*6,500*	*6,300*	*5,700*	*5,200*	*6,100*	*4,800*	*5,900*	*5,000*	*4,530*	*6,180*	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
m&p-Xylene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
o-Xylene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	(ug/L)	*10*	100	*1,300*	*1,600*	*1,500*	*1,400*	*1,400*	*1,600*	*2,000*	NA	NA	NA	NA	*1,060*	*1,730*	NA	<1.0	NA	<1.0	NA	<1.0
MTBE	(ug/L)	*12*	60	<200	<32	<32	<32	<32	<64	<64	<39	<16	<500	<400	<100	<100	<4.0	<1.0	<4.0	<1.0	<4.0	<1.0
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480	*3,040*	*4,470*	*3,700*	*3,450*	*3,320*	*3,250*	*3,010*	*4,490*	*3,420*	*4,400*	*3,900*	*3,021*	*4,267*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
GRO	(ug/L)	NS	NS	95,000	80,000	NA	52,000	50,000	54,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard

MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MW-8[1]		MW-9[1]		GP-1[1]	GP-2[1]	GP-3[1]	GP-4[1]	GP-5[1]	GP-6[1]	Catch Basin 3[1]	Drainage Ditch 1[1]	Drainage Ditch 2[1]	N. Storm Water Ditch[2]	TW-6[2]
Date				7/22/04	10/15/04	7/22/04	10/15/04	11/10/00	11/10/00	11/10/00	11/10/00	11/10/00	11/10/00	9/9/99	9/9/99	9/9/99	6/9/11	7/8/11
Groundwater Elevation				NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Comments																		
Benzene	(ug/L)	*0.5*	**5**	<1.0	<1.0	<1.0	<1.0	***6,100***	***350***	0.36	<0.13	<0.13	<0.13	***914***	***507***	***21.5***	***2,970***	***1,250***
Ethylbenzene	(ug/L)	*140*	**700**	<1.0	<1.0	<1.0	<1.0	***1,000***	*150*	<0.22	<0.22	<0.22	<0.22	64.2	19.8	15.2	*414*	130
Toluene	(ug/L)	*160*	**800**	<1.0	<1.0	<1.0	<1.0	***5,800***	87	<0.20	<0.20	<0.20	<0.20	*1,540*	*591*	12	***5,400***	***1,990***
Xylenes (TOTAL)	(ug/L)	*400*	**2,000**	<3.0	<3.0	<3.0	<3.0	***5,000***	260	0.40	<0.23	<0.23	<0.23	*697*	234.9	14.56	***3,490***	*1,685*
m&p-Xylene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
o-Xylene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	(ug/L)	*10*	**100**	NA	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MTBE	(ug/L)	*12*	**60**	<4.0	<1.0	<4.0	<1.0	<6.4	<0.16	0.21	<0.16	<0.16	<0.16	***599***	***482***	<0.300	<19.0	<7.6
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	**480**	<1.0	<1.0	<1.0	<1.0	***2,360***	*234*	0.46	<0.29	<0.29	<0.29	*428.4*	*267.8*	9.37	***5,820***	***1,697***
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	***46,000***	***2,000***	<50	<50	<50	<50	5,840	3,420	357	40,800	12,600
Lead	(ug/L)	*1.5*	**15**	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard
MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MES MW-1[3]										MES MW-2[3]									
Date				1/4/13	4/17/13	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16	1/4/13	4/17/13	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				682.97	683.36	692.25	692.53	692.91	690.93	689.44	692.18	693.73	691.64	686.79	685.54	687.84	687.82	688.05	688.19	688.32	688.24	688.41	688.45
Comments																							
Benzene	(ug/L)	*0.5*	5	<0.39	<0.39	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	***66.4***	***41.4***	***115***	***251***	***61.2***	*3.4*	*17.9*	***62.8***	***75.1***	***77.2***
Ethylbenzene	(ug/L)	*140*	700	<0.41	<0.41	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	13.5	4.7	11.2	54.5	11.3	3.4	5.2	13.8	13.3	16.1
Toluene	(ug/L)	*160*	800	<0.42	<0.42	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.42	15.1	1.4	2.3	1.4	<0.39	<0.39	0.57 J	0.77 J	0.62 J
Xylenes (TOTAL)	(ug/L)	*400*	2,000	<1.3	<1.3	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	121	35.3	15.1	20.2	2.5	0.88	0.86	2.1	5.4	2.66 J
m&p-Xylene	(ug/L)	NS	NS	NR	NR	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	NR	NR	12.3	16.5	2.5	0.88 J	0.86 J	2.1	4.3	1.7 J
o-Xylene	(ug/L)	NS	NS	NR	NR	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	NR	NR	2.8	3.7	0.60J	<0.45	<0.45	<0.45	1.1	0.96 J
Naphthalene	(ug/L)	*10*	100	<0.40	<0.40	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	6.4	0.88 J	2.8	2.9	0.81J	<0.42	<0.42	0.51 J	2.3	0.57 J
MTBE	(ug/L)	*12*	60	<0.38	<0.38	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	0.52 J	0.67 J	0.69 J	0.97 J	0.67J	0.70 J	<0.48	0.63 J	<0.48	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	4.5	13.8	2.9	0.72 J	1.6	4.5	3.4	2.3
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	3.0	1.2	<0.42	<0.42	<0.42	<0.42	0.51 J	<0.42
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480	<0.83	<0.83	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	34.8	10.1	7.5	15.0	2.9	0.72	1.6	4.5	3.91	2.3
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	NA	<1.2	*3.7 J*	NA	NA	NA	NA	NA	NA	NA	<1.7	*1.6 J*	<3.0	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard

MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MES MW-3[3]										MES MW-4[3]									
Date				1/4/13	4/17/13	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16	1/4/13	4/17/13	6/6/14	4/19/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				685.86	685.53	692.93	691.08	689.8	687.12	693.08	690.32	690.59	692.77	688.97	687.48	688.48	687.32	686.79	688.86	687.16	687.25	687.34	689.02
Comments																							
Benzene	(ug/L)	*0.5*	**5**	*0.87 J*	*2.3*	*2.1*	*4.5*	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	*1.4*	***49.4***	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Ethylbenzene	(ug/L)	*140*	**700**	<0.41	<0.41	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.41	1.1	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Toluene	(ug/L)	*160*	**800**	<0.42	0.55 J	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.42	<0.42	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Xylenes (TOTAL)	(ug/L)	*400*	**2,000**	<1.3	<1.3	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.3	<1.3	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25
m&p-Xylene	(ug/L)	NS	NS	NR	NR	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	NR	NR	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
o-Xylene	(ug/L)	NS	NS	NR	NR	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	NR	NR	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45
Naphthalene	(ug/L)	*10*	**100**	<0.40	<0.40	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.40	<0.40	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
MTBE	(ug/L)	*12*	**60**	<0.38	0.58 J	0.51 J	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.74	1.4	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	0.68 J	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	**480**	<0.83	<0.83	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.83	<0.83	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	**15**	<1.7	<1.2	<3.0	NA	NA	NA	NA	NA	NA	NA	<1.7	<1.2	<3.0	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard

MW-1[1] = Delta Groundwater Investigation

T-6[2] = Moraine Environmental Groundwater Investigation

MW-1[3] = MES Groundwater Investigation

MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MES MW-5[3]										MES MW-6[3]									
Date				1/4/13	4/17/13	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16	1/4/13	4/17/13	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				677.09	678.82	689.09	686.05	684.91	685.00	685.70	683.28	685.38	681.94	688.46	685.32	687.06	687.36	686.61	686.79	687.39	687.52	686.91	688.63
Comments																							
Benzene	(ug/L)	*0.5*	5	<0.39	<0.39	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	*286*	*391*	*102*	*163*	*2.0*	<0.40	*13.3*	*12.0*	*1.0*	*25.7*
Ethylbenzene	(ug/L)	*140*	700	<0.41	<0.41	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	19.6	19.5	3.2	9.4	<0.39	<0.39	<0.39	0.44 J	<0.39	2.3
Toluene	(ug/L)	*160*	800	<0.42	<0.42	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	*582*	55.9	2.1	3.9	<0.39	<0.39	<0.39	<0.39	<0.39	0.59 J
Xylenes (TOTAL)	(ug/L)	*400*	2,000	<1.3	<1.3	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	169	74.3	3.9	11.2	<1.25	<1.25	<1.25	<1.25	<1.25	2.1
m&p-Xylene	(ug/L)	NS	NS	NR	NR	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	NR	NR	1.4 J	4.3	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
o-Xylene	(ug/L)	NS	NS	NR	NR	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	NR	NR	2.5	6.9	<0.45	<0.45	<0.45	<0.45	<0.45	2.1
Naphthalene	(ug/L)	*10*	100	<0.40	<0.40	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	*16.2*	*10.2*	0.79 J	4.3	<0.42	<0.42	<0.42	<0.42	<0.42	1.8
MTBE	(ug/L)	*12*	60	<0.38	<0.38	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<1.9	2.2 J	1.4	1.1	1.5	1.2	0.63 J	<0.48	0.54 J	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	1.2	13.9	<0.42	<0.42	<0.42	0.63 J	<0.42	4.4
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	NR	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	NR	NR	0.60 J	2.3	<0.42	<0.42	<0.42	<0.42	<0.42	0.79 J
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480	<0.83	<0.83	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	*169.7*	*96.6*	1.8	16.2	<0.84	<0.84	<0.84	0.63	<0.84	5.19
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	NA	<1.2	<3.0	NA	NA	NA	NA	NA	NA	NA	<1.7	>1.2	<3.0	NA	NA	NA	NA	NA	NA	NA

Notes:
Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard
MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	Gas Sump Basin[3]	Gas Sump Basin				Diesel Sump Basin[3]	Diesel Sump Basin				North Sump Basin				MW-101[4]							
Date				10/9/12	2/1/16	4/26/16	8/11/16	9/9/16	10/19/12	2/1/16	4/26/16	8/11/16	9/9/16	2/1/16	4/26/16	8/11/16	9/9/16	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				NR	684.75	685.08	684.71	688.55	NR	684.01	683.92	683.70	688.32	681.58	681.51	681.39	688.32	678.90	687.55	687.65	686.45	687.05	687.24	687.07	685.55
Comments																									
Benzene	(ug/L)	*0.5*	**5**	*181*	*0.43J*	<0.40	<0.40	<0.40	*1,700*	<0.40	<0.40	<0.40	*0.53 J*	*21.4*	*119*	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Ethylbenzene	(ug/L)	*140*	**700**	62.2	<0.39	<0.39	<0.39	<0.39	34.9	<0.39	<0.39	<0.39	<0.39	3.2	17.6	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Toluene	(ug/L)	*160*	**800**	7.5	<0.39	<0.39	<0.39	<0.39	93.8	<0.39	<0.39	<0.39	<0.39	1.6	4.3	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Xylenes (TOTAL)	(ug/L)	*400*	**2,000**	65.5	<1.25	<1.25	<1.25	<1.25	207.5	<1.25	<1.25	<1.25	<1.25	4.7	11.1	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25
m&p-Xylene	(ug/L)	NS	NS	NR	<0.80	<0.80	<0.80	<0.80	NR	<0.80	<0.80	<0.80	<0.80	2.9	8.3	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
o-Xylene	(ug/L)	NS	NS	NR	<0.45	<0.45	<0.45	<0.45	NR	<0.45	<0.45	<0.45	<0.45	1.8	2.8	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45
Naphthalene	(ug/L)	*10*	**100**	*108*	<0.42	<0.42	<0.42	<0.42	*16.4*	<0.42	<0.42	<0.42	<0.42	<0.42	1.9	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
MTBE	(ug/L)	*12*	**60**	<2.4	<0.48	<0.48	<0.48	<0.48	<6.1	<0.48	<0.48	<0.48	<0.48	<0.48	1.6	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	NR	<0.42	<0.42	<0.42	<0.42	NR	<0.42	<0.42	<0.42	1.2	3.4	9.4	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	NR	<0.42	<0.42	<0.42	<0.42	NR	<0.42	<0.42	<0.42	<0.42	0.42J	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	96	480	*630*	<0.84	<0.84	<0.84	<0.84	*100.7*	<0.84	<0.84	<0.84	1.2	3.82J	9.4	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<3.0	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard
MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	MW-102[4]												MW-103[4]								
Date				6/6/14	6/6/14	4/29/15	4/29/15	7/29/15	10/30/15	10/30/15	2/1/16	4/26/16	8/11/16	8/11/16	9/9/16	6/6/14	4/29/15	7/29/15	10/30/15	2/1/16	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				679.24	--	687.13	--	687.42	686.62	--	686.28	686.98	686.70	--	687.68	685.99	687.07	684.12	684.87	687.55	--	686.63	684.34	681.68
Comments					D					D				D							D			
Benzene	(ug/L)	*0.5*	5	*3.5*	*2.8*	*12.2*	*13.4*	*2.9*	*0.72 J*	*0.51 J*	<0.40	*0.95 J*	*2.5*	*1.1*	*4.3*	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Ethylbenzene	(ug/L)	*140*	700	0.60 J	1.0	11.5	13.9	1.3	0.46 J	<0.39	<0.39	<0.39	0.99 J	0.45 J	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Toluene	(ug/L)	*160*	800	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Xylenes (TOTAL)	(ug/L)	*400*	2,000	2.4	2.5	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25	<1.25
m&p-Xylene	(ug/L)	NS	NS	1.2 J	1.5 J	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
o-Xylene	(ug/L)	NS	NS	1.2	1.0	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45
Naphthalene	(ug/L)	*10*	100	<0.42	<0.42	1.3	1.6	<0.42	<0.42	<0.42	<0.42	<0.42	0.87 J	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
MTBE	(ug/L)	*12*	60	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	0.57 J	<0.48	<0.48	0.54 J	0.49 J	<0.48	<0.48	<0.48	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	0.49 J	1.1	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	1.8	1.7	0.88 J	1.2	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480	2.29	2.8	0.88	1.2	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84	<0.84
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	<3.0	<3.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<3.0	NA	NA	NA	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of *m-*, *o-*, *p-*xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS Indicates exceedance of NR 140.10 Preventive Action Limit
BOLD Indicates exceedance of NR 140.10 Enforcement Standard

MW-1[1] = Delta Groundwater Investigation
T-6[2] = Moraine Environmental Groundwater Investigation
MW-1[3] = MES Groundwater Investigation
MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 4
Groundwater Analytical Table - VOC & Lead

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Street, State, Zip	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140.10 Preventive Action Limit	NR 140.10 Enforcement Standard	Trip Blank				
Date				6/6/14	4/29/15	8/11/16	8/11/16	9/9/16
Groundwater Elevation				NA	NA	NA	NA	NA
Comments								
Benzene	(ug/L)	*0.5*	5	<0.40	<0.40	<0.40	<0.40	<0.40
Ethylbenzene	(ug/L)	*140*	700	<0.39	<0.39	<0.39	<0.39	<0.39
Toluene	(ug/L)	*160*	800	<0.39	<0.39	<0.39	<0.39	<0.39
Xylenes (TOTAL)	(ug/L)	*400*	2,000	<1.25	<1.25	<1.25	<1.25	<1.25
m&p-Xylene	(ug/L)	NS	NS	<0.80	<0.80	<0.80	<0.80	<0.80
o-Xylene	(ug/L)	NS	NS	<0.45	<0.45	<0.45	<0.45	<0.45
Naphthalene	(ug/L)	*10*	100	<0.42	<0.42	<0.42	<0.42	<0.42
MTBE	(ug/L)	*12*	60	<0.48	<0.48	<0.48	<0.48	<0.48
1,2,4-Trimethylbenzene	(ug/L)	NS	NS	<0.42	<0.42	<0.42	<0.42	<0.42
1,3,5-Trimethylbenzene	(ug/L)	NS	NS	<0.42	<0.42	<0.42	<0.42	<0.42
Trimethylbenzene Total (1,2,4- & 1,3,5-)	(ug/L)	*96*	480	<0.84	<0.84	<0.84	<0.84	<0.84
GRO	(ug/L)	NS	NS	NA	NA	NA	NA	NA
Lead	(ug/L)	*1.5*	15	NA	NA	NA	NA	NA

Notes:

Xylenes reported as total of m-, o-, p-xylenes
TMB = trimethylbenzenes PCE = Tetrachloroethene
TCE = Trichloroethene
NS = No standard established
NA = Not analyzed for parameter

ITALICS indicates exceedance of NR 140.10 Preventive Action Limit
BOLD indicates exceedance of NR 140.10 Enforcement Standard

MW-1[1] = Delta Groundwater Investigation

T-6[2] = Moraine Environmental Groundwater Investigation

MW-1[3] = MES Groundwater Investigation

MW-101[4] = Fehr-Graham Groundwater Investigation

TABLE 5
Other - Biodegredation Paremters

Site Name	BP Gas Station #3789 (Vidhya Corp.)
Site Address	10477 102nd Avenue, Pleasant Prairie, WI 53158
BRRTS#	02-30-557069

Sample ID		NR 140 Preventive Action Limit	NR 140 Enforcement Standard	MES MW-1						MES MW-2						MES MW-3					
Sample Date				7/29/15	10/29/15	2/1/16	4/26/16	8/11/16	9/9/16	7/29/15	10/29/15	2/1/16	4/26/16	8/11/16	9/9/16	7/29/15	10/29/15	2/1/16	4/26/16	8/11/16	9/9/16
Groundwater Elevation				692.91	690.93	689.44	692.18	693.73	691.64	688.05	688.19	688.32	688.24	688.41	688.45	689.80	687.12	693.08	690.32	690.59	692.77
FIELD PARAMETERS																					
pH	units	NS	NS	6.83	6.49	7.05	6.93	6.41	6.45	6.98	6.79	7.04	7.10	7.45	6.64	7.19	6.87	7.22	7.14	6.78	6.54
Dissolved Oxygen (field)	mg/l	NS	NS	6.60	7.88	2.43	4.56	2.23	1.91	5.19	5.81	4.54	5.48	8.05*	1.17	5.30	7.53	4.97	3.28	2.10	0.27
Temperature	C°	NS	NS	12.96	14.68	12.19	10.80	13.94	15.36	14.15	16.24	12.42	10.56	16.21	16.48	13.47	16.12	12.26	10.54	14.80	15.54
ORP	mV	NS	NS	148.7	227.0	151.1	125.0	136.6	209	134	203	152	113	-54.2	150	180	205	146	96.0	58.0	36
Specific Conductivity	µmoh/cm	NS	NS	2260	2268	2338	2282	2584	2581	1606	1811	1782	1688	1987	2010	1274	1107	1506	1469	1601	1702

Notes:
NS = No standard established
* = DO readings suspect due to possible probe failure