	February					
Date	**2/27/2024**	**2/28/2024**	**2/29/2024**	**3/12/2024**	**3/13/2024**	**3/19/2024**
Sample ID (Location)	**Units in " WC (read**					
VP-54 (Bldg 1)	0.0093	0.0200	0.0053	0.0246	NFT	NFT
VP-56 (Bldg 4)	0.0060	0.0173	0.0048	0.0073	0.0071	NFT
VP-60 (Bldg 6)	0.0139	0.0103	0.0131	0.0122	0.0072	0.0052
VP-61 (Bldg 7)	0.0030	0.0095	0.0051	0.0157	0.0051	0.0057
VP-62 (Bldg 7)	0.0075	0.0320	0.0122	0.0130	0.0096	0.0181
VP-63 (Bldg 8)	0.0020	0.0102	0.0028	0.0047	0.0052	0.0051
VP-64 (Bldg 9)	0.0031	0.0180	2.771**	0.0060	1.5500	0.8550
VP-65 (Bldg 10)	2.5**	0.0420	0.1850	0.0334	0.0258	0.0541

NOTES:

Readings were collected using a digital manometer and results are in inches of water (results are negative)

NA = Not Analyzed

NFT = No further testing planned

*: Location not accessible due to construction material stockpile

**: Results greater than 2.5 are considered as spurrious readings >0.004 for this evaluation

Date	**4/1/2024**	**4/2/2024**	**4/3/2024**	**4/10/2024**	**4/11/2024**	**4/12/2024**
Sample ID (Location)	**U**					
VP-60 (Bldg 6)	0.0378	0.0402	0.0692	0.0418	0.0427	0.0420
VP-61 (Bldg 7)	0.0127	0.0078	0.0086	0.0054	0.0052	0.0047
VP-62 (Bldg 7)	0.0114	0.0057	0.0173	0.0099	0.0052	0.0206
VP-63 (Bldg 8)	0.0051	0.0146	0.0052	0.0070	0.0043	0.0106
VP-64 (Bldg 9)	0.3150	0.9310	1.6420	3.0400	2.5590	2.3500
VP-65 (Bldg 10)	0.0834	0.2210	0.0132	0.3250	0.0226	0.0074

NOTES:

Readings were collected using a digital manometer and results are in inches of water (results are negative)

NA = Not Analyzed

NFT = No further testing planned

*: Location not accessible due to construction material stockpile

**: Results greater than 2.5 are considered as spurrious readings >0.004 for this evaluation

Fox Run - Cedarburg, WI
Passive System Pressure Field Measurements
(Buildings 1, 4, 6, 7, 8, 9, 10)

March					
3/20/2024	**3/21/2024**	**3/25/2024**	**3/26/2024**	**3/27/2024**	**3/28/2024**
as a negative value)					
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
0.0106	0.0058	0.0043	0.1425	0.1450	0.0326
0.0069	0.0106	0.0075	0.0149	0.0190	0.0128
0.0071	0.0082	0.0056	0.0308	0.0112	0.0153
0.0068	0.0051	0.0048	0.0049	0.0083	0.0043
0.0928	0.3500	4.7300	2.9970	3.5000	1.4500
0.0370	0.1210	0.0932	0.1950	0.0820	0.2941

Fox Run - Ce
Passive System Pressure Field Me
(Buildings (

April							
4/15/2024	**4/16/2024**	**4/17/2024**	**4/23/2024**	**4/24/2024**	**4/25/2024**	**4/29/2024**	**4/30/2024**
Units in " WC (read as a negative value)							
0.0417	0.0322	0.0755	0.0391	0.0107	0.0048	0.0083	0.0057
0.0185	0.0051	0.0279	0.0232	0.0157	0.0068	0.0154	0.0057
0.0131	0.007	0.0291	0.0186	0.0196	0.0127	0.0209	0.0140
0.005	0.006	0.0084	0.0119	0.0041	0.0045	0.0083	0.0054
0.1358	3.3530	3.2090	2.9050	1.6300	3.1040	3.2800	3.3050
0.0089	0.0070	0.0300	0.0102	0.0089	0.0072	0.0335	0.0151

edarburg, WI
easurements
6, 7, 8, 9, 10)

May
5/1/2024
0.1748
0.0357
0.0272
0.0154
2.9750
0.0379

	February					
Date	**2/27/2024**	**2/28/2024**	**2/29/2024**	**3/12/2024**	**3/13/2024**	**3/19/2024**
Sample ID (Location)						**Units in " WC (read**
VP-40 (Bldg D)	0.0023	0.0030	0.0006	0.0182	0.0062	0.0065
VP-41 (Bldg D)	0.0011	0.0020	0.0018	NA	0.0023	0.0420
VP-42 (Bldg D)	NA*	NA*	NA*	NA*	NA*	0.0065
VP-43 (Bldg D)	0.0014	0.0168	0.0172	0.0416	0.0040	0.0438
VP-44 (Bldg D)	0.0066	0.0067	0.0062	0.0100	0.0054	0.0186
VP-45 (Bldg D)	0.0517	0.0515	0.0515	0.0555	0.0042	0.0060
VP-46 (Bldg D)	0.0100	0.0044	0.0071	NA*	0.0046	0.0173
VP-47 (Bldg D)	0.0033	0.0094	0.0031	NA*	NA*	0.0080
VP-48 (Bldg E)	0.0033	0.0036	0.0032	0.0043	0.0038	0.0087
VP-49 (Bldg E)	0.0027	0.0100	0.0047	0.0041	0.0054	0.0042
VP-50 (Bldg E)	0.0078	0.0150	0.0075	0.0106	0.0099	0.0071
VP-51 (Bldg E)	0.1420	0.0300	0.0210	0.0280	0.0206	0.0190
VP-52 (Bldg E)	0.0053	0.0280	0.0224	0.0230	0.0206	0.0214
VP-53 (Bldg E)	0.0057	0.0080	0.0021	0.0041	0.0037	0.0041
VP-55 (Bldg 3)	0.0820	0.0900	0.6750	0.0957	NFT	NFT
VP-59 (Bldg 5)	0.1535	0.0100	0.0063	0.0056	0.0093	0.0050

NOTES:

Readings were collected using a digital manometer and results are in inches of water (results are negative)

NA = Not Analyzed

NFT = No further testing planned

*: Location not accessible due to construction material stockpile

**: Results greater than 2.5 are considered as spurrious readings >0.004 for this evaluation

Date	**4/1/2024**	**4/2/2024**	**4/3/2024**	**4/10/2024**	**4/11/2024**	**4/12/2024**
Sample ID (Location)						**Uni**
VP-40 (Bldg D)	0.0060	0.0048	0.0055	0.0049	0.0051	0.0040
VP-41 (Bldg D)	0.0041	0.0054	0.0059	0.0045	0.0047	0.0044
VP-42 (Bldg D)	0.0048	0.0042	0.0041	0.0046	0.0044	0.0139
VP-43 (Bldg D)	0.0426	0.0455	0.0828	0.0416	0.0436	0.0416
VP-44 (Bldg D)	0.0113	0.0110	0.0099	0.0093	0.0113	0.0109
VP-45 (Bldg D)	0.0546	0.0584	0.0916	0.0556	0.0558	0.0576
VP-46 (Bldg D)	0.0063	0.0083	0.0105	0.0085	0.0102	0.0151
VP-47 (Bldg D)	0.0050	0.0059	0.0043	0.0048	0.0046	0.0054

VP-59 (Bldg 5)	0.0767	0.0727	0.0348	0.0646	0.0735	0.0792

NOTES:

Readings were collected using a digital manometer and results are in inches of water (results are negative)

Fox Run - Cedarburg, WI
Active System Pressure Field Measurements
Buildings D, E, 3 and 5

March					
3/20/2024	**3/21/2024**	**3/25/2024**	**3/26/2024**	**3/27/2024**	**3/28/2024**
as a negative value)					
0.0061	0.0060	0.0043	0.0047	0.0061	0.0051
0.0047	0.0045	0.0046	0.0074	0.0065	0.0056
0.0105	0.0440	0.0041	0.0041	0.0044	0.0047
0.0402	0.0397	0.0426	0.0540	0.0535	0.0442
0.0096	0.0092	0.0103	0.0102	0.1150	0.0095
0.0525	0.0520	0.0542	0.0572	0.0617	0.0578
0.0078	0.0085	0.0090	0.0075	0.0105	0.0082
0.0051	0.0045	0.0049	0.0054	0.0119	0.0061
0.0046	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
NFT	NFT	NFT	NFT	NFT	NFT
0.0074	0.0069	0.0042	0.1087	0.1143	0.1679

Fox Run - Ced
Active System Pressure Field Meas
Buildin

April							
4/15/2024	**4/16/2024**	**4/17/2024**	**4/23/2024**	**4/24/2024**	**4/25/2024**	**4/29/2024**	**4/30/2024**
its in " WC (read as a negative value)							
0.005	0.0045	0.0045	0.0058	0.0046	0.0043	0.0042	0.0045
0.0042	0.005	0.0047	0.0042	0.0044	0.0042	0.0064	0.0048
0.0044	0.0048	0.0045	0.0053	0.0054	0.0049	0.0047	0.0051
0.0417	0.0426	0.0385	0.0393	0.0403	0.0403	0.0409	0.0428
0.0097	0.0097	0.0089	0.0097	0.0094	0.0101	0.0097	0.0108
0.0533	0.0535	0.0564	0.0523	0.0450	0.0546	0.0527	0.0545
0.0085	0.0092	0.0075	0.0087	0.0089	0.0095	0.0082	0.0092
0.0044	0.0042	0.0046	0.0041	0.0046	0.0046	0.0049	0.0060

0.076	0.0857	0.0107	0.0152	0.0051	0.0064	0.0688	0.1286

arburg, WI
surements
gs D and 5

May
5/1/2024
0.0048
0.0044
0.0063
0.0433
0.0097
0.0573
0.0084
0.0041

0.1371