State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing

Form 3300-5 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Brown	(MW1)	

Lattitude / Longitude (see instructions)	Format Code	Method Code
44.53604 ° N -88.08831 ° W	☒ DD ☐ DDM	☐ GPS008 ☐ SCR002 ☐ OTH001

¼ / ¼ NW	¼ SW	Section	Township	Range
or Gov't Lot #		21	4	20 ☒ E ☐ W

Well Street Address: 2175 Badgerland Drive

Well City, Village or Town	Well ZIP Code
Green Bay	54303

Subdivision Name	Lot #

Reason For Removal From Service	WI Unique Well # of Replacement Well
Sampling completed	

2. Facility / Owner Information

Facility Name: Alter Metal Recycling

Facility ID (FID or PWS):

License/Permit/Monitoring #: BRRTS# 02-05-000029 & 02-05-000336

Original Well Owner:

Present Well Owner: Alter Metal Recycling

Mailing Address of Present Owner: 2175 Badgerland Drive

City of Present Owner	State	ZIP Code
Green Bay	WI	54303

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well
☐ Water Well
☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy):

If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (Specify)

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft)	Casing Diameter (in.)
15.5	2.00

Lower Drillhole Diameter (in.)	Casing Depth (ft.)

Was well annular space grouted? ☐ Yes ☐ No ☒ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
	2.5

4. Pump, Liner, Screen, Casing & Sealing Material

	Yes	No	N/A
Pump and piping removed?	☐	☐	☒
Liner(s) removed?	☐	☐	☒
Liner(s) perforated?	☐	☐	☒
Screen removed?	☐	☒	☐
Casing left in place?	☐	☒	☐
Was casing cut off below surface?	☒	☐	☐
Did sealing material rise to surface?	☒	☐	☐
Did material settle after 24 hours?	☐	☐	☒
If yes, was hole retopped?	☐	☐	☒
If bentonite chips were used, were they hydrated with water from a known safe source	☐	☐	☒

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain)

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" bentonite chips	Surface	15.5	0.5 sacks	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	DNR Use Only: Date Received	DNR Use Only: Noted By
On-Site Environmental Services		05/29/2024		

Street or Route	Telephone Number	Comments
PO Box 280	(608) 837-8992	

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Sun Prairie	WI	53590	for OES	5/29/2024

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing

Form 3300-5 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Brown	(MW10)	

Lattitude / Longitude (see instructions): 44.53540 ° N / -88.08502 ° W

Format Code: ☒ DD ☐ DDM

Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼ / ¼ NW	¼ SW	Section	Township	Range
or Gov't Lot #		21	4	20 ☒ E ☐ W

Well Street Address: 2175 Badgerland Drive

Well City, Village or Town	Well ZIP Code
Green Bay	54303

Subdivision Name	Lot #

Reason For Removal From Service	WI Unique Well # of Replacement Well
Sampling completed	

2. Facility / Owner Information

Facility Name: Alter Metal Recycling

Facility ID (FID or PWS):

License/Permit/Monitoring #: BRRTS# 02-05-000029 & 02-05-000336

Original Well Owner:

Present Well Owner: Alter Metal Recycling

Mailing Address of Present Owner: 2175 Badgerland Drive

City of Present Owner	State	ZIP Code
Green Bay	WI	54303

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well
☐ Water Well
☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy):

If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (Specify)

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft)	Casing Diameter (in.)
13.0	2.00

Lower Drillhole Diameter (in.)	Casing Depth (ft.)

Was well annular space grouted? ☐ Yes ☐ No ☒ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
	1.5

4. Pump, Liner, Screen, Casing & Sealing Material

	Yes	No	N/A
Pump and piping removed?	☐	☐	☒
Liner(s) removed?	☐	☐	☒
Liner(s) perforated?	☐	☐	☒
Screen removed?	☐	☒	☐
Casing left in place?	☐	☒	☐
Was casing cut off below surface?	☒	☐	☐
Did sealing material rise to surface?	☒	☐	☐
Did material settle after 24 hours?	☐	☐	☒
If yes, was hole retopped?	☐	☐	☒
If bentonite chips were used, were they hydrated with water from a known safe source	☐	☐	☒

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain)

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" bentonite chips	Surface	13.0	0.5 sacks	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	DNR Use Only: Date Received	Noted By
On-Site Environmental Services		05/29/2024		

Street or Route	Telephone Number	Comments
PO Box 280	(608) 837-8992	

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Sun Prairie	WI	53590	for OES	5/29/2024

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing

Form 3300-5 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Brown	(MW2)	

Lattitude / Longitude (see instructions)	Format Code	Method Code
44.53714 ° N -88.08545 ° W	☒ DD ☐ DDM	☐ GPS008 ☐ SCR002 ☐ OTH001

¼ / ¼ NW	¼ SW	Section	Township	Range
or Gov't Lot #		21	4	20 ☒ E ☐ W

Well Street Address: 2175 Badgerland Drive

Well City, Village or Town	Well ZIP Code
Green Bay	54303

Subdivision Name	Lot #

Reason For Removal From Service	WI Unique Well # of Replacement Well
Sampling completed	

2. Facility / Owner Information

Facility Name: Alter Metal Recycling

Facility ID (FID or PWS):

License/Permit/Monitoring #: BRRTS# 02-05-000029 & 02-05-000336

Original Well Owner:

Present Well Owner: Alter Metal Recycling

Mailing Address of Present Owner: 2175 Badgerland Drive

City of Present Owner	State	ZIP Code
Green Bay	WI	54303

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well
☐ Water Well
☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy):

If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (Specify)

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft)	Casing Diameter (in.)
14.0	2.00

Lower Drillhole Diameter (in.)	Casing Depth (ft.)

Was well annular space grouted? ☐ Yes ☐ No ☒ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
	3.5

4. Pump, Liner, Screen, Casing & Sealing Material

	Yes	No	N/A
Pump and piping removed?	☐	☐	☒
Liner(s) removed?	☐	☐	☒
Liner(s) perforated?	☐	☐	☒
Screen removed?	☐	☒	☐
Casing left in place?	☐	☒	☐
Was casing cut off below surface?	☒	☐	☐
Did sealing material rise to surface?	☒	☐	☐
Did material settle after 24 hours?	☐	☐	☒
If yes, was hole retopped?	☐	☐	☒
If bentonite chips were used, were they hydrated with water from a known safe source	☐	☐	☒

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain)

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" bentonite chips	Surface	14.0	0.5 sacks	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	DNR Use Only: Date Received	DNR Use Only: Noted By
On-Site Environmental Services		05/29/2024		

Street or Route	Telephone Number	Comments
PO Box 280	(608) 837-8992	

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Sun Prairie	WI	53590	for OES	5/29/2024

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing

Form 3300-5 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return this form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ Verification Only of Fill and Seal

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Brown	(MW3)	

Lattitude / Longitude (see instructions): 44.53912 ° N / -88.08702 ° W

Format Code: ☒ DD ☐ DDM

Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼ / ¼ NW	¼ SW	Section	Township	Range
or Gov't Lot #		21	4	20 ☒ E ☐ W

Well Street Address: 2175 Badgerland Drive

Well City, Village or Town	Well ZIP Code
Green Bay	54303

Subdivision Name	Lot #

Reason For Removal From Service	WI Unique Well # of Replacement Well
Sampling completed	

2. Facility / Owner Information

Facility Name: Alter Metal Recycling

Facility ID (FID or PWS):

License/Permit/Monitoring #: BRRTS# 02-05-000029 & 02-05-000336

Original Well Owner:

Present Well Owner: Alter Metal Recycling

Mailing Address of Present Owner: 2175 Badgerland Drive

City of Present Owner	State	ZIP Code
Green Bay	WI	54303

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well
☐ Water Well
☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy):

If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (Specify)

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft)	Casing Diameter (in.)
13.0	2.00

Lower Drillhole Diameter (in.)	Casing Depth (ft.)

Was well annular space grouted? ☐ Yes ☐ No ☒ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
	3.0

4. Pump, Liner, Screen, Casing & Sealing Material

	Yes	No	N/A
Pump and piping removed?	☐	☐	☒
Liner(s) removed?	☐	☐	☒
Liner(s) perforated?	☐	☐	☒
Screen removed?	☐	☒	☐
Casing left in place?	☒	☐	☐
Was casing cut off below surface?	☒	☐	☐
Did sealing material rise to surface?	☒	☐	☐
Did material settle after 24 hours?	☐	☐	☒
If yes, was hole retopped?	☐	☐	☒
If bentonite chips were used, were they hydrated with water from a known safe source	☐	☐	☒

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☒ Screened & Poured (Bentonite Chips) ☐ Other (Explain)

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" bentonite chips	Surface	13.0	0.33 sacks	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	DNR Use Only: Date Received	DNR Use Only: Noted By
On-Site Environmental Services		05/29/2024		

Street or Route	Telephone Number	Comments
PO Box 280	(608) 837-8992	

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Sun Prairie	WI	53590	for OES	5/29/2024