State of Wisconsin
Department of Natural Resources
PO Box 7921, Madison WI 53707-7921
dnr.wi.gov

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name			DNR ID # (BRRTS #)
Ol'Tyme Dry Cleaners			02-67-576350
Address	**City**	**State**	**ZIP Code**
910 S. Main Street	West Bend	WI	53095

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Lois and Robert Seidensticker

Address	City	State	ZIP Code
1005 Shadowood Circle Unit 1	West Bend	WI	53095

Contact Person	Phone Number (include area code)
Lois and Robert Seidensticker	(262) 707-1685

Person or company that collected samples

Konicek Environmental Consulting, LLC

Sample Results (Results Attached)

Reason for Sampling: ◉ Routine ○ Other (define) _____

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil? Yes	In Soil? No	In Groundwater? Yes	In Groundwater? No
Gasoline	○	◉	○	◉
Diesel or Fuel Oil	○	◉	○	◉
Solvents	◉	○	◉	○
Heavy Metals	○	◉	○	◉
Pesticides	○	◉	○	◉
Other: _____	○	○	○	○

This sampling event included sampling of a drinking water well.
○ Yes ◉ No

If yes, the sampled drinking water well had detectable contaminants.
○ Yes ○ No

Contaminants in Vapor	Yes	No
Indoor Air	○	○
Sub-slab	○	○
Exterior Soil Gas	○	○

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a $700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name	Contact Person Last Name	First Name
Konicek Environmental Consulting, LLC	Konicek	Gregory

Address	City	State	ZIP Code
1032 S. Spring Street	Port Washington	WI	53074

Phone # (inc. area code)	Email
(262) 284-2557	greg@konicekenvironmental.com

Select which agency: (●) Natural Resources ( ) Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name	First Name	Phone # (inc. area code)
Feeney	John	

Address	City	State	ZIP Code
1155 Pilgrim Parkway	Plymouth	WI	53073

Email
johnm.feeney@wisconsin.gov

Table A.2. Soil Analytical Results
Ol' Tyme Dry Cleaners
910 S. Main Street West Bend, WI

Sample ID:	NR 720.10	NR 720.12							GP-1	GP-2	GP-3	GP-4	MW-1	MW-1	MW-2	MW-2	MW-3	MW-3	MW-4	MW-4	MW-5	MW-5	MW-6	MW-6	MW-7	MW-7	MW-8	MW-8	MW-10	MW-10	MW-9	MW-9	MW-11	MW-11	MW-12	MW-12
Sample Depth (ft BGS)	EPA RSL	EPA RSL							2-4'	2-4'	2-4'	2-4'	2-4'	15'	2-4'	15'	10'	15'	10'	15'	2-4'	6-8'	2-4'	6-8'	2-4'	9-10'	2-4'	8-9'	2-4'	8-9'	2-4'	9-10'	2-4'	11-12'	2-4'	6'
Sample Date:	RCL	Non-Industrial RCL				Industrial RCLs			8/14/15	8/14/15	8/14/15	8/14/15	10/12/15	10/12/15	10/12/15	10/12/15	10/12/15	10/12/15	10/12/15	10/12/15	3/23/17	3/23/17	3/23/17	3/23/17	3/23/17	3/23/17	7/25/17	7/25/17	7/25/17	7/25/17	3/28/18	3/28/18	3/28/18	3/28/18	1/9/25	1/9/25
Soil Type																																				
Lab Reported Parameters	GW Protection (DF=2)	NC	C	DC	BTV	NC	C	DC																												
VOCs (ug/kg)																																				
Benzene	5.1	111000	1490	1490	---	614000	7410	7410	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.6	<15.1
Bromobenzene	---	354000	---	354000	---	2410000	---	679000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<23.9	<24.7
Bromochloromethane	---	232000	---	232000	---	976000	---	976000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.8	<17.4
Bromodichloromethane	0.3	1560000	390	390	---	20400000	1960	1960	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.6	<15.1
Bromoform	2.3	1220000	61500	61500	---	20400000	115000	115000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<269	<279
Bromomethane	5.1	10300	---	10300	---	46000	---	46000	<84.2	<81.3	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<69.9	<76.8	<69.9	<69.9	<69.9	<72.8	<69.9	<69.9	<85.9	<88.8
2-Butanone (MEK)	1666.1	31800000	---	28400000	---	248000000	---	28400000	---	---	---	---	<107	<107	<107	<107	<107	<107	<107	<107	<107	<107	<107	<107	<107	<107	---	---	---	---	---	---	---	---	---	---
n-Butylbenzene	---	3910000	---	108000	---	51100000	---	108000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<28.0	<29.0
sec-Butylbenzene	---	7820000	---	145000	---	102000000	---	145000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<21.0	<21.7
tert-Butylbenzene	---	7820000	---	183000	---	102000000	---	183000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<19.2	<19.9
Carbon tetrachloride	3.9	137000	854	854	---	815000	4250	4250	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<13.5	<13.9
Chlorobenzene (monochlorobenzene)	135.8	392000	---	392000	---	1980000	---	761000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<7.3	<7.6
Chloroethane	226.6	---	---	---	---	---	---	---	<80.7	<77.9	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<67.0	<73.6	<67.0	<67.0	<67.0	<69.8	<67.0	<67.0	<25.8	<26.7
Chloroform	3.3	272000	423	423	---	1490000	2130	2130	<56.0	<54.0	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<46.4	<51.0	<46.4	<46.4	<46.4	<48.4	<46.4	<46.4	<43.8	<45.3
Chloromethane	15.5	171000	---	171000	---	720000	---	720000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<23.3	<24.1
2-Chlorotoluene	---	1560000	---	907000	---	20400000	---	907000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<19.8	<20.5
4-Chlorotoluene	---	1560000	---	253000	---	20400000	---	253000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<23.3	<24.1
1,2-Dibromo-3-chloropropane	0.2	6230	8	8	---	35900	99	99	<110	<106	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<91.2	<100	<91.2	<91.2	<91.2	<95.0	<91.2	<91.2	<47.5	<49.1
Dibromochloromethane	32	1220000	933	933	---	20400000	4820	4820	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<209	<216
1,2-Dibromoethane (EDB)	0.0282	107000	47	47	---	501000	230	230	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.8	<17.4
Dibromomethane	---	35000	---	35000	---	151000	---	151000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<18.1	<18.7
1,2-Dichlorobenzene	1168	2460000	---	376000	---	13600000	---	376000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<19.0	<19.6
1,3-Dichlorobenzene	1152.8	---	---	297000	---	---	---	297000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.8	<17.4
1,4-Dichlorobenzene	144	3900000	3480	3480	---	31700000	17500	17500	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.8	<17.4
Dichlorodifluoromethane	3086.3	135000		135000	---	571000	---	571000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<26.3	<27.2
1,1-Dichloroethane	482.8	15600000	4720	4720	---	204000000	23700	23700	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<15.7	<16.2
1,2-Dichloroethane	2.8	46700	608	608	---	210000	3030	3030	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.1	<14.6
1,1-Dichloroethene	5	342000	---	342000	---	1530000	---	1190000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<20.3	<21.0
cis-1,2-Dichloroethene	41.2	156000	---	156000	---	2040000	---	2040000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	**66.2 J**	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<13.1	<13.6
trans-1,2-Dichloroethene	62.8	1560000	---	1560000	---	20400000	---	1860000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<13.4	<13.8
1,2-Dichloropropane	3.3	24500	1330	1330	---	103000	6620	6620	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.6	<15.1
1,3-Dichloropropane	---	1560000	---	1490000	---	20400000	---	1490000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<13.4	<13.8
2,2-Dichloropropane	---	---	---	527000	---	---	---	527000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.5	<17.1
1,1-Dichloropropene	---	---	---	---	---	---	---	---	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<19.8	<20.5
cis-1,3-Dichloropropene	0.3	---	---	1220000	---	---	---	1220000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<40.4	<41.8
trans-1,3-Dichloropropene	0.3	---	---	1570000	---	---	---	1510000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<175	<181
Diisopropyl ether	---	3470000	---	2260000	---	14600000	---	2260000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<15.2	<15.7
Ethylbenzene	1570	4220000	7470	7470	---	28000000	37000	37000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.6	<15.1
Hexachloro-1,3-butadiene	---	61100	6220	6220	---	1020000	7450	7450	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<122	<126
Isopropylbenzene (Cumene)	---	2660000	---	268000	---	14500000	---	268000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<16.5	<17.1
p-Isopropyltoluene	---	---	---	162000	---	---	---	162000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<20.8	<21.5
Methylene chloride	2.6	385000	60700	60700	---	3640000	1070000	1070000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	**34.5 J**	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<17.0	<17.6
Methyl-tert-butyl ether (MTBE)	27	23800000	59400	59400	---	100000000	293000	293000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<18.0	<18.6
Naphthalene	658.2	188000	5150	5150	---	871000	26000	26000	<48.2	<46.6	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<40.0	<44.0	<40.0	<40.0	<40.0	<41.7	<40.0	<40.0	<25.8	<26.6
n-Propylbenzene (propyl benzene)	---	3970000	---	264000	---	32500000	---	264000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.7	<15.2
Styrene	220	7690000	---	867000	---	48500000	---	867000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<15.7	<16.2
1,1,1,2-Tetrachloroethane	53.4	2350000	2590	2590	---	30700000	12900	12900	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<14.7	<15.2
1,1,2,2-Tetrachloroethane	0.2	1560000	753	753	---	20400000	3690	3690	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<22.2	<22.9
Tetrachloroethene	4.5	115000	30700	30700	---	579000	153000	153000	**454**	<29.1	<25.0	**2510**	<25.0	<25.0	**114**	<25.0	**9460**	**8730**	<25.0	**132**	**82.9**	**172**	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<23.8	<24.6
Toluene	1107.2	5300000	---	818000	---	52400000	---	818000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<15.4	<16.0
1,2,3-Trichlorobenzene	---	48900	---	48900	---	818000	---	818000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<68.2	<70.5
1,2,4-Trichlorobenzene	408	86300	22000	22000	---	392000	98700	98700	<57.3	<55.3	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<47.6	<52.3	<47.6	<47.6	<47.6	<49.5	<47.6	<47.6	<50.5	<52.2
1,1,1-Trichloroethane	140.2	12300000	---	640000	---	54600000	---	640000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<15.7	<16.2
1,1,2-Trichloroethane	3.2	2320	1480	1480	---	9800	7340	7340	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<22.3	<23.0
Trichloroethene	3.6	6050	1260	1260	---	28400	8810	8810	**52.6 J**	<29.1	<25.0	**57.3 J**	<25.0	<25.0	<25.0	<25.0	**92.6**	**150**	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<22.9	<23.7
Trichloroflouromethane	---	1120000	---	1120000	---	307000000	---	1230000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<17.8	<18.4
1,2,3-Trichloropropane	51.9	7450	5	5	---	31800	95	95	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<29.8	<30.8
1,2,4-Trimethylbenzene	---	89800	---	89800	---	377000	---	219000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<18.3	<18.9
1,3,5-Trimethylbenzene	---	782000	---	182000	---	10200000	---	182000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<19.7	<20.4
Trimethylbenzenes (total)	1382.1 (1,2,4 and 1,3,5)	---	---	---	---	---	---	---	<60.2	<58.2	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<55.0	<50.0	<50.0	<50.0	<52.0	<50.0	<50.0	<38.0	<39.3
Vinyl Chloride	0.1	93300	67	67	---	537000	2030	2030	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<12.4	<12.8
m&p-Xylene	---	1694000	---	778000	---	7390000	---	778000	<60.2	<58.1	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<54.9	<50.0	<50.0	<50.0	<52.1	<50.0	<50.0	<25.8	<26.7
0-Xylene	---	981000	---	434000	---	4300000	---	434000	<30.1	<29.1	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<27.5	<25.0	<25.0	<25.0	<26.0	<25.0	<25.0	<18.4	<19.0
Xylenes (total)	3940 (m,o, and p)	890000	---	258000	---	4310000	---	258000	<90.3	<87.2	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<75.0	<82.4	<75.0	<75.0	<75.0	<78.1	<75.0	<75.0	<44.2	<45.7

Notes:

ug/kg = micrograms per kilogram

mg/kg = milliigrams per kilogram

--- = Not Analyzed OR No Standard Established

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit dete

Exceedences:

Bold = exceeds NR 720.10 EPA RSL RCL GW Protection (DF=2) value

Italicized = exceeds NR 720.12 EPA RSL RCL NC value

Underline = exceeds NR 720.12 RSL SCL C value

value= exceeds NR 720.12 RSL RCL Not to Exceed D-C value

BTV - Background Threshold Value

PAHs - Polyaromatic Hydrocarbons

PCBs - Polychlorinated Biphenyls

VOCs - Volatile Organic Compounds

Bordered cells exceed the NR 720 BTV

Exceedences (Industrial):

Italicized = exceeds NR 720.12 EPA RSL RCL NC value

Underline = exceeds NR 720.12 RSL SCL C value

value= exceeds NR 720.12 RSL RCL Not to Exceed D-C value

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

January 15, 2025

Aaron Lofburg
Konicek Environmental Consulting LLC
1032 S. Spring Street
Port Washington, WI 53074

RE: Project: OL' TYME
Pace Project No.: 40289651

Dear Aaron Lofburg:

Enclosed are the analytical results for sample(s) received by the laboratory on January 10, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Logan Bates
logan.bates@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Greg Konicek, KONICEK ENVIRONMENTAL
Ken Konicek, KONICEK ENVIRONMENTAL
Jack McMahon, KONICEK ENVIRONMENTAL

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: OL' TYME
Pace Project No.: 40289651

Pace Analytical Services Green Bay
1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE SUMMARY

Project: OL' TYME
Pace Project No.: 40289651

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40289651001	**MW-12 (2-4')**	Solid	01/09/25 10:00	01/10/25 10:28
40289651002	**MW-12 (6')**	Solid	01/09/25 10:00	01/10/25 10:28

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE ANALYTE COUNT

Project: OL' TYME
Pace Project No.: 40289651

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40289651001	**MW-12 (2-4')**	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	NMK	1	PASI-G
40289651002	**MW-12 (6')**	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	NMK	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: OL' TYME
Pace Project No.: 40289651

Sample: MW-12 (2-4') **Lab ID: 40289651001** Collected: 01/09/25 10:00 Received: 01/10/25 10:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Benzene	**<14.6**	ug/kg	24.5	14.6	1	01/13/25 08:45	01/13/25 15:41	71-43-2	
Bromobenzene	**<23.9**	ug/kg	61.2	23.9	1	01/13/25 08:45	01/13/25 15:41	108-86-1	
Bromochloromethane	**<16.8**	ug/kg	61.2	16.8	1	01/13/25 08:45	01/13/25 15:41	74-97-5	
Bromodichloromethane	**<14.6**	ug/kg	61.2	14.6	1	01/13/25 08:45	01/13/25 15:41	75-27-4	
Bromoform	**<269**	ug/kg	306	269	1	01/13/25 08:45	01/13/25 15:41	75-25-2	
Bromomethane	**<85.9**	ug/kg	306	85.9	1	01/13/25 08:45	01/13/25 15:41	74-83-9	
n-Butylbenzene	**<28.0**	ug/kg	61.2	28.0	1	01/13/25 08:45	01/13/25 15:41	104-51-8	
sec-Butylbenzene	**<21.0**	ug/kg	61.2	21.0	1	01/13/25 08:45	01/13/25 15:41	135-98-8	
tert-Butylbenzene	**<19.2**	ug/kg	61.2	19.2	1	01/13/25 08:45	01/13/25 15:41	98-06-6	
Carbon tetrachloride	**<13.5**	ug/kg	61.2	13.5	1	01/13/25 08:45	01/13/25 15:41	56-23-5	
Chlorobenzene	**<7.3**	ug/kg	61.2	7.3	1	01/13/25 08:45	01/13/25 15:41	108-90-7	
Chloroethane	**<25.8**	ug/kg	306	25.8	1	01/13/25 08:45	01/13/25 15:41	75-00-3	
Chloroform	**<43.8**	ug/kg	306	43.8	1	01/13/25 08:45	01/13/25 15:41	67-66-3	
Chloromethane	**<23.3**	ug/kg	61.2	23.3	1	01/13/25 08:45	01/13/25 15:41	74-87-3	
2-Chlorotoluene	**<19.8**	ug/kg	61.2	19.8	1	01/13/25 08:45	01/13/25 15:41	95-49-8	
4-Chlorotoluene	**<23.3**	ug/kg	61.2	23.3	1	01/13/25 08:45	01/13/25 15:41	106-43-4	
1,2-Dibromo-3-chloropropane	**<47.5**	ug/kg	306	47.5	1	01/13/25 08:45	01/13/25 15:41	96-12-8	
Dibromochloromethane	**<209**	ug/kg	306	209	1	01/13/25 08:45	01/13/25 15:41	124-48-1	
1,2-Dibromoethane (EDB)	**<16.8**	ug/kg	61.2	16.8	1	01/13/25 08:45	01/13/25 15:41	106-93-4	
Dibromomethane	**<18.1**	ug/kg	61.2	18.1	1	01/13/25 08:45	01/13/25 15:41	74-95-3	
1,2-Dichlorobenzene	**<19.0**	ug/kg	61.2	19.0	1	01/13/25 08:45	01/13/25 15:41	95-50-1	
1,3-Dichlorobenzene	**<16.8**	ug/kg	61.2	16.8	1	01/13/25 08:45	01/13/25 15:41	541-73-1	
1,4-Dichlorobenzene	**<16.8**	ug/kg	61.2	16.8	1	01/13/25 08:45	01/13/25 15:41	106-46-7	
Dichlorodifluoromethane	**<26.3**	ug/kg	61.2	26.3	1	01/13/25 08:45	01/13/25 15:41	75-71-8	
1,1-Dichloroethane	**<15.7**	ug/kg	61.2	15.7	1	01/13/25 08:45	01/13/25 15:41	75-34-3	
1,2-Dichloroethane	**<14.1**	ug/kg	61.2	14.1	1	01/13/25 08:45	01/13/25 15:41	107-06-2	
1,1-Dichloroethene	**<20.3**	ug/kg	61.2	20.3	1	01/13/25 08:45	01/13/25 15:41	75-35-4	
cis-1,2-Dichloroethene	**<13.1**	ug/kg	61.2	13.1	1	01/13/25 08:45	01/13/25 15:41	156-59-2	
trans-1,2-Dichloroethene	**<13.4**	ug/kg	61.2	13.4	1	01/13/25 08:45	01/13/25 15:41	156-60-5	
1,2-Dichloropropane	**<14.6**	ug/kg	61.2	14.6	1	01/13/25 08:45	01/13/25 15:41	78-87-5	
1,3-Dichloropropane	**<13.4**	ug/kg	61.2	13.4	1	01/13/25 08:45	01/13/25 15:41	142-28-9	
2,2-Dichloropropane	**<16.5**	ug/kg	61.2	16.5	1	01/13/25 08:45	01/13/25 15:41	594-20-7	
1,1-Dichloropropene	**<19.8**	ug/kg	61.2	19.8	1	01/13/25 08:45	01/13/25 15:41	563-58-6	
cis-1,3-Dichloropropene	**<40.4**	ug/kg	306	40.4	1	01/13/25 08:45	01/13/25 15:41	10061-01-5	
trans-1,3-Dichloropropene	**<175**	ug/kg	306	175	1	01/13/25 08:45	01/13/25 15:41	10061-02-6	
Diisopropyl ether	**<15.2**	ug/kg	61.2	15.2	1	01/13/25 08:45	01/13/25 15:41	108-20-3	
Ethylbenzene	**<14.6**	ug/kg	61.2	14.6	1	01/13/25 08:45	01/13/25 15:41	100-41-4	
Hexachloro-1,3-butadiene	**<122**	ug/kg	306	122	1	01/13/25 08:45	01/13/25 15:41	87-68-3	v2
Isopropylbenzene (Cumene)	**<16.5**	ug/kg	61.2	16.5	1	01/13/25 08:45	01/13/25 15:41	98-82-8	
p-Isopropyltoluene	**<20.8**	ug/kg	61.2	20.8	1	01/13/25 08:45	01/13/25 15:41	99-87-6	
Methylene Chloride	**<17.0**	ug/kg	61.2	17.0	1	01/13/25 08:45	01/13/25 15:41	75-09-2	
Methyl-tert-butyl ether	**<18.0**	ug/kg	61.2	18.0	1	01/13/25 08:45	01/13/25 15:41	1634-04-4	
Naphthalene	**<25.8**	ug/kg	306	25.8	1	01/13/25 08:45	01/13/25 15:41	91-20-3	
n-Propylbenzene	**<14.7**	ug/kg	61.2	14.7	1	01/13/25 08:45	01/13/25 15:41	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: OL' TYME
Pace Project No.: 40289651

Sample: MW-12 (2-4') **Lab ID: 40289651001** Collected: 01/09/25 10:00 Received: 01/10/25 10:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<15.7**	ug/kg	61.2	15.7	1	01/13/25 08:45	01/13/25 15:41	100-42-5	
1,1,1,2-Tetrachloroethane	**<14.7**	ug/kg	61.2	14.7	1	01/13/25 08:45	01/13/25 15:41	630-20-6	
1,1,2,2-Tetrachloroethane	**<22.2**	ug/kg	61.2	22.2	1	01/13/25 08:45	01/13/25 15:41	79-34-5	
Tetrachloroethene	**<23.8**	ug/kg	61.2	23.8	1	01/13/25 08:45	01/13/25 15:41	127-18-4	
Toluene	**<15.4**	ug/kg	61.2	15.4	1	01/13/25 08:45	01/13/25 15:41	108-88-3	
1,2,3-Trichlorobenzene	**<68.2**	ug/kg	306	68.2	1	01/13/25 08:45	01/13/25 15:41	87-61-6	
1,2,4-Trichlorobenzene	**<50.5**	ug/kg	306	50.5	1	01/13/25 08:45	01/13/25 15:41	120-82-1	
1,1,1-Trichloroethane	**<15.7**	ug/kg	61.2	15.7	1	01/13/25 08:45	01/13/25 15:41	71-55-6	
1,1,2-Trichloroethane	**<22.3**	ug/kg	61.2	22.3	1	01/13/25 08:45	01/13/25 15:41	79-00-5	
Trichloroethene	**<22.9**	ug/kg	61.2	22.9	1	01/13/25 08:45	01/13/25 15:41	79-01-6	
Trichlorofluoromethane	**<17.8**	ug/kg	61.2	17.8	1	01/13/25 08:45	01/13/25 15:41	75-69-4	
1,2,3-Trichloropropane	**<29.8**	ug/kg	61.2	29.8	1	01/13/25 08:45	01/13/25 15:41	96-18-4	
1,2,4-Trimethylbenzene	**<18.3**	ug/kg	61.2	18.3	1	01/13/25 08:45	01/13/25 15:41	95-63-6	
1,3,5-Trimethylbenzene	**<19.7**	ug/kg	61.2	19.7	1	01/13/25 08:45	01/13/25 15:41	108-67-8	
Vinyl chloride	**<12.4**	ug/kg	61.2	12.4	1	01/13/25 08:45	01/13/25 15:41	75-01-4	
m&p-Xylene	**<25.8**	ug/kg	122	25.8	1	01/13/25 08:45	01/13/25 15:41	179601-23-1	
o-Xylene	**<18.4**	ug/kg	61.2	18.4	1	01/13/25 08:45	01/13/25 15:41	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	114	%	56-189		1	01/13/25 08:45	01/13/25 15:41	2199-69-1	
4-Bromofluorobenzene (S)	112	%	58-188		1	01/13/25 08:45	01/13/25 15:41	460-00-4	
Toluene-d8 (S)	120	%	70-172		1	01/13/25 08:45	01/13/25 15:41	2037-26-5	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	**10.1**	%	0.10	0.10	1		01/10/25 16:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: OL' TYME
Pace Project No.: 40289651

Sample: MW-12 (6') **Lab ID: 40289651002** Collected: 01/09/25 10:00 Received: 01/10/25 10:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Benzene	**<15.1**	ug/kg	25.3	15.1	1	01/13/25 08:45	01/13/25 16:00	71-43-2	
Bromobenzene	**<24.7**	ug/kg	63.3	24.7	1	01/13/25 08:45	01/13/25 16:00	108-86-1	
Bromochloromethane	**<17.4**	ug/kg	63.3	17.4	1	01/13/25 08:45	01/13/25 16:00	74-97-5	
Bromodichloromethane	**<15.1**	ug/kg	63.3	15.1	1	01/13/25 08:45	01/13/25 16:00	75-27-4	
Bromoform	**<279**	ug/kg	317	279	1	01/13/25 08:45	01/13/25 16:00	75-25-2	
Bromomethane	**<88.8**	ug/kg	317	88.8	1	01/13/25 08:45	01/13/25 16:00	74-83-9	
n-Butylbenzene	**<29.0**	ug/kg	63.3	29.0	1	01/13/25 08:45	01/13/25 16:00	104-51-8	
sec-Butylbenzene	**<21.7**	ug/kg	63.3	21.7	1	01/13/25 08:45	01/13/25 16:00	135-98-8	
tert-Butylbenzene	**<19.9**	ug/kg	63.3	19.9	1	01/13/25 08:45	01/13/25 16:00	98-06-6	
Carbon tetrachloride	**<13.9**	ug/kg	63.3	13.9	1	01/13/25 08:45	01/13/25 16:00	56-23-5	
Chlorobenzene	**<7.6**	ug/kg	63.3	7.6	1	01/13/25 08:45	01/13/25 16:00	108-90-7	
Chloroethane	**<26.7**	ug/kg	317	26.7	1	01/13/25 08:45	01/13/25 16:00	75-00-3	
Chloroform	**<45.3**	ug/kg	317	45.3	1	01/13/25 08:45	01/13/25 16:00	67-66-3	
Chloromethane	**<24.1**	ug/kg	63.3	24.1	1	01/13/25 08:45	01/13/25 16:00	74-87-3	
2-Chlorotoluene	**<20.5**	ug/kg	63.3	20.5	1	01/13/25 08:45	01/13/25 16:00	95-49-8	
4-Chlorotoluene	**<24.1**	ug/kg	63.3	24.1	1	01/13/25 08:45	01/13/25 16:00	106-43-4	
1,2-Dibromo-3-chloropropane	**<49.1**	ug/kg	317	49.1	1	01/13/25 08:45	01/13/25 16:00	96-12-8	
Dibromochloromethane	**<216**	ug/kg	317	216	1	01/13/25 08:45	01/13/25 16:00	124-48-1	
1,2-Dibromoethane (EDB)	**<17.4**	ug/kg	63.3	17.4	1	01/13/25 08:45	01/13/25 16:00	106-93-4	
Dibromomethane	**<18.7**	ug/kg	63.3	18.7	1	01/13/25 08:45	01/13/25 16:00	74-95-3	
1,2-Dichlorobenzene	**<19.6**	ug/kg	63.3	19.6	1	01/13/25 08:45	01/13/25 16:00	95-50-1	
1,3-Dichlorobenzene	**<17.4**	ug/kg	63.3	17.4	1	01/13/25 08:45	01/13/25 16:00	541-73-1	
1,4-Dichlorobenzene	**<17.4**	ug/kg	63.3	17.4	1	01/13/25 08:45	01/13/25 16:00	106-46-7	
Dichlorodifluoromethane	**<27.2**	ug/kg	63.3	27.2	1	01/13/25 08:45	01/13/25 16:00	75-71-8	
1,1-Dichloroethane	**<16.2**	ug/kg	63.3	16.2	1	01/13/25 08:45	01/13/25 16:00	75-34-3	
1,2-Dichloroethane	**<14.6**	ug/kg	63.3	14.6	1	01/13/25 08:45	01/13/25 16:00	107-06-2	
1,1-Dichloroethene	**<21.0**	ug/kg	63.3	21.0	1	01/13/25 08:45	01/13/25 16:00	75-35-4	
cis-1,2-Dichloroethene	**<13.6**	ug/kg	63.3	13.6	1	01/13/25 08:45	01/13/25 16:00	156-59-2	
trans-1,2-Dichloroethene	**<13.8**	ug/kg	63.3	13.8	1	01/13/25 08:45	01/13/25 16:00	156-60-5	
1,2-Dichloropropane	**<15.1**	ug/kg	63.3	15.1	1	01/13/25 08:45	01/13/25 16:00	78-87-5	
1,3-Dichloropropane	**<13.8**	ug/kg	63.3	13.8	1	01/13/25 08:45	01/13/25 16:00	142-28-9	
2,2-Dichloropropane	**<17.1**	ug/kg	63.3	17.1	1	01/13/25 08:45	01/13/25 16:00	594-20-7	
1,1-Dichloropropene	**<20.5**	ug/kg	63.3	20.5	1	01/13/25 08:45	01/13/25 16:00	563-58-6	
cis-1,3-Dichloropropene	**<41.8**	ug/kg	317	41.8	1	01/13/25 08:45	01/13/25 16:00	10061-01-5	
trans-1,3-Dichloropropene	**<181**	ug/kg	317	181	1	01/13/25 08:45	01/13/25 16:00	10061-02-6	
Diisopropyl ether	**<15.7**	ug/kg	63.3	15.7	1	01/13/25 08:45	01/13/25 16:00	108-20-3	
Ethylbenzene	**<15.1**	ug/kg	63.3	15.1	1	01/13/25 08:45	01/13/25 16:00	100-41-4	
Hexachloro-1,3-butadiene	**<126**	ug/kg	317	126	1	01/13/25 08:45	01/13/25 16:00	87-68-3	v2
Isopropylbenzene (Cumene)	**<17.1**	ug/kg	63.3	17.1	1	01/13/25 08:45	01/13/25 16:00	98-82-8	
p-Isopropyltoluene	**<21.5**	ug/kg	63.3	21.5	1	01/13/25 08:45	01/13/25 16:00	99-87-6	
Methylene Chloride	**<17.6**	ug/kg	63.3	17.6	1	01/13/25 08:45	01/13/25 16:00	75-09-2	
Methyl-tert-butyl ether	**<18.6**	ug/kg	63.3	18.6	1	01/13/25 08:45	01/13/25 16:00	1634-04-4	
Naphthalene	**<26.6**	ug/kg	317	26.6	1	01/13/25 08:45	01/13/25 16:00	91-20-3	
n-Propylbenzene	**<15.2**	ug/kg	63.3	15.2	1	01/13/25 08:45	01/13/25 16:00	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: OL' TYME
Pace Project No.: 40289651

Sample: MW-12 (6') **Lab ID: 40289651002** Collected: 01/09/25 10:00 Received: 01/10/25 10:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<16.2**	ug/kg	63.3	16.2	1	01/13/25 08:45	01/13/25 16:00	100-42-5	
1,1,1,2-Tetrachloroethane	**<15.2**	ug/kg	63.3	15.2	1	01/13/25 08:45	01/13/25 16:00	630-20-6	
1,1,2,2-Tetrachloroethane	**<22.9**	ug/kg	63.3	22.9	1	01/13/25 08:45	01/13/25 16:00	79-34-5	
Tetrachloroethene	**<24.6**	ug/kg	63.3	24.6	1	01/13/25 08:45	01/13/25 16:00	127-18-4	
Toluene	**<16.0**	ug/kg	63.3	16.0	1	01/13/25 08:45	01/13/25 16:00	108-88-3	
1,2,3-Trichlorobenzene	**<70.5**	ug/kg	317	70.5	1	01/13/25 08:45	01/13/25 16:00	87-61-6	
1,2,4-Trichlorobenzene	**<52.2**	ug/kg	317	52.2	1	01/13/25 08:45	01/13/25 16:00	120-82-1	
1,1,1-Trichloroethane	**<16.2**	ug/kg	63.3	16.2	1	01/13/25 08:45	01/13/25 16:00	71-55-6	
1,1,2-Trichloroethane	**<23.0**	ug/kg	63.3	23.0	1	01/13/25 08:45	01/13/25 16:00	79-00-5	
Trichloroethene	**<23.7**	ug/kg	63.3	23.7	1	01/13/25 08:45	01/13/25 16:00	79-01-6	
Trichlorofluoromethane	**<18.4**	ug/kg	63.3	18.4	1	01/13/25 08:45	01/13/25 16:00	75-69-4	
1,2,3-Trichloropropane	**<30.8**	ug/kg	63.3	30.8	1	01/13/25 08:45	01/13/25 16:00	96-18-4	
1,2,4-Trimethylbenzene	**<18.9**	ug/kg	63.3	18.9	1	01/13/25 08:45	01/13/25 16:00	95-63-6	
1,3,5-Trimethylbenzene	**<20.4**	ug/kg	63.3	20.4	1	01/13/25 08:45	01/13/25 16:00	108-67-8	
Vinyl chloride	**<12.8**	ug/kg	63.3	12.8	1	01/13/25 08:45	01/13/25 16:00	75-01-4	
m&p-Xylene	**<26.7**	ug/kg	127	26.7	1	01/13/25 08:45	01/13/25 16:00	179601-23-1	
o-Xylene	**<19.0**	ug/kg	63.3	19.0	1	01/13/25 08:45	01/13/25 16:00	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	122	%	56-189		1	01/13/25 08:45	01/13/25 16:00	2199-69-1	
4-Bromofluorobenzene (S)	115	%	58-188		1	01/13/25 08:45	01/13/25 16:00	460-00-4	
Toluene-d8 (S)	124	%	70-172		1	01/13/25 08:45	01/13/25 16:00	2037-26-5	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	**11.8**	%	0.10	0.10	1		01/10/25 16:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

QC Batch: 494740
QC Batch Method: EPA 5035/5030B
Analysis Method: EPA 8260
Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40289651001, 40289651002

METHOD BLANK: 2829759 Matrix: Solid
Associated Lab Samples: 40289651001, 40289651002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	01/13/25 11:25	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	01/13/25 11:25	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	01/13/25 11:25	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	01/13/25 11:25	
1,1-Dichloroethane	ug/kg	<12.8	50.0	01/13/25 11:25	
1,1-Dichloroethene	ug/kg	<16.6	50.0	01/13/25 11:25	
1,1-Dichloropropene	ug/kg	<16.2	50.0	01/13/25 11:25	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	01/13/25 11:25	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	01/13/25 11:25	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	01/13/25 11:25	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	01/13/25 11:25	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	01/13/25 11:25	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	01/13/25 11:25	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	01/13/25 11:25	
1,2-Dichloroethane	ug/kg	<11.5	50.0	01/13/25 11:25	
1,2-Dichloropropane	ug/kg	<11.9	50.0	01/13/25 11:25	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	01/13/25 11:25	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	01/13/25 11:25	
1,3-Dichloropropane	ug/kg	<10.9	50.0	01/13/25 11:25	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	01/13/25 11:25	
2,2-Dichloropropane	ug/kg	<13.5	50.0	01/13/25 11:25	
2-Chlorotoluene	ug/kg	<16.2	50.0	01/13/25 11:25	
4-Chlorotoluene	ug/kg	<19.0	50.0	01/13/25 11:25	
Benzene	ug/kg	<11.9	20.0	01/13/25 11:25	
Bromobenzene	ug/kg	<19.5	50.0	01/13/25 11:25	
Bromochloromethane	ug/kg	<13.7	50.0	01/13/25 11:25	
Bromodichloromethane	ug/kg	<11.9	50.0	01/13/25 11:25	
Bromoform	ug/kg	<220	250	01/13/25 11:25	
Bromomethane	ug/kg	<70.1	250	01/13/25 11:25	
Carbon tetrachloride	ug/kg	<11.0	50.0	01/13/25 11:25	
Chlorobenzene	ug/kg	<6.0	50.0	01/13/25 11:25	
Chloroethane	ug/kg	<21.1	250	01/13/25 11:25	
Chloroform	ug/kg	<35.8	250	01/13/25 11:25	
Chloromethane	ug/kg	<19.0	50.0	01/13/25 11:25	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	01/13/25 11:25	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	01/13/25 11:25	
Dibromochloromethane	ug/kg	<171	250	01/13/25 11:25	
Dibromomethane	ug/kg	<14.8	50.0	01/13/25 11:25	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	01/13/25 11:25	
Diisopropyl ether	ug/kg	<12.4	50.0	01/13/25 11:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

METHOD BLANK: 2829759 Matrix: Solid
Associated Lab Samples: 40289651001, 40289651002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	01/13/25 11:25	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	01/13/25 11:25	v2
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	01/13/25 11:25	
m&p-Xylene	ug/kg	<21.1	100	01/13/25 11:25	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	01/13/25 11:25	
Methylene Chloride	ug/kg	<13.9	50.0	01/13/25 11:25	
n-Butylbenzene	ug/kg	<22.9	50.0	01/13/25 11:25	
n-Propylbenzene	ug/kg	<12.0	50.0	01/13/25 11:25	
Naphthalene	ug/kg	<21.0	250	01/13/25 11:25	
o-Xylene	ug/kg	<15.0	50.0	01/13/25 11:25	
p-Isopropyltoluene	ug/kg	<17.0	50.0	01/13/25 11:25	
sec-Butylbenzene	ug/kg	<17.2	50.0	01/13/25 11:25	
Styrene	ug/kg	<12.8	50.0	01/13/25 11:25	
tert-Butylbenzene	ug/kg	<15.7	50.0	01/13/25 11:25	
Tetrachloroethene	ug/kg	<19.4	50.0	01/13/25 11:25	
Toluene	ug/kg	<12.6	50.0	01/13/25 11:25	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	01/13/25 11:25	
trans-1,3-Dichloropropene	ug/kg	<143	250	01/13/25 11:25	
Trichloroethene	ug/kg	<18.7	50.0	01/13/25 11:25	
Trichlorofluoromethane	ug/kg	<14.5	50.0	01/13/25 11:25	
Vinyl chloride	ug/kg	<10.1	50.0	01/13/25 11:25	
1,2-Dichlorobenzene-d4 (S)	%	100	56-189	01/13/25 11:25	
4-Bromofluorobenzene (S)	%	100	58-188	01/13/25 11:25	
Toluene-d8 (S)	%	101	70-172	01/13/25 11:25	

LABORATORY CONTROL SAMPLE: 2829760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2490	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2690	107	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2710	108	70-130	
1,1-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,1-Dichloroethene	ug/kg	2500	2560	102	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2200	88	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2710	108	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2720	109	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2600	104	70-130	
1,2-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,2-Dichloropropane	ug/kg	2500	2600	104	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2510	101	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2630	105	70-130	
Benzene	ug/kg	2500	2700	108	70-130	
Bromodichloromethane	ug/kg	2500	2690	108	70-130	
Bromoform	ug/kg	2500	2700	108	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

LABORATORY CONTROL SAMPLE: 2829760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2380	95	43-154	
Carbon tetrachloride	ug/kg	2500	2570	103	69-130	
Chlorobenzene	ug/kg	2500	2620	105	70-130	
Chloroethane	ug/kg	2500	2780	111	42-160	
Chloroform	ug/kg	2500	2440	98	70-130	
Chloromethane	ug/kg	2500	2960	118	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2450	98	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2630	105	70-130	
Dibromochloromethane	ug/kg	2500	2540	102	70-130	
Dichlorodifluoromethane	ug/kg	2500	2100	84	13-130	
Ethylbenzene	ug/kg	2500	2490	99	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2300	92	70-130	
m&p-Xylene	ug/kg	5000	5090	102	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2520	101	70-130	
Methylene Chloride	ug/kg	2500	2430	97	70-130	
o-Xylene	ug/kg	2500	2510	100	70-130	
Styrene	ug/kg	2500	2640	106	70-141	
Tetrachloroethene	ug/kg	2500	2500	100	70-130	
Toluene	ug/kg	2500	2500	100	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2640	105	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2650	106	67-130	
Trichloroethene	ug/kg	2500	2770	111	70-130	
Trichlorofluoromethane	ug/kg	2500	2600	104	60-130	
Vinyl chloride	ug/kg	2500	2730	109	51-130	
1,2-Dichlorobenzene-d4 (S)	%			105	56-189	
4-Bromofluorobenzene (S)	%			102	58-188	
Toluene-d8 (S)	%			103	70-172	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2829761 2829762

Parameter	Units	40289665002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<0.020 mg/kg	1530	1530	1230	1310	80	86	44-130	6	31	
1,1,2,2-Tetrachloroethane	ug/kg	<0.028 mg/kg	1530	1530	1680	1610	109	105	61-136	4	23	
1,1,2-Trichloroethane	ug/kg	<0.028 mg/kg	1530	1530	1630	1570	106	102	60-135	4	26	
1,1-Dichloroethane	ug/kg	<0.020 mg/kg	1530	1530	1360	1450	89	94	65-130	6	27	
1,1-Dichloroethene	ug/kg	<0.025 mg/kg	1530	1530	1040	1110	68	72	34-130	6	31	
1,2,4-Trichlorobenzene	ug/kg	<0.063 mg/kg	1530	1530	1430	1370	94	90	64-145	4	23	
1,2-Dibromo-3-chloropropane	ug/kg	<0.059 mg/kg	1530	1530	1530	1620	100	106	43-143	6	27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2829761 2829762

Parameter	Units	40289665002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,2-Dibromoethane (EDB)	ug/kg	<0.021 mg/kg	1530	1530	1630	1630	106	107	66-130	0	21	
1,2-Dichlorobenzene	ug/kg	<0.024 mg/kg	1530	1530	1660	1560	108	102	70-141	6	20	
1,2-Dichloroethane	ug/kg	<0.018 mg/kg	1530	1530	1510	1550	99	101	61-141	2	23	
1,2-Dichloropropane	ug/kg	<0.018 mg/kg	1530	1530	1620	1530	106	100	67-130	6	22	
1,3-Dichlorobenzene	ug/kg	<0.021 mg/kg	1530	1530	1610	1540	105	100	70-137	5	20	
1,4-Dichlorobenzene	ug/kg	<0.021 mg/kg	1530	1530	1680	1560	110	102	70-134	7	20	
Benzene	ug/kg	<0.018 mg/kg	1530	1530	1490	1540	97	101	70-130	3	20	
Bromodichloromethane	ug/kg	<0.018 mg/kg	1530	1530	1580	1620	103	106	63-133	3	22	
Bromoform	ug/kg	<0.34 mg/kg	1530	1530	1590	1580	104	103	44-140	0	24	
Bromomethane	ug/kg	<0.11 mg/kg	1530	1530	992	1000	65	65	29-161	1	25	
Carbon tetrachloride	ug/kg	<0.017 mg/kg	1530	1530	1130	1280	74	84	30-135	12	29	
Chlorobenzene	ug/kg	<0.0092 mg/kg	1530	1530	1610	1600	105	105	70-130	0	23	
Chloroethane	ug/kg	<0.032 mg/kg	1530	1530	1100	1210	72	79	26-162	10	30	
Chloroform	ug/kg	<0.055 mg/kg	1530	1530	1390	1480	91	97	65-131	6	24	
Chloromethane	ug/kg	<0.029 mg/kg	1530	1530	730	768	48	50	14-149	5	27	
cis-1,2-Dichloroethene	ug/kg	<0.016 mg/kg	1530	1530	1330	1430	87	94	66-130	7	21	
cis-1,3-Dichloropropene	ug/kg	<0.051 mg/kg	1530	1530	1530	1520	100	99	63-130	1	20	
Dibromochloromethane	ug/kg	<0.26 mg/kg	1530	1530	1570	1560	102	102	57-135	0	23	
Dichlorodifluoromethane	ug/kg	<0.033 mg/kg	1530	1530	179	187	12	12	10-130	4	43	
Ethylbenzene	ug/kg	<0.018 mg/kg	1530	1530	1470	1530	96	100	70-130	5	20	
Isopropylbenzene (Cumene)	ug/kg	<0.021 mg/kg	1530	1530	1330	1390	87	91	51-136	4	25	
m&p-Xylene	ug/kg	<0.032 mg/kg	3060	3060	3040	3140	99	102	70-130	3	21	
Methyl-tert-butyl ether	ug/kg	<0.023 mg/kg	1530	1530	1430	1500	93	98	63-130	5	22	
Methylene Chloride	ug/kg	<0.021 mg/kg	1530	1530	1310	1380	85	90	66-134	5	23	
o-Xylene	ug/kg	<0.023 mg/kg	1530	1530	1490	1550	97	101	70-130	4	20	
Styrene	ug/kg	<0.020 mg/kg	1530	1530	1660	1690	108	110	67-155	2	20	
Tetrachloroethene	ug/kg	<0.030 mg/kg	1530	1530	1340	1390	87	91	48-134	4	27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2829761 2829762

Parameter	Units	40289665002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Toluene	ug/kg	<0.019 mg/kg	1530	1530	1520	1470	99	96	70-130	3	20	
trans-1,2-Dichloroethene	ug/kg	<0.017 mg/kg	1530	1530	1320	1410	86	92	57-130	7	25	
trans-1,3-Dichloropropene	ug/kg	<0.22 mg/kg	1530	1530	1580	1600	103	104	56-130	1	20	
Trichloroethene	ug/kg	<0.029 mg/kg	1530	1530	1420	1490	92	97	57-130	5	24	
Trichlorofluoromethane	ug/kg	<0.022 mg/kg	1530	1530	859	970	56	63	17-130	12	41	
Vinyl chloride	ug/kg	<0.015 mg/kg	1530	1530	731	800	48	52	19-130	9	29	
1,2-Dichlorobenzene-d4 (S)	%						121	118	56-189			
4-Bromofluorobenzene (S)	%						122	119	58-188			
Toluene-d8 (S)	%						129	127	70-172			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: OL' TYME
Pace Project No.: 40289651

QC Batch: 494696
QC Batch Method: ASTM D2974-87
Analysis Method: ASTM D2974-87
Analysis Description: Dry Weight/Percent Moisture
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40289651001, 40289651002

SAMPLE DUPLICATE: 2829530

Parameter	Units	40289634007 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	80.5	81.4	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALIFIERS

Project: OL' TYME
Pace Project No.: 40289651

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

v2	The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: OL' TYME
Pace Project No.: 40289651

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40289651001	**MW-12 (2-4')**	EPA 5035/5030B	494740	EPA 8260	494742
40289651002	**MW-12 (6')**	EPA 5035/5030B	494740	EPA 8260	494742
40289651001	**MW-12 (2-4')**	ASTM D2974-87	494696		
40289651002	**MW-12 (6')**	ASTM D2974-87	494696		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Pace Analytical®

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevent fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40289651

ALL SHADED AREAS are for LAB USE ONLY

Company: KEC	Billing Information: Same
Address: 1032 S. Spring St. Port Washington, WI	
Report To: Aaron Lofberg	Email To: aaron@KonkeEnvironmental.com
Copy To:	Site Collection Info/Address:
Customer Project Name/Number: Ol' Tyme	State: WI County/City: West Bend Time Zone Collected: [ ] PT [ ] MT [ ] CT [ ] ET
Phone: (262) 284-2557 Email: aaron@KonkeEnvironmental.com	Site/Facility ID #:
Collected By (print): Aaron Lofberg	Purchase Order #: Quote #:
Collected By (signature):	Turnaround Date Required:
Sample Disposal: [ ] Dispose as appropriate [ ] Return [ ] Archive: _____ [ ] Hold: _____	Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [ ] 5 Day (Expedite Charges Apply)
	Compliance Monitoring? [ ] Yes [ ] No
	DW PWS ID #: DW Location Code:
	Immediately Packed on Ice: [ ] Yes [ ] No
	Field Filtered (if applicable): [ ] Yes [ ] No Analysis: _____

Container Preservative Type **: 6 0

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other none

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res Cl	# of Ctns	Analyses: VOCs	Analyses: dry weight	Lab Profile/Line
MW-12 (2-4')	SL	grab	1/9/25	10:00	—	—		2	X	X	001
MW-12 (6')	SL	grab	1/9/25	10:00	—	—		2	X	X	002

Lab Sample Receipt Checklist:

Custody Seals Present/Intact	Y	N	NA
Custody Signatures Present	Y	N	NA
Collector Signature Present	Y	N	NA
Bottles Intact	Y	N	NA
Correct Bottles	Y	N	NA
Sufficient Volume	Y	N	NA
Samples Received on Ice	Y	N	NA
VOA - Headspace Acceptable	Y	N	NA
USDA Regulated Soils	Y	N	NA
Samples in Holding Time	Y	N	NA
Residual Chlorine Present	Y	N	NA
Cl Strips: _____			
Sample pH Acceptable	Y	N	NA
pH Strips: _____			
Sulfide Present	Y	N	NA
Lead Acetate Strips: _____			

LAB USE ONLY:
Lab Sample # / Comments:

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

Packing Material Used: (1)

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2908967

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:
Temp Blank Received: Y N NA
Therm ID#: SR142
Cooler 1 Temp Upon Receipt: 3.2 oC
Cooler 1 Therm Corr. Factor: 3.5 oC
Cooler 1 Corrected Temp: 0.8 oC
Comments:

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
	1/10/25 10:28 am	Yours the pace	1/10/25 1028
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:
PM:
PB:

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page _____ of: _____

Sample Preservation Receipt Form

Client Name: KEC Project # 40289651

All containers needing preservation have been checked and noted below: ☐Yes ☐No ☒N/A Initial when completed: Date/ Time:

Lab Lot# of pH paper: Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic						Vials						Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2							
001																																		2.5 / 5
002																																		2.5 / 5
003																																		2.5 / 5
004																																		2.5 / 5
005																																		2.5 / 5
006																																		2.5 / 5
007																																		2.5 / 5
008																																		2.5 / 5
009																																		2.5 / 5
010																																		2.5 / 5
011																																		2.5 / 5
012																																		2.5 / 5
013					Mif 1/10hr																													2.5 / 5
014																																		2.5 / 5
015																																		2.5 / 5
016																																		2.5 / 5
017																																		2.5 / 5
018																																		2.5 / 5
019																																		2.5 / 5
020																																		2.5 / 5

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : ☐Yes ☐No ☒N/A ***If yes look in headspace column**

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO#: 40289651

40289651

Client Name: KEC

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Waltco
☐ Client ☐ Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☐ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☐ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR - 142 **Type of Ice:** Wet Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 3.0 /Corr: 3.5

Temp Blank Present: ☐ yes ☐ no **Biological Tissue is Frozen:** ☐ yes ☐ no

Person examining contents:
Date: 1/10/25 /Initials: mH

Labeled By Initials: MMB

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	☐Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☐Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☐Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☐Yes ☐No ☐N/A	4.
Samples Arrived within Hold Time:	☐Yes ☐No	5.
- DI VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	☐Yes ☐No	6.
Rush Turn Around Time Requested:	☐Yes ☐No	7.
Sufficient Volume:		8.
For Analysis: ☐Yes ☐No MS/MSD:	☐Yes ☐No ☐N/A	
Correct Containers Used:	☐Yes ☐No	9.
Correct Type: Pace Green Bay, Pace IR, Non-Pace		
Containers Intact:	☐Yes ☐No	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☐N/A	11.
Sample Labels match COC:	☐Yes ☐No ☐N/A	12.
-Includes date/time/ID/Analysis Matrix: S		No times on labels
Trip Blank Present:	☐Yes ☐No ☐N/A	13.
Trip Blank Custody Seals Present	☐Yes ☐No ☐N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi