From: Steve Benaszeski
To: Saari, Christopher A - DNR
Subject: Fw: Report
Date: Sunday, January 26, 2025 11:46:47 PM
Attachments: CD00423.PDF
image001.png
image002.png

CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Yahoo Mail: Search, Organize, Conquer

----- Forwarded Message -----
From: "Kristin Tienor" <kristint@nlslab.com>
To: "venuslakestudios@yahoo.com" <venuslakestudios@yahoo.com>
Sent: Fri, Jan 24, 2025 at 2:09 PM
Subject: Report

Steve,

See attached for the final report. We will get a copy in the mail for you as well.

Have a great weekend!

Kristin Tienor
Client Support Coordinator

Northern Lake Service Inc.

kristint@nlslab.com | www.nlslab.com
O: 1-800-278-1254 D: 715-478-6073
400 North Lake Ave, Crandon WI 54520

Like us on Facebook @northernlakeservice

Northern Lake Service, Inc • 400 N Lake Ave • Crandon, WI 54520
800-278-1254 • www.nlslab.com

January 15, 2025

Steve Benaszeski
N1194 County Rd L
Tomahawk, WI 54487

Project: 2025 Drinking Water Testing
Project Number: 1800 Hwy 8, Monico, WI 54501
Work Order: CD00423
Received: 01/10/25

Enclosed are the results of analyses for samples received by our laboratory on 1/10/2025. If you have any questions concerning this report, please feel free to contact a client service representative at clientservices@nlslab.com.

Sincerely,

Steven M. Hefter For Aaron Templeton
Northern Lake Service, Inc.

Steve Benaszeski	Project: 2025 Drinking Water Testing		
N1194 County Rd L	Project Number: 1800 Hwy 8, Monico, WI 54501	**Reported:**	**Work Order:**
Tomahawk, WI 54487	Project Manager: Steve Benaszeski	1/15/25 17:30	CD00423

Sample Summary

Descriptions of all qualifiers listed throughout this report can be found on the Qualifiers and Definitions Page.

Lab ID	Sample	Matrix	Qualifiers	Date Sampled	Date Received
CD00423-01	1800 Hwy 8, Monico, WI 54501	DW		1/10/25 15:16	1/10/25 15:35

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Steve Benaszeski	Project: 2025 Drinking Water Testing		
N1194 County Rd L	Project Number: 1800 Hwy 8, Monico, WI 54501	**Reported:**	**Work Order:**
Tomahawk, WI 54487	Project Manager: Steve Benaszeski	1/15/25 17:30	CD00423

Sample Results

Sample: 1800 Hwy 8, Monico, WI 54501

CD00423-01 (DW) Sampled: 01/10/25 15:16

Analyte	Result	Qualifier	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Volatiles											
Benzene	ND		0.11	0.37	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Bromobenzene	ND		0.19	0.63		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Bromodichloromethane	ND		0.17	0.57	80	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Bromoform	ND		0.24	0.80	80	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Bromomethane	ND		0.30	1.0		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Carbon Tetrachloride	ND		0.19	0.63	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Chloroethane	ND		0.13	0.43		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Chloroform	ND		0.14	0.47	80	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Chloromethane	ND		0.27	0.90		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
2-Chlorotoluene	ND		0.21	0.70		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
4-Chlorotoluene	ND		0.19	0.63		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Dibromochloromethane	ND		0.24	0.80	80	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Dibromomethane	ND		0.22	0.73		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,3-Dichlorobenzene	ND		0.28	0.93		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2-Dichlorobenzene	ND		0.32	1.1	600	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,4-Dichlorobenzene	ND		0.29	0.97	75	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Dichlorodifluoromethane	ND		0.11	0.37		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1-Dichloroethane	ND		0.083	0.28		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2-Dichloroethane	ND		0.13	0.43	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1-Dichloroethene	ND		0.14	0.47	7	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
cis-1,2-Dichloroethene	ND		0.15	0.50	70	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
trans-1,2-Dichloroethene	ND		0.11	0.37	100	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Dichloromethane	ND		0.38	1.3	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2-Dichloropropane	ND		0.16	0.53	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,3-Dichloropropane	ND		0.24	0.80		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
2,2-Dichloropropane	ND		0.19	0.63		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1-Dichloropropene	ND		0.18	0.60		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,3-Dichloropropene (Total cis+trans)	ND		0.51	1.7		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Ethyl Benzene	ND		0.21	0.70	700	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Hexachlorobutadiene	ND		0.31	1.0		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Steve Benaszeski	Project: 2025 Drinking Water Testing		
N1194 County Rd L	Project Number: 1800 Hwy 8, Monico, WI 54501	**Reported:**	**Work Order:**
Tomahawk, WI 54487	Project Manager: Steve Benaszeski	1/15/25 17:30	CD00423

Sample: 1800 Hwy 8, Monico, WI 54501 (Continued)

CD00423-01 (DW) Sampled: 01/10/25 15:16

Analyte	Result	Qualifier	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Volatiles (Continued)											
Isopropylbenzene	ND		0.21	0.70		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
p-Isopropyltoluene	ND		0.30	1.0		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
MTBE	ND		0.16	0.53		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Chlorobenzene	ND		0.20	0.67	100	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Naphthalene	ND		0.39	1.3		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Styrene	ND		0.19	0.63	100	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1,1,2-Tetrachloroethane	ND		0.19	0.63		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1,2,2-Tetrachloroethane	ND		0.28	0.93		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Tetrachloroethene	ND		0.49	1.6	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Toluene	ND		0.17	0.57	1000	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2,4-Trichlorobenzene	ND		0.28	0.93	70	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1,1-Trichloroethane	ND		0.15	0.50	200	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,1,2-Trichloroethane	ND		0.21	0.70	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Trichloroethene	ND		0.17	0.57	5	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Trichlorofluoromethane	ND		0.085	0.28		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2,3-Trichloropropane	ND		0.42	1.4		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2,4-Trimethylbenzene	ND		0.26	0.87		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,3,5-Trimethylbenzene	ND		0.23	0.77		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Vinyl Chloride	ND		0.086	0.29	0.2	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Xylene (Total)	ND		0.24	0.80	10000	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2,3-Trichlorobenzene	ND		0.31	1.0		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2-Dibromo-3-Chloropropane (DBCP)	ND		0.39	1.3		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
1,2-Dibromoethane (EDB)	ND		0.21	0.70	0.05	ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Bromochloromethane	ND		0.15	0.50		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
n-Butylbenzene	ND		0.36	1.2		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
n-Propylbenzene	ND		0.23	0.77		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
sec-Butylbenzene	ND		0.28	0.93		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
tert-Butylbenzene	ND		0.31	1.0		ug/L	1/13/25 11:54	1/13/25 15:41	JLG	EPA 524.2, Rev 4.1	2
Surrogate: (SURR) 4-Bromofluorobenzene	*76%*		*Limits: 36-122%*				*1/13/25 11:54*	*1/13/25 15:41*	*JLG*	*EPA 524.2, Rev 4.1*	2
Surrogate: (SURR) 1,2-Dichlorobenzene-d4	*86%*		*Limits: 42-127%*				*1/13/25 11:54*	*1/13/25 15:41*	*JLG*	*EPA 524.2, Rev 4.1*	2

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Steve Benaszeski	Project: 2025 Drinking Water Testing		
N1194 County Rd L	Project Number: 1800 Hwy 8, Monico, WI 54501	**Reported:**	**Work Order:**
Tomahawk, WI 54487	Project Manager: Steve Benaszeski	1/15/25 17:30	CD00423

List of Certifications

Code	Description	Number	Expires
2	NLS (Crandon) WDNR Laboratory ID No.	721026460	8/31/25

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Steve Benaszeski	Project: 2025 Drinking Water Testing		
N1194 County Rd L	Project Number: 1800 Hwy 8, Monico, WI 54501	**Reported:**	**Work Order:**
Tomahawk, WI 54487	Project Manager: Steve Benaszeski	1/15/25 17:30	CD00423

Qualifiers and Definitions

Item	Definition
J	Result is between LOD and LOQ and considered to be within a region of less-certain quantitation.
ND	Analyte NOT DETECTED at or above the LOD or MRL.
LOD	Limit of Detection.
LOQ	Limit of Quantitation.
NA	Not Applicable.
Dry	Dry Weight Basis.
Wet	Wet Weight Basis.
% Dry	Equal to: (mg/kg dry) / 10000.
1000 ug/L	Equal to: 1 mg/L.
MCL	Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.
RPD	Relative Percent Difference.
%REC	Percent Recovery.
Source	Sample that was matrix spiked or duplicated.

All LOD/LOQs adjusted to reflect preparation volumes, dilutions, and/or solids content.

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

CD00423

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

CLIENT	Steve Benaszeski
ADDRESS	
CITY / STATE / ZIP	
PROJECT DESCRIPTION / NO.	QUOTATION NO.
DNR FID #	DNR LICENSE #
CONTACT	PHONE
PURCHASE ORDER NO.	FAX

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS: VOC

NO.

ITEM NO.	NLS LAB. NO.	SAMPLE ID	COLLECTION DATE	COLLECTION TIME	MATRIX (See above)													COLLECTION REMARKS (i.e. DNR Well ID #)
1.		Sample #1	1/10/25	15:16														
2.																		
3.																		
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

ONE SAMPLE PER LINE

COLLECTED BY (signature)	CUSTODY SEAL NO. (IF ANY)	DATE/TIME
RELINQUISHED BY (signature)	RECEIVED BY (signature)	DATE/TIME
DISPATCHED BY (signature)	METHOD OF TRANSPORT: hand delivered	DATE/TIME

REPORT TO

RECEIVED AT NLS BY (signature)	DATE/TIME: 1/10/25 15:35	CONDITION: ice	TEMP.: 0.0
COOLER #	REMARKS & OTHER INFORMATION		
	WDNR FACILITY NUMBER	E-MAIL ADDRESS	

INVOICE TO

PRESERVATIVE:
NP = no preservative
S = sulfuric acid
N = nitric acid
Z = zinc acetate
M = methanol
OH = sodium hydroxide
HA = hydrochloric & ascorbic acid
H = hydrochloric acid

IMPORTANT:
1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICED TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.