K P R G

ENVIRONMENTAL CONSULTATION & REMEDIATION

KPRG and Associates, Inc.

INDOOR/OUTDOOR AIR AND SUB-SLAB SAMPLING DATA TRANSMITTAL

February 13, 2025

Mr. Binyoti Amungwafor
1027 W St. Paul Ave
Waukesha, WI 53233

VIA E-MAIL and U.S. MAIL

KPRG Project No. 22222

Re: Indoor/Outdoor Air and Sub-slab Sampling Data Transmittal
Former One Hour Martinizing – 8711A W Fond du Lac Ave, Milwaukee, WI
BRRTS # 02-41-552219

Dear Mr. Amungwafor:

KPRG and Associates, Inc. (KPRG) completed a round of indoor air sampling on January 29, 2025 at the shopping center referenced above. Indoor air and sub-slab vapor samples were collected in units 8711 and 8711B, which are the vacant former lounge and day care unit, respectively. An outdoor air samples was also collected. The samples were analyzed for chlorinated volatile organic compounds (CVOCs). Sub-slab vapor results are summarized in Table 1, and indoor and outdoor air results are summarized in Table 2. A site map showing sample locations is provided on Figure 1 and the analytical data package is provided in the Attachment.

If there are any questions, please contact Patrick Allenstein of KPRG at 262-781-0475.

Sincerely,
KPRG and Associates, Inc.

Patrick Allenstein, P.G.
Senior Geologist/Project Manager

Kaelyn Sperle
Project Geologist

cc: Mike Mutza, Bonanza Investment Company
Don Gallo, Gallo Law, LLC

FIGURE



SS-1 AIR/VAPOR SAMPLING LOCATION

MW-1 MONITORING WELL LOCATION

ENVIRONMENTAL CONSULTATION & REMEDIATION

KPRG

KPRG and Associates, inc.

14665 West Lisbon Road, Suite 1A Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478

414 Plaza Drive, Suite 106 Westmont, Illinois 60559 Telephone 630-325-1300 Facsimile 630-325-1593

SITE MAP WITH VAPOR SAMPLING LOCATIONS

FORMER ONE HOUR MARTINIZING
8711A W. FOND DU LAC AVE MILWAUKEE, WI

Scale: 1" = 60'	Date: May 16, 2024
KPRG Proposal No. 22222	FIGURE 1

TABLES

Table 1 - Summary of Sub-slab Vapor Data for Chlorinated Compounds - Former One Hour Martinizing

Sample Name	WDNR Vapor Risk Screening Level		SS-1	SS-2	SS-3			SS-4			
Sample Suite Number			8711 A					8711 B			
Parameter Date	Sm. Comm	Residential	08/24/21	08/24/21	08/24/21	05/02/24	09/27/24	08/24/21	05/02/24	09/27/24	01/29/25
1,1-Dichloroethene	29,000	7,000	<0.26	<0.25	<1.2	<1.01	<1.01	<0.25	<1.01	<1.01	NA
cis-1,2-Dichloroethene	5,800	1,400	3.5	3.3	<0.17	2.84	<1.03	<0.35	<1.03	<1.03	<1.05
trans-1,2-Dichloroethene	5,800	1,400	<0.31	2.6	<1.5	2.39	1.32	<0.30	<0.888	<0.888	<0.971
Tetrachloroethene	5,800	1,400	114	**22,300**	**12,900**	**18,800**	**19,000**	31.9	13.0	<1.84	3.25
Trichloroethene	290	70	46.0	**251**	**166**	**155**	**274**	<0.35	5.07	<1.22	<1.22
Vinyl Chloride	930	56	<0.16	<0.16	<0.76	<0.80	<0.808	<0.16	<0.808	<0.808	<0.703

Sample Name	WDNR Vapor Risk Screening Level		SS-5				SS-6	SS-7	SS-8
Sample Suite Number			8711				8711 B		
Parameter Date	Sm. Comm	Residential	08/24/21	05/02/24	09/27/24	01/29/25	08/24/21	08/24/21	08/24/21
1,1-Dichloroethene	29,000	7,000	<1.2	<1.01	<1.01	NA	<0.24	<0.23	<0.24
cis-1,2-Dichloroethene	5,800	1,400	<1.7	<1.03	<1.03	<1.05	<0.34	<0.33	<0.33
trans-1,2-Dichloroethene	5,800	1,400	<1.5	<0.888	<0.888	<0.971	<0.29	<0.28	<0.29
Tetrachloroethene	5,800	1,400	**29,000**	<1.33	15.3	2.76	573	485	566
Trichloroethene	290	70	**88.1**	15.4	2.26	<1.22	0.75 J	0.46 J	0.64 J
Vinyl Chloride	930	56	<0.76	<0.808	<0.808	<0.703	<0.15	<0.15	<0.15

Notes : All values in ug/m^3.
VRSL - Vapor Risk Screening Level
BOLD - Result exceeds the Residential VRSL
BOLD - Result exceeds the Small Commercial VRSL

Suite 8711 - Former Lounge
Suite 8711 A - Former Dry Cleaner
Suite 8711 B - Day Care Unit

Table 2 - Summary of Indoor Air Data for Chlorinated Compounds - Former One Hour Martinizing

Sample Name	WDNR Vapor Action Level		8711 IA-1			8711A IA-1	
Parameter Date	Sm. Comm	Residential	05/02/24	09/27/24	01/29/25	05/02/24	09/27/24
1,1-Dichloroethene	880	210	<1.01	<1.01	NA	<1.01	<1.01
cis-1,2-Dichloroethene	180	42	<1.03	<1.03	<1.05	<1.03	<1.03
trans-1,2-Dichloroethene	180	42	<0.888	<0.888	<0.971	<0.888	<0.888
Tetrachloroethene	180	42	4.60	<1.84	2.90	25.2	4.92
Trichloroethene	8.8	2.1	<1.22	<1.22	<1.22	1.29	<1.22
Vinyl Chloride	28	1.7	<0.808	<1.24	<0.703	<0.808	<0.808

Sample Name	WDNR Vapor Action Level		AA-1 / 8711B IA-1				8711(A) OA-1		
Parameter Date	Sm. Comm	Residential	08/24/21	05/02/24	09/27/24	01/29/25	05/02/24	09/27/24	01/29/25
1,1-Dichloroethene	880	210	<0.21	<1.01	<1.01	NA	<1.01	<1.01	NA
cis-1,2-Dichloroethene	180	42	<0.30	<1.03	<1.03	<1.05	<1.03	<1.03	<1.05
trans-1,2-Dichloroethene	180	42	<0.26	<0.888	<0.888	<0.971	<0.888	<0.888	<0.971
Tetrachloroethene	180	42	<0.45	<1.84	15.3	<2.51	<1.84	<1.84	<2.51
Trichloroethene	8.8	2.1	<0.30	<1.22	<1.22	<1.22	<1.22	<1.22	<1.22
Vinyl Chloride	28	1.7	<0.13	<0.808	<0.808	<0.703	<0.808	<0.808	<0.703

Notes : All values in ug/m^3.
VAL - Vapor Action Level
BOLD - Result exceeds the Residential VAL
BOLD - Result exceeds the Small Commercial VAL

Suite 8711 - Former Lounge
Suite 8711 A - Former Dry Cleaner
Suite 8711 B - Day Care Unit

ATTACHMENT

Analytical Data Package

ANALYTICAL REPORT

February 03, 2025

KPRG and Associates, Inc.

Sample Delivery Group:	L1821475
Samples Received:	01/30/2025
Project Number:	22222
Description:	Former OHM

Report To: Patrick Allenstein
14665 West Lisbon Road, Suite 2B
Brookfield, WI 53005

Entire Report Reviewed By:

John Hawkins
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National
12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 3

Cn: Case Narrative 4

Sr: Sample Results 5

8711B 1A-1 L1821475-01 5

8711A 0A-1 L1821475-02 6

8711A 1A-1 L1821475-03 7

SS-4 L1821475-04 8

SS-5 L1821475-05 9

Qc: Quality Control Summary 10

Volatile Organic Compounds (MS) by Method TO-15 10

Gl: Glossary of Terms 11

Al: Accreditations & Locations 12

Sc: Sample Chain of Custody 13

SAMPLE SUMMARY

8711B 1A-1 L1821475-01 Air

Collected by: Kaeylyn Sperie | Collected date/time: 01/29/25 09:03 | Received date/time: 01/30/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2442895	1	01/30/25 16:49	01/30/25 16:49	DAH	Mt. Juliet, TN

8711A 0A-1 L1821475-02 Air

Collected by: Kaeylyn Sperie | Collected date/time: 01/29/25 09:05 | Received date/time: 01/30/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2442895	1	01/30/25 17:33	01/30/25 17:33	DAH	Mt. Juliet, TN

8711A 1A-1 L1821475-03 Air

Collected by: Kaeylyn Sperie | Collected date/time: 01/29/25 09:08 | Received date/time: 01/30/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2442895	1	01/30/25 18:14	01/30/25 18:14	DAH	Mt. Juliet, TN

SS-4 L1821475-04 Air

Collected by: Kaeylyn Sperie | Collected date/time: 01/29/25 09:37 | Received date/time: 01/30/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2442895	1	01/30/25 18:55	01/30/25 18:55	DAH	Mt. Juliet, TN

SS-5 L1821475-05 Air

Collected by: Kaeylyn Sperie | Collected date/time: 01/29/25 09:50 | Received date/time: 01/30/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2442895	1	01/30/25 19:39	01/30/25 19:39	DAH	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

John Hawkins
Project Manager

Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
cis-1,2-Dichloroethene	156-59-2	96.90	0.265	1.05	ND	ND		1	WG2442895
trans-1,2-Dichloroethene	156-60-5	96.90	0.245	0.971	ND	ND		1	WG2442895
Tetrachloroethylene	127-18-4	166	0.370	2.51	ND	ND		1	WG2442895
Trichloroethylene	79-01-6	131	0.227	1.22	ND	ND		1	WG2442895
Vinyl chloride	75-01-4	62.50	0.275	0.703	ND	ND		1	WG2442895
(S) 1,4-Bromofluorobenzene	*460-00-4*	*175*	*60.0-140*		*98.2*				WG2442895

Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
cis-1,2-Dichloroethene	156-59-2	96.90	0.265	1.05	ND	ND		1	WG2442895
trans-1,2-Dichloroethene	156-60-5	96.90	0.245	0.971	ND	ND		1	WG2442895
Tetrachloroethylene	127-18-4	166	0.370	2.51	ND	ND		1	WG2442895
Trichloroethylene	79-01-6	131	0.227	1.22	ND	ND		1	WG2442895
Vinyl chloride	75-01-4	62.50	0.275	0.703	ND	ND		1	WG2442895
(S) 1,4-Bromofluorobenzene	*460-00-4*	*175*	*60.0-140*		*97.1*				WG2442895

Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
cis-1,2-Dichloroethene	156-59-2	96.90	0.265	1.05	ND	ND		1	WG2442895
trans-1,2-Dichloroethene	156-60-5	96.90	0.245	0.971	ND	ND		1	WG2442895
Tetrachloroethylene	127-18-4	166	0.370	2.51	0.427	2.90		1	WG2442895
Trichloroethylene	79-01-6	131	0.227	1.22	ND	ND		1	WG2442895
Vinyl chloride	75-01-4	62.50	0.275	0.703	ND	ND		1	WG2442895
(S) 1,4-Bromofluorobenzene	*460-00-4*	*175*	*60.0-140*		*96.9*				WG2442895

Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
cis-1,2-Dichloroethene	156-59-2	96.90	0.265	1.05	ND	ND		1	WG2442895
trans-1,2-Dichloroethene	156-60-5	96.90	0.245	0.971	ND	ND		1	WG2442895
Tetrachloroethylene	127-18-4	166	0.370	2.51	0.478	3.25		1	WG2442895
Trichloroethylene	79-01-6	131	0.227	1.22	ND	ND		1	WG2442895
Vinyl chloride	75-01-4	62.50	0.275	0.703	ND	ND		1	WG2442895
(S) 1,4-Bromofluorobenzene	*460-00-4*	*175*	*60.0-140*		*99.5*				WG2442895

Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
cis-1,2-Dichloroethene	156-59-2	96.90	0.265	1.05	ND	ND		1	WG2442895
trans-1,2-Dichloroethene	156-60-5	96.90	0.245	0.971	ND	ND		1	WG2442895
Tetrachloroethylene	127-18-4	166	0.370	2.51	0.406	2.76		1	WG2442895
Trichloroethylene	79-01-6	131	0.227	1.22	ND	ND		1	WG2442895
Vinyl chloride	75-01-4	62.50	0.275	0.703	ND	ND		1	WG2442895
(S) 1,4-Bromofluorobenzene	*460-00-4*	*175*	*60.0-140*		*98.6*				WG2442895

Method Blank (MB)

(MB) R4172306-3 01/30/25 10:18

Analyte	MB Result ppbv	MB Qualifier	MB MDL ppbv	MB RDL ppbv
cis-1,2-Dichloroethene	U		0.0796	0.265
trans-1,2-Dichloroethene	U		0.0735	0.245
Tetrachloroethylene	U		0.111	0.370
Trichloroethylene	U		0.0680	0.227
Vinyl chloride	U		0.0826	0.275
(S) 1,4-Bromofluorobenzene	*96.7*			*60.0-140*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4172306-1 01/30/25 08:56 • (LCSD) R4172306-2 01/30/25 09:38

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
cis-1,2-Dichloroethene	3.75	3.77	3.79	101	101	70.0-130			0.529	25
trans-1,2-Dichloroethene	3.75	3.74	3.80	99.7	101	70.0-130			1.59	25
Tetrachloroethylene	3.75	3.79	3.83	101	102	70.0-130			1.05	25
Trichloroethylene	3.75	3.41	3.42	90.9	91.2	70.0-130			0.293	25
Vinyl chloride	3.75	3.30	3.60	88.0	96.0	70.0-130			8.70	25
(S) 1,4-Bromofluorobenzene				*98.1*	*97.8*	*60.0-140*				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state “ND” (Not Detected) or “BDL” (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
	The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico [1]	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina [1]	DW21704
Georgia	NELAP	North Carolina [3]	41
Georgia [1]	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LAO000356
Kentucky [1 6]	KY90010	South Carolina	84004002
Kentucky [2]	16	South Dakota	n/a
Louisiana	AI30792	Tennessee [1 4]	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas [5]	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 [5]	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

[1] Drinking Water [2] Underground Storage Tanks [3] Aquatic Toxicity [4] Chemical/Microbiological [5] Mold [6] Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Pace® Location Requested (City/State):

Air CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Sample Receipt Checklist

COC Seal Present/Intact: Y N Airs 5
COC Signed/Accurate: Y N Size: 1L 6L 1.4L
Bottles arrive intact: Y N Tage Color: G W P B
Correct bottles used: Y N Tubing Shunt
Unused: T/P#:

Company Name: **KPRG and Associates, Inc.**	Contact/Report To: **Patrick Allenstein**
Street Address: **14665 West Lisbon Road, Suite 2B Brookfield, WI 53005**	Phone #: **262-781-0475**
City, State Zip:	E-Mail: **richardg@kprginc.com;tims@kprginc.com;PatrickA@KPRGINC.COM**
Customer Project #: **22222**	Cc E-Mail:
Project Name: **Former OHM**	Invoice to:
Site Collection Info/Facility ID (as applicable): **KRPGBWI-22222**	Invoice E-Mail:
Time Zone Collected: [ ] AK [ ] PT [ ] MT [X] CT [ ] ET	Purchase Order # (if applicable):
	Quote #:
	State origin of sample(s): WI

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (CAA, RCRA, etc.) as applicable:

Rush (Pre-approval required): 2 Day 3 day 5 day Other

Permit # as applicable:

Date Results Requested: Standard

Units for Reporting: ug/m³ PPBV mg/m³ PPMV

Field Information

Analyses Requested

Lab Use Only

Proj. Manager: 341 - John Hawkins

AcctNum / Client ID: L1821475 KRPGBWI

Table #: M195

Profile / Template: T266581

Prelog / Bottle Ord. ID: P1125204

TM 1/9/25

* Matrix Codes (Insert in Matrix box below): Ambient (A), Indoor (I), Soil Vapor (SV), Other (O)

Customer Sample ID	Matrix *	Summa Canister ID	Flow Controller ID	Begin Collection Date	Begin Collection Time	End Collection Date	End Collection Time	Canister Pressure / Vacuum: Start Pressure / Vacuum (in Hg)	Canister Pressure / Vacuum: End Pressure / Vacuum (in Hg)	PUF / FILTER: Duration (minutes)	PUF / FILTER: Flow Rate m³/min or L/min	PUF / FILTER: Total Volume Sampled m³ or L	TO-15 Summa				Sample Comment
8711B 1A-1	I	013695	015284	1/28	0903	1/29	0903	16	15	1440		6L	X				-01
8711A OA-1	O	028675	013013	1/28	0905	1/29	0905	30	15	1440			X				-02
8711 1A-1	I	021302	020096	1/28	0907	1/29	0908	29	0	1441			X				-03
SS-4	SV	011824	006415	1/29	0903	1/29	0937	29	1	34			X				-04
SS-5	SV	028419	011916	1/29	0900	1/29	0950	29	14	50			X				-05

Customer Remarks / Special Conditions / Possible Hazards: CVOCs only

Collected By: KPRG and Associates
Printed Name: Kaelyn Sperle
Signature: Kaelyn Smle

Additional Instructions from Pace®:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C): Corrected Temp. (°C):

Relinquished by/Company: (Signature) Kaelyn Smle/KPRG	Date/Time: 1/29/25/1645	Received by/Company: (Signature) FedEX	Date/Time: 1/29/25/1645
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature) Easton Organ	Date/Time: 1/30/25 0900
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

Tracking Number:

Delivered by: In- Person Courier FedEX UPS Other

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/