February 17, 2025

Mike Wolf
Katz Properties – Whitman Park Apartments, LLC
614 W. Brown Deer Road, Suite 300
Bayside, Wisconsin 53217
Electronically: mike@katzprop.com

Subject: **Environmental Sampling Results**
BRRTS #02-68-582951
DNR FID #268087160

Dear Mike:

EnviroForensics, LLC (EnviroForensics) is providing the results of soil and groundwater samples collected from your property as part of environmental investigation conducted for the former One Hour Martinizing (OHM) tenant space located at 1033 Lowell Drive, Oconomowoc, Wisconsin, per the Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14. **Figure 1** presents the location of the soil boring and monitoring well.

The chemicals of concern are the dry-cleaning solvent tetrachloroethene (PCE) and its associated breakdown products trichloroethene, dichloroethane, and vinyl chloride collectively referred to as chlorinated volatile organic compounds (CVOCs) described in this report.

The Responsible Party is:

Mr. Brian Cass
OHM Holdings, Inc.
W229 N2494 Hwy F
Waukesha, WI 53186
Telephone: 262-521-9710

Sampling Results

Table 1 and **Table 2** summarize the laboratory results of soil and groundwater samples respectively and compare each to the corresponding WDNR screening levels. The analytical laboratory report is also attached.

Soil

On January 29, 2025, soil sample depths were selected for laboratory analysis based on a representative sample for waste disposal characterization. The soil samples were sent to a State of Wisconsin certified laboratory and analyzed for VOCs by U.S. EPA Method 8260.

As shown in **Table 1**, soil samples from boring SB-19 did not contain VOCs in concentrations exceeding the laboratory detection limits.

Groundwater

On January 29, 2025, a drilling contractor installed one (1) two-inch PVC monitoring well at SB-19, designated as MW-7. EnviroForensics collected groundwater samples from MW-7 on January 31, 2025, and submitted them to a certified laboratory for VOCs analysis by U.S. EPA Method 8260.

The monitoring well MW-7 groundwater samples contained PCE above the Public Health Enforcement Standard. These results do not indicate a risk to you, as the water supply is provided by the City of Oconomowoc. The monitoring well will be resampled to determine if any additional steps are needed.

If you have any questions or concerns, please call me at 414-630-0060. The WDNR project manager, Alice Egan, can be reached at 414-639-4007. We appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

Rob Hoverman, PG
Senior Project Manager
rhoverman@enviroforensics.com

Attachments: Figure 1: Sample Location
Table 1: Soil Analytical Results
Table 2: Groundwater Analytical Results
Analytical Report

Copy: Alice Egan, Wisconsin Department of Natural Resources

Docusign Envelope ID: 42A92449-2B9D-4459-A8CC-272B278DB3AB

Source: Waukesha County GIS Viewer https://prd1.waukcogeo.com/HTML5Viewer/?viewer=html_viewer_ext | Accessed 02 22 2024

Legend

Groundwater Monitoring Well – 1033 Lowell Dr

OFF-SITE GROUNDWATER MONITORING WELL

One Hour Martinizing
1035 Summit Avenue, Oconomowoc, WI
DNR BRRTS Activity # 02-68-582951

Date:	02 22 2024
Designed:	MSE
Drawn:	
Checked:	
DWG file:	

ENVIRO forensics
757 Logan Street · Louisville, KY 40204
EnviroForensics.com

Figure
1

Project
200009

TABLE 1

SOIL ANALYTICAL RESULTS

One Hour Martinizing

1035 Summit Avenue, Oconomowoc, Wisconsin

Boring Identification	Sample Depth (feet bgs)	Saturation	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
				Chlorinated VOCs (µg/kg)				
Residual Contaminant Level - Industrial				**145,000**	**8,410**	**2,340,000**	**1,850,000**	**2,080**
Residual Contaminant Level - Non-Industrial				**33,000**	**1,300**	**156,000**	**1,560,000**	**67**
Residual Contaminant Level - Soil to Groundwater				**4.5**	**3.6**	**41.2**	**62.6**	**0.10**
SB-19(IDM 1)*	15	Unsaturated	1/29/2025	<35.9	<34.6	<19.8	<20.2	<18.7
SB-19(IDM 2)*	29	Saturated	1/29/2025	<34.0	<32.8	<18.8	<19.2	<17.7

Notes:

WDNR Residual Contaminant Levels (RCLs) were calculated according to the procedures described in WDNR Publication RR-890.

Samples analyzed using EPA SW-846 Method 8260

Constituents not shown are below laboratory detection limits

Bolded values exceed laboratory detection levels

Bolded and **blue shaded** values exceed the Soil to Groundwater Residual Contaminant Level

µg/kg = micrograms per kilogram

bgs = below ground surface

J = Estimated concentration between the laboratory reporting limit and method detection limit

VOCs = Volatile Organic Compounds

* = Results reported on a "wet-weight" basis.

ENVIRO forensics®

TABLE 2

GROUNDWATER ANALYTICAL RESULTS

One Hour Martinizing
1035 Summit Avenue, Oconomowoc, Wisconsin
BRRTs No. 02-68-582951

Monitoring Well/ Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
			Chlorinated VOCs (µg/L)				
Enforcement Standard			**5**	**5**	**70**	**100**	**0.2**
Preventative Action Limit			**0.5**	**0.5**	**7**	**20**	**0.02**
MW-7	19.0 - 29.0	1/31/2025	**5.6**	<0.32	<0.47	<0.53	<0.17
		DUP 1/31/2025	**5.8**	<0.32	<0.47	<0.53	<0.17

Notes:

Samples analyzed using EPA SW-846 Method 8260
Constituents not shown are below laboratory detection limits
Bolded values are above detection limits
Bolded and **blue shaded** values are above the Public Health Preventive Action Limit
Bolded and **orange shaded** values are above the Public Health Enforcement Standard
µg/L = micrograms per liter
bgs = below ground surface
J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit
NE = Not Established
VOCs = Volatile Organic Compounds

ENVIRO forensics®

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

February 12, 2025

Rob Hoverman
EnviroForensics
2234 N 67th Street
Wauwatosa, WI 53213

RE: Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Dear Rob Hoverman:

Enclosed are the analytical results for sample(s) received by the laboratory on February 01, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project:	200009-OHM SUMMIT
Pace Project No.:	40290369

Pace Analytical Services Green Bay
1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE SUMMARY

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40290369001	**200009-SB-19-IDM1**	Solid	01/29/25 10:00	02/01/25 08:45
40290369002	**200009-SB-19-IDM2**	Solid	01/29/25 10:35	02/01/25 08:45
40290369003	**200009-SB-20-IDM1**	Solid	01/29/25 12:00	02/01/25 08:45
40290369004	**200009-SB-20-IDM2**	Solid	01/29/25 13:20	02/01/25 08:45
40290369005	**200009-MW-5B**	Water	01/31/25 10:38	02/01/25 08:45
40290369006	**200009-MW-7**	Water	01/31/25 08:36	02/01/25 08:45
40290369007	**200009-DUP-1**	Water	01/31/25 00:00	02/01/25 08:45
40290369008	**200009-EB-1**	Water	01/31/25 11:00	02/01/25 08:45
40290369009	**TRIP BLANK**	Water	01/31/25 00:00	02/01/25 08:45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE ANALYTE COUNT

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40290369001	**200009-SB-19-IDM1**	EPA 8260	ALD	64	PASI-G
40290369002	**200009-SB-19-IDM2**	EPA 8260	ALD	64	PASI-G
40290369003	**200009-SB-20-IDM1**	EPA 8260	ALD	64	PASI-G
40290369004	**200009-SB-20-IDM2**	EPA 8260	ALD	64	PASI-G
40290369005	**200009-MW-5B**	EPA 8260	EIB	64	PASI-G
40290369006	**200009-MW-7**	EPA 8260	CXJ	64	PASI-G
40290369007	**200009-DUP-1**	EPA 8260	CXJ	64	PASI-G
40290369008	**200009-EB-1**	EPA 8260	CXJ	64	PASI-G
40290369009	**TRIP BLANK**	EPA 8260	CXJ	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SUMMARY OF DETECTION

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40290369006	**200009-MW-7**					
EPA 8260	Tetrachloroethene	5.6	ug/L	1.0	02/10/25 17:15	
40290369007	**200009-DUP-1**					
EPA 8260	Tetrachloroethene	5.8	ug/L	1.0	02/06/25 18:17	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-19-IDM1 **Lab ID: 40290369001** Collected: 01/29/25 10:00 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<22.2**	ug/kg	92.6	22.2	1	02/05/25 08:30	02/05/25 13:23	630-20-6	
1,1,1-Trichloroethane	**<23.7**	ug/kg	92.6	23.7	1	02/05/25 08:30	02/05/25 13:23	71-55-6	
1,1,2,2-Tetrachloroethane	**<33.5**	ug/kg	92.6	33.5	1	02/05/25 08:30	02/05/25 13:23	79-34-5	
1,1,2-Trichloroethane	**<33.7**	ug/kg	92.6	33.7	1	02/05/25 08:30	02/05/25 13:23	79-00-5	
1,1-Dichloroethane	**<23.7**	ug/kg	92.6	23.7	1	02/05/25 08:30	02/05/25 13:23	75-34-3	
1,1-Dichloroethene	**<30.7**	ug/kg	92.6	30.7	1	02/05/25 08:30	02/05/25 13:23	75-35-4	
1,1-Dichloropropene	**<30.0**	ug/kg	92.6	30.0	1	02/05/25 08:30	02/05/25 13:23	563-58-6	
1,2,3-Trichlorobenzene	**<103**	ug/kg	463	103	1	02/05/25 08:30	02/05/25 13:23	87-61-6	
1,2,3-Trichloropropane	**<45.0**	ug/kg	92.6	45.0	1	02/05/25 08:30	02/05/25 13:23	96-18-4	
1,2,4-Trichlorobenzene	**<76.3**	ug/kg	463	76.3	1	02/05/25 08:30	02/05/25 13:23	120-82-1	
1,2,4-Trimethylbenzene	**<27.6**	ug/kg	92.6	27.6	1	02/05/25 08:30	02/05/25 13:23	95-63-6	
1,2-Dibromo-3-chloropropane	**<71.9**	ug/kg	463	71.9	1	02/05/25 08:30	02/05/25 13:23	96-12-8	
1,2-Dibromoethane (EDB)	**<25.4**	ug/kg	92.6	25.4	1	02/05/25 08:30	02/05/25 13:23	106-93-4	
1,2-Dichlorobenzene	**<28.7**	ug/kg	92.6	28.7	1	02/05/25 08:30	02/05/25 13:23	95-50-1	
1,2-Dichloroethane	**<21.3**	ug/kg	92.6	21.3	1	02/05/25 08:30	02/05/25 13:23	107-06-2	
1,2-Dichloropropane	**<22.0**	ug/kg	92.6	22.0	1	02/05/25 08:30	02/05/25 13:23	78-87-5	
1,3,5-Trimethylbenzene	**<29.8**	ug/kg	92.6	29.8	1	02/05/25 08:30	02/05/25 13:23	108-67-8	
1,3-Dichlorobenzene	**<25.4**	ug/kg	92.6	25.4	1	02/05/25 08:30	02/05/25 13:23	541-73-1	
1,3-Dichloropropane	**<20.2**	ug/kg	92.6	20.2	1	02/05/25 08:30	02/05/25 13:23	142-28-9	
1,4-Dichlorobenzene	**<25.4**	ug/kg	92.6	25.4	1	02/05/25 08:30	02/05/25 13:23	106-46-7	
2,2-Dichloropropane	**<25.0**	ug/kg	92.6	25.0	1	02/05/25 08:30	02/05/25 13:23	594-20-7	
2-Chlorotoluene	**<30.0**	ug/kg	92.6	30.0	1	02/05/25 08:30	02/05/25 13:23	95-49-8	
4-Chlorotoluene	**<35.2**	ug/kg	92.6	35.2	1	02/05/25 08:30	02/05/25 13:23	106-43-4	
Benzene	**<22.0**	ug/kg	37.0	22.0	1	02/05/25 08:30	02/05/25 13:23	71-43-2	
Bromobenzene	**<36.1**	ug/kg	92.6	36.1	1	02/05/25 08:30	02/05/25 13:23	108-86-1	
Bromochloromethane	**<25.4**	ug/kg	92.6	25.4	1	02/05/25 08:30	02/05/25 13:23	74-97-5	
Bromodichloromethane	**<22.0**	ug/kg	92.6	22.0	1	02/05/25 08:30	02/05/25 13:23	75-27-4	
Bromoform	**<407**	ug/kg	463	407	1	02/05/25 08:30	02/05/25 13:23	75-25-2	
Bromomethane	**<130**	ug/kg	463	130	1	02/05/25 08:30	02/05/25 13:23	74-83-9	
Carbon tetrachloride	**<20.4**	ug/kg	92.6	20.4	1	02/05/25 08:30	02/05/25 13:23	56-23-5	
Chlorobenzene	**<11.1**	ug/kg	92.6	11.1	1	02/05/25 08:30	02/05/25 13:23	108-90-7	
Chloroethane	**<39.1**	ug/kg	463	39.1	1	02/05/25 08:30	02/05/25 13:23	75-00-3	
Chloroform	**<66.3**	ug/kg	463	66.3	1	02/05/25 08:30	02/05/25 13:23	67-66-3	
Chloromethane	**<35.2**	ug/kg	92.6	35.2	1	02/05/25 08:30	02/05/25 13:23	74-87-3	
Dibromochloromethane	**<316**	ug/kg	463	316	1	02/05/25 08:30	02/05/25 13:23	124-48-1	
Dibromomethane	**<27.4**	ug/kg	92.6	27.4	1	02/05/25 08:30	02/05/25 13:23	74-95-3	
Dichlorodifluoromethane	**<39.8**	ug/kg	92.6	39.8	1	02/05/25 08:30	02/05/25 13:23	75-71-8	
Diisopropyl ether	**<23.0**	ug/kg	92.6	23.0	1	02/05/25 08:30	02/05/25 13:23	108-20-3	
Ethylbenzene	**<22.0**	ug/kg	92.6	22.0	1	02/05/25 08:30	02/05/25 13:23	100-41-4	
Hexachloro-1,3-butadiene	**<184**	ug/kg	463	184	1	02/05/25 08:30	02/05/25 13:23	87-68-3	
Isopropylbenzene (Cumene)	**<25.0**	ug/kg	92.6	25.0	1	02/05/25 08:30	02/05/25 13:23	98-82-8	
Methyl-tert-butyl ether	**<27.2**	ug/kg	92.6	27.2	1	02/05/25 08:30	02/05/25 13:23	1634-04-4	
Methylene Chloride	**<25.7**	ug/kg	92.6	25.7	1	02/05/25 08:30	02/05/25 13:23	75-09-2	
Naphthalene	**<38.9**	ug/kg	463	38.9	1	02/05/25 08:30	02/05/25 13:23	91-20-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-19-IDM1 **Lab ID: 40290369001** Collected: 01/29/25 10:00 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<23.7**	ug/kg	92.6	23.7	1	02/05/25 08:30	02/05/25 13:23	100-42-5	
Tetrachloroethene	**<35.9**	ug/kg	92.6	35.9	1	02/05/25 08:30	02/05/25 13:23	127-18-4	
Toluene	**<23.3**	ug/kg	92.6	23.3	1	02/05/25 08:30	02/05/25 13:23	108-88-3	
Trichloroethene	**<34.6**	ug/kg	92.6	34.6	1	02/05/25 08:30	02/05/25 13:23	79-01-6	
Trichlorofluoromethane	**<26.9**	ug/kg	92.6	26.9	1	02/05/25 08:30	02/05/25 13:23	75-69-4	
Vinyl chloride	**<18.7**	ug/kg	92.6	18.7	1	02/05/25 08:30	02/05/25 13:23	75-01-4	
cis-1,2-Dichloroethene	**<19.8**	ug/kg	92.6	19.8	1	02/05/25 08:30	02/05/25 13:23	156-59-2	
cis-1,3-Dichloropropene	**<61.1**	ug/kg	463	61.1	1	02/05/25 08:30	02/05/25 13:23	10061-01-5	
m&p-Xylene	**<39.1**	ug/kg	185	39.1	1	02/05/25 08:30	02/05/25 13:23	179601-23-1	
n-Butylbenzene	**<42.4**	ug/kg	92.6	42.4	1	02/05/25 08:30	02/05/25 13:23	104-51-8	
n-Propylbenzene	**<22.2**	ug/kg	92.6	22.2	1	02/05/25 08:30	02/05/25 13:23	103-65-1	
o-Xylene	**<27.8**	ug/kg	92.6	27.8	1	02/05/25 08:30	02/05/25 13:23	95-47-6	
p-Isopropyltoluene	**<31.5**	ug/kg	92.6	31.5	1	02/05/25 08:30	02/05/25 13:23	99-87-6	
sec-Butylbenzene	**<31.8**	ug/kg	92.6	31.8	1	02/05/25 08:30	02/05/25 13:23	135-98-8	
tert-Butylbenzene	**<29.1**	ug/kg	92.6	29.1	1	02/05/25 08:30	02/05/25 13:23	98-06-6	
trans-1,2-Dichloroethene	**<20.2**	ug/kg	92.6	20.2	1	02/05/25 08:30	02/05/25 13:23	156-60-5	
trans-1,3-Dichloropropene	**<265**	ug/kg	463	265	1	02/05/25 08:30	02/05/25 13:23	10061-02-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	110	%	56-189		1	02/05/25 08:30	02/05/25 13:23	2199-69-1	
4-Bromofluorobenzene (S)	106	%	58-188		1	02/05/25 08:30	02/05/25 13:23	460-00-4	
Toluene-d8 (S)	102	%	70-172		1	02/05/25 08:30	02/05/25 13:23	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-19-IDM2 **Lab ID: 40290369002** Collected: 01/29/25 10:35 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<21.0**	ug/kg	87.7	21.0	1	02/05/25 08:30	02/05/25 13:43	630-20-6	
1,1,1-Trichloroethane	**<22.5**	ug/kg	87.7	22.5	1	02/05/25 08:30	02/05/25 13:43	71-55-6	
1,1,2,2-Tetrachloroethane	**<31.8**	ug/kg	87.7	31.8	1	02/05/25 08:30	02/05/25 13:43	79-34-5	
1,1,2-Trichloroethane	**<31.9**	ug/kg	87.7	31.9	1	02/05/25 08:30	02/05/25 13:43	79-00-5	
1,1-Dichloroethane	**<22.5**	ug/kg	87.7	22.5	1	02/05/25 08:30	02/05/25 13:43	75-34-3	
1,1-Dichloroethene	**<29.1**	ug/kg	87.7	29.1	1	02/05/25 08:30	02/05/25 13:43	75-35-4	
1,1-Dichloropropene	**<28.4**	ug/kg	87.7	28.4	1	02/05/25 08:30	02/05/25 13:43	563-58-6	
1,2,3-Trichlorobenzene	**<97.7**	ug/kg	439	97.7	1	02/05/25 08:30	02/05/25 13:43	87-61-6	
1,2,3-Trichloropropane	**<42.6**	ug/kg	87.7	42.6	1	02/05/25 08:30	02/05/25 13:43	96-18-4	
1,2,4-Trichlorobenzene	**<72.3**	ug/kg	439	72.3	1	02/05/25 08:30	02/05/25 13:43	120-82-1	
1,2,4-Trimethylbenzene	**<26.1**	ug/kg	87.7	26.1	1	02/05/25 08:30	02/05/25 13:43	95-63-6	
1,2-Dibromo-3-chloropropane	**<68.1**	ug/kg	439	68.1	1	02/05/25 08:30	02/05/25 13:43	96-12-8	
1,2-Dibromoethane (EDB)	**<24.0**	ug/kg	87.7	24.0	1	02/05/25 08:30	02/05/25 13:43	106-93-4	
1,2-Dichlorobenzene	**<27.2**	ug/kg	87.7	27.2	1	02/05/25 08:30	02/05/25 13:43	95-50-1	
1,2-Dichloroethane	**<20.2**	ug/kg	87.7	20.2	1	02/05/25 08:30	02/05/25 13:43	107-06-2	
1,2-Dichloropropane	**<20.9**	ug/kg	87.7	20.9	1	02/05/25 08:30	02/05/25 13:43	78-87-5	
1,3,5-Trimethylbenzene	**<28.2**	ug/kg	87.7	28.2	1	02/05/25 08:30	02/05/25 13:43	108-67-8	
1,3-Dichlorobenzene	**<24.0**	ug/kg	87.7	24.0	1	02/05/25 08:30	02/05/25 13:43	541-73-1	
1,3-Dichloropropane	**<19.1**	ug/kg	87.7	19.1	1	02/05/25 08:30	02/05/25 13:43	142-28-9	
1,4-Dichlorobenzene	**<24.0**	ug/kg	87.7	24.0	1	02/05/25 08:30	02/05/25 13:43	106-46-7	
2,2-Dichloropropane	**<23.7**	ug/kg	87.7	23.7	1	02/05/25 08:30	02/05/25 13:43	594-20-7	
2-Chlorotoluene	**<28.4**	ug/kg	87.7	28.4	1	02/05/25 08:30	02/05/25 13:43	95-49-8	
4-Chlorotoluene	**<33.3**	ug/kg	87.7	33.3	1	02/05/25 08:30	02/05/25 13:43	106-43-4	
Benzene	**<20.9**	ug/kg	35.1	20.9	1	02/05/25 08:30	02/05/25 13:43	71-43-2	
Bromobenzene	**<34.2**	ug/kg	87.7	34.2	1	02/05/25 08:30	02/05/25 13:43	108-86-1	
Bromochloromethane	**<24.0**	ug/kg	87.7	24.0	1	02/05/25 08:30	02/05/25 13:43	74-97-5	
Bromodichloromethane	**<20.9**	ug/kg	87.7	20.9	1	02/05/25 08:30	02/05/25 13:43	75-27-4	
Bromoform	**<386**	ug/kg	439	386	1	02/05/25 08:30	02/05/25 13:43	75-25-2	
Bromomethane	**<123**	ug/kg	439	123	1	02/05/25 08:30	02/05/25 13:43	74-83-9	
Carbon tetrachloride	**<19.3**	ug/kg	87.7	19.3	1	02/05/25 08:30	02/05/25 13:43	56-23-5	
Chlorobenzene	**<10.5**	ug/kg	87.7	10.5	1	02/05/25 08:30	02/05/25 13:43	108-90-7	
Chloroethane	**<37.0**	ug/kg	439	37.0	1	02/05/25 08:30	02/05/25 13:43	75-00-3	
Chloroform	**<62.8**	ug/kg	439	62.8	1	02/05/25 08:30	02/05/25 13:43	67-66-3	
Chloromethane	**<33.3**	ug/kg	87.7	33.3	1	02/05/25 08:30	02/05/25 13:43	74-87-3	
Dibromochloromethane	**<300**	ug/kg	439	300	1	02/05/25 08:30	02/05/25 13:43	124-48-1	
Dibromomethane	**<26.0**	ug/kg	87.7	26.0	1	02/05/25 08:30	02/05/25 13:43	74-95-3	
Dichlorodifluoromethane	**<37.7**	ug/kg	87.7	37.7	1	02/05/25 08:30	02/05/25 13:43	75-71-8	
Diisopropyl ether	**<21.8**	ug/kg	87.7	21.8	1	02/05/25 08:30	02/05/25 13:43	108-20-3	
Ethylbenzene	**<20.9**	ug/kg	87.7	20.9	1	02/05/25 08:30	02/05/25 13:43	100-41-4	
Hexachloro-1,3-butadiene	**<174**	ug/kg	439	174	1	02/05/25 08:30	02/05/25 13:43	87-68-3	
Isopropylbenzene (Cumene)	**<23.7**	ug/kg	87.7	23.7	1	02/05/25 08:30	02/05/25 13:43	98-82-8	
Methyl-tert-butyl ether	**<25.8**	ug/kg	87.7	25.8	1	02/05/25 08:30	02/05/25 13:43	1634-04-4	
Methylene Chloride	**<24.4**	ug/kg	87.7	24.4	1	02/05/25 08:30	02/05/25 13:43	75-09-2	
Naphthalene	**<36.9**	ug/kg	439	36.9	1	02/05/25 08:30	02/05/25 13:43	91-20-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-19-IDM2 **Lab ID: 40290369002** Collected: 01/29/25 10:35 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<22.5**	ug/kg	87.7	22.5	1	02/05/25 08:30	02/05/25 13:43	100-42-5	
Tetrachloroethene	**<34.0**	ug/kg	87.7	34.0	1	02/05/25 08:30	02/05/25 13:43	127-18-4	
Toluene	**<22.1**	ug/kg	87.7	22.1	1	02/05/25 08:30	02/05/25 13:43	108-88-3	
Trichloroethene	**<32.8**	ug/kg	87.7	32.8	1	02/05/25 08:30	02/05/25 13:43	79-01-6	
Trichlorofluoromethane	**<25.4**	ug/kg	87.7	25.4	1	02/05/25 08:30	02/05/25 13:43	75-69-4	
Vinyl chloride	**<17.7**	ug/kg	87.7	17.7	1	02/05/25 08:30	02/05/25 13:43	75-01-4	
cis-1,2-Dichloroethene	**<18.8**	ug/kg	87.7	18.8	1	02/05/25 08:30	02/05/25 13:43	156-59-2	
cis-1,3-Dichloropropene	**<57.9**	ug/kg	439	57.9	1	02/05/25 08:30	02/05/25 13:43	10061-01-5	
m&p-Xylene	**<37.0**	ug/kg	175	37.0	1	02/05/25 08:30	02/05/25 13:43	179601-23-1	
n-Butylbenzene	**<40.2**	ug/kg	87.7	40.2	1	02/05/25 08:30	02/05/25 13:43	104-51-8	
n-Propylbenzene	**<21.1**	ug/kg	87.7	21.1	1	02/05/25 08:30	02/05/25 13:43	103-65-1	
o-Xylene	**<26.3**	ug/kg	87.7	26.3	1	02/05/25 08:30	02/05/25 13:43	95-47-6	
p-Isopropyltoluene	**<29.8**	ug/kg	87.7	29.8	1	02/05/25 08:30	02/05/25 13:43	99-87-6	
sec-Butylbenzene	**<30.1**	ug/kg	87.7	30.1	1	02/05/25 08:30	02/05/25 13:43	135-98-8	
tert-Butylbenzene	**<27.5**	ug/kg	87.7	27.5	1	02/05/25 08:30	02/05/25 13:43	98-06-6	
trans-1,2-Dichloroethene	**<19.2**	ug/kg	87.7	19.2	1	02/05/25 08:30	02/05/25 13:43	156-60-5	
trans-1,3-Dichloropropene	**<251**	ug/kg	439	251	1	02/05/25 08:30	02/05/25 13:43	10061-02-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	106	%	56-189		1	02/05/25 08:30	02/05/25 13:43	2199-69-1	
4-Bromofluorobenzene (S)	105	%	58-188		1	02/05/25 08:30	02/05/25 13:43	460-00-4	
Toluene-d8 (S)	107	%	70-172		1	02/05/25 08:30	02/05/25 13:43	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-20-IDM1 **Lab ID: 40290369003** Collected: 01/29/25 12:00 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<16.4**	ug/kg	68.5	16.4	1	02/05/25 08:30	02/05/25 14:03	630-20-6	
1,1,1-Trichloroethane	**<17.5**	ug/kg	68.5	17.5	1	02/05/25 08:30	02/05/25 14:03	71-55-6	
1,1,2,2-Tetrachloroethane	**<24.8**	ug/kg	68.5	24.8	1	02/05/25 08:30	02/05/25 14:03	79-34-5	
1,1,2-Trichloroethane	**<24.9**	ug/kg	68.5	24.9	1	02/05/25 08:30	02/05/25 14:03	79-00-5	
1,1-Dichloroethane	**<17.5**	ug/kg	68.5	17.5	1	02/05/25 08:30	02/05/25 14:03	75-34-3	
1,1-Dichloroethene	**<22.7**	ug/kg	68.5	22.7	1	02/05/25 08:30	02/05/25 14:03	75-35-4	
1,1-Dichloropropene	**<22.2**	ug/kg	68.5	22.2	1	02/05/25 08:30	02/05/25 14:03	563-58-6	
1,2,3-Trichlorobenzene	**<76.3**	ug/kg	342	76.3	1	02/05/25 08:30	02/05/25 14:03	87-61-6	
1,2,3-Trichloropropane	**<33.3**	ug/kg	68.5	33.3	1	02/05/25 08:30	02/05/25 14:03	96-18-4	
1,2,4-Trichlorobenzene	**<56.4**	ug/kg	342	56.4	1	02/05/25 08:30	02/05/25 14:03	120-82-1	
1,2,4-Trimethylbenzene	**<20.4**	ug/kg	68.5	20.4	1	02/05/25 08:30	02/05/25 14:03	95-63-6	
1,2-Dibromo-3-chloropropane	**<53.2**	ug/kg	342	53.2	1	02/05/25 08:30	02/05/25 14:03	96-12-8	
1,2-Dibromoethane (EDB)	**<18.8**	ug/kg	68.5	18.8	1	02/05/25 08:30	02/05/25 14:03	106-93-4	
1,2-Dichlorobenzene	**<21.2**	ug/kg	68.5	21.2	1	02/05/25 08:30	02/05/25 14:03	95-50-1	
1,2-Dichloroethane	**<15.8**	ug/kg	68.5	15.8	1	02/05/25 08:30	02/05/25 14:03	107-06-2	
1,2-Dichloropropane	**<16.3**	ug/kg	68.5	16.3	1	02/05/25 08:30	02/05/25 14:03	78-87-5	
1,3,5-Trimethylbenzene	**<22.1**	ug/kg	68.5	22.1	1	02/05/25 08:30	02/05/25 14:03	108-67-8	
1,3-Dichlorobenzene	**<18.8**	ug/kg	68.5	18.8	1	02/05/25 08:30	02/05/25 14:03	541-73-1	
1,3-Dichloropropane	**<14.9**	ug/kg	68.5	14.9	1	02/05/25 08:30	02/05/25 14:03	142-28-9	
1,4-Dichlorobenzene	**<18.8**	ug/kg	68.5	18.8	1	02/05/25 08:30	02/05/25 14:03	106-46-7	
2,2-Dichloropropane	**<18.5**	ug/kg	68.5	18.5	1	02/05/25 08:30	02/05/25 14:03	594-20-7	
2-Chlorotoluene	**<22.2**	ug/kg	68.5	22.2	1	02/05/25 08:30	02/05/25 14:03	95-49-8	
4-Chlorotoluene	**<26.0**	ug/kg	68.5	26.0	1	02/05/25 08:30	02/05/25 14:03	106-43-4	
Benzene	**<16.3**	ug/kg	27.4	16.3	1	02/05/25 08:30	02/05/25 14:03	71-43-2	
Bromobenzene	**<26.7**	ug/kg	68.5	26.7	1	02/05/25 08:30	02/05/25 14:03	108-86-1	
Bromochloromethane	**<18.8**	ug/kg	68.5	18.8	1	02/05/25 08:30	02/05/25 14:03	74-97-5	
Bromodichloromethane	**<16.3**	ug/kg	68.5	16.3	1	02/05/25 08:30	02/05/25 14:03	75-27-4	
Bromoform	**<301**	ug/kg	342	301	1	02/05/25 08:30	02/05/25 14:03	75-25-2	
Bromomethane	**<96.0**	ug/kg	342	96.0	1	02/05/25 08:30	02/05/25 14:03	74-83-9	
Carbon tetrachloride	**<15.1**	ug/kg	68.5	15.1	1	02/05/25 08:30	02/05/25 14:03	56-23-5	
Chlorobenzene	**<8.2**	ug/kg	68.5	8.2	1	02/05/25 08:30	02/05/25 14:03	108-90-7	
Chloroethane	**<28.9**	ug/kg	342	28.9	1	02/05/25 08:30	02/05/25 14:03	75-00-3	
Chloroform	**<49.0**	ug/kg	342	49.0	1	02/05/25 08:30	02/05/25 14:03	67-66-3	
Chloromethane	**<26.0**	ug/kg	68.5	26.0	1	02/05/25 08:30	02/05/25 14:03	74-87-3	
Dibromochloromethane	**<234**	ug/kg	342	234	1	02/05/25 08:30	02/05/25 14:03	124-48-1	
Dibromomethane	**<20.3**	ug/kg	68.5	20.3	1	02/05/25 08:30	02/05/25 14:03	74-95-3	
Dichlorodifluoromethane	**<29.5**	ug/kg	68.5	29.5	1	02/05/25 08:30	02/05/25 14:03	75-71-8	
Diisopropyl ether	**<17.0**	ug/kg	68.5	17.0	1	02/05/25 08:30	02/05/25 14:03	108-20-3	
Ethylbenzene	**<16.3**	ug/kg	68.5	16.3	1	02/05/25 08:30	02/05/25 14:03	100-41-4	
Hexachloro-1,3-butadiene	**<136**	ug/kg	342	136	1	02/05/25 08:30	02/05/25 14:03	87-68-3	
Isopropylbenzene (Cumene)	**<18.5**	ug/kg	68.5	18.5	1	02/05/25 08:30	02/05/25 14:03	98-82-8	
Methyl-tert-butyl ether	**<20.1**	ug/kg	68.5	20.1	1	02/05/25 08:30	02/05/25 14:03	1634-04-4	
Methylene Chloride	**<19.0**	ug/kg	68.5	19.0	1	02/05/25 08:30	02/05/25 14:03	75-09-2	
Naphthalene	**<28.8**	ug/kg	342	28.8	1	02/05/25 08:30	02/05/25 14:03	91-20-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-20-IDM1 **Lab ID: 40290369003** Collected: 01/29/25 12:00 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<17.5**	ug/kg	68.5	17.5	1	02/05/25 08:30	02/05/25 14:03	100-42-5	
Tetrachloroethene	**<26.6**	ug/kg	68.5	26.6	1	02/05/25 08:30	02/05/25 14:03	127-18-4	
Toluene	**<17.3**	ug/kg	68.5	17.3	1	02/05/25 08:30	02/05/25 14:03	108-88-3	
Trichloroethene	**<25.6**	ug/kg	68.5	25.6	1	02/05/25 08:30	02/05/25 14:03	79-01-6	
Trichlorofluoromethane	**<19.9**	ug/kg	68.5	19.9	1	02/05/25 08:30	02/05/25 14:03	75-69-4	
Vinyl chloride	**<13.8**	ug/kg	68.5	13.8	1	02/05/25 08:30	02/05/25 14:03	75-01-4	
cis-1,2-Dichloroethene	**<14.7**	ug/kg	68.5	14.7	1	02/05/25 08:30	02/05/25 14:03	156-59-2	
cis-1,3-Dichloropropene	**<45.2**	ug/kg	342	45.2	1	02/05/25 08:30	02/05/25 14:03	10061-01-5	
m&p-Xylene	**<28.9**	ug/kg	137	28.9	1	02/05/25 08:30	02/05/25 14:03	179601-23-1	
n-Butylbenzene	**<31.4**	ug/kg	68.5	31.4	1	02/05/25 08:30	02/05/25 14:03	104-51-8	
n-Propylbenzene	**<16.4**	ug/kg	68.5	16.4	1	02/05/25 08:30	02/05/25 14:03	103-65-1	
o-Xylene	**<20.5**	ug/kg	68.5	20.5	1	02/05/25 08:30	02/05/25 14:03	95-47-6	
p-Isopropyltoluene	**<23.3**	ug/kg	68.5	23.3	1	02/05/25 08:30	02/05/25 14:03	99-87-6	
sec-Butylbenzene	**<23.5**	ug/kg	68.5	23.5	1	02/05/25 08:30	02/05/25 14:03	135-98-8	
tert-Butylbenzene	**<21.5**	ug/kg	68.5	21.5	1	02/05/25 08:30	02/05/25 14:03	98-06-6	
trans-1,2-Dichloroethene	**<15.0**	ug/kg	68.5	15.0	1	02/05/25 08:30	02/05/25 14:03	156-60-5	
trans-1,3-Dichloropropene	**<196**	ug/kg	342	196	1	02/05/25 08:30	02/05/25 14:03	10061-02-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	112	%	56-189		1	02/05/25 08:30	02/05/25 14:03	2199-69-1	
4-Bromofluorobenzene (S)	106	%	58-188		1	02/05/25 08:30	02/05/25 14:03	460-00-4	
Toluene-d8 (S)	106	%	70-172		1	02/05/25 08:30	02/05/25 14:03	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-20-IDM2 **Lab ID: 40290369004** Collected: 01/29/25 13:20 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<17.4**	ug/kg	72.5	17.4	1	02/05/25 08:30	02/05/25 14:23	630-20-6	
1,1,1-Trichloroethane	**<18.6**	ug/kg	72.5	18.6	1	02/05/25 08:30	02/05/25 14:23	71-55-6	
1,1,2,2-Tetrachloroethane	**<26.2**	ug/kg	72.5	26.2	1	02/05/25 08:30	02/05/25 14:23	79-34-5	
1,1,2-Trichloroethane	**<26.4**	ug/kg	72.5	26.4	1	02/05/25 08:30	02/05/25 14:23	79-00-5	
1,1-Dichloroethane	**<18.6**	ug/kg	72.5	18.6	1	02/05/25 08:30	02/05/25 14:23	75-34-3	
1,1-Dichloroethene	**<24.1**	ug/kg	72.5	24.1	1	02/05/25 08:30	02/05/25 14:23	75-35-4	
1,1-Dichloropropene	**<23.5**	ug/kg	72.5	23.5	1	02/05/25 08:30	02/05/25 14:23	563-58-6	
1,2,3-Trichlorobenzene	**<80.7**	ug/kg	362	80.7	1	02/05/25 08:30	02/05/25 14:23	87-61-6	
1,2,3-Trichloropropane	**<35.2**	ug/kg	72.5	35.2	1	02/05/25 08:30	02/05/25 14:23	96-18-4	
1,2,4-Trichlorobenzene	**<59.7**	ug/kg	362	59.7	1	02/05/25 08:30	02/05/25 14:23	120-82-1	
1,2,4-Trimethylbenzene	**<21.6**	ug/kg	72.5	21.6	1	02/05/25 08:30	02/05/25 14:23	95-63-6	
1,2-Dibromo-3-chloropropane	**<56.2**	ug/kg	362	56.2	1	02/05/25 08:30	02/05/25 14:23	96-12-8	
1,2-Dibromoethane (EDB)	**<19.9**	ug/kg	72.5	19.9	1	02/05/25 08:30	02/05/25 14:23	106-93-4	
1,2-Dichlorobenzene	**<22.5**	ug/kg	72.5	22.5	1	02/05/25 08:30	02/05/25 14:23	95-50-1	
1,2-Dichloroethane	**<16.7**	ug/kg	72.5	16.7	1	02/05/25 08:30	02/05/25 14:23	107-06-2	
1,2-Dichloropropane	**<17.2**	ug/kg	72.5	17.2	1	02/05/25 08:30	02/05/25 14:23	78-87-5	
1,3,5-Trimethylbenzene	**<23.3**	ug/kg	72.5	23.3	1	02/05/25 08:30	02/05/25 14:23	108-67-8	
1,3-Dichlorobenzene	**<19.9**	ug/kg	72.5	19.9	1	02/05/25 08:30	02/05/25 14:23	541-73-1	
1,3-Dichloropropane	**<15.8**	ug/kg	72.5	15.8	1	02/05/25 08:30	02/05/25 14:23	142-28-9	
1,4-Dichlorobenzene	**<19.9**	ug/kg	72.5	19.9	1	02/05/25 08:30	02/05/25 14:23	106-46-7	
2,2-Dichloropropane	**<19.6**	ug/kg	72.5	19.6	1	02/05/25 08:30	02/05/25 14:23	594-20-7	
2-Chlorotoluene	**<23.5**	ug/kg	72.5	23.5	1	02/05/25 08:30	02/05/25 14:23	95-49-8	
4-Chlorotoluene	**<27.5**	ug/kg	72.5	27.5	1	02/05/25 08:30	02/05/25 14:23	106-43-4	
Benzene	**<17.2**	ug/kg	29.0	17.2	1	02/05/25 08:30	02/05/25 14:23	71-43-2	
Bromobenzene	**<28.3**	ug/kg	72.5	28.3	1	02/05/25 08:30	02/05/25 14:23	108-86-1	
Bromochloromethane	**<19.9**	ug/kg	72.5	19.9	1	02/05/25 08:30	02/05/25 14:23	74-97-5	
Bromodichloromethane	**<17.2**	ug/kg	72.5	17.2	1	02/05/25 08:30	02/05/25 14:23	75-27-4	
Bromoform	**<319**	ug/kg	362	319	1	02/05/25 08:30	02/05/25 14:23	75-25-2	
Bromomethane	**<102**	ug/kg	362	102	1	02/05/25 08:30	02/05/25 14:23	74-83-9	
Carbon tetrachloride	**<15.9**	ug/kg	72.5	15.9	1	02/05/25 08:30	02/05/25 14:23	56-23-5	
Chlorobenzene	**<8.7**	ug/kg	72.5	8.7	1	02/05/25 08:30	02/05/25 14:23	108-90-7	
Chloroethane	**<30.6**	ug/kg	362	30.6	1	02/05/25 08:30	02/05/25 14:23	75-00-3	
Chloroform	**<51.9**	ug/kg	362	51.9	1	02/05/25 08:30	02/05/25 14:23	67-66-3	
Chloromethane	**<27.5**	ug/kg	72.5	27.5	1	02/05/25 08:30	02/05/25 14:23	74-87-3	
Dibromochloromethane	**<248**	ug/kg	362	248	1	02/05/25 08:30	02/05/25 14:23	124-48-1	
Dibromomethane	**<21.4**	ug/kg	72.5	21.4	1	02/05/25 08:30	02/05/25 14:23	74-95-3	
Dichlorodifluoromethane	**<31.2**	ug/kg	72.5	31.2	1	02/05/25 08:30	02/05/25 14:23	75-71-8	
Diisopropyl ether	**<18.0**	ug/kg	72.5	18.0	1	02/05/25 08:30	02/05/25 14:23	108-20-3	
Ethylbenzene	**<17.2**	ug/kg	72.5	17.2	1	02/05/25 08:30	02/05/25 14:23	100-41-4	
Hexachloro-1,3-butadiene	**<144**	ug/kg	362	144	1	02/05/25 08:30	02/05/25 14:23	87-68-3	
Isopropylbenzene (Cumene)	**<19.6**	ug/kg	72.5	19.6	1	02/05/25 08:30	02/05/25 14:23	98-82-8	
Methyl-tert-butyl ether	**<21.3**	ug/kg	72.5	21.3	1	02/05/25 08:30	02/05/25 14:23	1634-04-4	
Methylene Chloride	**<20.1**	ug/kg	72.5	20.1	1	02/05/25 08:30	02/05/25 14:23	75-09-2	
Naphthalene	**<30.5**	ug/kg	362	30.5	1	02/05/25 08:30	02/05/25 14:23	91-20-3	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-SB-20-IDM2 **Lab ID: 40290369004** Collected: 01/29/25 13:20 Received: 02/01/25 08:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Styrene	**<18.6**	ug/kg	72.5	18.6	1	02/05/25 08:30	02/05/25 14:23	100-42-5	
Tetrachloroethene	**<28.1**	ug/kg	72.5	28.1	1	02/05/25 08:30	02/05/25 14:23	127-18-4	
Toluene	**<18.3**	ug/kg	72.5	18.3	1	02/05/25 08:30	02/05/25 14:23	108-88-3	
Trichloroethene	**<27.1**	ug/kg	72.5	27.1	1	02/05/25 08:30	02/05/25 14:23	79-01-6	
Trichlorofluoromethane	**<21.0**	ug/kg	72.5	21.0	1	02/05/25 08:30	02/05/25 14:23	75-69-4	
Vinyl chloride	**<14.6**	ug/kg	72.5	14.6	1	02/05/25 08:30	02/05/25 14:23	75-01-4	
cis-1,2-Dichloroethene	**<15.5**	ug/kg	72.5	15.5	1	02/05/25 08:30	02/05/25 14:23	156-59-2	
cis-1,3-Dichloropropene	**<47.8**	ug/kg	362	47.8	1	02/05/25 08:30	02/05/25 14:23	10061-01-5	
m&p-Xylene	**<30.6**	ug/kg	145	30.6	1	02/05/25 08:30	02/05/25 14:23	179601-23-1	
n-Butylbenzene	**<33.2**	ug/kg	72.5	33.2	1	02/05/25 08:30	02/05/25 14:23	104-51-8	
n-Propylbenzene	**<17.4**	ug/kg	72.5	17.4	1	02/05/25 08:30	02/05/25 14:23	103-65-1	
o-Xylene	**<21.7**	ug/kg	72.5	21.7	1	02/05/25 08:30	02/05/25 14:23	95-47-6	
p-Isopropyltoluene	**<24.6**	ug/kg	72.5	24.6	1	02/05/25 08:30	02/05/25 14:23	99-87-6	
sec-Butylbenzene	**<24.9**	ug/kg	72.5	24.9	1	02/05/25 08:30	02/05/25 14:23	135-98-8	
tert-Butylbenzene	**<22.8**	ug/kg	72.5	22.8	1	02/05/25 08:30	02/05/25 14:23	98-06-6	
trans-1,2-Dichloroethene	**<15.8**	ug/kg	72.5	15.8	1	02/05/25 08:30	02/05/25 14:23	156-60-5	
trans-1,3-Dichloropropene	**<207**	ug/kg	362	207	1	02/05/25 08:30	02/05/25 14:23	10061-02-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	106	%	56-189		1	02/05/25 08:30	02/05/25 14:23	2199-69-1	
4-Bromofluorobenzene (S)	102	%	58-188		1	02/05/25 08:30	02/05/25 14:23	460-00-4	
Toluene-d8 (S)	102	%	70-172		1	02/05/25 08:30	02/05/25 14:23	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-MW-5B **Lab ID: 40290369005** Collected: 01/31/25 10:38 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		02/05/25 18:18	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		02/05/25 18:18	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		02/05/25 18:18	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		02/05/25 18:18	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		02/05/25 18:18	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		02/05/25 18:18	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		02/05/25 18:18	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		02/05/25 18:18	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		02/05/25 18:18	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		02/05/25 18:18	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		02/05/25 18:18	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		02/05/25 18:18	75-00-3	v2
Chloroform	**<0.50**	ug/L	5.0	0.50	1		02/05/25 18:18	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		02/05/25 18:18	74-87-3	v2
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/05/25 18:18	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/05/25 18:18	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		02/05/25 18:18	96-12-8	v2
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		02/05/25 18:18	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		02/05/25 18:18	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		02/05/25 18:18	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		02/05/25 18:18	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		02/05/25 18:18	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		02/05/25 18:18	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		02/05/25 18:18	75-71-8	v2
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/05/25 18:18	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		02/05/25 18:18	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		02/05/25 18:18	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		02/05/25 18:18	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		02/05/25 18:18	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		02/05/25 18:18	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		02/05/25 18:18	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		02/05/25 18:18	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		02/05/25 18:18	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		02/05/25 18:18	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		02/05/25 18:18	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		02/05/25 18:18	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		02/05/25 18:18	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		02/05/25 18:18	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		02/05/25 18:18	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		02/05/25 18:18	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		02/05/25 18:18	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		02/05/25 18:18	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		02/05/25 18:18	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		02/05/25 18:18	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		02/05/25 18:18	100-42-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-MW-5B **Lab ID: 40290369005** Collected: 01/31/25 10:38 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		02/05/25 18:18	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		02/05/25 18:18	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		02/05/25 18:18	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		02/05/25 18:18	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		02/05/25 18:18	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		02/05/25 18:18	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/05/25 18:18	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		02/05/25 18:18	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		02/05/25 18:18	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		02/05/25 18:18	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		02/05/25 18:18	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		02/05/25 18:18	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		02/05/25 18:18	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		02/05/25 18:18	75-01-4	v2
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		02/05/25 18:18	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		02/05/25 18:18	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/05/25 18:18	2199-69-1	
4-Bromofluorobenzene (S)	93	%	70-130		1		02/05/25 18:18	460-00-4	
Toluene-d8 (S)	96	%	70-130		1		02/05/25 18:18	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-MW-7 **Lab ID: 40290369006** Collected: 01/31/25 08:36 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		02/10/25 17:15	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		02/10/25 17:15	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		02/10/25 17:15	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		02/10/25 17:15	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		02/10/25 17:15	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		02/10/25 17:15	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		02/10/25 17:15	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		02/10/25 17:15	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		02/10/25 17:15	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		02/10/25 17:15	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		02/10/25 17:15	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		02/10/25 17:15	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		02/10/25 17:15	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		02/10/25 17:15	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/10/25 17:15	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/10/25 17:15	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		02/10/25 17:15	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		02/10/25 17:15	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		02/10/25 17:15	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		02/10/25 17:15	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		02/10/25 17:15	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		02/10/25 17:15	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		02/10/25 17:15	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		02/10/25 17:15	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/10/25 17:15	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		02/10/25 17:15	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		02/10/25 17:15	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		02/10/25 17:15	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		02/10/25 17:15	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		02/10/25 17:15	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		02/10/25 17:15	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		02/10/25 17:15	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		02/10/25 17:15	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		02/10/25 17:15	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		02/10/25 17:15	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		02/10/25 17:15	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		02/10/25 17:15	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		02/10/25 17:15	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		02/10/25 17:15	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		02/10/25 17:15	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		02/10/25 17:15	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		02/10/25 17:15	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		02/10/25 17:15	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		02/10/25 17:15	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		02/10/25 17:15	100-42-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-MW-7 **Lab ID: 40290369006** Collected: 01/31/25 08:36 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		02/10/25 17:15	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		02/10/25 17:15	79-34-5	
Tetrachloroethene	**5.6**	ug/L	1.0	0.41	1		02/10/25 17:15	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		02/10/25 17:15	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		02/10/25 17:15	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		02/10/25 17:15	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/10/25 17:15	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		02/10/25 17:15	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		02/10/25 17:15	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		02/10/25 17:15	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		02/10/25 17:15	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		02/10/25 17:15	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		02/10/25 17:15	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		02/10/25 17:15	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		02/10/25 17:15	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		02/10/25 17:15	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	89	%	70-130		1		02/10/25 17:15	2199-69-1	
4-Bromofluorobenzene (S)	93	%	70-130		1		02/10/25 17:15	460-00-4	
Toluene-d8 (S)	100	%	70-130		1		02/10/25 17:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-DUP-1 **Lab ID: 40290369007** Collected: 01/31/25 00:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:17	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:17	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:17	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		02/06/25 18:17	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		02/06/25 18:17	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		02/06/25 18:17	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 18:17	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:17	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		02/06/25 18:17	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		02/06/25 18:17	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 18:17	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		02/06/25 18:17	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		02/06/25 18:17	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		02/06/25 18:17	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 18:17	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 18:17	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		02/06/25 18:17	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		02/06/25 18:17	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		02/06/25 18:17	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		02/06/25 18:17	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 18:17	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:17	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		02/06/25 18:17	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		02/06/25 18:17	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:17	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		02/06/25 18:17	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		02/06/25 18:17	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		02/06/25 18:17	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		02/06/25 18:17	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		02/06/25 18:17	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:17	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:17	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		02/06/25 18:17	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		02/06/25 18:17	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		02/06/25 18:17	10061-02-6	v2
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 18:17	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 18:17	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		02/06/25 18:17	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:17	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:17	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		02/06/25 18:17	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 18:17	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		02/06/25 18:17	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:17	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:17	100-42-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-DUP-1 **Lab ID: 40290369007** Collected: 01/31/25 00:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:17	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		02/06/25 18:17	79-34-5	
Tetrachloroethene	**5.8**	ug/L	1.0	0.41	1		02/06/25 18:17	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		02/06/25 18:17	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:17	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		02/06/25 18:17	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:17	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		02/06/25 18:17	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		02/06/25 18:17	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:17	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		02/06/25 18:17	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		02/06/25 18:17	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:17	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		02/06/25 18:17	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		02/06/25 18:17	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:17	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		02/06/25 18:17	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		02/06/25 18:17	460-00-4	
Toluene-d8 (S)	95	%	70-130		1		02/06/25 18:17	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-EB-1 **Lab ID: 40290369008** Collected: 01/31/25 11:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:35	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:35	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:35	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		02/06/25 18:35	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		02/06/25 18:35	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		02/06/25 18:35	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 18:35	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:35	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		02/06/25 18:35	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		02/06/25 18:35	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 18:35	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		02/06/25 18:35	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		02/06/25 18:35	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		02/06/25 18:35	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 18:35	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 18:35	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		02/06/25 18:35	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		02/06/25 18:35	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		02/06/25 18:35	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		02/06/25 18:35	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 18:35	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:35	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		02/06/25 18:35	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		02/06/25 18:35	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:35	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		02/06/25 18:35	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		02/06/25 18:35	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		02/06/25 18:35	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		02/06/25 18:35	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		02/06/25 18:35	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:35	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:35	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		02/06/25 18:35	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		02/06/25 18:35	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		02/06/25 18:35	10061-02-6	v2
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 18:35	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 18:35	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		02/06/25 18:35	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:35	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:35	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		02/06/25 18:35	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 18:35	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		02/06/25 18:35	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:35	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:35	100-42-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: 200009-EB-1 **Lab ID: 40290369008** Collected: 01/31/25 11:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:35	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		02/06/25 18:35	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		02/06/25 18:35	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		02/06/25 18:35	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 18:35	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		02/06/25 18:35	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 18:35	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		02/06/25 18:35	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		02/06/25 18:35	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 18:35	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		02/06/25 18:35	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		02/06/25 18:35	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 18:35	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		02/06/25 18:35	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		02/06/25 18:35	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 18:35	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		02/06/25 18:35	2199-69-1	
4-Bromofluorobenzene (S)	104	%	70-130		1		02/06/25 18:35	460-00-4	
Toluene-d8 (S)	96	%	70-130		1		02/06/25 18:35	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: TRIP BLANK **Lab ID: 40290369009** Collected: 01/31/25 00:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		02/06/25 15:24	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 15:24	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 15:24	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		02/06/25 15:24	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		02/06/25 15:24	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		02/06/25 15:24	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 15:24	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		02/06/25 15:24	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		02/06/25 15:24	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		02/06/25 15:24	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		02/06/25 15:24	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		02/06/25 15:24	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		02/06/25 15:24	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		02/06/25 15:24	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 15:24	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		02/06/25 15:24	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		02/06/25 15:24	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		02/06/25 15:24	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		02/06/25 15:24	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		02/06/25 15:24	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 15:24	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 15:24	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		02/06/25 15:24	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		02/06/25 15:24	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 15:24	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		02/06/25 15:24	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		02/06/25 15:24	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		02/06/25 15:24	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		02/06/25 15:24	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		02/06/25 15:24	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 15:24	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 15:24	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		02/06/25 15:24	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		02/06/25 15:24	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		02/06/25 15:24	10061-02-6	v2
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 15:24	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		02/06/25 15:24	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		02/06/25 15:24	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		02/06/25 15:24	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 15:24	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		02/06/25 15:24	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		02/06/25 15:24	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		02/06/25 15:24	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 15:24	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 15:24	100-42-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Sample: TRIP BLANK **Lab ID: 40290369009** Collected: 01/31/25 00:00 Received: 02/01/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		02/06/25 15:24	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		02/06/25 15:24	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		02/06/25 15:24	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		02/06/25 15:24	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		02/06/25 15:24	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		02/06/25 15:24	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		02/06/25 15:24	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		02/06/25 15:24	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		02/06/25 15:24	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		02/06/25 15:24	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		02/06/25 15:24	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		02/06/25 15:24	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		02/06/25 15:24	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		02/06/25 15:24	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		02/06/25 15:24	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		02/06/25 15:24	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		02/06/25 15:24	2199-69-1	
4-Bromofluorobenzene (S)	104	%	70-130		1		02/06/25 15:24	460-00-4	
Toluene-d8 (S)	96	%	70-130		1		02/06/25 15:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

QC Batch: 496437
QC Batch Method: EPA 5035/5030B
Analysis Method: EPA 8260
Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40290369001, 40290369002, 40290369003, 40290369004

METHOD BLANK: 2837456
Matrix: Solid
Associated Lab Samples: 40290369001, 40290369002, 40290369003, 40290369004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	02/05/25 11:00	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	02/05/25 11:00	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	02/05/25 11:00	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	02/05/25 11:00	
1,1-Dichloroethane	ug/kg	<12.8	50.0	02/05/25 11:00	
1,1-Dichloroethene	ug/kg	<16.6	50.0	02/05/25 11:00	
1,1-Dichloropropene	ug/kg	<16.2	50.0	02/05/25 11:00	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	02/05/25 11:00	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	02/05/25 11:00	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	02/05/25 11:00	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	02/05/25 11:00	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	02/05/25 11:00	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	02/05/25 11:00	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	02/05/25 11:00	
1,2-Dichloroethane	ug/kg	<11.5	50.0	02/05/25 11:00	
1,2-Dichloropropane	ug/kg	<11.9	50.0	02/05/25 11:00	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	02/05/25 11:00	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	02/05/25 11:00	
1,3-Dichloropropane	ug/kg	<10.9	50.0	02/05/25 11:00	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	02/05/25 11:00	
2,2-Dichloropropane	ug/kg	<13.5	50.0	02/05/25 11:00	
2-Chlorotoluene	ug/kg	<16.2	50.0	02/05/25 11:00	
4-Chlorotoluene	ug/kg	<19.0	50.0	02/05/25 11:00	
Benzene	ug/kg	<11.9	20.0	02/05/25 11:00	
Bromobenzene	ug/kg	<19.5	50.0	02/05/25 11:00	
Bromochloromethane	ug/kg	<13.7	50.0	02/05/25 11:00	
Bromodichloromethane	ug/kg	<11.9	50.0	02/05/25 11:00	
Bromoform	ug/kg	<220	250	02/05/25 11:00	
Bromomethane	ug/kg	<70.1	250	02/05/25 11:00	
Carbon tetrachloride	ug/kg	<11.0	50.0	02/05/25 11:00	
Chlorobenzene	ug/kg	<6.0	50.0	02/05/25 11:00	
Chloroethane	ug/kg	<21.1	250	02/05/25 11:00	
Chloroform	ug/kg	<35.8	250	02/05/25 11:00	
Chloromethane	ug/kg	<19.0	50.0	02/05/25 11:00	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	02/05/25 11:00	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	02/05/25 11:00	
Dibromochloromethane	ug/kg	<171	250	02/05/25 11:00	
Dibromomethane	ug/kg	<14.8	50.0	02/05/25 11:00	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	02/05/25 11:00	
Diisopropyl ether	ug/kg	<12.4	50.0	02/05/25 11:00	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

METHOD BLANK: 2837456 Matrix: Solid
Associated Lab Samples: 40290369001, 40290369002, 40290369003, 40290369004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	02/05/25 11:00	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	02/05/25 11:00	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	02/05/25 11:00	
m&p-Xylene	ug/kg	<21.1	100	02/05/25 11:00	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	02/05/25 11:00	
Methylene Chloride	ug/kg	<13.9	50.0	02/05/25 11:00	
n-Butylbenzene	ug/kg	<22.9	50.0	02/05/25 11:00	
n-Propylbenzene	ug/kg	<12.0	50.0	02/05/25 11:00	
Naphthalene	ug/kg	<21.0	250	02/05/25 11:00	
o-Xylene	ug/kg	<15.0	50.0	02/05/25 11:00	
p-Isopropyltoluene	ug/kg	<17.0	50.0	02/05/25 11:00	
sec-Butylbenzene	ug/kg	<17.2	50.0	02/05/25 11:00	
Styrene	ug/kg	<12.8	50.0	02/05/25 11:00	
tert-Butylbenzene	ug/kg	<15.7	50.0	02/05/25 11:00	
Tetrachloroethene	ug/kg	<19.4	50.0	02/05/25 11:00	
Toluene	ug/kg	<12.6	50.0	02/05/25 11:00	
trans-1,2-Dichloroethene	ug/kg	<10.9	50.0	02/05/25 11:00	
trans-1,3-Dichloropropene	ug/kg	<143	250	02/05/25 11:00	
Trichloroethene	ug/kg	<18.7	50.0	02/05/25 11:00	
Trichlorofluoromethane	ug/kg	<14.5	50.0	02/05/25 11:00	
Vinyl chloride	ug/kg	<10.1	50.0	02/05/25 11:00	
1,2-Dichlorobenzene-d4 (S)	%	110	56-189	02/05/25 11:00	
4-Bromofluorobenzene (S)	%	108	58-188	02/05/25 11:00	
Toluene-d8 (S)	%	103	70-172	02/05/25 11:00	

LABORATORY CONTROL SAMPLE: 2837457

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2500	100	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2540	102	68-130	
1,1,2-Trichloroethane	ug/kg	2500	2530	101	70-130	
1,1-Dichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethene	ug/kg	2500	2410	96	70-130	
1,2,4-Trichlorobenzene	ug/kg	2500	2510	101	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2550	102	53-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2680	107	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2550	102	70-130	
1,2-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,2-Dichloropropane	ug/kg	2500	2480	99	70-130	
1,3-Dichlorobenzene	ug/kg	2500	2520	101	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2560	102	70-130	
Benzene	ug/kg	2500	2510	100	70-130	
Bromodichloromethane	ug/kg	2500	2680	107	70-130	
Bromoform	ug/kg	2500	2640	105	59-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

LABORATORY CONTROL SAMPLE: 2837457

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/kg	2500	2550	102	43-154	
Carbon tetrachloride	ug/kg	2500	2520	101	69-130	
Chlorobenzene	ug/kg	2500	2640	105	70-130	
Chloroethane	ug/kg	2500	2490	100	42-160	
Chloroform	ug/kg	2500	2450	98	70-130	
Chloromethane	ug/kg	2500	2890	116	48-137	
cis-1,2-Dichloroethene	ug/kg	2500	2520	101	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2740	110	70-130	
Dibromochloromethane	ug/kg	2500	2540	101	70-130	
Dichlorodifluoromethane	ug/kg	2500	2140	86	13-130	
Ethylbenzene	ug/kg	2500	2600	104	70-130	
Isopropylbenzene (Cumene)	ug/kg	2500	2320	93	70-130	
m&p-Xylene	ug/kg	5000	5240	105	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2590	104	70-130	
Methylene Chloride	ug/kg	2500	2340	94	70-130	
o-Xylene	ug/kg	2500	2630	105	70-130	
Styrene	ug/kg	2500	2810	112	70-141	
Tetrachloroethene	ug/kg	2500	2480	99	70-130	
Toluene	ug/kg	2500	2590	104	70-130	
trans-1,2-Dichloroethene	ug/kg	2500	2460	98	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2640	106	67-130	
Trichloroethene	ug/kg	2500	2440	97	70-130	
Trichlorofluoromethane	ug/kg	2500	2390	96	60-130	
Vinyl chloride	ug/kg	2500	2520	101	51-130	
1,2-Dichlorobenzene-d4 (S)	%			113	56-189	
4-Bromofluorobenzene (S)	%			115	58-188	
Toluene-d8 (S)	%			108	70-172	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

QC Batch: 496239
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40290369005

METHOD BLANK: 2836656
Matrix: Water
Associated Lab Samples: 40290369005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/05/25 11:20	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/05/25 11:20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/05/25 11:20	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	02/05/25 11:20	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/05/25 11:20	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/05/25 11:20	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/05/25 11:20	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/05/25 11:20	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	02/05/25 11:20	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/05/25 11:20	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/05/25 11:20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	02/05/25 11:20	v2
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/05/25 11:20	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/05/25 11:20	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/05/25 11:20	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/05/25 11:20	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/05/25 11:20	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/05/25 11:20	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/05/25 11:20	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/05/25 11:20	
2,2-Dichloropropane	ug/L	<0.42	1.0	02/05/25 11:20	
2-Chlorotoluene	ug/L	<0.89	5.0	02/05/25 11:20	
4-Chlorotoluene	ug/L	<0.89	5.0	02/05/25 11:20	
Benzene	ug/L	<0.30	1.0	02/05/25 11:20	
Bromobenzene	ug/L	<0.36	1.0	02/05/25 11:20	
Bromochloromethane	ug/L	<0.36	1.0	02/05/25 11:20	
Bromodichloromethane	ug/L	<0.21	1.0	02/05/25 11:20	
Bromoform	ug/L	<0.43	1.0	02/05/25 11:20	
Bromomethane	ug/L	<1.2	5.0	02/05/25 11:20	
Carbon tetrachloride	ug/L	<0.37	1.0	02/05/25 11:20	
Chlorobenzene	ug/L	<0.86	1.0	02/05/25 11:20	
Chloroethane	ug/L	<1.4	5.0	02/05/25 11:20	v2
Chloroform	ug/L	<0.50	5.0	02/05/25 11:20	
Chloromethane	ug/L	<1.6	5.0	02/05/25 11:20	v2
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/05/25 11:20	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	02/05/25 11:20	
Dibromochloromethane	ug/L	<2.6	5.0	02/05/25 11:20	
Dibromomethane	ug/L	<0.99	5.0	02/05/25 11:20	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/05/25 11:20	v2
Diisopropyl ether	ug/L	<1.1	5.0	02/05/25 11:20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

METHOD BLANK: 2836656 Matrix: Water
Associated Lab Samples: 40290369005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	02/05/25 11:20	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/05/25 11:20	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/05/25 11:20	
m&p-Xylene	ug/L	<0.70	2.0	02/05/25 11:20	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/05/25 11:20	
Methylene Chloride	ug/L	<0.32	5.0	02/05/25 11:20	
n-Butylbenzene	ug/L	<0.86	1.0	02/05/25 11:20	
n-Propylbenzene	ug/L	<0.35	1.0	02/05/25 11:20	
Naphthalene	ug/L	<1.9	5.0	02/05/25 11:20	
o-Xylene	ug/L	<0.35	1.0	02/05/25 11:20	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/05/25 11:20	
sec-Butylbenzene	ug/L	<0.42	1.0	02/05/25 11:20	
Styrene	ug/L	<0.36	1.0	02/05/25 11:20	
tert-Butylbenzene	ug/L	<0.59	1.0	02/05/25 11:20	
Tetrachloroethene	ug/L	<0.41	1.0	02/05/25 11:20	
Toluene	ug/L	<0.29	1.0	02/05/25 11:20	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/05/25 11:20	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	02/05/25 11:20	
Trichloroethene	ug/L	<0.32	1.0	02/05/25 11:20	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/05/25 11:20	
Vinyl chloride	ug/L	<0.17	1.0	02/05/25 11:20	v2
1,2-Dichlorobenzene-d4 (S)	%	94	70-130	02/05/25 11:20	
4-Bromofluorobenzene (S)	%	91	70-130	02/05/25 11:20	
Toluene-d8 (S)	%	99	70-130	02/05/25 11:20	

LABORATORY CONTROL SAMPLE: 2836657

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.4	99	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	42.6	85	70-130	
1,1,2-Trichloroethane	ug/L	50	46.7	93	70-130	
1,1-Dichloroethane	ug/L	50	42.6	85	70-130	
1,1-Dichloroethene	ug/L	50	42.9	86	66-130	
1,2,4-Trichlorobenzene	ug/L	50	39.4	79	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.3	83	66-130	v3
1,2-Dibromoethane (EDB)	ug/L	50	49.0	98	70-130	
1,2-Dichlorobenzene	ug/L	50	43.1	86	70-130	
1,2-Dichloroethane	ug/L	50	46.4	93	70-130	
1,2-Dichloropropane	ug/L	50	44.6	89	70-130	
1,3-Dichlorobenzene	ug/L	50	44.5	89	70-130	
1,4-Dichlorobenzene	ug/L	50	46.1	92	70-130	
Benzene	ug/L	50	45.6	91	70-130	
Bromodichloromethane	ug/L	50	48.5	97	70-130	
Bromoform	ug/L	50	49.0	98	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

LABORATORY CONTROL SAMPLE: 2836657

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	36.6	73	40-157	
Carbon tetrachloride	ug/L	50	52.9	106	70-139	
Chlorobenzene	ug/L	50	45.9	92	70-130	
Chloroethane	ug/L	50	43.5	87	61-145	v3
Chloroform	ug/L	50	47.1	94	70-130	
Chloromethane	ug/L	50	43.2	86	22-163	v3
cis-1,2-Dichloroethene	ug/L	50	41.8	84	70-130	
cis-1,3-Dichloropropene	ug/L	50	47.5	95	70-130	
Dibromochloromethane	ug/L	50	50.3	101	70-130	
Dichlorodifluoromethane	ug/L	50	37.3	75	10-185	v3
Ethylbenzene	ug/L	50	46.1	92	70-130	
Isopropylbenzene (Cumene)	ug/L	50	47.5	95	70-134	
m&p-Xylene	ug/L	100	94.3	94	70-130	
Methyl-tert-butyl ether	ug/L	50	42.8	86	62-130	
Methylene Chloride	ug/L	50	43.0	86	70-130	
o-Xylene	ug/L	50	46.6	93	70-130	
Styrene	ug/L	50	48.4	97	70-130	
Tetrachloroethene	ug/L	50	48.4	97	70-130	
Toluene	ug/L	50	45.7	91	70-130	
trans-1,2-Dichloroethene	ug/L	50	44.2	88	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.1	96	70-130	
Trichloroethene	ug/L	50	46.0	92	70-130	
Trichlorofluoromethane	ug/L	50	47.7	95	70-149	
Vinyl chloride	ug/L	50	43.2	86	37-145	v3
1,2-Dichlorobenzene-d4 (S)	%			94	70-130	
4-Bromofluorobenzene (S)	%			90	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2837519 2837520

Parameter	Units	40290262029 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	52.8	53.3	106	107	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	45.7	47.0	91	94	70-130	3	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.2	49.9	102	100	70-130	3	20	
1,1-Dichloroethane	ug/L	0.95J	50	50	45.7	47.5	89	93	70-130	4	20	
1,1-Dichloroethene	ug/L	0.79J	50	50	44.8	47.2	88	93	65-131	5	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	42.8	45.2	86	90	63-130	5	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	43.9	43.5	88	87	65-130	1	20	v3
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	53.9	52.4	108	105	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	47.8	49.0	96	98	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	47.3	50.5	95	101	70-131	6	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	48.5	48.4	97	97	70-130	0	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	49.4	50.3	99	101	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2837519 2837520

Parameter	Units	40290262029 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.0	50.1	98	100	70-130	2	20	
Benzene	ug/L	<0.30	50	50	49.7	50.4	99	101	70-130	1	20	
Bromodichloromethane	ug/L	<0.21	50	50	51.4	52.5	103	105	70-130	2	20	
Bromoform	ug/L	<0.43	50	50	54.4	53.2	109	106	61-130	2	20	
Bromomethane	ug/L	<1.2	50	50	45.2	48.9	90	98	40-170	8	20	
Carbon tetrachloride	ug/L	<0.37	50	50	57.5	58.1	115	116	70-141	1	20	
Chlorobenzene	ug/L	<0.86	50	50	52.2	51.1	104	102	70-130	2	20	
Chloroethane	ug/L	<1.4	50	50	46.2	45.7	92	91	59-148	1	20	v3
Chloroform	ug/L	<0.50	50	50	47.9	49.8	96	100	70-130	4	20	
Chloromethane	ug/L	<1.6	50	50	44.6	47.9	89	96	19-170	7	20	v3
cis-1,2-Dichloroethene	ug/L	199	50	50	237	260	77	123	70-130	9	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	52.1	52.4	104	105	70-130	0	20	
Dibromochloromethane	ug/L	<2.6	50	50	56.5	54.6	113	109	70-130	3	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	39.9	40.1	80	80	10-190	1	20	v3
Ethylbenzene	ug/L	<0.33	50	50	51.0	50.7	102	101	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.5	52.5	107	105	70-137	2	20	
m&p-Xylene	ug/L	<0.70	100	100	105	106	105	106	70-130	0	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	43.7	45.5	87	91	62-130	4	20	
Methylene Chloride	ug/L	<0.32	50	50	46.9	46.1	94	92	70-133	2	20	
o-Xylene	ug/L	<0.35	50	50	52.8	50.9	106	102	70-130	4	20	
Styrene	ug/L	<0.36	50	50	54.2	54.4	108	109	70-130	0	20	
Tetrachloroethene	ug/L	1.1	50	50	53.7	53.9	105	106	70-130	0	20	
Toluene	ug/L	<0.29	50	50	49.5	50.5	99	101	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	3.5	50	50	50.6	52.1	94	97	70-133	3	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	54.3	53.4	109	107	68-130	2	20	
Trichloroethene	ug/L	1.0	50	50	52.6	52.3	103	103	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	49.8	51.6	100	103	65-153	4	20	
Vinyl chloride	ug/L	1.9	50	50	49.8	50.8	96	98	37-150	2	20	v3
1,2-Dichlorobenzene-d4 (S)	%						94	96	70-130			
4-Bromofluorobenzene (S)	%						89	91	70-130			
Toluene-d8 (S)	%						100	97	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

QC Batch: 496480
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40290369006

METHOD BLANK: 2837743
Matrix: Water
Associated Lab Samples: 40290369006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/10/25 12:17	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/10/25 12:17	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/10/25 12:17	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	02/10/25 12:17	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/10/25 12:17	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/10/25 12:17	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/10/25 12:17	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/10/25 12:17	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	02/10/25 12:17	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/10/25 12:17	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/10/25 12:17	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	02/10/25 12:17	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/10/25 12:17	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/10/25 12:17	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/10/25 12:17	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/10/25 12:17	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/10/25 12:17	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/10/25 12:17	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/10/25 12:17	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/10/25 12:17	
2,2-Dichloropropane	ug/L	<0.42	1.0	02/10/25 12:17	
2-Chlorotoluene	ug/L	<0.89	5.0	02/10/25 12:17	
4-Chlorotoluene	ug/L	<0.89	5.0	02/10/25 12:17	
Benzene	ug/L	<0.30	1.0	02/10/25 12:17	
Bromobenzene	ug/L	<0.36	1.0	02/10/25 12:17	
Bromochloromethane	ug/L	<0.36	1.0	02/10/25 12:17	
Bromodichloromethane	ug/L	<0.21	1.0	02/10/25 12:17	
Bromoform	ug/L	<0.43	1.0	02/10/25 12:17	
Bromomethane	ug/L	<1.2	5.0	02/10/25 12:17	
Carbon tetrachloride	ug/L	<0.37	1.0	02/10/25 12:17	
Chlorobenzene	ug/L	<0.86	1.0	02/10/25 12:17	
Chloroethane	ug/L	<1.4	5.0	02/10/25 12:17	
Chloroform	ug/L	<0.50	5.0	02/10/25 12:17	
Chloromethane	ug/L	<1.6	5.0	02/10/25 12:17	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/10/25 12:17	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	02/10/25 12:17	
Dibromochloromethane	ug/L	<2.6	5.0	02/10/25 12:17	
Dibromomethane	ug/L	<0.99	5.0	02/10/25 12:17	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/10/25 12:17	
Diisopropyl ether	ug/L	<1.1	5.0	02/10/25 12:17	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

METHOD BLANK: 2837743 Matrix: Water
Associated Lab Samples: 40290369006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	02/10/25 12:17	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/10/25 12:17	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/10/25 12:17	
m&p-Xylene	ug/L	<0.70	2.0	02/10/25 12:17	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/10/25 12:17	
Methylene Chloride	ug/L	<0.32	5.0	02/10/25 12:17	
n-Butylbenzene	ug/L	<0.86	1.0	02/10/25 12:17	
n-Propylbenzene	ug/L	<0.35	1.0	02/10/25 12:17	
Naphthalene	ug/L	<1.9	5.0	02/10/25 12:17	
o-Xylene	ug/L	<0.35	1.0	02/10/25 12:17	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/10/25 12:17	
sec-Butylbenzene	ug/L	<0.42	1.0	02/10/25 12:17	
Styrene	ug/L	<0.36	1.0	02/10/25 12:17	
tert-Butylbenzene	ug/L	<0.59	1.0	02/10/25 12:17	
Tetrachloroethene	ug/L	<0.41	1.0	02/10/25 12:17	
Toluene	ug/L	<0.29	1.0	02/10/25 12:17	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/10/25 12:17	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	02/10/25 12:17	
Trichloroethene	ug/L	<0.32	1.0	02/10/25 12:17	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/10/25 12:17	
Vinyl chloride	ug/L	<0.17	1.0	02/10/25 12:17	
1,2-Dichlorobenzene-d4 (S)	%	87	70-130	02/10/25 12:17	
4-Bromofluorobenzene (S)	%	96	70-130	02/10/25 12:17	
Toluene-d8 (S)	%	99	70-130	02/10/25 12:17	

LABORATORY CONTROL SAMPLE: 2837744

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.3	97	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	42.1	84	70-130	
1,1,2-Trichloroethane	ug/L	50	44.0	88	70-130	
1,1-Dichloroethane	ug/L	50	47.4	95	70-130	
1,1-Dichloroethene	ug/L	50	55.7	111	66-130	
1,2,4-Trichlorobenzene	ug/L	50	48.2	96	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	36.9	74	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	43.4	87	70-130	
1,2-Dichlorobenzene	ug/L	50	46.2	92	70-130	
1,2-Dichloroethane	ug/L	50	43.7	87	70-130	
1,2-Dichloropropane	ug/L	50	46.1	92	70-130	
1,3-Dichlorobenzene	ug/L	50	49.6	99	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	
Benzene	ug/L	50	47.7	95	70-130	
Bromodichloromethane	ug/L	50	47.3	95	70-130	
Bromoform	ug/L	50	42.9	86	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

LABORATORY CONTROL SAMPLE: 2837744

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	64.1	128	40-157	
Carbon tetrachloride	ug/L	50	48.1	96	70-139	
Chlorobenzene	ug/L	50	46.8	94	70-130	
Chloroethane	ug/L	50	58.5	117	61-145	
Chloroform	ug/L	50	45.1	90	70-130	
Chloromethane	ug/L	50	66.5	133	22-163	
cis-1,2-Dichloroethene	ug/L	50	45.6	91	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.5	93	70-130	
Dibromochloromethane	ug/L	50	43.8	88	70-130	
Dichlorodifluoromethane	ug/L	50	58.6	117	10-185	
Ethylbenzene	ug/L	50	48.1	96	70-130	
Isopropylbenzene (Cumene)	ug/L	50	52.1	104	70-134	
m&p-Xylene	ug/L	100	95.9	96	70-130	
Methyl-tert-butyl ether	ug/L	50	40.0	80	62-130	
Methylene Chloride	ug/L	50	49.4	99	70-130	
o-Xylene	ug/L	50	44.4	89	70-130	
Styrene	ug/L	50	48.3	97	70-130	
Tetrachloroethene	ug/L	50	51.3	103	70-130	
Toluene	ug/L	50	46.4	93	70-130	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	70-130	
trans-1,3-Dichloropropene	ug/L	50	42.7	85	70-130	
Trichloroethene	ug/L	50	49.7	99	70-130	
Trichlorofluoromethane	ug/L	50	61.0	122	70-149	
Vinyl chloride	ug/L	50	61.7	123	37-145	
1,2-Dichlorobenzene-d4 (S)	%			90	70-130	
4-Bromofluorobenzene (S)	%			95	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2838343 2838344

Parameter	Units	40290566007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	48.6	49.6	97	99	70-136	2	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	43.2	41.1	86	82	70-130	5	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	45.6	43.6	91	87	70-130	4	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	47.4	49.9	95	100	70-130	5	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	55.5	58.8	111	118	65-131	6	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	48.5	46.0	97	92	63-130	5	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	38.2	39.7	76	79	65-130	4	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.1	43.0	90	86	70-130	5	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	46.3	47.3	93	95	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	44.0	43.7	88	87	70-131	1	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	47.7	49.6	95	99	70-130	4	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	49.5	48.8	99	98	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2838343 2838344

Parameter	Units	40290566007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.8	50.4	102	101	70-130	1	20	
Benzene	ug/L	<0.30	50	50	48.8	49.0	98	98	70-130	0	20	
Bromodichloromethane	ug/L	<0.21	50	50	47.8	48.9	96	98	70-130	2	20	
Bromoform	ug/L	<0.43	50	50	43.9	41.7	88	83	61-130	5	20	
Bromomethane	ug/L	<1.2	50	50	67.1	72.8	134	146	40-170	8	20	
Carbon tetrachloride	ug/L	<0.37	50	50	48.9	51.9	98	104	70-141	6	20	
Chlorobenzene	ug/L	<0.86	50	50	47.6	46.2	95	92	70-130	3	20	
Chloroethane	ug/L	<1.4	50	50	62.0	66.8	124	134	59-148	7	20	
Chloroform	ug/L	<0.50	50	50	46.7	48.2	93	96	70-130	3	20	
Chloromethane	ug/L	<1.6	50	50	68.2	67.2	136	134	19-170	1	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	45.8	47.2	92	94	70-130	3	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	48.2	47.7	96	95	70-130	1	20	
Dibromochloromethane	ug/L	<2.6	50	50	46.1	44.3	92	89	70-130	4	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	58.3	60.8	117	122	10-190	4	20	
Ethylbenzene	ug/L	<0.33	50	50	48.8	49.3	98	99	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.0	52.2	104	104	70-137	0	20	
m&p-Xylene	ug/L	<0.70	100	100	99.6	97.7	100	98	70-130	2	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	42.7	41.6	85	83	62-130	3	20	
Methylene Chloride	ug/L	<0.32	50	50	51.0	51.8	102	104	70-133	2	20	
o-Xylene	ug/L	<0.35	50	50	46.2	46.0	92	92	70-130	0	20	
Styrene	ug/L	<0.36	50	50	50.0	49.5	100	99	70-130	1	20	
Tetrachloroethene	ug/L	<0.41	50	50	51.6	50.1	103	100	70-130	3	20	
Toluene	ug/L	<0.29	50	50	47.3	46.9	95	94	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	48.3	50.1	97	100	70-133	4	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	44.2	43.0	88	86	68-130	3	20	
Trichloroethene	ug/L	<0.32	50	50	49.5	51.5	99	103	70-130	4	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	59.8	64.4	120	129	65-153	7	20	
Vinyl chloride	ug/L	<0.17	50	50	62.8	61.9	126	124	37-150	1	20	
1,2-Dichlorobenzene-d4 (S)	%						89	90	70-130			
4-Bromofluorobenzene (S)	%						94	92	70-130			
Toluene-d8 (S)	%						96	95	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

QC Batch: 496537
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40290369007, 40290369008, 40290369009

METHOD BLANK: 2838100
Matrix: Water
Associated Lab Samples: 40290369007, 40290369008, 40290369009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	02/06/25 12:13	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	02/06/25 12:13	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/06/25 12:13	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	02/06/25 12:13	
1,1-Dichloroethane	ug/L	<0.30	1.0	02/06/25 12:13	
1,1-Dichloroethene	ug/L	<0.58	1.0	02/06/25 12:13	
1,1-Dichloropropene	ug/L	<0.41	1.0	02/06/25 12:13	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	02/06/25 12:13	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	02/06/25 12:13	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	02/06/25 12:13	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	02/06/25 12:13	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	02/06/25 12:13	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	02/06/25 12:13	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	02/06/25 12:13	
1,2-Dichloroethane	ug/L	<0.29	1.0	02/06/25 12:13	
1,2-Dichloropropane	ug/L	<0.45	1.0	02/06/25 12:13	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	02/06/25 12:13	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	02/06/25 12:13	
1,3-Dichloropropane	ug/L	<0.30	1.0	02/06/25 12:13	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	02/06/25 12:13	
2,2-Dichloropropane	ug/L	<0.42	1.0	02/06/25 12:13	
2-Chlorotoluene	ug/L	<0.89	5.0	02/06/25 12:13	
4-Chlorotoluene	ug/L	<0.89	5.0	02/06/25 12:13	
Benzene	ug/L	<0.30	1.0	02/06/25 12:13	
Bromobenzene	ug/L	<0.36	1.0	02/06/25 12:13	
Bromochloromethane	ug/L	<0.36	1.0	02/06/25 12:13	
Bromodichloromethane	ug/L	<0.21	1.0	02/06/25 12:13	
Bromoform	ug/L	<0.43	1.0	02/06/25 12:13	
Bromomethane	ug/L	<1.2	5.0	02/06/25 12:13	
Carbon tetrachloride	ug/L	<0.37	1.0	02/06/25 12:13	
Chlorobenzene	ug/L	<0.86	1.0	02/06/25 12:13	
Chloroethane	ug/L	<1.4	5.0	02/06/25 12:13	
Chloroform	ug/L	<0.50	5.0	02/06/25 12:13	
Chloromethane	ug/L	<1.6	5.0	02/06/25 12:13	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	02/06/25 12:13	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	02/06/25 12:13	
Dibromochloromethane	ug/L	<2.6	5.0	02/06/25 12:13	
Dibromomethane	ug/L	<0.99	5.0	02/06/25 12:13	
Dichlorodifluoromethane	ug/L	<0.46	5.0	02/06/25 12:13	
Diisopropyl ether	ug/L	<1.1	5.0	02/06/25 12:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

METHOD BLANK: 2838100 Matrix: Water
Associated Lab Samples: 40290369007, 40290369008, 40290369009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	02/06/25 12:13	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	02/06/25 12:13	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	02/06/25 12:13	
m&p-Xylene	ug/L	<0.70	2.0	02/06/25 12:13	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	02/06/25 12:13	
Methylene Chloride	ug/L	<0.32	5.0	02/06/25 12:13	
n-Butylbenzene	ug/L	<0.86	1.0	02/06/25 12:13	
n-Propylbenzene	ug/L	<0.35	1.0	02/06/25 12:13	
Naphthalene	ug/L	<1.9	5.0	02/06/25 12:13	
o-Xylene	ug/L	<0.35	1.0	02/06/25 12:13	
p-Isopropyltoluene	ug/L	<1.0	5.0	02/06/25 12:13	
sec-Butylbenzene	ug/L	<0.42	1.0	02/06/25 12:13	
Styrene	ug/L	<0.36	1.0	02/06/25 12:13	
tert-Butylbenzene	ug/L	<0.59	1.0	02/06/25 12:13	
Tetrachloroethene	ug/L	<0.41	1.0	02/06/25 12:13	
Toluene	ug/L	<0.29	1.0	02/06/25 12:13	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	02/06/25 12:13	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	02/06/25 12:13	v2
Trichloroethene	ug/L	<0.32	1.0	02/06/25 12:13	
Trichlorofluoromethane	ug/L	<0.42	1.0	02/06/25 12:13	
Vinyl chloride	ug/L	<0.17	1.0	02/06/25 12:13	
1,2-Dichlorobenzene-d4 (S)	%	104	70-130	02/06/25 12:13	
4-Bromofluorobenzene (S)	%	104	70-130	02/06/25 12:13	
Toluene-d8 (S)	%	96	70-130	02/06/25 12:13	

LABORATORY CONTROL SAMPLE: 2838101

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.6	113	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	52.9	106	70-130	
1,1,2-Trichloroethane	ug/L	50	50.5	101	70-130	
1,1-Dichloroethane	ug/L	50	42.6	85	70-130	
1,1-Dichloroethene	ug/L	50	37.9	76	66-130	
1,2,4-Trichlorobenzene	ug/L	50	43.2	86	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.8	92	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	52.4	105	70-130	
1,2-Dichlorobenzene	ug/L	50	50.2	100	70-130	
1,2-Dichloroethane	ug/L	50	53.9	108	70-130	
1,2-Dichloropropane	ug/L	50	46.4	93	70-130	
1,3-Dichlorobenzene	ug/L	50	50.9	102	70-130	
1,4-Dichlorobenzene	ug/L	50	51.3	103	70-130	
Benzene	ug/L	50	46.6	93	70-130	
Bromodichloromethane	ug/L	50	58.1	116	70-130	
Bromoform	ug/L	50	55.0	110	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

LABORATORY CONTROL SAMPLE: 2838101

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	29.0	58	40-157	
Carbon tetrachloride	ug/L	50	63.8	128	70-139	
Chlorobenzene	ug/L	50	52.2	104	70-130	
Chloroethane	ug/L	50	31.5	63	61-145	
Chloroform	ug/L	50	51.7	103	70-130	
Chloromethane	ug/L	50	41.1	82	22-163	
cis-1,2-Dichloroethene	ug/L	50	47.4	95	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.3	101	70-130	
Dibromochloromethane	ug/L	50	52.2	104	70-130	
Dichlorodifluoromethane	ug/L	50	30.8	62	10-185	
Ethylbenzene	ug/L	50	51.5	103	70-130	
Isopropylbenzene (Cumene)	ug/L	50	55.4	111	70-134	
m&p-Xylene	ug/L	100	106	106	70-130	
Methyl-tert-butyl ether	ug/L	50	45.3	91	62-130	
Methylene Chloride	ug/L	50	39.0	78	70-130	
o-Xylene	ug/L	50	52.0	104	70-130	
Styrene	ug/L	50	54.3	109	70-130	
Tetrachloroethene	ug/L	50	52.2	104	70-130	
Toluene	ug/L	50	44.5	89	70-130	
trans-1,2-Dichloroethene	ug/L	50	46.9	94	70-130	
trans-1,3-Dichloropropene	ug/L	50	42.3	85	70-130	v3
Trichloroethene	ug/L	50	53.9	108	70-130	
Trichlorofluoromethane	ug/L	50	50.7	101	70-149	
Vinyl chloride	ug/L	50	41.0	82	37-145	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			85	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2838215 2838216

Parameter	Units	40290383006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	55.4	57.1	111	114	70-136	3	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	55.9	54.8	112	110	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.0	51.6	102	103	70-130	1	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	48.8	27.8	98	56	70-130	55	20	M1,R1
1,1-Dichloroethene	ug/L	<0.58	50	50	34.3	27.2	69	54	65-131	23	20	M1,R1
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	44.1	45.2	88	90	63-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	51.3	50.1	103	100	65-130	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	55.0	55.4	110	111	70-130	1	20	
1,2-Dichlorobenzene	ug/L	0.80J	50	50	52.5	53.9	103	106	70-130	3	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	53.3	54.4	107	109	70-131	2	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50.5	52.0	101	104	70-130	3	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.5	53.7	103	107	70-130	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2838215 2838216

Parameter	Units	40290383006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.8	54.5	106	109	70-130	3	20	
Benzene	ug/L	<0.30	50	50	51.1	53.0	102	106	70-130	4	20	
Bromodichloromethane	ug/L	<0.21	50	50	54.3	56.6	109	113	70-130	4	20	
Bromoform	ug/L	<0.43	50	50	56.5	56.6	113	113	61-130	0	20	
Bromomethane	ug/L	<1.2	50	50	29.9	27.6	60	55	40-170	8	20	
Carbon tetrachloride	ug/L	<0.37	50	50	59.1	61.0	118	122	70-141	3	20	
Chlorobenzene	ug/L	<0.86	50	50	54.0	55.6	108	111	70-130	3	20	
Chloroethane	ug/L	<1.4	50	50	31.0	27.4	62	55	59-148	12	20	M1
Chloroform	ug/L	<0.50	50	50	52.8	54.8	106	110	70-130	4	20	
Chloromethane	ug/L	<1.6	50	50	23.6	35.0	47	70	19-170	39	20	R1
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	50.1	51.4	100	103	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	49.3	51.6	99	103	70-130	4	20	
Dibromochloromethane	ug/L	<2.6	50	50	54.3	54.6	109	109	70-130	1	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	20.6	24.4	41	49	10-190	17	20	
Ethylbenzene	ug/L	<0.33	50	50	52.5	53.6	105	107	70-130	2	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	57.0	58.3	114	117	70-137	2	20	
m&p-Xylene	ug/L	<0.70	100	100	108	111	108	111	70-130	3	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.3	31.9	103	64	62-130	47	20	R1
Methylene Chloride	ug/L	<0.32	50	50	42.7	27.9	85	56	70-133	42	20	M1,R1
o-Xylene	ug/L	<0.35	50	50	53.7	54.4	107	109	70-130	1	20	
Styrene	ug/L	<0.36	50	50	55.0	57.0	110	114	70-130	4	20	
Tetrachloroethene	ug/L	<0.41	50	50	52.8	54.8	106	110	70-130	4	20	
Toluene	ug/L	<0.29	50	50	51.6	52.8	103	106	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	54.0	32.7	108	65	70-133	49	20	M1,R1
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	44.6	45.7	89	91	68-130	2	20	v3
Trichloroethene	ug/L	<0.32	50	50	54.0	55.7	108	111	70-130	3	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	44.0	44.6	88	89	65-153	2	20	
Vinyl chloride	ug/L	<0.17	50	50	29.0	32.1	58	64	37-150	10	20	
1,2-Dichlorobenzene-d4 (S)	%						99	100	70-130			
4-Bromofluorobenzene (S)	%						103	105	70-130			
Toluene-d8 (S)	%						98	98	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALIFIERS

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.
v2	The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.
v3	The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200009-OHM SUMMIT
Pace Project No.: 40290369

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40290369001	**200009-SB-19-IDM1**	EPA 5035/5030B	496437	EPA 8260	496442
40290369002	**200009-SB-19-IDM2**	EPA 5035/5030B	496437	EPA 8260	496442
40290369003	**200009-SB-20-IDM1**	EPA 5035/5030B	496437	EPA 8260	496442
40290369004	**200009-SB-20-IDM2**	EPA 5035/5030B	496437	EPA 8260	496442
40290369005	**200009-MW-5B**	EPA 8260	496239		
40290369006	**200009-MW-7**	EPA 8260	496480		
40290369007	**200009-DUP-1**	EPA 8260	496537		
40290369008	**200009-EB-1**	EPA 8260	496537		
40290369009	**TRIP BLANK**	EPA 8260	496537		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical®

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevent fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here: 40290369

ALL SHADED AREAS are for LAB USE ONLY

Company: EnviroForensics

Billing Information: 825 N. Capitol Ave Indianapolis, IN 46204

Address: 825 N. Capitol Ave Indianapolis, IN

Report To: N. Morris / R. Hiverman

Email To: accountspayable@enviroforensics.com

Copy To:

Site Collection Info/Address:

Customer Project Name/Number: 200009-OHM Summit

State: WI County/City: Oconomowoc Time Zone Collected: [ ] PT [ ] MT [X] CT [ ] ET

Phone: nmorris@enviroforensics.com
Email: rhoverman@enviroforensics.com

Site/Facility ID #:

Compliance Monitoring? [ ] Yes [ ] No

Collected By (print): A. Wittkoski

Purchase Order #: 2025-0016
Quote #:

DW PWS ID #:
DW Location Code:

Collected By (signature): A Wittkoski

Turnaround Date Required:

Immediately Packed on Ice: [X] Yes [ ] No

Sample Disposal: [ ] Dispose as appropriate [ ] Return [ ] Archive: _____ [ ] Hold: _____

Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [ ] 5 Day (Expedite Charges Apply)

Field Filtered (if applicable): [ ] Yes [X] No
Analysis: _____

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Container Preservative Type **: 3 | 6

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other _____

Lab Project Manager:

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact	Y N NA
Custody Signatures Present	Y N NA
Collector Signature Present	Y N NA
Bottles Intact	Y N NA
Correct Bottles	Y N NA
Sufficient Volume	Y N NA
Samples Received on Ice	Y N NA
VOA - Headspace Acceptable	Y N NA
USDA Regulated Soils	Y N NA
Samples in Holding Time	Y N NA
Residual Chlorine Present	Y N NA
Cl Strips: _____	
Sample pH Acceptable	Y N NA
pH Strips: _____	
Sulfide Present	Y N NA
Lead Acetate Strips: _____	

LAB USE ONLY:
Lab Sample # / Comments:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Collected (or Composite Start) Time	Composite End Date	Composite End Time	Res Cl	# of Ctns	VOCs 8260	VOCs 8260								Lab Sample # / Comments
200009-SB-19-1DM1	SL	G	1/29/25	1800				2		X								001
200009-SB-19-1DM2	SL	G	1/29/25	1035				2		X								002
200009-SB-20-1DM1	SL	G	1/29/25	1200				2		X								003
200009-SB-20-1DM2	SL	G	1/29/25	1320				2		X								004
200009-MW-5B	GW	G	1/31/25	1038				3	X									005
200009-MW-7	GW	G	1/31/25	0836				3	X									006
200009-DUP-1	GW	G	1/31/25	—				3	X									007
200009-EB-1	W	G	1/31/25	1100				3	X									008
Trip Blank	W	G	Lab Provided					2	X									009

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2946130

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:
Temp Blank Received: Y N NA
Therm ID#: _____
Cooler 1 Temp Upon Receipt: _____oC
Cooler 1 Therm Corr. Factor: _____oC
Cooler 1 Corrected Temp: _____oC
Comments:

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Abigail Wittkoski		CSLog / 14 Larson	1/31 12:16pm
Relinquished by/Company: (Signature)	Date/Time: 0845 2/1/25	Received by/Company: (Signature)	Date/Time: 0845 2/1/25
CS Logistics		Kes Staub-Pace	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:
PM:
PB:

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Non Conformance(s): YES / NO

DC#_Title: ENV-FRM-GBAY-0035 v03_Sample Preservation Receipt Form
Effective Date: 8/16/2022

Sample Preservation Receipt Form

Client Name: Enviroforensics

Project # 40290369

All containers needing preservation have been checked and noted below: ☐Yes ☐No ☑N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/ Time:

Pace Lab #	Glass							Plastic						Vials						Jars				General				VOA Vials (>6mm)*	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2							
001																		U																2.5 / 5
002																		U																2.5 / 5
003																		U																2.5 / 5
004																		U																2.5 / 5
005																	U																	2.5 / 5
006																	U																	2.5 / 5
007																	U																	2.5 / 5
008																	U																	2.5 / 5
009																	U											1						2.5 / 5
010																																		2.5 / 5
011																																		2.5 / 5
012																																		2.5 / 5
013																																		2.5 / 5
014																																		2.5 / 5
015																																		2.5 / 5
016																																		2.5 / 5
017																																		2.5 / 5
018																																		2.5 / 5
019																																		2.5 / 5
020															2/1/25				KKS															2.5 / 5

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm): ☑Yes ☐No ☐N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO#: 40290369

40290369

Client Name: Enviroforensics

Courier: ☑ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Waltco ☐ Client ☐ Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR - 9 **Type of Ice:** (Wet) Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 0.0 /Corr: 0.5

Temp Blank Present: ☑ yes ☐ no **Biological Tissue is Frozen:** ☐ yes ☐ no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
Date: 2/1/25 Initials: KKS
Labeled By Initials: MKS

Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Samples Arrived within Hold Time:	☑Yes ☐No	5.
- DI VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	☐Yes ☑No	6.
Rush Turn Around Time Requested:	☐Yes ☑No	7.
Sufficient Volume: For Analysis: ☑Yes ☐No MS/MSD: ☐Yes ☑No ☐N/A		8.
Correct Containers Used: Correct Type: (Pace Green Bay), Pace IR, Non-Pace	☑Yes ☐No	9.
Containers Intact:	☑Yes ☐No	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☑N/A	11.
Sample Labels match COC: -Includes (date/time/ID/Analysis) Matrix: SL; GW; W	☐Yes ☑No ☐N/A	12. 007: no date on samples. 2/1/25 KKS
Trip Blank Present:	☑Yes ☐No ☐N/A	13.
Trip Blank Custody Seals Present	☐Yes ☐No ☑N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi

Page 2 of 2