March 31, 2025

Reggie Belanger
Joseph Property Development, LLC
1117 N. Jefferson St. #200
Milwaukee, Wisconsin 53202

Subject: **Environmental Sampling Results**
BRRTS #02-68-582951
DNR FID #268087160

Dear Mr. Belanger:

EnviroForensics, LLC (EnviroForensics) is providing the results of groundwater samples collected from the Jospeh Property Development, LLC property at 1033 Lowell Drive, Oconomowoc, Wisconsin as part of environmental investigation conducted for the former One Hour Martinizing (OHM) tenant space located at 1035 Summit Avenue, Oconomowoc, Wisconsin, per the Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14. **Figure 1** presents the location of monitoring well MW-7 at 1033 Lowell Drive.

The chemicals of concern are the dry-cleaning solvent tetrachloroethene (PCE) and its associated breakdown products trichloroethene, dichloroethane, and vinyl chloride collectively referred to as chlorinated volatile organic compounds (CVOCs) described in this report.

The Responsible Party is:

Mr. Brian Cass
OHM Holdings, Inc.
W229 N2494 Hwy F
Waukesha, WI 53186
Telephone: 262-521-9710

Sampling Results

Table 1 summarizes the laboratory results of groundwater samples collected and compares each to the corresponding WDNR screening levels. The analytical laboratory report that pertains to the most recent groundwater sampling event for monitoring well MW-7 and other OHM monitoring wells is also attached.

On March 20, 2025, EnviroForensics collected one (1) groundwater sample from MW-7 and submitted it to a certified laboratory for VOCs analysis by U.S. EPA Method 8260. The monitoring well MW-7 groundwater sample contained PCE above laboratory reporting limit but *below* the Public Health

Enforcement Standard. These results do not indicate a risk to you, as the water supply is provided by the City of Oconomowoc. The monitoring well will be resampled to determine if any additional steps are needed.

If you have any questions or concerns, please call me at 414-630-0060. The WDNR project manager, Alice Egan, can be reached at 414-639-4007. We appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

Rob Hoverman, PG
Senior Project Manager
rhoverman@enviroforensics.com

Attachments: Figure 1: Sample Location
Table 1: Groundwater Analytical Results
Analytical Report

Copy: Alice Egan, Wisconsin Department of Natural Resources

Docusign Envelope ID: 42A92449-2B9D-4459-A8CC-272B278DB3AB

Source: Waukesha County GIS Viewer https://prd1.waukcogeo.com/HTML5Viewer/?viewer=html_viewer_ext | Accessed 02 22 2024

Legend

Groundwater Monitoring Well – 1033 Lowell Dr

OFF-SITE GROUNDWATER MONITORING WELL

One Hour Martinizing
1035 Summit Avenue, Oconomowoc, WI
DNR BRRTS Activity # 02-68-582951

Date:	02 22 2024
Designed:	MSE
Drawn:	
Checked:	
DWG file:	

ENVIROforensics
757 Logan Street · Louisville, KY 40204
EnviroForensics.com

Figure 1

Project 200009

TABLE 1

GROUNDWATER ANALYTICAL RESULTS

One Hour Martinizing
1035 Summit Avenue, Oconomowoc, Wisconsin
BRRTs No. 02-68-582951

Monitoring Well/ Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
			Chlorinated VOCs (µg/L)				
Enforcement Standard			**5**	**5**	**70**	**100**	**0.2**
Preventative Action Limit			**0.5**	**0.5**	**7**	**20**	**0.02**
MW-7	19.0 - 29.0	1/31/2025	**5.6**	<0.32	<0.47	<0.53	<0.17
		DUP 1/31/2025	**5.8**	<0.32	<0.47	<0.53	<0.17
		3/20/2025	**4.2**	<0.32	<0.47	<0.53	<0.17

Notes:

Samples analyzed using EPA SW-846 Method 8260
Constituents not shown are below laboratory detection limits
Bolded values are above detection limits
Bolded and **blue shaded** values are above the Public Health Preventive Action Limit
Bolded and **orange shaded** values are above the Public Health Enforcement Standard
µg/L = micrograms per liter
bgs = below ground surface
J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit
NE = Not Established
VOCs = Volatile Organic Compounds

ENVIRO forensics®

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

March 28, 2025

Nicolette Morris
EnviroForensics
825 N Capitol Avenue
Indianapolis, IN 46204

RE: Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Dear Nicolette Morris:

Enclosed are the analytical results for sample(s) received by the laboratory on March 21, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Rob Hoverman, EnviroForensics

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Pace Analytical Services Green Bay
1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE SUMMARY

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40292586001	**200009-MW-1A**	Water	03/19/25 16:19	03/21/25 08:45
40292586002	**200009-MW-1B**	Water	03/19/25 15:11	03/21/25 08:45
40292586003	**200009-MW-2**	Water	03/19/25 18:28	03/21/25 08:45
40292586004	**200009-MW-3**	Water	03/19/25 17:18	03/21/25 08:45
40292586005	**200009-MW-4**	Water	03/20/25 12:25	03/21/25 08:45
40292586006	**200009-MW-5**	Water	03/20/25 14:40	03/21/25 08:45
40292586007	**200009-MW-5B**	Water	03/20/25 13:40	03/21/25 08:45
40292586008	**200009-MW-7**	Water	03/20/25 11:07	03/21/25 08:45
40292586009	**200009-DUP**	Water	03/20/25 00:01	03/21/25 08:45
40292586010	**200009-EB-1**	Water	03/19/25 18:43	03/21/25 08:45
40292586011	**200009-EB-2**	Water	03/20/25 14:50	03/21/25 08:45
40292586012	**TRIP BLANK**	Water	03/20/25 00:01	03/21/25 08:45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE ANALYTE COUNT

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40292586001	**200009-MW-1A**	EPA 8260	EIB	64	PASI-G
40292586002	**200009-MW-1B**	EPA 8260	EIB	64	PASI-G
40292586003	**200009-MW-2**	EPA 8260	EIB	64	PASI-G
40292586004	**200009-MW-3**	EPA 8260	EIB	64	PASI-G
40292586005	**200009-MW-4**	EPA 8260	EIB	64	PASI-G
40292586006	**200009-MW-5**	EPA 8260	EIB	64	PASI-G
40292586007	**200009-MW-5B**	EPA 8260	EIB	64	PASI-G
40292586008	**200009-MW-7**	EPA 8260	EIB	64	PASI-G
40292586009	**200009-DUP**	EPA 8260	EIB	64	PASI-G
40292586010	**200009-EB-1**	EPA 8260	EIB	64	PASI-G
40292586011	**200009-EB-2**	EPA 8260	EIB	64	PASI-G
40292586012	**TRIP BLANK**	EPA 8260	EIB	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SUMMARY OF DETECTION

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40292586001	**200009-MW-1A**					
EPA 8260	Tetrachloroethene	19.5	ug/L	1.0	03/24/25 21:04	
40292586002	**200009-MW-1B**					
EPA 8260	Tetrachloroethene	9.8	ug/L	1.0	03/24/25 21:24	
40292586003	**200009-MW-2**					
EPA 8260	Tetrachloroethene	90.7	ug/L	1.0	03/24/25 21:44	
40292586004	**200009-MW-3**					
EPA 8260	Tetrachloroethene	9.9	ug/L	1.0	03/24/25 22:04	
40292586006	**200009-MW-5**					
EPA 8260	Tetrachloroethene	0.60J	ug/L	1.0	03/27/25 14:19	
40292586008	**200009-MW-7**					
EPA 8260	Tetrachloroethene	4.2	ug/L	1.0	03/27/25 14:57	
40292586009	**200009-DUP**					
EPA 8260	Tetrachloroethene	78.1	ug/L	1.0	03/27/25 15:15	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-1A **Lab ID: 40292586001** Collected: 03/19/25 16:19 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:04	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:04	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:04	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/24/25 21:04	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/24/25 21:04	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/24/25 21:04	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:04	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:04	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/24/25 21:04	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/24/25 21:04	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:04	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/24/25 21:04	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/24/25 21:04	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/24/25 21:04	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:04	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:04	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/24/25 21:04	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/24/25 21:04	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/24/25 21:04	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/24/25 21:04	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:04	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:04	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/24/25 21:04	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/24/25 21:04	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:04	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:04	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/24/25 21:04	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/24/25 21:04	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/24/25 21:04	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:04	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:04	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:04	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 21:04	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/24/25 21:04	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/24/25 21:04	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:04	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:04	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/24/25 21:04	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:04	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:04	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/24/25 21:04	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:04	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/24/25 21:04	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:04	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-1A **Lab ID: 40292586001** Collected: 03/19/25 16:19 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:04	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/24/25 21:04	79-34-5	
Tetrachloroethene	**19.5**	ug/L	1.0	0.41	1		03/24/25 21:04	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:04	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:04	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/24/25 21:04	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:04	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/24/25 21:04	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/24/25 21:04	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:04	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/24/25 21:04	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:04	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:04	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/24/25 21:04	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/24/25 21:04	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:04	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		03/24/25 21:04	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		03/24/25 21:04	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/24/25 21:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-1B **Lab ID: 40292586002** Collected: 03/19/25 15:11 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:24	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:24	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:24	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/24/25 21:24	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/24/25 21:24	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/24/25 21:24	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:24	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:24	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/24/25 21:24	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/24/25 21:24	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:24	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/24/25 21:24	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/24/25 21:24	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/24/25 21:24	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:24	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:24	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/24/25 21:24	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/24/25 21:24	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/24/25 21:24	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/24/25 21:24	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:24	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:24	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/24/25 21:24	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/24/25 21:24	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:24	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:24	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/24/25 21:24	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/24/25 21:24	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/24/25 21:24	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:24	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:24	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:24	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 21:24	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/24/25 21:24	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/24/25 21:24	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:24	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:24	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/24/25 21:24	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:24	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:24	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/24/25 21:24	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:24	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/24/25 21:24	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:24	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-1B **Lab ID: 40292586002** Collected: 03/19/25 15:11 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:24	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/24/25 21:24	79-34-5	
Tetrachloroethene	**9.8**	ug/L	1.0	0.41	1		03/24/25 21:24	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:24	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:24	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/24/25 21:24	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:24	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/24/25 21:24	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/24/25 21:24	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:24	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/24/25 21:24	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:24	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:24	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/24/25 21:24	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/24/25 21:24	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:24	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		03/24/25 21:24	2199-69-1	
4-Bromofluorobenzene (S)	94	%	70-130		1		03/24/25 21:24	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		03/24/25 21:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-2 **Lab ID: 40292586003** Collected: 03/19/25 18:28 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:44	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:44	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:44	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/24/25 21:44	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/24/25 21:44	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/24/25 21:44	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:44	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:44	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/24/25 21:44	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/24/25 21:44	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 21:44	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/24/25 21:44	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/24/25 21:44	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/24/25 21:44	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:44	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 21:44	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/24/25 21:44	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/24/25 21:44	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/24/25 21:44	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/24/25 21:44	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:44	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:44	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/24/25 21:44	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/24/25 21:44	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:44	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:44	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/24/25 21:44	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/24/25 21:44	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/24/25 21:44	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:44	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:44	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:44	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 21:44	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/24/25 21:44	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/24/25 21:44	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:44	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 21:44	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/24/25 21:44	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:44	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:44	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/24/25 21:44	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 21:44	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/24/25 21:44	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:44	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:44	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-2 **Lab ID: 40292586003** Collected: 03/19/25 18:28 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:44	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/24/25 21:44	79-34-5	
Tetrachloroethene	**90.7**	ug/L	1.0	0.41	1		03/24/25 21:44	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/24/25 21:44	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 21:44	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/24/25 21:44	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 21:44	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/24/25 21:44	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/24/25 21:44	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 21:44	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/24/25 21:44	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/24/25 21:44	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 21:44	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/24/25 21:44	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/24/25 21:44	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 21:44	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		03/24/25 21:44	2199-69-1	
4-Bromofluorobenzene (S)	93	%	70-130		1		03/24/25 21:44	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		03/24/25 21:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-3 **Lab ID: 40292586004** Collected: 03/19/25 17:18 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:04	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:04	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:04	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/24/25 22:04	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/24/25 22:04	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/24/25 22:04	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 22:04	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:04	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/24/25 22:04	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/24/25 22:04	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 22:04	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/24/25 22:04	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/24/25 22:04	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/24/25 22:04	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 22:04	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 22:04	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/24/25 22:04	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/24/25 22:04	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/24/25 22:04	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/24/25 22:04	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 22:04	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:04	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/24/25 22:04	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/24/25 22:04	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:04	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/24/25 22:04	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/24/25 22:04	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/24/25 22:04	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/24/25 22:04	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/24/25 22:04	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:04	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:04	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 22:04	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/24/25 22:04	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/24/25 22:04	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 22:04	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 22:04	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/24/25 22:04	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:04	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:04	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/24/25 22:04	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 22:04	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/24/25 22:04	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:04	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-3 **Lab ID: 40292586004** Collected: 03/19/25 17:18 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:04	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/24/25 22:04	79-34-5	
Tetrachloroethene	**9.9**	ug/L	1.0	0.41	1		03/24/25 22:04	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/24/25 22:04	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:04	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/24/25 22:04	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:04	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/24/25 22:04	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/24/25 22:04	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:04	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/24/25 22:04	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/24/25 22:04	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:04	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/24/25 22:04	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/24/25 22:04	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:04	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		03/24/25 22:04	2199-69-1	
4-Bromofluorobenzene (S)	92	%	70-130		1		03/24/25 22:04	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		03/24/25 22:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-4 **Lab ID: 40292586005** Collected: 03/20/25 12:25 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:24	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:24	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:24	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/24/25 22:24	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/24/25 22:24	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/24/25 22:24	74-83-9	
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 22:24	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:24	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/24/25 22:24	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/24/25 22:24	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/24/25 22:24	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/24/25 22:24	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/24/25 22:24	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/24/25 22:24	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 22:24	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/24/25 22:24	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/24/25 22:24	96-12-8	
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/24/25 22:24	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/24/25 22:24	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/24/25 22:24	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 22:24	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:24	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/24/25 22:24	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/24/25 22:24	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:24	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/24/25 22:24	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/24/25 22:24	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/24/25 22:24	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/24/25 22:24	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/24/25 22:24	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:24	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:24	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 22:24	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/24/25 22:24	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/24/25 22:24	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 22:24	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/24/25 22:24	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/24/25 22:24	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:24	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:24	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/24/25 22:24	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/24/25 22:24	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/24/25 22:24	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:24	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-4 **Lab ID: 40292586005** Collected: 03/20/25 12:25 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:24	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/24/25 22:24	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		03/24/25 22:24	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/24/25 22:24	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/24/25 22:24	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/24/25 22:24	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/24/25 22:24	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/24/25 22:24	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/24/25 22:24	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/24/25 22:24	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/24/25 22:24	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/24/25 22:24	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/24/25 22:24	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/24/25 22:24	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/24/25 22:24	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/24/25 22:24	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		03/24/25 22:24	2199-69-1	
4-Bromofluorobenzene (S)	92	%	70-130		1		03/24/25 22:24	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		03/24/25 22:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-5 **Lab ID: 40292586006** Collected: 03/20/25 14:40 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:19	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:19	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:19	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 14:19	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 14:19	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 14:19	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:19	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:19	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 14:19	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 14:19	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:19	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 14:19	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 14:19	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 14:19	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:19	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:19	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 14:19	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 14:19	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 14:19	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 14:19	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:19	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:19	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 14:19	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 14:19	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:19	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:19	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 14:19	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 14:19	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 14:19	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:19	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:19	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:19	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 14:19	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 14:19	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 14:19	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:19	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:19	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 14:19	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:19	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:19	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 14:19	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:19	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 14:19	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:19	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-5 **Lab ID: 40292586006** Collected: 03/20/25 14:40 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:19	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 14:19	79-34-5	
Tetrachloroethene	**0.60J**	ug/L	1.0	0.41	1		03/27/25 14:19	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:19	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:19	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 14:19	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:19	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 14:19	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 14:19	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:19	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 14:19	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:19	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:19	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 14:19	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 14:19	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:19	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		03/27/25 14:19	2199-69-1	
4-Bromofluorobenzene (S)	104	%	70-130		1		03/27/25 14:19	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/27/25 14:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-5B **Lab ID: 40292586007** Collected: 03/20/25 13:40 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:38	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:38	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:38	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 14:38	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 14:38	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 14:38	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:38	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:38	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 14:38	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 14:38	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:38	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 14:38	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 14:38	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 14:38	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:38	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:38	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 14:38	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 14:38	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 14:38	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 14:38	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:38	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:38	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 14:38	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 14:38	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:38	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:38	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 14:38	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 14:38	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 14:38	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:38	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:38	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:38	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 14:38	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 14:38	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 14:38	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:38	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:38	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 14:38	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:38	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:38	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 14:38	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:38	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 14:38	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:38	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-5B **Lab ID: 40292586007** Collected: 03/20/25 13:40 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:38	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 14:38	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 14:38	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:38	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:38	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 14:38	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:38	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 14:38	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 14:38	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:38	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 14:38	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:38	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:38	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 14:38	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 14:38	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:38	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		03/27/25 14:38	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		03/27/25 14:38	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/27/25 14:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-7 **Lab ID: 40292586008** Collected: 03/20/25 11:07 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:57	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:57	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:57	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 14:57	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 14:57	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 14:57	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:57	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:57	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 14:57	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 14:57	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 14:57	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 14:57	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 14:57	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 14:57	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:57	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 14:57	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 14:57	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 14:57	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 14:57	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 14:57	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:57	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:57	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 14:57	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 14:57	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:57	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:57	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 14:57	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 14:57	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 14:57	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:57	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:57	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:57	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 14:57	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 14:57	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 14:57	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:57	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 14:57	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 14:57	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:57	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:57	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 14:57	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 14:57	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 14:57	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:57	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:57	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-MW-7 **Lab ID: 40292586008** Collected: 03/20/25 11:07 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:57	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 14:57	79-34-5	
Tetrachloroethene	**4.2**	ug/L	1.0	0.41	1		03/27/25 14:57	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 14:57	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 14:57	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 14:57	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 14:57	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 14:57	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 14:57	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 14:57	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 14:57	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 14:57	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 14:57	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 14:57	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 14:57	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 14:57	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		03/27/25 14:57	2199-69-1	pH
4-Bromofluorobenzene (S)	104	%	70-130		1		03/27/25 14:57	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/27/25 14:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-DUP **Lab ID: 40292586009** Collected: 03/20/25 00:01 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:15	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:15	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:15	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 15:15	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 15:15	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 15:15	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 15:15	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:15	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 15:15	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 15:15	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 15:15	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 15:15	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 15:15	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 15:15	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 15:15	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 15:15	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 15:15	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 15:15	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 15:15	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 15:15	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 15:15	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:15	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 15:15	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 15:15	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:15	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 15:15	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 15:15	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 15:15	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 15:15	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 15:15	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:15	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:15	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 15:15	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 15:15	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 15:15	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 15:15	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 15:15	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 15:15	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:15	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:15	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 15:15	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 15:15	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 15:15	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:15	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-DUP **Lab ID: 40292586009** Collected: 03/20/25 00:01 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:15	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 15:15	79-34-5	
Tetrachloroethene	**78.1**	ug/L	1.0	0.41	1		03/27/25 15:15	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 15:15	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:15	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 15:15	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:15	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 15:15	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 15:15	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:15	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 15:15	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 15:15	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:15	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 15:15	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 15:15	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:15	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		03/27/25 15:15	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		03/27/25 15:15	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/27/25 15:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-EB-1 **Lab ID: 40292586010** Collected: 03/19/25 18:43 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:28	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:28	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:28	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 11:28	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 11:28	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 11:28	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 11:28	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:28	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 11:28	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 11:28	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 11:28	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 11:28	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 11:28	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 11:28	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 11:28	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 11:28	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 11:28	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 11:28	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 11:28	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 11:28	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 11:28	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:28	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 11:28	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 11:28	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:28	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 11:28	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 11:28	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 11:28	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 11:28	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 11:28	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:28	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:28	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 11:28	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 11:28	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 11:28	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 11:28	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 11:28	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 11:28	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:28	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:28	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 11:28	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 11:28	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 11:28	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:28	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-EB-1 **Lab ID: 40292586010** Collected: 03/19/25 18:43 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:28	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 11:28	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 11:28	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 11:28	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:28	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 11:28	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:28	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 11:28	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 11:28	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:28	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 11:28	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 11:28	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:28	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 11:28	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 11:28	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:28	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		03/27/25 11:28	2199-69-1	
4-Bromofluorobenzene (S)	104	%	70-130		1		03/27/25 11:28	460-00-4	
Toluene-d8 (S)	104	%	70-130		1		03/27/25 11:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-EB-2 **Lab ID: 40292586011** Collected: 03/20/25 14:50 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:34	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:34	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:34	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 15:34	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 15:34	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 15:34	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 15:34	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:34	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 15:34	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 15:34	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 15:34	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 15:34	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 15:34	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 15:34	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 15:34	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 15:34	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 15:34	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 15:34	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 15:34	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 15:34	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 15:34	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:34	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 15:34	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 15:34	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:34	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 15:34	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 15:34	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 15:34	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 15:34	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 15:34	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:34	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:34	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 15:34	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 15:34	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 15:34	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 15:34	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 15:34	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 15:34	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:34	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:34	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 15:34	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 15:34	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 15:34	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:34	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: 200009-EB-2 **Lab ID: 40292586011** Collected: 03/20/25 14:50 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:34	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 15:34	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 15:34	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 15:34	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 15:34	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 15:34	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 15:34	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 15:34	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 15:34	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 15:34	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 15:34	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 15:34	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 15:34	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 15:34	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 15:34	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 15:34	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		03/27/25 15:34	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		03/27/25 15:34	460-00-4	
Toluene-d8 (S)	102	%	70-130		1		03/27/25 15:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: TRIP BLANK **Lab ID: 40292586012** Collected: 03/20/25 00:01 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:47	71-43-2	
Bromobenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:47	108-86-1	
Bromochloromethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:47	74-97-5	
Bromodichloromethane	**<0.21**	ug/L	1.0	0.21	1		03/27/25 11:47	75-27-4	
Bromoform	**<0.43**	ug/L	1.0	0.43	1		03/27/25 11:47	75-25-2	
Bromomethane	**<1.2**	ug/L	5.0	1.2	1		03/27/25 11:47	74-83-9	v2
n-Butylbenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 11:47	104-51-8	
sec-Butylbenzene	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:47	135-98-8	
tert-Butylbenzene	**<0.59**	ug/L	1.0	0.59	1		03/27/25 11:47	98-06-6	
Carbon tetrachloride	**<0.37**	ug/L	1.0	0.37	1		03/27/25 11:47	56-23-5	
Chlorobenzene	**<0.86**	ug/L	1.0	0.86	1		03/27/25 11:47	108-90-7	
Chloroethane	**<1.4**	ug/L	5.0	1.4	1		03/27/25 11:47	75-00-3	
Chloroform	**<0.50**	ug/L	5.0	0.50	1		03/27/25 11:47	67-66-3	
Chloromethane	**<1.6**	ug/L	5.0	1.6	1		03/27/25 11:47	74-87-3	
2-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 11:47	95-49-8	
4-Chlorotoluene	**<0.89**	ug/L	5.0	0.89	1		03/27/25 11:47	106-43-4	
1,2-Dibromo-3-chloropropane	**<0.36**	ug/L	5.0	0.36	1		03/27/25 11:47	96-12-8	v1
Dibromochloromethane	**<2.6**	ug/L	5.0	2.6	1		03/27/25 11:47	124-48-1	
1,2-Dibromoethane (EDB)	**<0.31**	ug/L	1.0	0.31	1		03/27/25 11:47	106-93-4	
Dibromomethane	**<0.99**	ug/L	5.0	0.99	1		03/27/25 11:47	74-95-3	
1,2-Dichlorobenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 11:47	95-50-1	
1,3-Dichlorobenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:47	541-73-1	
1,4-Dichlorobenzene	**<0.89**	ug/L	1.0	0.89	1		03/27/25 11:47	106-46-7	
Dichlorodifluoromethane	**<0.46**	ug/L	5.0	0.46	1		03/27/25 11:47	75-71-8	
1,1-Dichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:47	75-34-3	
1,2-Dichloroethane	**<0.29**	ug/L	1.0	0.29	1		03/27/25 11:47	107-06-2	
1,1-Dichloroethene	**<0.58**	ug/L	1.0	0.58	1		03/27/25 11:47	75-35-4	
cis-1,2-Dichloroethene	**<0.47**	ug/L	1.0	0.47	1		03/27/25 11:47	156-59-2	
trans-1,2-Dichloroethene	**<0.53**	ug/L	1.0	0.53	1		03/27/25 11:47	156-60-5	
1,2-Dichloropropane	**<0.45**	ug/L	1.0	0.45	1		03/27/25 11:47	78-87-5	
1,3-Dichloropropane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:47	142-28-9	
2,2-Dichloropropane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:47	594-20-7	
1,1-Dichloropropene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 11:47	563-58-6	
cis-1,3-Dichloropropene	**<0.24**	ug/L	1.0	0.24	1		03/27/25 11:47	10061-01-5	
trans-1,3-Dichloropropene	**<0.27**	ug/L	1.0	0.27	1		03/27/25 11:47	10061-02-6	
Diisopropyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 11:47	108-20-3	
Ethylbenzene	**<0.33**	ug/L	1.0	0.33	1		03/27/25 11:47	100-41-4	
Hexachloro-1,3-butadiene	**<2.7**	ug/L	5.0	2.7	1		03/27/25 11:47	87-68-3	
Isopropylbenzene (Cumene)	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:47	98-82-8	
p-Isopropyltoluene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:47	99-87-6	
Methylene Chloride	**<0.32**	ug/L	5.0	0.32	1		03/27/25 11:47	75-09-2	
Methyl-tert-butyl ether	**<1.1**	ug/L	5.0	1.1	1		03/27/25 11:47	1634-04-4	
Naphthalene	**<1.9**	ug/L	5.0	1.9	1		03/27/25 11:47	91-20-3	
n-Propylbenzene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:47	103-65-1	
Styrene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Sample: TRIP BLANK **Lab ID: 40292586012** Collected: 03/20/25 00:01 Received: 03/21/25 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:47	630-20-6	
1,1,2,2-Tetrachloroethane	**<0.25**	ug/L	1.0	0.25	1		03/27/25 11:47	79-34-5	
Tetrachloroethene	**<0.41**	ug/L	1.0	0.41	1		03/27/25 11:47	127-18-4	
Toluene	**<0.29**	ug/L	1.0	0.29	1		03/27/25 11:47	108-88-3	
1,2,3-Trichlorobenzene	**<1.0**	ug/L	5.0	1.0	1		03/27/25 11:47	87-61-6	
1,2,4-Trichlorobenzene	**<0.95**	ug/L	5.0	0.95	1		03/27/25 11:47	120-82-1	
1,1,1-Trichloroethane	**<0.30**	ug/L	1.0	0.30	1		03/27/25 11:47	71-55-6	
1,1,2-Trichloroethane	**<0.34**	ug/L	1.0	0.34	1		03/27/25 11:47	79-00-5	
Trichloroethene	**<0.32**	ug/L	1.0	0.32	1		03/27/25 11:47	79-01-6	
Trichlorofluoromethane	**<0.42**	ug/L	1.0	0.42	1		03/27/25 11:47	75-69-4	
1,2,3-Trichloropropane	**<0.56**	ug/L	1.0	0.56	1		03/27/25 11:47	96-18-4	
1,2,4-Trimethylbenzene	**<0.45**	ug/L	1.0	0.45	1		03/27/25 11:47	95-63-6	
1,3,5-Trimethylbenzene	**<0.36**	ug/L	1.0	0.36	1		03/27/25 11:47	108-67-8	
Vinyl chloride	**<0.17**	ug/L	1.0	0.17	1		03/27/25 11:47	75-01-4	
m&p-Xylene	**<0.70**	ug/L	2.0	0.70	1		03/27/25 11:47	179601-23-1	
o-Xylene	**<0.35**	ug/L	1.0	0.35	1		03/27/25 11:47	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		03/27/25 11:47	2199-69-1	
4-Bromofluorobenzene (S)	106	%	70-130		1		03/27/25 11:47	460-00-4	
Toluene-d8 (S)	103	%	70-130		1		03/27/25 11:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

QC Batch: 500079
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40292586001, 40292586002, 40292586003, 40292586004, 40292586005

METHOD BLANK: 2856577 Matrix: Water
Associated Lab Samples: 40292586001, 40292586002, 40292586003, 40292586004, 40292586005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	03/24/25 15:09	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	03/24/25 15:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	03/24/25 15:09	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	03/24/25 15:09	
1,1-Dichloroethane	ug/L	<0.30	1.0	03/24/25 15:09	
1,1-Dichloroethene	ug/L	<0.58	1.0	03/24/25 15:09	
1,1-Dichloropropene	ug/L	<0.41	1.0	03/24/25 15:09	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	03/24/25 15:09	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	03/24/25 15:09	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/24/25 15:09	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	03/24/25 15:09	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	03/24/25 15:09	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	03/24/25 15:09	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	03/24/25 15:09	
1,2-Dichloroethane	ug/L	<0.29	1.0	03/24/25 15:09	
1,2-Dichloropropane	ug/L	<0.45	1.0	03/24/25 15:09	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	03/24/25 15:09	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	03/24/25 15:09	
1,3-Dichloropropane	ug/L	<0.30	1.0	03/24/25 15:09	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	03/24/25 15:09	
2,2-Dichloropropane	ug/L	<0.42	1.0	03/24/25 15:09	
2-Chlorotoluene	ug/L	<0.89	5.0	03/24/25 15:09	
4-Chlorotoluene	ug/L	<0.89	5.0	03/24/25 15:09	
Benzene	ug/L	<0.30	1.0	03/24/25 15:09	
Bromobenzene	ug/L	<0.36	1.0	03/24/25 15:09	
Bromochloromethane	ug/L	<0.36	1.0	03/24/25 15:09	
Bromodichloromethane	ug/L	<0.21	1.0	03/24/25 15:09	
Bromoform	ug/L	<0.43	1.0	03/24/25 15:09	
Bromomethane	ug/L	<1.2	5.0	03/24/25 15:09	
Carbon tetrachloride	ug/L	<0.37	1.0	03/24/25 15:09	
Chlorobenzene	ug/L	<0.86	1.0	03/24/25 15:09	
Chloroethane	ug/L	<1.4	5.0	03/24/25 15:09	
Chloroform	ug/L	<0.50	5.0	03/24/25 15:09	
Chloromethane	ug/L	<1.6	5.0	03/24/25 15:09	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	03/24/25 15:09	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	03/24/25 15:09	
Dibromochloromethane	ug/L	<2.6	5.0	03/24/25 15:09	
Dibromomethane	ug/L	<0.99	5.0	03/24/25 15:09	
Dichlorodifluoromethane	ug/L	<0.46	5.0	03/24/25 15:09	
Diisopropyl ether	ug/L	<1.1	5.0	03/24/25 15:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

METHOD BLANK: 2856577 Matrix: Water
Associated Lab Samples: 40292586001, 40292586002, 40292586003, 40292586004, 40292586005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	03/24/25 15:09	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	03/24/25 15:09	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	03/24/25 15:09	
m&p-Xylene	ug/L	<0.70	2.0	03/24/25 15:09	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	03/24/25 15:09	
Methylene Chloride	ug/L	<0.32	5.0	03/24/25 15:09	
n-Butylbenzene	ug/L	<0.86	1.0	03/24/25 15:09	
n-Propylbenzene	ug/L	<0.35	1.0	03/24/25 15:09	
Naphthalene	ug/L	<1.9	5.0	03/24/25 15:09	
o-Xylene	ug/L	<0.35	1.0	03/24/25 15:09	
p-Isopropyltoluene	ug/L	<1.0	5.0	03/24/25 15:09	
sec-Butylbenzene	ug/L	<0.42	1.0	03/24/25 15:09	
Styrene	ug/L	<0.36	1.0	03/24/25 15:09	
tert-Butylbenzene	ug/L	<0.59	1.0	03/24/25 15:09	
Tetrachloroethene	ug/L	<0.41	1.0	03/24/25 15:09	
Toluene	ug/L	<0.29	1.0	03/24/25 15:09	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	03/24/25 15:09	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	03/24/25 15:09	
Trichloroethene	ug/L	<0.32	1.0	03/24/25 15:09	
Trichlorofluoromethane	ug/L	<0.42	1.0	03/24/25 15:09	
Vinyl chloride	ug/L	<0.17	1.0	03/24/25 15:09	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130	03/24/25 15:09	
4-Bromofluorobenzene (S)	%	96	70-130	03/24/25 15:09	
Toluene-d8 (S)	%	100	70-130	03/24/25 15:09	

LABORATORY CONTROL SAMPLE: 2856578

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.7	101	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	48.2	96	70-130	
1,1,2-Trichloroethane	ug/L	50	50.9	102	70-130	
1,1-Dichloroethane	ug/L	50	43.1	86	70-130	
1,1-Dichloroethene	ug/L	50	44.7	89	66-130	
1,2,4-Trichlorobenzene	ug/L	50	45.4	91	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.3	95	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	51.8	104	70-130	
1,2-Dichlorobenzene	ug/L	50	46.4	93	70-130	
1,2-Dichloroethane	ug/L	50	42.9	86	70-130	
1,2-Dichloropropane	ug/L	50	52.3	105	70-130	
1,3-Dichlorobenzene	ug/L	50	51.2	102	70-130	
1,4-Dichlorobenzene	ug/L	50	48.2	96	70-130	
Benzene	ug/L	50	51.8	104	70-130	
Bromodichloromethane	ug/L	50	45.9	92	70-130	
Bromoform	ug/L	50	51.7	103	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

LABORATORY CONTROL SAMPLE: 2856578

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	36.3	73	40-157	
Carbon tetrachloride	ug/L	50	54.3	109	70-139	
Chlorobenzene	ug/L	50	51.0	102	70-130	
Chloroethane	ug/L	50	44.9	90	61-145	
Chloroform	ug/L	50	41.8	84	70-130	
Chloromethane	ug/L	50	48.4	97	22-163	
cis-1,2-Dichloroethene	ug/L	50	43.0	86	70-130	
cis-1,3-Dichloropropene	ug/L	50	51.3	103	70-130	
Dibromochloromethane	ug/L	50	53.4	107	70-130	
Dichlorodifluoromethane	ug/L	50	35.9	72	10-185	
Ethylbenzene	ug/L	50	54.1	108	70-130	
Isopropylbenzene (Cumene)	ug/L	50	56.4	113	70-134	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	44.7	89	62-130	
Methylene Chloride	ug/L	50	50.7	101	70-130	
o-Xylene	ug/L	50	53.9	108	70-130	
Styrene	ug/L	50	56.1	112	70-130	
Tetrachloroethene	ug/L	50	50.0	100	70-130	
Toluene	ug/L	50	52.7	105	70-130	
trans-1,2-Dichloroethene	ug/L	50	45.1	90	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.0	106	70-130	
Trichloroethene	ug/L	50	50.8	102	70-130	
Trichlorofluoromethane	ug/L	50	47.5	95	70-149	
Vinyl chloride	ug/L	50	48.6	97	37-145	
1,2-Dichlorobenzene-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			94	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2856723 2856724

Parameter	Units	40292567001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.5	53.2	101	106	70-136	5	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	48.5	48.4	97	97	70-130	0	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.8	52.6	104	105	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	44.0	48.8	88	98	70-130	10	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	43.7	49.2	87	98	65-131	12	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	45.7	49.1	91	98	63-130	7	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	45.2	45.5	90	91	65-130	1	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.8	52.2	102	104	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	45.5	48.9	91	98	70-130	7	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	44.7	48.1	89	96	70-131	7	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	51.5	54.3	103	109	70-130	5	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	48.7	52.4	97	105	70-130	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2856723 2856724

Parameter	Units	40292567001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.6	51.6	97	103	70-130	6	20	
Benzene	ug/L	<0.30	50	50	49.7	54.3	99	109	70-130	9	20	
Bromodichloromethane	ug/L	<0.21	50	50	44.1	48.1	88	96	70-130	9	20	
Bromoform	ug/L	<0.43	50	50	50.2	51.5	100	103	61-130	3	20	
Bromomethane	ug/L	<1.2	50	50	40.8	49.2	82	98	40-170	19	20	
Carbon tetrachloride	ug/L	<0.37	50	50	53.2	56.5	106	113	70-141	6	20	
Chlorobenzene	ug/L	<0.86	50	50	49.5	52.4	99	105	70-130	6	20	
Chloroethane	ug/L	<1.4	50	50	43.3	50.2	87	100	59-148	15	20	
Chloroform	ug/L	<0.50	50	50	42.6	47.7	85	95	70-130	11	20	
Chloromethane	ug/L	<1.6	50	50	45.6	50.2	91	100	19-170	10	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	44.4	49.2	89	98	70-130	10	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	50.4	52.5	101	105	70-130	4	20	
Dibromochloromethane	ug/L	<2.6	50	50	50.7	53.7	101	107	70-130	6	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	36.3	39.0	73	78	10-190	7	20	
Ethylbenzene	ug/L	<0.33	50	50	53.0	56.8	106	114	70-130	7	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.1	57.3	108	115	70-137	6	20	
m&p-Xylene	ug/L	<0.70	100	100	105	111	105	111	70-130	5	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	46.2	46.5	92	93	62-130	1	20	
Methylene Chloride	ug/L	<0.32	50	50	50.2	54.4	100	109	70-133	8	20	
o-Xylene	ug/L	<0.35	50	50	51.8	55.3	104	111	70-130	6	20	
Styrene	ug/L	<0.36	50	50	54.0	58.2	108	116	70-130	7	20	
Tetrachloroethene	ug/L	<0.41	50	50	49.3	52.6	99	105	70-130	7	20	
Toluene	ug/L	<0.29	50	50	50.0	53.6	100	107	70-130	7	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	45.6	51.6	91	103	70-133	12	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	52.7	52.4	105	105	68-130	1	20	
Trichloroethene	ug/L	<0.32	50	50	51.5	53.0	103	106	70-130	3	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	48.0	53.1	96	106	65-153	10	20	
Vinyl chloride	ug/L	<0.17	50	50	49.7	52.5	99	105	37-150	5	20	
1,2-Dichlorobenzene-d4 (S)	%						95	95	70-130			
4-Bromofluorobenzene (S)	%						95	95	70-130			
Toluene-d8 (S)	%						101	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

QC Batch: 500190
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40292586006, 40292586007, 40292586008, 40292586009, 40292586010, 40292586011, 40292586012

METHOD BLANK: 2856873 Matrix: Water
Associated Lab Samples: 40292586006, 40292586007, 40292586008, 40292586009, 40292586010, 40292586011, 40292586012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	03/27/25 09:52	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	03/27/25 09:52	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	03/27/25 09:52	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	03/27/25 09:52	
1,1-Dichloroethane	ug/L	<0.30	1.0	03/27/25 09:52	
1,1-Dichloroethene	ug/L	<0.58	1.0	03/27/25 09:52	
1,1-Dichloropropene	ug/L	<0.41	1.0	03/27/25 09:52	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	03/27/25 09:52	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	03/27/25 09:52	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	03/27/25 09:52	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	03/27/25 09:52	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	03/27/25 09:52	v1
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	03/27/25 09:52	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	03/27/25 09:52	
1,2-Dichloroethane	ug/L	<0.29	1.0	03/27/25 09:52	
1,2-Dichloropropane	ug/L	<0.45	1.0	03/27/25 09:52	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	03/27/25 09:52	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	03/27/25 09:52	
1,3-Dichloropropane	ug/L	<0.30	1.0	03/27/25 09:52	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	03/27/25 09:52	
2,2-Dichloropropane	ug/L	<0.42	1.0	03/27/25 09:52	
2-Chlorotoluene	ug/L	<0.89	5.0	03/27/25 09:52	
4-Chlorotoluene	ug/L	<0.89	5.0	03/27/25 09:52	
Benzene	ug/L	<0.30	1.0	03/27/25 09:52	
Bromobenzene	ug/L	<0.36	1.0	03/27/25 09:52	
Bromochloromethane	ug/L	<0.36	1.0	03/27/25 09:52	
Bromodichloromethane	ug/L	<0.21	1.0	03/27/25 09:52	
Bromoform	ug/L	<0.43	1.0	03/27/25 09:52	
Bromomethane	ug/L	<1.2	5.0	03/27/25 09:52	v2
Carbon tetrachloride	ug/L	<0.37	1.0	03/27/25 09:52	
Chlorobenzene	ug/L	<0.86	1.0	03/27/25 09:52	
Chloroethane	ug/L	<1.4	5.0	03/27/25 09:52	
Chloroform	ug/L	<0.50	5.0	03/27/25 09:52	
Chloromethane	ug/L	<1.6	5.0	03/27/25 09:52	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	03/27/25 09:52	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	03/27/25 09:52	
Dibromochloromethane	ug/L	<2.6	5.0	03/27/25 09:52	
Dibromomethane	ug/L	<0.99	5.0	03/27/25 09:52	
Dichlorodifluoromethane	ug/L	<0.46	5.0	03/27/25 09:52	
Diisopropyl ether	ug/L	<1.1	5.0	03/27/25 09:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

METHOD BLANK: 2856873 Matrix: Water
Associated Lab Samples: 40292586006, 40292586007, 40292586008, 40292586009, 40292586010, 40292586011, 40292586012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	03/27/25 09:52	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	03/27/25 09:52	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	03/27/25 09:52	
m&p-Xylene	ug/L	<0.70	2.0	03/27/25 09:52	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	03/27/25 09:52	
Methylene Chloride	ug/L	<0.32	5.0	03/27/25 09:52	
n-Butylbenzene	ug/L	<0.86	1.0	03/27/25 09:52	
n-Propylbenzene	ug/L	<0.35	1.0	03/27/25 09:52	
Naphthalene	ug/L	<1.9	5.0	03/27/25 09:52	
o-Xylene	ug/L	<0.35	1.0	03/27/25 09:52	
p-Isopropyltoluene	ug/L	<1.0	5.0	03/27/25 09:52	
sec-Butylbenzene	ug/L	<0.42	1.0	03/27/25 09:52	
Styrene	ug/L	<0.36	1.0	03/27/25 09:52	
tert-Butylbenzene	ug/L	<0.59	1.0	03/27/25 09:52	
Tetrachloroethene	ug/L	<0.41	1.0	03/27/25 09:52	
Toluene	ug/L	<0.29	1.0	03/27/25 09:52	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	03/27/25 09:52	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	03/27/25 09:52	
Trichloroethene	ug/L	<0.32	1.0	03/27/25 09:52	
Trichlorofluoromethane	ug/L	<0.42	1.0	03/27/25 09:52	
Vinyl chloride	ug/L	<0.17	1.0	03/27/25 09:52	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	03/27/25 09:52	
4-Bromofluorobenzene (S)	%	106	70-130	03/27/25 09:52	
Toluene-d8 (S)	%	103	70-130	03/27/25 09:52	

LABORATORY CONTROL SAMPLE: 2856874

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.8	110	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	57.8	116	70-130	
1,1,2-Trichloroethane	ug/L	50	57.5	115	70-130	
1,1-Dichloroethane	ug/L	50	54.8	110	70-130	
1,1-Dichloroethene	ug/L	50	53.0	106	66-130	
1,2,4-Trichlorobenzene	ug/L	50	47.5	95	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	53.1	106	66-130	v1
1,2-Dibromoethane (EDB)	ug/L	50	54.9	110	70-130	
1,2-Dichlorobenzene	ug/L	50	51.8	104	70-130	
1,2-Dichloroethane	ug/L	50	56.5	113	70-130	
1,2-Dichloropropane	ug/L	50	56.5	113	70-130	
1,3-Dichlorobenzene	ug/L	50	53.0	106	70-130	
1,4-Dichlorobenzene	ug/L	50	52.5	105	70-130	
Benzene	ug/L	50	54.4	109	70-130	
Bromodichloromethane	ug/L	50	53.4	107	70-130	
Bromoform	ug/L	50	49.5	99	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

LABORATORY CONTROL SAMPLE: 2856874

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	38.9	78	40-157	v3
Carbon tetrachloride	ug/L	50	55.3	111	70-139	
Chlorobenzene	ug/L	50	52.1	104	70-130	
Chloroethane	ug/L	50	61.0	122	61-145	
Chloroform	ug/L	50	55.8	112	70-130	
Chloromethane	ug/L	50	58.8	118	22-163	
cis-1,2-Dichloroethene	ug/L	50	50.1	100	70-130	
cis-1,3-Dichloropropene	ug/L	50	54.2	108	70-130	
Dibromochloromethane	ug/L	50	53.1	106	70-130	
Dichlorodifluoromethane	ug/L	50	46.2	92	10-185	
Ethylbenzene	ug/L	50	57.6	115	70-130	
Isopropylbenzene (Cumene)	ug/L	50	58.2	116	70-134	
m&p-Xylene	ug/L	100	111	111	70-130	
Methyl-tert-butyl ether	ug/L	50	51.8	104	62-130	
Methylene Chloride	ug/L	50	55.6	111	70-130	
o-Xylene	ug/L	50	54.4	109	70-130	
Styrene	ug/L	50	57.3	115	70-130	
Tetrachloroethene	ug/L	50	52.0	104	70-130	
Toluene	ug/L	50	55.3	111	70-130	
trans-1,2-Dichloroethene	ug/L	50	55.3	111	70-130	
trans-1,3-Dichloropropene	ug/L	50	57.8	116	70-130	
Trichloroethene	ug/L	50	54.3	109	70-130	
Trichlorofluoromethane	ug/L	50	54.9	110	70-149	
Vinyl chloride	ug/L	50	53.8	108	37-145	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			104	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2857989 2857991

Parameter	Units	40292637024 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	54.2	54.2	108	108	70-136	0	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	59.3	57.0	119	114	70-130	4	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	58.3	58.2	117	116	70-130	0	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	54.4	53.6	109	107	70-130	2	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	51.9	52.4	104	105	65-131	1	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	49.0	48.6	98	97	63-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	52.7	52.3	105	105	65-130	1	20	v1
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	53.9	55.0	108	110	70-130	2	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	52.8	52.7	106	105	70-130	0	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	55.6	54.7	111	109	70-131	2	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	55.3	55.7	111	111	70-130	1	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	54.2	53.4	108	107	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2857989 2857991

Parameter	Units	40292637024 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	54.7	54.2	109	108	70-130	1	20	
Benzene	ug/L	<0.30	50	50	53.6	53.5	107	107	70-130	0	20	
Bromodichloromethane	ug/L	<0.21	50	50	53.4	52.9	107	106	70-130	1	20	
Bromoform	ug/L	<0.43	50	50	50.3	51.8	101	104	61-130	3	20	
Bromomethane	ug/L	<1.2	50	50	43.4	45.2	87	90	40-170	4	20	v3
Carbon tetrachloride	ug/L	<0.37	50	50	55.7	55.2	111	110	70-141	1	20	
Chlorobenzene	ug/L	<0.86	50	50	52.7	54.5	105	109	70-130	3	20	
Chloroethane	ug/L	<1.4	50	50	58.0	58.1	116	116	59-148	0	20	
Chloroform	ug/L	<0.50	50	50	54.6	54.5	109	109	70-130	0	20	
Chloromethane	ug/L	<1.6	50	50	60.7	60.8	121	122	19-170	0	20	
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	50.0	49.9	100	100	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	53.8	52.7	108	105	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	54.2	53.9	108	108	70-130	0	20	
Dichlorodifluoromethane	ug/L	<0.46	50	50	47.4	47.9	95	96	10-190	1	20	
Ethylbenzene	ug/L	<0.33	50	50	57.8	58.6	116	117	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	57.3	60.0	115	120	70-137	5	20	
m&p-Xylene	ug/L	<0.70	100	100	113	116	113	116	70-130	3	20	
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.6	51.4	103	103	62-130	0	20	
Methylene Chloride	ug/L	<0.32	50	50	53.9	54.6	108	109	70-133	1	20	
o-Xylene	ug/L	<0.35	50	50	54.7	55.9	109	112	70-130	2	20	
Styrene	ug/L	<0.36	50	50	58.5	59.3	117	119	70-130	1	20	
Tetrachloroethene	ug/L	<0.41	50	50	51.5	52.2	103	104	70-130	1	20	
Toluene	ug/L	<0.29	50	50	55.2	56.7	110	113	70-130	3	20	
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	54.2	54.3	108	109	70-133	0	20	
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	57.8	59.4	116	119	68-130	3	20	
Trichloroethene	ug/L	<0.32	50	50	53.5	53.8	107	108	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.42	50	50	56.1	56.1	112	112	65-153	0	20	
Vinyl chloride	ug/L	<0.17	50	50	55.9	56.0	112	112	37-150	0	20	
1,2-Dichlorobenzene-d4 (S)	%						99	99	70-130			
4-Bromofluorobenzene (S)	%						107	106	70-130			
Toluene-d8 (S)	%						103	104	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALIFIERS

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

pH	Post-analysis pH measurement indicates insufficient VOA sample preservation.
v1	The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.
v2	The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.
v3	The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200009 OHM SUMMIT
Pace Project No.: 40292586

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40292586001	**200009-MW-1A**	EPA 8260	500079		
40292586002	**200009-MW-1B**	EPA 8260	500079		
40292586003	**200009-MW-2**	EPA 8260	500079		
40292586004	**200009-MW-3**	EPA 8260	500079		
40292586005	**200009-MW-4**	EPA 8260	500079		
40292586006	**200009-MW-5**	EPA 8260	500190		
40292586007	**200009-MW-5B**	EPA 8260	500190		
40292586008	**200009-MW-7**	EPA 8260	500190		
40292586009	**200009-DUP**	EPA 8260	500190		
40292586010	**200009-EB-1**	EPA 8260	500190		
40292586011	**200009-EB-2**	EPA 8260	500190		
40292586012	**TRIP BLANK**	EPA 8260	500190		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Green Bay
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

402925860

Scan QR Code for instructions

Company Name:	Enviroforensics	Contact/Report To:	Nicolette Morris
Street Address:	825 N Capitol Avenue Indianapolis, IN 46204	Phone #:	317-556-1984
		E-Mail:	nmorris@enviroforensics.com
		Cc E-Mail:	
Customer Project #:	200009		
Project Name:	200009 OHM SUMMIT	Invoice To:	Accounts Payable
		Invoice E-Mail:	accountspayable@enviroforensics.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	~~2024-0417~~ 2025-0067
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [X] CT [ ] ET

County / State origin of sample(s): Wisconsin

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [X] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 6
Identify Container Preservative Type***: 4
Analysis Requested: VOC

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only:
Proj. Mgr: Dan Milewsky
AcctNum / Client ID:
Table #:
Profile / Template: 8534
Prelog / Bottle Ord. ID: EZ 3234263

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC	Sample Comment
200009-MW-1A	GW	G			3-19-25	1619	3			X	GW1
200009-MW-1B	GW	G			3-19-25	1511	3			X	GW2
200009-MW-2	GW	G			3-19-25	1828	3			X	GW3
200009-MW-3	GW	G			3-19-25	1718	3			X	GW4
200009-MW-4	GW	G			3-20-25	1225	3			X	GW5
200009-MW-5 ~~33~~	GW	G			3-20-25	1440	3			X	GW6
200009-MW-~~7~~5B	GW	G			3-20-25	1340	3			X	GW7
200009-MW-7	GW	G			3-20-25	1107	3			X	GW8
200009-~~MW~~ DUP	GW	G			—	—	3			X	GW9
200009-~~MW~~ EB-1	GW	G			3-19-25	1843	3				DI0

Additional Instructions from Pace®:

Collected By:
(Printed Name) RANDLE BAKER
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

Coolers: | Thermometer ID: | Correction Factor (°C): | Obs. Temp. (°C) | Corrected Temp. (°C) | On Ice:

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
	3/20/25 1632		3/20 1632	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
CS Logistics	3/21/25 0845		3/21/25 0845	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Green Bay
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

40292586

Scan QR Code for instructions

Company Name: Enviroforensics
Street Address: 825 N Capitol Avenue
Indianapolis, IN 46204

Contact/Report To: Nicolette Morris
Phone #: 317-556-1984
E-Mail: nmorris@enviroforensics.com
Cc E-Mail:

Customer Project #: 200009
Project Name: 200009 OHM SUMMIT
Site Collection Info/Facility ID (as applicable):

Invoice To: Accounts Payable
Invoice E-Mail: accountspayable@enviroforensics.com
Purchase Order # (if applicable): ~~2024-0417~~ 2025-0067
Quote #:

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET
County / State origin of sample(s): Wisconsin

Data Deliverables:
[ ] Level II [ ] Level III [ ] Level IV
[ ] EQUIS
[ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required):
[ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [ ] Yes [ ] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 6
Identify Container Preservative Type***: 4
Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
Proj. Mgr: Dan Milewsky
AcctNum / Client ID:
Table #:
Profile / Template: 8534
Prelog / Bottle Ord. ID: EZ 3234263

Preservation non-conformance identified for sample.

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC	Sample Comment
200009-EB-2	GW	G	3-20-25		3-20-25	1450	3			X	011
TRIP BLANK	LAB PROVIDED						2			X	012

Additional Instructions from Pace®:

Collected By: (Printed Name) RANDLE BAKER
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
[signature]	3/20/25 1632	[signature]	3/20 1632	
O Lugishu	3/21/25 0845	[signature]	3/21/25 0845	Delivered by: [ ] In- Person [ ] Courier
				[ ] FedEX [ ] UPS [ ] Other
				Page: 2 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/.

ENV-FRM-CORQ-0019_v02_110123 ©

Sample Preservation Receipt Form

Client Name: Enviroforensics Project # 402925810

All containers needing preservation have been checked and noted below: ☐Yes ☐No ☑N/A Initial when completed: Date/ Time:

Lab Lot# of pH paper: Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic						Vials						Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2							
001																	3																	2.5 / 5
002																	3																	2.5 / 5
003																	3																	2.5 / 5
004																	3																	2.5 / 5
005																	3																	2.5 / 5
006																	3																	2.5 / 5
007																	3																	2.5 / 5
008																	3																	2.5 / 5
009																	3																	2.5 / 5
010																	3																	2.5 / 5
011																	3																	2.5 / 5
012																	2																	2.5 / 5
013																																		2.5 / 5
014																																		2.5 / 5
015																																		2.5 / 5
016																																		2.5 / 5
017																																		2.5 / 5
018																																		2.5 / 5
019																																		2.5 / 5
020																																		2.5 / 5

Add 3/2 hr

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: Headspace in VOA Vials (>6mm) : ☐Yes ☑No ☐N/A ***If yes look in headspace column**

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO# : 40292586

40292586

Client Name: Enviroforensics

Courier: ~~FCS~~ Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Purple Mountain ☐ Client ☐ Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ~~yes~~ ☐ no Seals intact: ~~yes~~ ☐ no

Custody Seal on Samples Present: ☐ yes ~~no~~ Seals intact: ☐ yes ~~no~~

Packing Material: ~~Bubble Wrap~~ ~~Bubble Bags~~ ☐ None ☐ Other _____

Thermometer Used SR - 143 **Type of Ice:** (Wet) Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 3.0 /Corr: 3.0

Temp Blank Present: ~~yes~~ ☐ no **Biological Tissue is Frozen:** ☐ yes ☐ no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
Date: 3/21/25 /Initials: MH
Labeled By Initials: ALM

Chain of Custody Present:	~~☑Yes~~ ☐No ☐N/A	1.
Chain of Custody Filled Out:	~~☑~~Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	~~☑~~Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	~~☑Yes~~ ☐No ☐N/A	4.
Samples Arrived within Hold Time:	~~☑Yes~~ ☐No	5.
- DI VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	☐Yes ~~☑No~~	6.
Rush Turn Around Time Requested:	☐Yes ~~☑No~~	7.
Sufficient Volume:		8.
For Analysis: ~~☑Yes~~ ☐No MS/MSD:	☐Yes ~~☑No~~ ☐N/A	
Correct Containers Used:	~~☑~~Yes ☐No	9.
Correct Type: Pace Green Bay, Pace IR, Non-Pace		
Containers Intact:	~~☑~~Yes ☐No	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ~~☑N/A~~	11.
Sample Labels match COC:	~~☑Yes~~ ☐No ☐N/A	12.
-Includes date/time/ID/Analysis Matrix: W		
Trip Blank Present:	~~☑Yes~~ ☐No ☐N/A	13.
Trip Blank Custody Seals Present	~~☑Yes~~ ☐No ☐N/A	
Pace Trip Blank Lot # (if purchased): 538		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir

Page 2 of 2