April 7, 2025

Mr. Lee Delcore
Wisconsin Department of Natural Resources
1155 Pilgrim Road
Plymouth, WI 53073

Re: Monitoring Well Abandonment Forms:
Heimes Garage - Former
3418 – 66th Street
Kenosha, WI 53142
BRRTS# 03-30-409382

Dear Mr. Delcore:

The abandonment forms are attached for monitoring wells MW-1 and MW-3 through MW-6. Responsibility for the remaining wells, MW-2, MW-7 and MW-8, has been assumed by Southport Transportation, the Responsible Party for the Yutka Storage site, BRRTS#: 02-30-578109.

Please let me know if you have any questions. Thank you.

Sincerely,
Midwest Environmental Consulting

Sean Cranley, P.G.
Principal Hydrogeologist

Midwest Environmental Consulting, LLC
N6395 Paradise Dr. • Burlington, WI 53105
Phone (262) 237-4351 • Email mwenvirocon@gmail.com

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ **Verification Only of Fill and Seal**

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Kenosha		

Latitude / Longitude (see instructions): _____ N _____ W
Format Code: ☐ DD ☐ DDM
Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼/¼	¼	Section	Township	Range	or Gov't Lot #
SW	NW	1	1 N	22 ☒ E ☐ W	

Well Street Address: 3418-66th St.
Well City, Village or Town: Kenosha
Well ZIP Code: 53142
Subdivision Name:
Lot #:
Reason for Removal from Service: Case Closure
WI Unique Well # of Replacement Well:

2. Facility / Owner Information

Facility Name: Heimes Garage (Farmer)
Facility ID (FID or PWS): 03-30-409382
License/Permit/Monitoring #: MW-1
Original Well Owner: Talman Venture, LLC
Present Well Owner: As Above
Mailing Address of Present Owner: 4515 Washington Rd.
City of Present Owner: Kenosha
State: WI
ZIP Code: 53144

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well ☐ Water Well ☐ Borehole / Drillhole
Original Construction Date (mm/dd/yyyy): 01/22/2020
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	Lower Drillhole Diameter (in.)	Casing Depth (ft.)
14	2	8	

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown
If yes, to what depth (feet)?
Depth to Water (feet): 3.5

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☒ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☒ Yes	☐ No	☐ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☒ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks, Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips			
Surface	14		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)
Sean Cranley		4/3/25

Street or Route: N6395 Paradise Dr.
Telephone Number: (262) 237-4351
City: Burlington
State: WI
ZIP Code: 53105
Signature of Person Doing Work: Sean Cranley
Date Signed: 4/3/25

DNR Use Only
Date Received:
Noted By:
Comments:

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ **Verification Only of Fill and Seal**

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Kenosha	_ _ _ _ _ _ _	

Latitude / Longitude (see instructions) _____ N _____ W | Format Code: ☐ DD ☐ DDM | Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼¼ SW	¼ NW	Section	Township	Range
or Gov't Lot #		1	1 N	22 ☒ E ☐ W

Well Street Address: 3418 66th St.

Well City, Village or Town: Kenosha | Well ZIP Code: 53142

Subdivision Name: | Lot #:

Reason for Removal from Service: Case Closure | WI Unique Well # of Replacement Well: _ _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Heimes Garage (Farmer)

Facility ID (FID or PWS): 03-30-409382

License/Permit/Monitoring #: MW-3

Original Well Owner: Talman Venture, LLC

Present Well Owner: As Above

Mailing Address of Present Owner: 4515 Washington Rd.

City of Present Owner: Kenosha | State: WI | ZIP Code: 53144

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well ☐ Water Well ☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 01/21/2020

If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)
14	2
Lower Drillhole Diameter (in.)	**Casing Depth (ft.)**
8	

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? | Depth to Water (feet): 1.8

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☒ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☒ Yes	☐ No	☐ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☒ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)
Sean Crawley		4/3/25

Street or Route: N6395 Paradise Dr. | Telephone Number: (262) 237-9351

City: Burlington | State: WI | ZIP Code: 53105

Signature of Person Doing Work: Sean Crawley | Date Signed: 4/3/25

DNR Use Only

Date Received	Noted By
Comments	

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ **Verification Only of Fill and Seal**

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other:

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Kenosha		

Latitude / Longitude (see instructions): ____ N ____ W
Format Code: ☐ DD ☐ DDM
Method Code: ☐ GPS006 ☐ SCR002 ☐ OTH001

¼¼	¼	Section	Township	Range	or Gov't Lot #
SW	NW	1	1 N	22 ☒ E ☐ W	

Well Street Address: 3418 66th St.

Well City, Village or Town: Kenosha
Well ZIP Code: 53142

Subdivision Name:
Lot #:

Reason for Removal from Service: Case Closure
WI Unique Well # of Replacement Well:

2. Facility / Owner Information

Facility Name: Heimes Garage (former)
Facility ID (FID or PWS): 03-30-409382
License/Permit/Monitoring #: MW-4
Original Well Owner: Talman Venture, LLC
Present Well Owner: As Above
Mailing Address of Present Owner: 4515 Washington Rd.
City of Present Owner: Kenosha
State: WI
ZIP Code: 53144

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well ☐ Water Well ☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 01/21/2020
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify):

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	Lower Drillhole Diameter (in.)	Casing Depth (ft.)
14	2	8	

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown
If yes, to what depth (feet)?
Depth to Water (feet): 1.7

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☒ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☒ Yes	☐ No	☐ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☒ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks, Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)
Sean Cranley		4/3/25

Street or Route: N6395 Paradise Dr.
Telephone Number: (262) 237-4351

City: Burlington
State: WI
ZIP Code: 53105
Signature of Person Doing Work: Sean Cranley
Date Signed: 4/3/25

DNR Use Only
Date Received:
Noted By:
Comments:

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ **Verification Only of Fill and Seal**

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Kenosha	_ _ _ _ _ _ _	

Latitude / Longitude (see instructions) _____ N _____ W
Format Code: ☐ DD ☐ DDM
Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼ ¼	¼	Section	Township	Range	or Gov't Lot #
SW	NW	1	1 N	22 ☒ E ☐ W	

Well Street Address: 3418-66th St.
Well City, Village or Town: Kenosha
Well ZIP Code: 53142
Subdivision Name:
Lot #:
Reason for Removal from Service: Case Closure
WI Unique Well # of Replacement Well: _ _ _ _ _ _ _

2. Facility / Owner Information

Facility Name: Heimes Garage (former)
Facility ID (FID or PWS): 03-30-409382
License/Permit/Monitoring #: MW-5
Original Well Owner: Talman Venture, LLC
Present Well Owner: As Above
Mailing Address of Present Owner: 4515 Washington Rd.
City of Present Owner: Kenosha
State: WI
ZIP Code: 53144

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well ☐ Water Well ☐ Borehole / Drillhole
Original Construction Date (mm/dd/yyyy): 01/21/2020
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)	Lower Drillhole Diameter (in.)	Casing Depth (ft.)
14	2	8	

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown
If yes, to what depth (feet)?
Depth to Water (feet): 1.7

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☒ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☒ Yes	☐ No	☐ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☒ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	14		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)
Sean Cranley		4/3/25

Street or Route: N6395 Paradise Dr.
Telephone Number: (262) 237-4351
City: Burlington
State: WI
ZIP Code: 53105
Signature of Person Doing Work: Sean Cranley
Date Signed: 4/3/25

DNR Use Only
Date Received:
Noted By:
Comments:

State of Wis., Dept. of Natural Resources
dnr.wi.gov

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between $10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☐ **Verification Only of Fill and Seal**

Route to DNR Bureau:
☐ Drinking Water ☐ Watershed/Wastewater ☒ Remediation/Redevelopment
☐ Waste Management ☐ Other: _____

1. Well Location Information

County	WI Unique Well # of Removed Well	Hicap #
Kenosha		

Latitude / Longitude (see instructions): _____ N _____ W
Format Code: ☐ DD ☐ DDM
Method Code: ☐ GPS008 ☐ SCR002 ☐ OTH001

¼/¼ SW	¼ NW	Section	Township	Range
or Gov't Lot #		1	1 N	22 ☒ E ☐ W

Well Street Address: 3418 66th St.
Well City, Village or Town: Kenosha
Well ZIP Code: 53142
Subdivision Name:
Lot #:

Reason for Removal from Service: Case Closure
WI Unique Well # of Replacement Well:

2. Facility / Owner Information

Facility Name: Heimes Garage (former)
Facility ID (FID or PWS): 03-30-409382
License/Permit/Monitoring #: MW-6
Original Well Owner: Talman Venture, LLC
Present Well Owner: As Above
Mailing Address of Present Owner: 4515 Washington Rd.
City of Present Owner: Kenosha
State: WI
ZIP Code: 53144

3. Filled & Sealed Well / Drillhole / Borehole Information

☒ Monitoring Well ☐ Water Well ☐ Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 03/26/2020
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☐ Bedrock

Total Well Depth From Ground Surface (ft.)	Casing Diameter (in.)
13.5	2
Lower Drillhole Diameter (in.)	**Casing Depth (ft.)**
8	

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)?	Depth to Water (feet)
	1.4

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☐ Yes	☐ No	☒ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☒ Yes	☐ No	☐ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☐ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☒ No	☐ N/A

Required Method of Placing Sealing Material
☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☒ Other (Explain): Gravity

Sealing Materials
☐ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☒ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
☒ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	13.5		

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)
Sean Cranley		4/3/25

Street or Route	Telephone Number
N6395 Paradise Dr.	(262) 237-9351

City	State	ZIP Code	Signature of Person Doing Work	Date Signed
Burlington	WI	53105	Sean Cranley	4/3/25

DNR Use Only

Date Received	Noted By
Comments	