Northern Lake Service, Inc • 400 N Lake Ave • Crandon, WI 54520
800-278-1254 • www.nlslab.com

May 09, 2025

Mark Pauli
Wisconsin Dept of Natural Res - Madison
107 Sutliff Ave
Rhinelander, WI 54501

Project: 2024/2025 Starks-Stella (Sunset Lake Phase)
Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane
Work Order: CD04891
Received: 05/05/25

Enclosed are the results of analyses for samples received by our laboratory on 5/5/2025. If you have any questions concerning this report, please feel free to contact a client service representative at clientservices@nlslab.com.

Sincerely,

Ronald T. Krueger For Client Services
Northern Lake Service, Inc.

Wisconsin Dept of Natural Res - Madison	Project: 2024/2025 Starks-Stella (Sunset Lake Phase)		
107 Sutliff Ave	Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane	**Reported:**	**Work Order:**
Rhinelander, WI 54501	Project Manager: Mark Pauli	5/9/25 7:36	CD04891

Sample Summary

Descriptions of all qualifiers listed throughout this report can be found on the Qualifiers and Definitions Page.

Lab ID	Sample	Matrix	Qualifiers	Date Sampled	Date Received
CD04891-01	Kitchen Sink	DW		5/5/25 4:30	5/5/25 11:00
CD04891-02	Field Blank	DW		5/5/25 4:30	5/5/25 11:00

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Wisconsin Dept of Natural Res - Madison	Project: 2024/2025 Starks-Stella (Sunset Lake Phase)		
107 Sutliff Ave	Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane	**Reported:**	**Work Order:**
Rhinelander, WI 54501	Project Manager: Mark Pauli	5/9/25 7:36	CD04891

Sample Results

Sample: Kitchen Sink

CD04891-01 (DW) Sampled: 05/05/25 04:30

Analyte	Result	Qualifier	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Semi-Volatiles											
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		0.31	1.0		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		0.48	1.6		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		0.42	1.4		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		0.95	3.1		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1.8	5.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		2.0	6.6		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	ND		0.74	2.5		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		0.55	1.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		0.64	2.1		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	0.66	J	0.55	1.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	0.65	J	0.57	1.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	ND		0.65	2.2		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		0.53	1.8		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	2.0		0.48	1.6		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	1.2	J	0.49	1.7		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		0.55	1.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTrDA)	ND		0.55	1.9		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		0.53	1.8		ng/L	5/6/25 6:36	5/7/25 0:32	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFHxA	*88%*		*Limits:*	*70-130%*			*5/6/25 6:36*	*5/7/25 0:32*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) C13-HFPODA	*82%*		*Limits:*	*70-130%*			*5/6/25 6:36*	*5/7/25 0:32*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) C13-PFDA	*92%*		*Limits:*	*70-130%*			*5/6/25 6:36*	*5/7/25 0:32*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) d5-NEtFOSAA	*81%*		*Limits:*	*70-130%*			*5/6/25 6:36*	*5/7/25 0:32*	*RAW*	*EPA 537.1, Rev 2.0*	2

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Wisconsin Dept of Natural Res - Madison	Project: 2024/2025 Starks-Stella (Sunset Lake Phase)		
107 Sutliff Ave	Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane	**Reported:**	**Work Order:**
Rhinelander, WI 54501	Project Manager: Mark Pauli	5/9/25 7:36	CD04891

Sample: Field Blank

CD04891-02 (DW) Sampled: 05/05/25 04:30

Analyte	Result	Qualifier	LOD	LOQ	MCL	Units	Date Prepared	Date Analyzed	Analyst	Method	Lab Cert Code
Semi-Volatiles											
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		0.31	1.0		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		0.47	1.5		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	ND		0.41	1.3		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
hexafluoropropylene oxide dimer acid (HFPO DA)	ND		0.93	3.1		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		1.7	5.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
n-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		1.9	6.4		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorobutanesulfonic acid (PFBS)	ND		0.72	2.4		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorodecanoic acid (PFDA)	ND		0.54	1.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorododecanoic acid (PFDoA)	ND		0.62	2.0		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluoroheptanoic acid (PFHpA)	ND		0.54	1.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanoic acid (PFHxA)	ND		0.56	1.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorohexanesulfonic acid (PFHxS)	ND		0.63	2.1		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorononanoic acid (PFNA)	ND		0.52	1.7		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanoic acid (PFOA)	ND		0.47	1.5		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorooctanesulfonic acid (PFOS)	ND		0.48	1.6		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorotetradecanoic acid (PFTA)	ND		0.54	1.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluorotridecanoic acid (PFTrDA)	ND		0.54	1.8		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
perfluoroundecanoic acid (PFUnA)	ND		0.52	1.7		ng/L	5/7/25 6:56	5/7/25 16:43	RAW	EPA 537.1, Rev 2.0	2
Surrogate: (SURR) C13-PFHxA	*99%*		*Limits: 70-130%*				*5/7/25 6:56*	*5/7/25 16:43*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) C13-HFPODA	*95%*		*Limits: 70-130%*				*5/7/25 6:56*	*5/7/25 16:43*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) C13-PFDA	*102%*		*Limits: 70-130%*				*5/7/25 6:56*	*5/7/25 16:43*	*RAW*	*EPA 537.1, Rev 2.0*	2
Surrogate: (SURR) d5-NEtFOSAA	*93%*		*Limits: 70-130%*				*5/7/25 6:56*	*5/7/25 16:43*	*RAW*	*EPA 537.1, Rev 2.0*	2

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Wisconsin Dept of Natural Res - Madison	Project: 2024/2025 Starks-Stella (Sunset Lake Phase)		
107 Sutliff Ave	Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane	**Reported:**	**Work Order:**
Rhinelander, WI 54501	Project Manager: Mark Pauli	5/9/25 7:36	CD04891

List of Certifications

Code	Description	Number	Expires
2	NLS (Crandon) WDNR Laboratory ID No.	721026460	8/31/25

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Wisconsin Dept of Natural Res - Madison	Project: 2024/2025 Starks-Stella (Sunset Lake Phase)		
107 Sutliff Ave	Project Number: Peter K Guckenberg Jr - 3570 Sunset Lane	**Reported:**	**Work Order:**
Rhinelander, WI 54501	Project Manager: Mark Pauli	5/9/25 7:36	CD04891

Qualifiers and Definitions

Item	Definition
J	Result is between LOD and LOQ and considered to be within a region of less-certain quantitation.
ND	Analyte NOT DETECTED at or above the LOD or MRL.
LOD	Limit of Detection.
LOQ	Limit of Quantitation.
NA	Not Applicable.
Dry	Dry Weight Basis.
Wet	Wet Weight Basis.
% Dry	Equal to: (mg/kg dry) / 10000.
1000 ug/L	Equal to: 1 mg/L.
MCL	Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.
RPD	Relative Percent Difference.
%REC	Percent Recovery.
Source	Sample that was matrix spiked or duplicated.

All LOD/LOQs adjusted to reflect preparation volumes, dilutions, and/or solids content.

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety.

Sample Collection Record

Town of Stella-Starks Expanded PFAS (537.1) Sampling Project

Return your sample no later than 2 days after collection to:

Northern Lake Service
400 N Lake Ave
Crandon, WI 54520

Please provide the following information:

Name: Peter Guckenberg

Address: 3570 SUNSET LANE - COTTAGE - RHINELANDER - WELL TEST
5672 Shubert Rd OMRO WI 54963 - HOME

City/State/Zip: OMRO WI 54963

Phone: 920-850-9351

Sample Collection Date: 5-5-25 Sample Collection Time: 4:30 AM/PM

Sample Collection Location (ex. Kitchen Sink): KITCHEN SINK

Sample Collected By (Signature): Peter Guckenberg

Per EPA 537.1, each sample set **must be accompanied by a field blank. The purpose of the field blank is to allow for the identification of potential contamination during sample collection and handling.

Final results will be reported directly to the Wisconsin DNR. WDNR will review, interpret, and inform residents of further action. **DO NOT CONTACT NORTHERN LAKE SEVICE DIRECTLY FOR SAMPLE RESULTS.**

CD04891

Trigma lot # verified

Laboratory use only:

Received at NLS by (Signature): [signature] Date/Time: 5/5/25 1100 am

Method of Delivery: Speedee Condition (on ice / no ice) ice packs

Receiving Temperature (°C) 2.3 Thermometer # 11