RMT

• ENVIRONMENT • ENERGY • ENGINEERING

February 26, 2009

Received

MAR 2 2009

REMEDIATION & REDEVELOPMENT

Mr. Richard Boice
Remedial Project Manager
United States Environmental Protection Agency
77 West Jackson Boulevard
Chicago, IL 60604-3590

Subject: Documentation of Investigation-derived Wastes for the Deep Well Installations at the Lemberger Transport and Recycling, Inc., Site in the Town of Franklin, Manitowoc County, Wisconsin.

Dear Mr. Boice:

On February 18, 2009, the Veolia Hickory Meadows Landfill in Hilbert, Wisconsin, accepted 17 drums of soil/bedrock cuttings that were generated at the Lemberger Transport and Recycling, Inc., site during the drilling of wells RM-7XXD and RM-208XD in September 2008. To accept the wastes, Veolia recertified an existing waste profile on February 4, 2009, after receiving additional information and analytical data from RMT, Inc., on January 27, 2009. The Special Waste Manifest Disposal Ticket and additional supporting information are attached.

If you have any questions regarding this letter, please call us, at (608) 831-4444.

Sincerely,

RMT, Inc.

Kristopher D. Krause, P.E.
Senior Project Manager

Attachments

cc: Jim Walden– Wisconsin Department of Natural Resources (WDNR)
Doug Clark – LSRG

I:\WPMSN\PJT\00-03457\47\L000345747-007.DOC

744 Heartland Trail • Madison, WI 53717 • 608.831.4444 • 608.831.3334 FAX • www.rmtinc.com

Troy Clausen - Re: Fwd: Lemberger Manifest

From:
To:
Date: 2/18/2009 2:43 PM
Subject: Re: Fwd: Lemberger Manifest
CC: "Tina Krause"
Attachments: "Tina Krause"

Please find attached disposal documentation. The drums were received today.

Thanks,
Kari A. Rabideau
Environmental Projects Coordinator
Veolia Environmental Services - Solid Waste
W3105 Schneider Road, Hilbert, WI 54129
Phone: 920-853-8553 Fax: 920-853-3513
E-Mail kari.rabideau@veoliaes.com
www.VeoliaES.com

-----"Troy Clausen" <Troy.Clausen@rmtinc.com> wrote: -----

To: <Kari.Rabideau@veoliaes.com>
From: "Troy Clausen" <Troy.Clausen@rmtinc.com>
Date: 02/16/2009 04:17PM
cc: "Tina Krause" <Tina.Krause@rmtinc.com>
Subject: Fwd: Lemberger Manifest

Hi Kari,
Attached is a signed waste manifest for Profile# HML01-106 for the 17 drums of waste that are awaiting pick-up at the Lemberger Landfill site. We are also sending the signed manifest through the mail.

Please contact me, if you need anything else on this.

Thank you.

Troy Clausen, P.G., Hydrogeologist | **RMT** | 744 Heartland Trail Madison WI 53717
Phone: 608.662.5131 | Email: troy.clausen@rmtinc.com | CREATING BALANCE

Outgoing messages, along with any attachments, are scanned for viruses prior to sending.

NOTICE-- This email may contain confidential and privileged information for the sole use of the intended recipient. Any review or distribution by others is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and delete all copies.

----- Message from "Tina Krause" <Tina.Krause@rmtinc.com> on Mon, 16 Feb 2009 16:02:22 -0600 -----

To: "Troy Clausen" <Troy.Clausen@rmtinc.com>
Subject: Lemberger Manifest

VEOLIA HICKORY MEADOWS LANDFILL B5
W3105 SCHNEIDER ROAD
HILBERT, WI 54129
920-853-8553

18 February 2009 12:57 pm
18 February 2009 1:07 pm

Ticket: 262511
000190 - 0002 LSRG c/o RMT, INC

Vehicle: 667GE 00 Gross Weight 44,040.00 lb
GENE FREDRICKSON TRUCKINGStored Tare Weight 30,520.00 lb
Net Weight 13,520.00 lb 6.76 TN

Contract: HML01-106 LSRG/C-SOIL
Reference:

Quantity	Unit	Description	Rate	Tax	Total
17.00	EA	37A Remediated Waste / Soil			
6.76	TN	37A Remediated Waste / Soil			

~~Net Amount:~~

Weighmaster: JOAN M QUANDT Driver
HAVE A GREAT DAY!!
LICENSE NUMBER: 81-11854

262511

SPECIAL WASTE MANIFEST DISPOSAL TICKET

VEOLIA ES HICKORY MEADOWS LANDFILL, LLC.
W3105 Schneider Rd. • Hilbert, WI 54129 • Ph. 920-853-8553

A VEOLIA Company

BILL TO: RMT

TRANSPORTER: Gene Frederickson Trucking

GENERATOR: LSRG

GENERATOR'S SIGNATURE: LSRG 2/11/09 Date

WASTE DESCRIPTION: Remediation Waste (17 Drums)

PROFILE #: HML01-106

ACCEPTED BY: 2/18/09 Date

DRIVER'S SIGNATURE: 2/18/09 Date TRUCK NO. 667 6.76 TONS/YARDS

WHITE & YELLOW - TRANSPORTER COPY PINK - DISPOSAL SITE COPY GOLD - GENERATOR COPY

VEOLIA
ENVIRONMENTAL SERVICES

SOLID WASTE
NORTH AMERICA

December 16, 2008

Mr. Troy Clausen
RMT
744 Heartland Trail
Madison, WI 53717

RE: *HML01-106*

Dear Troy:

This letter is being submitted to notify you that the approval to dispose of the above referenced waste has expired. In order to continue shipping the waste to our facility, the profile must be recertified. There are two alternatives for recertifying the information contained on the profile. If there have been any changes in the process generating the waste or materials used in the process, alternative 1 must be used.

- Complete and sign the attached profile, noting any changes that have occurred in the process during the past year. Return the profile to my attention. Include with the profile copies of MSDSs for any new materials used in the process and any additional analysis that may have been performed on the waste.

- If no changes have occurred in the process generating the waste complete the certification section below and return this letter to my attention.

I have reviewed the process generating the waste and the information submitted to obtain the original disposal approval. Based on this review, I certify that no changes have occurred in the process generating the waste or the materials used in the process, and the information originally submitted continues to be representative of the waste.

Troy H. Clausen Signature	01-27-08 Date
Troy H. Clausen Printed Name	P.G., Hydrogeologist Title

If you have any questions please contact Kari Rabideau at (920) 853-8553.

Sincerely,

Kari A. Rabideau
Environmental Project Coordinator

Veolia ES Solid Waste, Inc.
Hickory Meadows Landfill, LLC
W3105 Schneider Road, Hilbert, WI 54129
tel: 920-853-8553 - fax: 920-853-3513
www.veoliaes.com

ONYX

SPECIAL WASTE PROFILE SHEET

Profile #

Original Submittal ☐
Recertification ☐
One Time Project ☒

Designated Facility: Hickory Meadows Landfill, LLC

Sales Representative: ~~Jo Ann Templeton~~ Kari Rabideau

A. Generator

Name: LSRG
Site Address: 6024 Hempton Lake Rd.
City, State, Zip: Whitelaw, WI 54247
Contact:
Phone: 920-732-3234
Fax: 920-732-3899

B. Billing

Name: RMT
Address: 744 Heartland Trail
City, State: Madison, WI Zip: 53717-1934
Contact: ~~Eric Grodell~~ Kristopher (Kris) Krause
Phone: 608-831-4444
Fax: 608-831-3334

C. Description of Waste

Name of Waste: Soil Cuttings w/ groundwater
Process Generating Waste: Well installation

Estimated Volume: ~~10 cubic yards~~ 17 55-gal drum
Frequency: One time
Physical State: Solid
Color: Tan
Free Liquids: None
PH: 8.7
Flash Point (°F): >210
Total Solid: 89.1 %

D. Other Waste Data or Comments

~~2 X 20 cubic yard lined and covered roll-off boxes~~ 17 55-gal drums which contain bedrock/soil cuttings and groundwater. Contaminated with chlorinated compounds.

E. Sample/Analysis Information

Check all that apply:

☐ Sample submitted with profile ☒ Laboratory Analysis submitted (attached) ☐ Material Safety Data Sheet Submitted

Laboratory Name: En Chem for "Protocol B" Sample Date: 7/3/01 Sample I.D.: 6/01 Cuttings
see also the laboratory data for groundwater results (tabulated)

F. Generator Certification

This waste is not a hazardous waste as defined Wisconsin Administrative Code NR605 or 40 CFR 261.
This waste does not contain regulated quantities of PCBs.
This waste does not contain regulated quantities of herbicides or pesticides.
This waste does not contain regulated quantities of F500 solvents as specified in Wisconsin Administrative Code NR 605.
This waste does not contain infectious wastes as defined in Wisconsin Administrative Code NR 526.
To the best of my knowledge, all information submitted in this and all attached documents contain true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 and was obtained by using this or an equivalent sampling method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

Generator's Signature: ~~Pete Chase~~ Troy Clausen as Agent for LSRG Title: Project Geologist

Print Name: ~~Pete Chase~~ Troy Clausen as Agent for LSRG Date: ~~8/6/01~~ 01-26-08

G. Landfill Approval

My approval is based upon the laboratory analysis of a representative sample and/or material safety data sheets submitted by the generator.

Landfill Signature _____ Date _____

Approvals Signature _____ Date _____



LEGEND

SAMPLE AND MONITORING LOCATIONS
- BEDROCK BORING
- GW COLLECTION SUMP (GWC)
- GW EXTRACTION WELL (EW)
- GW OBSERVATION WELL (OW)
- LEACHATE HEAD WELL (LH)
- LEACHATE WITHDRAWL WELL (LW)
- MONITORING WELL (RM)
- RESIDENTIAL WELL (GW)

LANDFILL AREA

NOTES

1. AERIAL IMAGERY FROM USDA – NATIONAL AGRICULTURE IMAGERY PROGRAM 2005.
2. MAP COORDINATES REFERENCE WISCONSIN STATE PLANE, SOUTH ZONE, NAD 83, US SURVEY FOOT.

N

0 500 FEET

1" = 500'
1:6,000

PROJECT: LEMBERGER LANDFILL AND LEMBERGER TRANSPORT AND RECYCLING SITES
TOWN OF FRANKLIN, WISCONSIN

SHEET TITLE: SOURCE AREA MAP

DRAWN BY: MCKEEFRY J	SCALE:	PROJ. NO.	00-0345441
CHECKED BY:	AS NOTED	FILE NO.	34544103.mxd
APPROVED BY:	DATE PRINTED:	FIGURE 3	
DATE: JANUARY 2009	1/13/2009		

RMT

744 Heartland Trail
Madison, WI 53717-1934
P.O. Box 8923 53708-8923
Phone: 608-831-4444
Fax: 608-831-3334

D:\0345441\MXD\34544103.mxd 1/13/2009 12:41:11

WORKING COPY

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-007D	7/17/2008	1,1,1-TRICHLOROETHANE		576	9		UG/L
RM-007D	7/17/2008	1,1-DICHLOROETHANE		424	7.5		UG/L
RM-007D	7/17/2008	1,1-DICHLOROETHENE		44.2	5.7		UG/L
RM-007D	7/17/2008	CHLOROETHANE		26.6	9.7	J	UG/L
RM-007D	7/17/2008	CIS-1,2-DICHLOROETHENE		138	8.3		UG/L
RM-007D	7/17/2008	TETRACHLOROETHENE	<	4.5	4.5		UG/L
RM-007D	7/17/2008	TRANS-1,2-DICHLOROETHENE	<	8.9	8.9		UG/L
RM-007D	7/17/2008	TRICHLOROETHENE		36.6	4.8		UG/L
RM-007D	7/17/2008	VINYL CHLORIDE		2.0	1.8	J	UG/L

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-007XD	7/17/2008	1,1,1-TRICHLOROETHANE		137	0.9		UG/L
RM-007XD	7/17/2008	1,1-DICHLOROETHANE		93.0	0.75		UG/L
RM-007XD	7/17/2008	1,1-DICHLOROETHENE		33.9	0.57		UG/L
RM-007XD	7/17/2008	CHLOROETHANE		1.7	0.97	J	UG/L
RM-007XD	7/17/2008	CIS-1,2-DICHLOROETHENE		124	0.83		UG/L
RM-007XD	7/17/2008	TETRACHLOROETHENE	<	0.45	0.45		UG/L
RM-007XD	7/17/2008	TRANS-1,2-DICHLOROETHENE	<	0.89	0.89		UG/L
RM-007XD	7/17/2008	TRICHLOROETHENE		34.3	0.48		UG/L
RM-007XD	7/17/2008	VINYL CHLORIDE	<	0.18	0.18		UG/L

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-007XD DUP	7/14/2006	1,1,1-TRICHLOROETHANE		95	0.90		UG/L
RM-007XD DUP	7/14/2006	1,1-DICHLOROETHANE		53	0.75		UG/L
RM-007XD DUP	7/14/2006	1,1-DICHLOROETHENE		21	0.57		UG/L
RM-007XD DUP	7/14/2006	1,2-DICHLOROETHENE, TOTAL		76	1.4		UG/L
RM-007XD DUP	7/14/2006	CHLOROETHANE		1.8	0.97	Q	UG/L
RM-007XD DUP	7/14/2006	CIS-1,2-DICHLOROETHENE		76	0.83		UG/L
RM-007XD DUP	7/14/2006	TETRACHLOROETHENE		2.3	0.45	Xu	UG/L
RM-007XD DUP	7/14/2006	TRANS-1,2-DICHLOROETHENE	<	0.89	0.89		UG/L
RM-007XD DUP	7/14/2006	TRICHLOROETHENE		21	0.48		UG/L
RM-007XD DUP	7/14/2006	VINYL CHLORIDE	<	0.18	0.18		UG/L

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-007S	7/17/2008	1,1,1-TRICHLOROETHANE		1.6	0.9	J	UG/L
RM-007S	7/17/2008	1,1-DICHLOROETHANE		1.3	0.75	J	UG/L
RM-007S	7/17/2008	1,1-DICHLOROETHENE	<	0.57	0.57		UG/L
RM-007S	7/17/2008	CHLOROETHANE	<	0.97	0.97		UG/L
RM-007S	7/17/2008	CIS-1,2-DICHLOROETHENE		2.1	0.83	J	UG/L
RM-007S	7/17/2008	TETRACHLOROETHENE	<	0.45	0.45		UG/L
RM-007S	7/17/2008	TRANS-1,2-DICHLOROETHENE	<	0.89	0.89		UG/L
RM-007S	7/17/2008	TRICHLOROETHENE	<	0.48	0.48		UG/L
RM-007S	7/17/2008	VINYL CHLORIDE	<	0.18	0.18		UG/L

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-208D	7/18/2008	1,1,1-TRICHLOROETHANE		22.8	0.9		UG/L
RM-208D	7/18/2008	1,1-DICHLOROETHANE		12.6	0.75		UG/L
RM-208D	7/18/2008	1,1-DICHLOROETHENE		2.1	0.57		UG/L
RM-208D	7/18/2008	CHLOROETHANE	<	0.97	0.97		UG/L
RM-208D	7/18/2008	CIS-1,2-DICHLOROETHENE		7.2	0.83		UG/L
RM-208D	7/18/2008	TETRACHLOROETHENE	<	0.45	0.45		UG/L
RM-208D	7/18/2008	TRANS-1,2-DICHLOROETHENE	<	0.89	0.89		UG/L
RM-208D	7/18/2008	TRICHLOROETHENE		3.1	0.48		UG/L

SAMPLEID	DATE	PARMNAME	ND	RESULT	DL	QUAL	UNITS
RM-208I	7/18/2008	1,1,1-TRICHLOROETHANE	<	0.90	0.9		UG/L
RM-208I	7/18/2008	1,1-DICHLOROETHANE	<	0.75	0.75		UG/L
RM-208I	7/18/2008	1,1-DICHLOROETHENE	<	0.57	0.57		UG/L
RM-208I	7/18/2008	CHLOROETHANE	<	0.97	0.97		UG/L
RM-208I	7/18/2008	CIS-1,2-DICHLOROETHENE	<	0.83	0.83		UG/L
RM-208I	7/18/2008	TETRACHLOROETHENE	<	0.45	0.45		UG/L
RM-208I	7/18/2008	TRANS-1,2-DICHLOROETHENE	<	0.89	0.89		UG/L
RM-208I	7/18/2008	TRICHLOROETHENE	<	0.48	0.48		UG/L

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: RINSE BLANK **Lab ID: 408659001** Collected: 09/05/08 14:35 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:26	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/08/08 14:26	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:26	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:26	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/08/08 14:26	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/08/08 14:26	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/08/08 14:26	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:26	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:26	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:26	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:26	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:26	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/08/08 14:26	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/08/08 14:26	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/08/08 14:26	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:26	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/08/08 14:26	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:26	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:26	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/08/08 14:26	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:26	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/08/08 14:26	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/08/08 14:26	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:26	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/08/08 14:26	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/08/08 14:26	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/08/08 14:26	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:26	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:26	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:26	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:26	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/08/08 14:26	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/08/08 14:26	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:26	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/08/08 14:26	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/08/08 14:26	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/08/08 14:26	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:26	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/08/08 14:26	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:26	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/08/08 14:26	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:26	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:26	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:26	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/08/08 14:26	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/08/08 14:26	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: RINSE BLANK **Lab ID: 408659001** Collected: 09/05/08 14:35 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:26	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/08/08 14:26	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:26	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:26	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:26	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/08/08 14:26	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/08/08 14:26	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/08/08 14:26	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/08/08 14:26	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:26	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:26	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:26	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/08/08 14:26	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/08/08 14:26	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:26	95-47-6	
4-Bromofluorobenzene (S)	77	%	64-132		1		09/08/08 14:26	460-00-4	
Dibromofluoromethane (S)	98	%	68-122		1		09/08/08 14:26	1868-53-7	
Toluene-d8 (S)	92	%	73-127		1		09/08/08 14:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: B-7XXD 139-144' **Lab ID: 408659002** Collected: 09/05/08 16:20 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:49	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/08/08 14:49	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:49	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:49	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/08/08 14:49	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/08/08 14:49	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/08/08 14:49	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:49	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:49	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:49	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:49	108-90-7	
Chloroethane	**84.9**	ug/L	3.2	0.97	1		09/08/08 14:49	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/08/08 14:49	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/08/08 14:49	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/08/08 14:49	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:49	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/08/08 14:49	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:49	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:49	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/08/08 14:49	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:49	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/08/08 14:49	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/08/08 14:49	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:49	75-71-8	
1,1-Dichloroethane	**109**	ug/L	2.5	0.75	1		09/08/08 14:49	75-34-3	
1,2-Dichloroethane	**0.96J**	ug/L	1.2	0.36	1		09/08/08 14:49	107-06-2	
1,1-Dichloroethene	**11.7**	ug/L	1.9	0.57	1		09/08/08 14:49	75-35-4	
cis-1,2-Dichloroethene	**42.0**	ug/L	2.8	0.83	1		09/08/08 14:49	156-59-2	
trans-1,2-Dichloroethene	**1.3J**	ug/L	3.0	0.89	1		09/08/08 14:49	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:49	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:49	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/08/08 14:49	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/08/08 14:49	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:49	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/08/08 14:49	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/08/08 14:49	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/08/08 14:49	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:49	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/08/08 14:49	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:49	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/08/08 14:49	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:49	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:49	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:49	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/08/08 14:49	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/08/08 14:49	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: B-7XXD 139-144' **Lab ID: 408659002** Collected: 09/05/08 16:20 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:49	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/08/08 14:49	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:49	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:49	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:49	120-82-1	
1,1,1-Trichloroethane	**71.1**	ug/L	3.0	0.90	1		09/08/08 14:49	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/08/08 14:49	79-00-5	
Trichloroethene	**24.6**	ug/L	1.6	0.48	1		09/08/08 14:49	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/08/08 14:49	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:49	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:49	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:49	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/08/08 14:49	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/08/08 14:49	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:49	95-47-6	
4-Bromofluorobenzene (S)	80	%	64-132		1		09/08/08 14:49	460-00-4	
Dibromofluoromethane (S)	99	%	68-122		1		09/08/08 14:49	1868-53-7	
Toluene-d8 (S)	87	%	73-127		1		09/08/08 14:49	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: TRIP BLANK **Lab ID: 408659003** Collected: 09/05/08 00:00 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:02	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/08/08 14:02	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:02	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:02	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/08/08 14:02	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/08/08 14:02	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/08/08 14:02	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:02	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:02	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:02	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/08/08 14:02	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:02	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/08/08 14:02	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/08/08 14:02	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/08/08 14:02	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:02	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/08/08 14:02	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:02	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/08/08 14:02	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/08/08 14:02	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:02	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/08/08 14:02	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/08/08 14:02	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:02	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/08/08 14:02	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/08/08 14:02	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/08/08 14:02	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:02	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:02	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/08/08 14:02	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:02	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/08/08 14:02	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/08/08 14:02	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:02	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/08/08 14:02	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/08/08 14:02	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/08/08 14:02	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:02	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/08/08 14:02	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:02	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/08/08 14:02	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/08/08 14:02	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/08/08 14:02	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/08/08 14:02	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/08/08 14:02	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/08/08 14:02	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

nelac

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408659

Sample: TRIP BLANK **Lab ID: 408659003** Collected: 09/05/08 00:00 Received: 09/06/08 11:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/08/08 14:02	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/08/08 14:02	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/08/08 14:02	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/08/08 14:02	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:02	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/08/08 14:02	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/08/08 14:02	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/08/08 14:02	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/08/08 14:02	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/08/08 14:02	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/08/08 14:02	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:02	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/08/08 14:02	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/08/08 14:02	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/08/08 14:02	95-47-6	
4-Bromofluorobenzene (S)	79	%	64-132		1		09/08/08 14:02	460-00-4	
Dibromofluoromethane (S)	103	%	68-122		1		09/08/08 14:02	1868-53-7	
Toluene-d8 (S)	88	%	73-127		1		09/08/08 14:02	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: RINSE BLANK 2 **Lab ID: 408733001** Collected: 09/09/08 13:45 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 12:14	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/10/08 12:14	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:14	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/10/08 12:14	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/10/08 12:14	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/10/08 12:14	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/10/08 12:14	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:14	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:14	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/10/08 12:14	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 12:14	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:14	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/10/08 12:14	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/10/08 12:14	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/10/08 12:14	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 12:14	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/10/08 12:14	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/10/08 12:14	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/10/08 12:14	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/10/08 12:14	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:14	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/10/08 12:14	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/10/08 12:14	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 12:14	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/10/08 12:14	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/10/08 12:14	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/10/08 12:14	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:14	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:14	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/10/08 12:14	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/10/08 12:14	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/10/08 12:14	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/10/08 12:14	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/10/08 12:14	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/10/08 12:14	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/10/08 12:14	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/10/08 12:14	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:14	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/10/08 12:14	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:14	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/10/08 12:14	75-09-2	L1
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/10/08 12:14	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:14	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/10/08 12:14	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/10/08 12:14	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/10/08 12:14	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: RINSE BLANK 2 **Lab ID: 408733001** Collected: 09/09/08 13:45 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/10/08 12:14	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/10/08 12:14	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:14	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 12:14	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:14	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/10/08 12:14	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/10/08 12:14	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/10/08 12:14	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/10/08 12:14	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 12:14	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:14	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:14	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/10/08 12:14	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/10/08 12:14	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:14	95-47-6	
4-Bromofluorobenzene (S)	82	%	64-132		1		09/10/08 12:14	460-00-4	
Dibromofluoromethane (S)	100	%	68-122		1		09/10/08 12:14	1868-53-7	
Toluene-d8 (S)	88	%	73-127		1		09/10/08 12:14	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: WATER TRUCK **Lab ID: 408733002** Collected: 09/09/08 15:00 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 11:50	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/10/08 11:50	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 11:50	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/10/08 11:50	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/10/08 11:50	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/10/08 11:50	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/10/08 11:50	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 11:50	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 11:50	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/10/08 11:50	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 11:50	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 11:50	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/10/08 11:50	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/10/08 11:50	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/10/08 11:50	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 11:50	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/10/08 11:50	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/10/08 11:50	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/10/08 11:50	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/10/08 11:50	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 11:50	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/10/08 11:50	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/10/08 11:50	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 11:50	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/10/08 11:50	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/10/08 11:50	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/10/08 11:50	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 11:50	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 11:50	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/10/08 11:50	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/10/08 11:50	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/10/08 11:50	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/10/08 11:50	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/10/08 11:50	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/10/08 11:50	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/10/08 11:50	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/10/08 11:50	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 11:50	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/10/08 11:50	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 11:50	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/10/08 11:50	75-09-2	L1
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/10/08 11:50	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 11:50	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/10/08 11:50	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/10/08 11:50	100-42-5	M0,R1
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/10/08 11:50	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: WATER TRUCK **Lab ID: 408733002** Collected: 09/09/08 15:00 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/10/08 11:50	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/10/08 11:50	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 11:50	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 11:50	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 11:50	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/10/08 11:50	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/10/08 11:50	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/10/08 11:50	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/10/08 11:50	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 11:50	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 11:50	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 11:50	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/10/08 11:50	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/10/08 11:50	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 11:50	95-47-6	
4-Bromofluorobenzene (S)	80	%	64-132		1		09/10/08 11:50	460-00-4	
Dibromofluoromethane (S)	102	%	68-122		1		09/10/08 11:50	1868-53-7	
Toluene-d8 (S)	87	%	73-127		1		09/10/08 11:50	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: B-208XD, 128-133' **Lab ID: 408733003** Collected: 09/09/08 15:59 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 13:01	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/10/08 13:01	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 13:01	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/10/08 13:01	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/10/08 13:01	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/10/08 13:01	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/10/08 13:01	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 13:01	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 13:01	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/10/08 13:01	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 13:01	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 13:01	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/10/08 13:01	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/10/08 13:01	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/10/08 13:01	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 13:01	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/10/08 13:01	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/10/08 13:01	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/10/08 13:01	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/10/08 13:01	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 13:01	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/10/08 13:01	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/10/08 13:01	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 13:01	75-71-8	
1,1-Dichloroethane	**22.4**	ug/L	2.5	0.75	1		09/10/08 13:01	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/10/08 13:01	107-06-2	
1,1-Dichloroethene	**5.4**	ug/L	1.9	0.57	1		09/10/08 13:01	75-35-4	
cis-1,2-Dichloroethene	**24.5**	ug/L	2.8	0.83	1		09/10/08 13:01	156-59-2	
trans-1,2-Dichloroethene	**1.8J**	ug/L	3.0	0.89	1		09/10/08 13:01	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/10/08 13:01	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/10/08 13:01	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/10/08 13:01	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/10/08 13:01	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/10/08 13:01	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/10/08 13:01	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/10/08 13:01	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/10/08 13:01	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 13:01	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/10/08 13:01	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 13:01	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/10/08 13:01	75-09-2	L1
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/10/08 13:01	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 13:01	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/10/08 13:01	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/10/08 13:01	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/10/08 13:01	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: B-208XD, 128-133' **Lab ID: 408733003** Collected: 09/09/08 15:59 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/10/08 13:01	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/10/08 13:01	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 13:01	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 13:01	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 13:01	120-82-1	
1,1,1-Trichloroethane	**40.3**	ug/L	3.0	0.90	1		09/10/08 13:01	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/10/08 13:01	79-00-5	
Trichloroethene	**6.2**	ug/L	1.6	0.48	1		09/10/08 13:01	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/10/08 13:01	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 13:01	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 13:01	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 13:01	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/10/08 13:01	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/10/08 13:01	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 13:01	95-47-6	
4-Bromofluorobenzene (S)	75	%	64-132		1		09/10/08 13:01	460-00-4	
Dibromofluoromethane (S)	98	%	68-122		1		09/10/08 13:01	1868-53-7	
Toluene-d8 (S)	85	%	73-127		1		09/10/08 13:01	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: TRIP **Lab ID: 408733004** Collected: 09/09/08 15:59 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 12:37	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/10/08 12:37	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:37	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/10/08 12:37	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/10/08 12:37	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/10/08 12:37	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/10/08 12:37	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:37	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:37	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/10/08 12:37	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/10/08 12:37	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:37	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/10/08 12:37	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/10/08 12:37	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/10/08 12:37	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 12:37	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/10/08 12:37	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/10/08 12:37	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/10/08 12:37	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/10/08 12:37	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:37	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/10/08 12:37	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/10/08 12:37	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 12:37	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/10/08 12:37	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/10/08 12:37	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/10/08 12:37	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:37	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:37	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/10/08 12:37	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/10/08 12:37	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/10/08 12:37	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/10/08 12:37	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/10/08 12:37	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/10/08 12:37	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/10/08 12:37	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/10/08 12:37	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:37	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/10/08 12:37	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:37	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/10/08 12:37	75-09-2	L1
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/10/08 12:37	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/10/08 12:37	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/10/08 12:37	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/10/08 12:37	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/10/08 12:37	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

nelac

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408733

Sample: TRIP **Lab ID: 408733004** Collected: 09/09/08 15:59 Received: 09/09/08 16:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/10/08 12:37	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/10/08 12:37	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/10/08 12:37	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/10/08 12:37	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:37	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/10/08 12:37	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/10/08 12:37	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/10/08 12:37	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/10/08 12:37	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/10/08 12:37	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/10/08 12:37	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:37	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/10/08 12:37	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/10/08 12:37	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/10/08 12:37	95-47-6	
4-Bromofluorobenzene (S)	79	%	64-132		1		09/10/08 12:37	460-00-4	
Dibromofluoromethane (S)	101	%	68-122		1		09/10/08 12:37	1868-53-7	
Toluene-d8 (S)	89	%	73-127		1		09/10/08 12:37	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408890

Sample: B-7XXD, 188-194' **Lab ID: 408890001** Collected: 09/11/08 13:46 Received: 09/11/08 15:07 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/12/08 12:41	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/12/08 12:41	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/12/08 12:41	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/12/08 12:41	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/12/08 12:41	75-25-2	L2
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/12/08 12:41	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/12/08 12:41	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 12:41	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 12:41	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/12/08 12:41	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/12/08 12:41	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/12/08 12:41	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/12/08 12:41	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/12/08 12:41	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/12/08 12:41	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/12/08 12:41	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/12/08 12:41	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/12/08 12:41	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/12/08 12:41	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/12/08 12:41	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 12:41	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/12/08 12:41	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/12/08 12:41	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/12/08 12:41	75-71-8	
1,1-Dichloroethane	**1.6J**	ug/L	2.5	0.75	1		09/12/08 12:41	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/12/08 12:41	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/12/08 12:41	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 12:41	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 12:41	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/12/08 12:41	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/12/08 12:41	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/12/08 12:41	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/12/08 12:41	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/12/08 12:41	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/12/08 12:41	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/12/08 12:41	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/12/08 12:41	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 12:41	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/12/08 12:41	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 12:41	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/12/08 12:41	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/12/08 12:41	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 12:41	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/12/08 12:41	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/12/08 12:41	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/12/08 12:41	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408890

Sample: B-7XXD, 188-194' **Lab ID: 408890001** Collected: 09/11/08 13:46 Received: 09/11/08 15:07 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/12/08 12:41	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/12/08 12:41	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 12:41	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/12/08 12:41	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 12:41	120-82-1	
1,1,1-Trichloroethane	**1.3J**	ug/L	3.0	0.90	1		09/12/08 12:41	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/12/08 12:41	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/12/08 12:41	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/12/08 12:41	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/12/08 12:41	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 12:41	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 12:41	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/12/08 12:41	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/12/08 12:41	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 12:41	95-47-6	
4-Bromofluorobenzene (S)	104	%	64-132		1		09/12/08 12:41	460-00-4	
Dibromofluoromethane (S)	107	%	68-122		1		09/12/08 12:41	1868-53-7	
Toluene-d8 (S)	112	%	73-127		1		09/12/08 12:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408890

Sample: TRIP BLANK **Lab ID: 408890003** Collected: 09/11/08 00:00 Received: 09/11/08 15:07 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/12/08 13:04	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/12/08 13:04	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/12/08 13:04	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/12/08 13:04	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/12/08 13:04	75-25-2	L2
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/12/08 13:04	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/12/08 13:04	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 13:04	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 13:04	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/12/08 13:04	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/12/08 13:04	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/12/08 13:04	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/12/08 13:04	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/12/08 13:04	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/12/08 13:04	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/12/08 13:04	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/12/08 13:04	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/12/08 13:04	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/12/08 13:04	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/12/08 13:04	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 13:04	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/12/08 13:04	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/12/08 13:04	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/12/08 13:04	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/12/08 13:04	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/12/08 13:04	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/12/08 13:04	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 13:04	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 13:04	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/12/08 13:04	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/12/08 13:04	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/12/08 13:04	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/12/08 13:04	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/12/08 13:04	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/12/08 13:04	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/12/08 13:04	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/12/08 13:04	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 13:04	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/12/08 13:04	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 13:04	99-87-6	
Methylene Chloride	**0.49J**	ug/L	1.4	0.43	1		09/12/08 13:04	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/12/08 13:04	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/12/08 13:04	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/12/08 13:04	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/12/08 13:04	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/12/08 13:04	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 3457.47 LSRG DEEP WELL INSTALL
Pace Project No.: 408890

Sample: TRIP BLANK **Lab ID: 408890003** Collected: 09/11/08 00:00 Received: 09/11/08 15:07 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/12/08 13:04	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/12/08 13:04	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/12/08 13:04	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/12/08 13:04	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 13:04	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/12/08 13:04	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/12/08 13:04	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/12/08 13:04	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/12/08 13:04	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/12/08 13:04	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/12/08 13:04	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 13:04	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/12/08 13:04	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/12/08 13:04	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/12/08 13:04	95-47-6	
4-Bromofluorobenzene (S)	102	%	64-132		1		09/12/08 13:04	460-00-4	
Dibromofluoromethane (S)	107	%	68-122		1		09/12/08 13:04	1868-53-7	
Toluene-d8 (S)	112	%	73-127		1		09/12/08 13:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: LSRG DEEP WELL INSTALL
Pace Project No.: 408940

Sample: B-208XD, 177-183' **Lab ID: 408940001** Collected: 09/12/08 12:52 Received: 09/12/08 14:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/15/08 12:07	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/15/08 12:07	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/15/08 12:07	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/15/08 12:07	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/15/08 12:07	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/15/08 12:07	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/15/08 12:07	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 12:07	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 12:07	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/15/08 12:07	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/15/08 12:07	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/15/08 12:07	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/15/08 12:07	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/15/08 12:07	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/15/08 12:07	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/15/08 12:07	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/15/08 12:07	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/15/08 12:07	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/15/08 12:07	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/15/08 12:07	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 12:07	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/15/08 12:07	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/15/08 12:07	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/15/08 12:07	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/15/08 12:07	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/15/08 12:07	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/15/08 12:07	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 12:07	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 12:07	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/15/08 12:07	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/15/08 12:07	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/15/08 12:07	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/15/08 12:07	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/15/08 12:07	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/15/08 12:07	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/15/08 12:07	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/15/08 12:07	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 12:07	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/15/08 12:07	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 12:07	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/15/08 12:07	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/15/08 12:07	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 12:07	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/15/08 12:07	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/15/08 12:07	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/15/08 12:07	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: LSRG DEEP WELL INSTALL
Pace Project No.: 408940

Sample: B-208XD, 177-183' **Lab ID: 408940001** Collected: 09/12/08 12:52 Received: 09/12/08 14:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/15/08 12:07	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/15/08 12:07	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 12:07	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/15/08 12:07	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 12:07	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/15/08 12:07	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/15/08 12:07	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/15/08 12:07	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/15/08 12:07	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/15/08 12:07	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 12:07	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 12:07	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/15/08 12:07	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/15/08 12:07	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 12:07	95-47-6	
4-Bromofluorobenzene (S)	78	%	64-132		1		09/15/08 12:07	460-00-4	
Dibromofluoromethane (S)	100	%	68-122		1		09/15/08 12:07	1868-53-7	
Toluene-d8 (S)	89	%	73-127		1		09/15/08 12:07	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: LSRG DEEP WELL INSTALL
Pace Project No.: 408940

Sample: TRIP BLANK **Lab ID: 408940003** Collected: 09/12/08 12:52 Received: 09/12/08 14:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	**<0.41**	ug/L	1.4	0.41	1		09/15/08 11:43	71-43-2	
Bromobenzene	**<0.82**	ug/L	2.7	0.82	1		09/15/08 11:43	108-86-1	
Bromochloromethane	**<0.97**	ug/L	3.2	0.97	1		09/15/08 11:43	74-97-5	
Bromodichloromethane	**<0.56**	ug/L	1.9	0.56	1		09/15/08 11:43	75-27-4	
Bromoform	**<0.94**	ug/L	3.1	0.94	1		09/15/08 11:43	75-25-2	
Bromomethane	**<0.91**	ug/L	3.0	0.91	1		09/15/08 11:43	74-83-9	
n-Butylbenzene	**<0.93**	ug/L	3.1	0.93	1		09/15/08 11:43	104-51-8	
sec-Butylbenzene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 11:43	135-98-8	
tert-Butylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 11:43	98-06-6	
Carbon tetrachloride	**<0.49**	ug/L	1.6	0.49	1		09/15/08 11:43	56-23-5	
Chlorobenzene	**<0.41**	ug/L	1.4	0.41	1		09/15/08 11:43	108-90-7	
Chloroethane	**<0.97**	ug/L	3.2	0.97	1		09/15/08 11:43	75-00-3	
Chloroform	**<1.3**	ug/L	4.3	1.3	1		09/15/08 11:43	67-66-3	
Chloromethane	**<0.24**	ug/L	0.80	0.24	1		09/15/08 11:43	74-87-3	
2-Chlorotoluene	**<0.85**	ug/L	2.8	0.85	1		09/15/08 11:43	95-49-8	
4-Chlorotoluene	**<0.74**	ug/L	2.5	0.74	1		09/15/08 11:43	106-43-4	
1,2-Dibromo-3-chloropropane	**<1.7**	ug/L	5.6	1.7	1		09/15/08 11:43	96-12-8	
Dibromochloromethane	**<0.81**	ug/L	2.7	0.81	1		09/15/08 11:43	124-48-1	
1,2-Dibromoethane (EDB)	**<0.56**	ug/L	1.9	0.56	1		09/15/08 11:43	106-93-4	
Dibromomethane	**<0.60**	ug/L	2.0	0.60	1		09/15/08 11:43	74-95-3	
1,2-Dichlorobenzene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 11:43	95-50-1	
1,3-Dichlorobenzene	**<0.87**	ug/L	2.9	0.87	1		09/15/08 11:43	541-73-1	
1,4-Dichlorobenzene	**<0.95**	ug/L	3.2	0.95	1		09/15/08 11:43	106-46-7	
Dichlorodifluoromethane	**<0.99**	ug/L	3.3	0.99	1		09/15/08 11:43	75-71-8	
1,1-Dichloroethane	**<0.75**	ug/L	2.5	0.75	1		09/15/08 11:43	75-34-3	
1,2-Dichloroethane	**<0.36**	ug/L	1.2	0.36	1		09/15/08 11:43	107-06-2	
1,1-Dichloroethene	**<0.57**	ug/L	1.9	0.57	1		09/15/08 11:43	75-35-4	
cis-1,2-Dichloroethene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 11:43	156-59-2	
trans-1,2-Dichloroethene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 11:43	156-60-5	
1,2-Dichloropropane	**<0.49**	ug/L	1.6	0.49	1		09/15/08 11:43	78-87-5	
1,3-Dichloropropane	**<0.61**	ug/L	2.0	0.61	1		09/15/08 11:43	142-28-9	
2,2-Dichloropropane	**<0.62**	ug/L	2.1	0.62	1		09/15/08 11:43	594-20-7	
1,1-Dichloropropene	**<0.75**	ug/L	2.5	0.75	1		09/15/08 11:43	563-58-6	
cis-1,3-Dichloropropene	**<0.20**	ug/L	0.67	0.20	1		09/15/08 11:43	10061-01-5	
trans-1,3-Dichloropropene	**<0.19**	ug/L	0.63	0.19	1		09/15/08 11:43	10061-02-6	
Diisopropyl ether	**<0.76**	ug/L	2.5	0.76	1		09/15/08 11:43	108-20-3	
Ethylbenzene	**<0.54**	ug/L	1.8	0.54	1		09/15/08 11:43	100-41-4	
Hexachloro-1,3-butadiene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 11:43	87-68-3	
Isopropylbenzene (Cumene)	**<0.59**	ug/L	2.0	0.59	1		09/15/08 11:43	98-82-8	
p-Isopropyltoluene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 11:43	99-87-6	
Methylene Chloride	**<0.43**	ug/L	1.4	0.43	1		09/15/08 11:43	75-09-2	
Methyl-tert-butyl ether	**<0.61**	ug/L	2.0	0.61	1		09/15/08 11:43	1634-04-4	
Naphthalene	**<0.89**	ug/L	3.0	0.89	1		09/15/08 11:43	91-20-3	
n-Propylbenzene	**<0.81**	ug/L	2.7	0.81	1		09/15/08 11:43	103-65-1	
Styrene	**<0.86**	ug/L	2.9	0.86	1		09/15/08 11:43	100-42-5	
1,1,1,2-Tetrachloroethane	**<0.92**	ug/L	3.1	0.92	1		09/15/08 11:43	630-20-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: LSRG DEEP WELL INSTALL
Pace Project No.: 408940

Sample: TRIP BLANK **Lab ID: 408940003** Collected: 09/12/08 12:52 Received: 09/12/08 14:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	**<0.20**	ug/L	0.67	0.20	1		09/15/08 11:43	79-34-5	
Tetrachloroethene	**<0.45**	ug/L	1.5	0.45	1		09/15/08 11:43	127-18-4	
Toluene	**<0.67**	ug/L	2.2	0.67	1		09/15/08 11:43	108-88-3	
1,2,3-Trichlorobenzene	**<0.74**	ug/L	2.5	0.74	1		09/15/08 11:43	87-61-6	
1,2,4-Trichlorobenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 11:43	120-82-1	
1,1,1-Trichloroethane	**<0.90**	ug/L	3.0	0.90	1		09/15/08 11:43	71-55-6	
1,1,2-Trichloroethane	**<0.42**	ug/L	1.4	0.42	1		09/15/08 11:43	79-00-5	
Trichloroethene	**<0.48**	ug/L	1.6	0.48	1		09/15/08 11:43	79-01-6	
Trichlorofluoromethane	**<0.79**	ug/L	2.6	0.79	1		09/15/08 11:43	75-69-4	
1,2,3-Trichloropropane	**<0.99**	ug/L	3.3	0.99	1		09/15/08 11:43	96-18-4	
1,2,4-Trimethylbenzene	**<0.97**	ug/L	3.2	0.97	1		09/15/08 11:43	95-63-6	
1,3,5-Trimethylbenzene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 11:43	108-67-8	
Vinyl chloride	**<0.18**	ug/L	0.60	0.18	1		09/15/08 11:43	75-01-4	
m&p-Xylene	**<1.8**	ug/L	6.0	1.8	1		09/15/08 11:43	1330-20-7	
o-Xylene	**<0.83**	ug/L	2.8	0.83	1		09/15/08 11:43	95-47-6	
4-Bromofluorobenzene (S)	76	%	64-132		1		09/15/08 11:43	460-00-4	
Dibromofluoromethane (S)	109	%	68-122		1		09/15/08 11:43	1868-53-7	
Toluene-d8 (S)	90	%	73-127		1		09/15/08 11:43	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ONYX HICKORY MEADOWS LANDFILL, LLC B5
W3105 SCHNEIDER ROAD
HILBERT, WI 54129
920-853-8553 6 June 2006 9:36 am

Ticket: 160102 6 June 2006 9:42 am
000190 - 0002 LSRG c/o RMT, INC

Vehicle: B206020 00 Gross Weight 56,620.00 lb
CHILTON ROLLOFF Stored Tare Weight 37,460.00 lb
20 YD ORO Net Weight 19,160.00 lb 9.58 TN

Contract: HML01-106 LSRG/C-SOIL
Reference: WO 78766

Quantity	Unit	Description	Rate	Tax	Total
9.58	TN	37A Remediated Waste / Soil			
1.00	EA	Environmental Fee			

Net Amount:

Weighmaster: JOAN Driver

HAVE A GREAT DAY!!
LICENSE NUMBER: 81-11854

SPECIAL WASTE MANIFEST DISPOSAL TICKET 160102

ONYX HICKORY MEADOWS LANDFILL, LLC.
W3105 Schneider Rd. • Hilbert, WI 54129 • Ph: 920-853-8553

An ONYX Company

BILL TO: RMT, Inc.

TRANSPORTER: OSS - Green Bay

GENERATOR: LSRG

GENERATOR'S SIGNATURE: Date

WASTE DESCRIPTION: Contaminated Soil 37A

PROFILE #: HML01-106

ACCEPTED BY: 6 6 06 Date

DRIVER'S SIGNATURE: 6 6 06 Date TRUCK NO: 6030 9.58 TONS/YARDS

WHITE & YELLOW - TRANSPORTER COPY PINK - DISPOSAL SITE COPY GOLD - GENERATOR COPY