SCS ENGINEERS

Transmittal

Madison, WI

PROJECT:	WMI, Hagen, O&M, WI 25212002.00	DATE:	4/30/2025
SUBJECT:	Hagen Farms 2025 First Quarter GEMS	TRANSMITTAL ID:	00016
PURPOSE:	For your use	VIA:	Info Exchange

FROM

NAME	COMPANY	EMAIL	PHONE
Regin Ostien Madison, WI	SCS Engineers	ROstien@scsengineers.com	+1-608-216-7366

TO

NAME	COMPANY	EMAIL	PHONE
Black.christopher@Epa.gov		Black.christopher@Epa.gov	
Ryan Baeten N96 W13073 County Line Rd. Menomonee Falls WI 53051 United States	Waste Management, Inc. (99)	rbaeten@wm.com	262-509-5630
bruce.leroy@wisconsin.gov		bruce.leroy@wisconsin.gov	

REMARKS:

Hello,

Attached is the First Quarter 2025 GEMS report for Hagen Farms. Please reach out to Michael Kraut with any questions.

Thank you,

Regin Ostien
SCS Engineers
Madison, WI
608-216-7366 (W)
rostien@scsengineers.com

www.scsengineers.com

DESCRIPTION OF CONTENTS

QTY	DATED	TITLE	NOTES
1	4/30/2025	250430_Hagen_First Quarter GEMS_Final.pdf	

Transmittal

DATE: 4/30/2025
TRANSMITTAL ID: 00016

COPIES:

Michael Kraut	(SCS Engineers)
Scott Knoepke	(SCS Engineers)

April 30, 2025
File No. 25212002.00

GEMS Data Submittal Contact – WA/5
Bureau of Waste and Materials Management
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, WI 53707-7921

Subject: Hagen Farm Landfill, Town of Dunkirk, Dane County, Wisconsin
DNR License No. 02981 – FID #113176030
First Quarter 2025 Environmental Data Submittal

Dear GEMS Data Submittal Contact:

Enclosed is the first quarter (February) 2025 environmental data submittal for the Hagen Farm Landfill, License No. 02981. The submittal includes results from the semi-annual sampling event at the site. The data were collected in accordance with the requirements of the U.S. Environmental Protection Agency (U.S. EPA) approval of the Hagen Farm Site Groundwater Control Operable Unit Revised Workplan dated March 1, 2005, as amended.

SAMPLING SUMMARY

The first quarter (semi-annual) sampling event, which was performed on February 24-25, 2025, included the collection of field data and groundwater samples from 20 monitoring wells in the vicinity of the site. Depth to groundwater measurements were attempted to be collected at an additional 13 monitoring wells and used to calculate the groundwater elevations included in this submittal. The samples and associated field data were collected by SCS Engineers (SCS) staff. The samples were submitted to Eurofins Buffalo (Wisconsin Lab Certification No. 998310390) for laboratory analysis.

INFORMATION INCLUDED IN THIS SUBMITTAL

This submittal includes the following:

- A CD with the electronic data submittal file (feb25-02981.txt) from this period.
- Attachment A, a table that identifies the compounds that exceeded the groundwater standards identified in Chapter NR 140, Wisconsin Administrative Code (Wis. Adm. Code) (i.e., exceedances) during this sampling period.
- Attachment B, a table that identifies sample results between the limit of detection (LOD) and limit of quantitation (LOQ) from this sampling period.
- Attachment C, a completed Environmental Monitoring Data Certification [Form 4400-231(R 5/17)].
- Attachment D, a printout of the data from this sampling period.

SUBMITTAL NOTES

Please note the following:

- In accordance with correspondence from Waste Management of Wisconsin, Inc. (WMWI) dated July 9, 2019, the active source and groundwater control remediation components at the site, including the soil vapor extraction (SVE) and low flow air sparge (LFAS) systems, were temporarily shut down in September 2019 to assess the effectiveness of passive remediation (i.e., natural attenuation) in addressing contaminant concentrations in groundwater. As expected, concentrations of vinyl chloride and other volatile organic compounds (VOCs) have not significantly increased at monitoring wells downgradient of the LFAS or SVE systems during the approximate 5.5-year period since these systems were shut down. Thus, the temporary shutdown of the LFAS and SVE systems should continue.

- The depth to groundwater measurement was not able to be obtained at groundwater monitoring well MW22, as the water level was below the top of the dedicated sampling pump, thus the groundwater elevation for that well is not included in this submittal. Although the water level was below the top of the pump, a sample was able to be obtained at MW22.

- Results for vinyl chloride are reported from two different analytical methods, using Method 8260C, VOCs by gas chromatography/mass spectrometry (GC/MS), and Method 8260C, VOCs by GC/MS with Selective Ion Methodology (SIM). The data from the two analytical methods are evaluated independently in that if both results exceeded a groundwater standard, two exceedances are reported in **Attachments A** and **D**, even though the results are from the same sample.

- Manganese results are evaluated with regard to the criteria identified in Table 1 (Public Health Groundwater Quality Standards) and Table 2 (Public Welfare Groundwater Quality Standards) of NR 140.10 and NR 140.12, respectively; thus, the data from a single sample may be reported as two exceedances in **Attachments A** and **D**.

- Results from this sampling period that exceed the values identified as the Enforcement Standard (ES) or Preventive Action Limit (PAL) in Chapter NR 140 Wis. Adm. Code are denoted using an E or P, respectively, in **Attachments A** and **D** of this submittal. A "P*" indicates that the well is within the Design Management Zone (DMZ) and property boundary; therefore, the well meets the point of standards criteria identified in NR 140.22 and the ES does not apply. Consistent with prior submittals, the preliminary cause and significance of concentrations exceeding groundwater standards are not presented herein. Groundwater quality has been evaluated as part of the remedial investigation for this U.S. EPA-led Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) site, and is also periodically evaluated in the annual reports for the operation and maintenance (O&M) of the selected remedy.

DATA QUALITY

No results during this reporting period were qualified by the laboratory as failing the Wisconsin Department of Natural Resources (DNR) Quality Control (QC) Flag 1 criteria for data input to GEMS due to identification of analytes in the associated laboratory method, trip, or field blanks associated with the batch in which the specific samples were reported at a concentration above the specified criteria.

No results from this reporting period were qualified by the laboratory as failing DNR QC Flag 2 as all samples met preservation and holding time criteria.

All 20 of the results for two VOCs (chloromethane and vinyl chloride [VC]) from the samples taken from the groundwater monitoring wells from this reporting period were qualified by the laboratory as failing the DNR QC Flag 3 criteria in that the data failed to meet laboratory quality control standards because the continuing calibration verification (CCV) recovery was outside acceptable limits. All the chloromethane results were below the limit of detection (i.e., non-detects) and are not parameters that are typically detected at the site. The qualified VC results impacted the VC results associated with analytical Method 8260C and not Method 8260C SIM, which achieves a lower reporting limit. The VC results were also all below the limit of detection except for the VC result at monitoring well MW22. That result concurred with the 8260C SIM method sample also taken at monitoring well MW22.

17 of the 20 alkalinity results from the samples taken from the groundwater monitoring wells from this reporting period were qualified by the laboratory as failing the DNR QC Flag 3 criteria. Specifically, the alkalinity was quantified in the method blank associated with the samples above the method detection limit. However, because the method blank analyte concentration was less than the reporting limit, re-extraction and/or reanalysis of the samples was not performed. One dissolved nitrite plus nitrate (N+N) result at monitoring well OBS-2C was appropriately qualified by the laboratory as failing the DNR QC 3 criteria due to the matrix spike or matrix spike duplicate being outside the control limits. The qualified alkalinity and dissolved N+N results are within the historical range for each well. As such, the qualified results are not likely to affect the evaluation of data from this reporting period.

In addition to laboratory QC measures, the laboratory analyzed one sample as a trip blank (TB) and one field blank (FB) that were prepared in association with the first quarter sampling event to assess data quality. No VOCs were quantified in analysis of the TB or the FB. One parameter, manganese, was quantified in laboratory analysis of the FB. The manganese concentration is low, below the associated concentration established as the PAL, and qualified as an estimated result (J-Flagged). The results from analysis of the FB for field parameters are typical of deionized water that was used to prepare the sample; thus, the results are not likely indicative of a significant data quality issue, especially since dedicated sampling equipment is utilized at the site.

Given the results qualified by the laboratory and explanations summarized above, the data from this period are acceptable for use.

Please contact Mr. Ryan Baeten at Waste Management by phone at 920-362-8133, or by e-mail at rbaeten@wm.com, if you have any questions regarding this report.

Sincerely,

Michael Kraut
Staff Professional
SCS Engineers

Scott Knoepke
Project Director
SCS Engineers

MCK/REO/SKK

cc: Mr. Christopher Black, U.S. EPA, e-mail transmittal and hard copy (w/o disc)
Mr. Ryan Baeten, Waste Management of Wisconsin, Inc., e-mail transmittal only
Mr. Bruce LeRoy, DNR, e-mail transmittal only

Encl. Attachment A – First Quarter Groundwater Sampling Event – February 2025 Identification of NR 140 Exceedances
Attachment B – First Quarter Groundwater Sampling Event – February 2025 Identification of Sample Results Between the LOD and LOQ ("J-Flags")
Attachment C – First Quarter Groundwater Sampling Event – February 2025 Environmental Monitoring Data Certification [Form 4400-231 (R 5/17)]
Attachment D – First Quarter Groundwater Sampling Event – February 2025 Environmental Monitoring Data

Z:\Projects\25212002.00\Reports\GEMS Reports\2025\1 Q\250430_Hagen_First Quarter GEMS_Final.docx

Attachment A

First Quarter Groundwater Sampling Event
February 2025
Identification of NR 140 Exceedances

Hagen Farm Landfill

Attachment A
First Quarter 2025

Identification of NR 140 Exceedances

License Number: 02981
Facility ID Number: 113176030

Well	Sample Date	Parameter	Sample Result	NR140 Standards PAL	NR140 Standards ES	Units	Type of Standard	Type of Exceedance	Qualifier	RL	LOD	LOQ
OBS1C	250225	ARSENIC-DISSOLVED AS AS	3.8	1	10	UG/L	Table 1	P		1.0	0.39	1.3
P17C	250225	ARSENIC-DISSOLVED AS AS	1.5	1	10	UG/L	Table 1	P		1.0	0.39	1.3
MW22	250225	ARSENIC-DISSOLVED AS AS	14.2	1	10	UG/L	Table 1	P*		1.0	0.39	1.3
P22B	250225	ARSENIC-DISSOLVED AS AS	14.7	1	10	UG/L	Table 1	P*		1.0	0.39	1.3
P26B	250225	ARSENIC-DISSOLVED AS AS	1.5	1	10	UG/L	Table 1	P		1.0	0.39	1.3
P27B	250225	ARSENIC-DISSOLVED AS AS	9.8	1	10	UG/L	Table 1	P		1.0	0.39	1.3
OB8M	250224	IRON-DISSOLVED AS FE	0.15	0.15	0.3	MG/L	Table 2	P		0.030	0.019	0.064
P17C	250225	IRON-DISSOLVED AS FE	2.7	0.15	0.3	MG/L	Table 2	P*		0.030	0.019	0.064
MW22	250225	IRON-DISSOLVED AS FE	20.0	0.15	0.3	MG/L	Table 2	P*		0.030	0.019	0.064
P22B	250225	IRON-DISSOLVED AS FE	2.7	0.15	0.3	MG/L	Table 2	P*		0.030	0.019	0.064
P26B	250225	IRON-DISSOLVED AS FE	0.20	0.15	0.3	MG/L	Table 2	P		0.030	0.019	0.064
P27B	250225	IRON-DISSOLVED AS FE	2.3	0.15	0.3	MG/L	Table 2	E		0.030	0.019	0.064
IG04	250224	MANGANESE-DISSOLVED AS MN	33.3	25	50	UG/L	Table 2	P		10.0	0.40	1.3
MW7	250224	MANGANESE-DISSOLVED AS MN	37.8	25	50	UG/L	Table 2	P		10.0	0.40	1.3
OB8M	250224	MANGANESE-DISSOLVED AS MN	128	60	300	UG/L	Table 1	P		10.0	0.40	1.3
OB8M	250224	MANGANESE-DISSOLVED AS MN	128	25	50	UG/L	Table 2	E		10.0	0.40	1.3
OB11M	250224	MANGANESE-DISSOLVED AS MN	30.7	25	50	UG/L	Table 2	P		10.0	0.40	1.3
P17C	250225	MANGANESE-DISSOLVED AS MN	212	60	300	UG/L	Table 1	P		10.0	0.40	1.3
P17C	250225	MANGANESE-DISSOLVED AS MN	212	25	50	UG/L	Table 2	P*		10.0	0.40	1.3
MW22	250225	MANGANESE-DISSOLVED AS MN	254	60	300	UG/L	Table 1	P		10.0	0.40	1.3
MW22	250225	MANGANESE-DISSOLVED AS MN	254	25	50	UG/L	Table 2	P*		10.0	0.40	1.3
P22B	250225	MANGANESE-DISSOLVED AS MN	174	60	300	UG/L	Table 1	P		10.0	0.40	1.3
P22B	250225	MANGANESE-DISSOLVED AS MN	174	25	50	UG/L	Table 2	P*		10.0	0.40	1.3
P26B	250225	MANGANESE-DISSOLVED AS MN	317	60	300	UG/L	Table 1	P*		10.0	0.40	1.3
P26B	250225	MANGANESE-DISSOLVED AS MN	317	25	50	UG/L	Table 2	P*		10.0	0.40	1.3
MW27	250225	MANGANESE-DISSOLVED AS MN	97.2	60	300	UG/L	Table 1	P		10.0	0.40	1.3
MW27	250225	MANGANESE-DISSOLVED AS MN	97.2	25	50	UG/L	Table 2	E		10.0	0.40	1.3
P27B	250225	MANGANESE-DISSOLVED AS MN	201	60	300	UG/L	Table 1	P		10.0	0.40	1.3
P27B	250225	MANGANESE-DISSOLVED AS MN	201	25	50	UG/L	Table 2	E		10.0	0.40	1.3
P28B	250224	MANGANESE-DISSOLVED AS MN	186	60	300	UG/L	Table 1	P		10.0	0.40	1.3
P28B	250224	MANGANESE-DISSOLVED AS MN	186	25	50	UG/L	Table 2	E		10.0	0.40	1.3

Hagen Farm Landfill

Attachment A
First Quarter 2025

Identification of NR 140 Exceedances

License Number: 02981
Facility ID Number: 113176030

Well	Sample Date	Parameter	Sample Result	NR140 Standards PAL	NR140 Standards ES	Units	Type of Standard	Type of Exceedance	Qualifier	RL	LOD	LOQ
P32B	250224	MANGANESE-DISSOLVED AS MN	44.0	25	50	UG/L	Table 2	P		10.0	0.40	1.3
MW33	250224	MANGANESE-DISSOLVED AS MN	44.8	25	50	UG/L	Table 2	P		10.0	0.40	1.3
OBS2C	250224	NITRITE PLUS NITRATE-DISSOLVED AS N	4.3	2	10	MG/L	Table 1	P		0.25	0.10	0.33
P17B	250225	NITRITE PLUS NITRATE-DISSOLVED AS N	2.0	2	10	MG/L	Table 1	P		0.050	0.020	0.067
P17DR	250224	NITRITE PLUS NITRATE-DISSOLVED AS N	5.2	2	10	MG/L	Table 1	P		0.25	0.10	0.33
IG04	250224	TETRACHLOROETHYLENE	0.96	0.5	5	UG/L	Table 1	P	J	1.0	0.36	1.2
OBS1B	250225	VINYL CHLORIDE	0.025	0.02	0.2	UG/L	Table 1	P		0.020	0.004	0.013
OB8M	250224	VINYL CHLORIDE	0.10	0.02	0.2	UG/L	Table 1	P		0.020	0.004	0.013
P17B	250225	VINYL CHLORIDE	0.026	0.02	0.2	UG/L	Table 1	P		0.020	0.004	0.013
P17C	250225	VINYL CHLORIDE	0.11	0.02	0.2	UG/L	Table 1	P		0.020	0.004	0.013
MW22	250225	VINYL CHLORIDE	4.0	0.02	0.2	UG/L	Table 1	P*		0.16	0.032	0.11
MW22	250225	VINYL CHLORIDE	3.7	0.02	0.2	UG/L	Table 1	P*		1.0	0.90	3.0
P22B	250225	VINYL CHLORIDE	0.27	0.02	0.2	UG/L	Table 1	P*		0.020	0.004	0.013
P26B	250225	VINYL CHLORIDE	0.24	0.02	0.2	UG/L	Table 1	P*		0.020	0.004	0.013

P* = Well is located within the Design Management Zone (DMZ) and property boundary, thus the Enforcement Standard does not apply
P = NR 140 Preventive Action Limit or NR 500 Alternate Concentration Limit exceedance
E = NR 140 Enforcement Standard exceedance
J = Sample result is between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ)
EX = NR 140.28 (NR 508.19) Exemptions granted for exceedance

Special Note:
J-Qualifier (Flag) indicates an estimated concentration of an analyte between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ), thus the values are not quantifiable numbers and do not constitute exceedances. However, these values are reported in compliance with NR 507.26 (3)(b) and NR 140.16(5).

Vinyl chloride is analyzed by EPA Method 8260C and by Selective Ion Monitoring. The data from the two analytical methods is evaluated independently in that if both results exceeded a groundwater standard, two exceedances are reported even though the results are from the same sample.

Attachment B

First Quarter Groundwater Sampling Event
February 2025
Identification of Sample Results Between the LOD and LOQ ("J-Flags")

Hagen Farm Landfill

Attachment B
First Quarter 2025

License Number: 02981
Facility ID Number: 113176030

Identification of Sample Results Between the LOD and LOQ ("J-Flags")

Well	Sample Date	Parameter	Sample Result	NR140 Standards PAL	NR140 Standards ES	Units	Qualifier	RL	LOD	LOQ
IG04	250224	ARSENIC-DISSOLVED AS AS	0.91	1	10	UG/L	J	1.0	0.39	1.3
IG04	250224	IRON-DISSOLVED AS FE	0.024	0.15	0.3	MG/L	J	0.030	0.019	0.064
IG04	250224	TETRACHLOROETHYLENE	0.96	0.5	5	UG/L	J	1.0	0.36	1.2
OBS1A	250225	ARSENIC-DISSOLVED AS AS	0.43	1	10	UG/L	J	1.0	0.39	1.3
OBS1A	250225	NITRITE PLUS NITRATE-DISSOLVED AS N	0.041	2	10	MG/L	J	0.050	0.020	0.067
OBS1B	250225	ARSENIC-DISSOLVED AS AS	0.96	1	10	UG/L	J	1.0	0.39	1.3
OBS1B	250225	IRON-DISSOLVED AS FE	0.028	0.15	0.3	MG/L	J	0.030	0.019	0.064
OBS1C	250225	IRON-DISSOLVED AS FE	0.022	0.15	0.3	MG/L	J	0.030	0.019	0.064
OBS1C	250225	VINYL CHLORIDE	0.0077	0.02	0.2	UG/L	J	0.020	0.004	0.013
OBS2C	250224	MANGANESE-DISSOLVED AS MN	0.70	60	300	UG/L	J	10.0	0.40	1.3
MW7	250224	IRON-DISSOLVED AS FE	0.035	0.15	0.3	MG/L	J	0.030	0.019	0.064
MW7	250224	LEAD-DISSOLVED AS PB	0.36	1.5	15	UG/L	J	1.5	0.21	0.70
OB8M	250224	ARSENIC-DISSOLVED AS AS	0.90	1	10	UG/L	J	1.0	0.39	1.3
OB11M	250224	LEAD-DISSOLVED AS PB	0.43	1.5	15	UG/L	J	1.5	0.21	0.70
P17B	250225	ARSENIC-DISSOLVED AS AS	0.70	1	10	UG/L	J	1.0	0.39	1.3
P17B	250225	LEAD-DISSOLVED AS PB	0.24	1.5	15	UG/L	J	1.5	0.21	0.70
P17DR	250224	ARSENIC-DISSOLVED AS AS	0.43	1	10	UG/L	J	1.0	0.39	1.3
P17DR	250224	IRON-DISSOLVED AS FE	0.034	0.15	0.3	MG/L	J	0.030	0.019	0.064
P17DR	250224	LEAD-DISSOLVED AS PB	0.26	1.5	15	UG/L	J	1.5	0.21	0.70
MW22	250225	CIS-1,2-DICHLOROETHENE	1.7	7	70	UG/L	J	1.0	0.81	2.7
MW22	250225	NITRITE PLUS NITRATE-DISSOLVED AS N	0.028	2	10	MG/L	J	0.050	0.020	0.067
P22B	250225	NITRITE PLUS NITRATE-DISSOLVED AS N	0.020	2	10	MG/L	J	0.050	0.020	0.067
MW26	250225	ARSENIC-DISSOLVED AS AS	0.47	1	10	UG/L	J	1.0	0.39	1.3
MW26	250225	IRON-DISSOLVED AS FE	0.026	0.15	0.3	MG/L	J	0.030	0.019	0.064
MW27	250225	ARSENIC-DISSOLVED AS AS	0.62	1	10	UG/L	J	1.0	0.39	1.3
P27B	250225	VINYL CHLORIDE	0.0089	0.02	0.2	UG/L	J	0.020	0.004	0.013
P28B	250224	ARSENIC-DISSOLVED AS AS	0.52	1	10	UG/L	J	1.0	0.39	1.3
P28B	250224	IRON-DISSOLVED AS FE	0.054	0.15	0.3	MG/L	J	0.030	0.019	0.064
P28B	250224	NITRITE PLUS NITRATE-DISSOLVED AS N	0.020	2	10	MG/L	J	0.050	0.020	0.067

Hagen Farm Landfill

Attachment B
First Quarter 2025

License Number: 02981
Facility ID Number: 113176030

Identification of Sample Results Between the LOD and LOQ ("J-Flags")

Well	Sample Date	Parameter	Sample Result	NR140 Standards PAL	ES	Units	Qualifier	RL	LOD	LOQ
P32B	250224	IRON-DISSOLVED AS FE	0.023	0.15	0.3	MG/L	J	0.030	0.019	0.064
MW33	250224	IRON-DISSOLVED AS FE	0.055	0.15	0.3	MG/L	J	0.030	0.019	0.064
MW33	250224	SULFATE-DISSOLVED AS SO4	4.2	125	250	MG/L	J	10.0	1.7	5.8

Notes:
J = Estimated result - sample result is between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ)

Special Note:
J-Qualifier (Flag) indicates an estimated concentration of an analyte between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ), thus the values are not quantifiable numbers and do not constitute exceedances. However, these values are reported in compliance with NR 507.26 (3)(b) and NR 140.16(5).

Attachment C

First Quarter Groundwater Sampling Event
February 2025
Environmental Monitoring Data Certification
[Form 4400-231 (R 5/17)]

State of Wisconsin
Department of Natural Resources
dnr.wi.gov

Environmental Monitoring Data Certification

Form 4400-231 (R 5/17)

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats.
When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats

Instructions:

- **Prepare one form for each license or monitoring ID.**
- **Please type or print legibly.**
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to: GEMS Data Submittal Contact - WA/5
  Wisconsin Department of Natural Resources
  P.O. Box 7921
  Madison, WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner)
SCS Engineers

Contact for questions about data formatting. Include data preparer's name, telephone number and Email address:

Name	Phone No. (include area code)
Michael Kraut	(262) 518-4085

Email
mkraut@scsengineers.com

Facility Name
Hagen Farms Landfill

License # / Monitoring ID	Facility ID (FID)
02981	113176030

Actual sampling dates (e.g., July 2-6, 2003)	The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)
February 24-25, 2025	February 2025

Type of Data Submitted (Check all that apply):

- [x] Groundwater monitoring data from monitoring wells
- [ ] Groundwater monitoring data from private water supply wells
- [ ] Leachate monitoring data
- [ ] Gas monitoring data
- [ ] Air monitoring data
- [ ] Other (specify):

Notification attached?

- [ ] No. No groundwater standards or explosive gas limits were exceeded.
- [x] Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- [ ] Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Facility Representative Name (Print)	Title	Phone No. (include area code)
Michael Kraut	Associate Professional	(262) 518-4085

Signature

04/30/2025
Date Signed (mm/dd/yyyy)

For DNR Use Only

Check action taken, and record date and your initials. Describe on back side if necessary.

- [ ] Found uploading problems on _____ Initials
- [ ] Notified contact of problems on _____ Uploaded data successfully on _____

EDD format(s): [ ] Diskette [ ] CD (initial submittal and follow-up) [ ] E-mail (follow-up only) [ ] Other: _____

Attachment D

First Quarter Groundwater Sampling Event
February 2025
Environmental Monitoring Data

Attachment D

Hagen Farm Landfill

Stoughton, WI

First Quarter 2025 Environmental Monitoring Data

License Number: 02981
Facility ID Number: 113176030

Samples Collected by: SCS Engineers
William Ouimet and Michael Kraut

Samples Analyzed by: Eurofins Buffalo, Amherst, NY (Laboratory Certification Number: 998310390)

Color, Odor, Turbidity: If the Results column shows 0 the parameter was present. If the Qualifier column shows N the parameter was not present.

Exceedance Key:
P* = Within the Design Management Zone (DMZ) and property boundary
P = NR 140 Preventive Action Limit or NR 500 Alternate Concentration Limit exceedance
E = NR 140 Enforcement Standard exceedance
EX = NR 140.28 (NR 508.19) Exemptions granted for exceedance

All exceedances take into account 40 CFR 257-258 Subtitle D standards as well as WDNR approved alternate concentration limits (ACLs)

Qualifier Flag Codes:
N = Analyte was not detected above the Limit of Detection (LOD)
J = Analyte was detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) (LOD ≤ result < LOQ)

QC Flag 1 Codes:
M = Analyte was not detected in Method, Trip, or Field Blanks
F = For a sample in which an analyte was detected, the analyte was also detected in the associated Method, Trip, or Field Blanks at concentrations which exceed the highest of the following values:
1. The limit of detection, or
2. Five percent of the lowest applicable regulatory limit, or
3. Ten percent of the measured concentration in the sample.

QC Flag 2 Codes:
M = Met Preservation and Holding Time criteria
F = Failed Preservation and Holding Time criteria

QC Flag 3 Codes:
M = Met Laboratory Quality Control Standards
F = Failed Laboratory Quality Control Standards

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: IG04	WDNR Point ID: 005														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		372	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	J	0.91	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		40.8	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: IG04	WDNR Point ID: 005														
250224	DISSOLVED OXYGEN, FIELD BY PROBE		7.2	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		860.57	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.024	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		33.3	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		33.3	UG/L	25	50	P	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		0.32	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		72.2	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.48	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		9.7	DEGREES C											
250224	SAMPLE TURBIDITY		0	NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		446	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		1.4	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250224	TETRACHLOROETHYLENE	J	0.96	UG/L	0.5	5	P	Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: IG04	**WDNR Point ID:** 005														
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: OBS1A	**WDNR Point ID:** 010														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		392	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS	J	0.43	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		68.0	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS1A	WDNR Point ID: 010														
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		8.3	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.44	FT MSL											
250225	IRON-DISSOLVED AS FE		0.079	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		7.0	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		7.0	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	J	0.041	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		144.1	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.07	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		9.4	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		538	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		2.5	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS1A	**WDNR Point ID:** 010														
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: OBS1B	**WDNR Point ID:** 015														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		642	MG/L					M	M	M	100	40.0	133	998310390
250225	ARSENIC-DISSOLVED AS AS	J	0.96	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		72.8	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390

Sample Point: OBS1B WDNR Point ID: 015

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		6.5	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.67	FT MSL											
250225	IRON-DISSOLVED AS FE	J	0.028	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		1.6	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		1.6	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		0.31	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		147.3	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		6.96	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		9.8	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		962	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		28.8	MG/L	125	250		Table 2	M	M	M	4.0	0.70	2.3	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS1B	**WDNR Point ID:** 015														
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE		0.025	UG/L	0.02	0.2	P	Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: OBS1C	**WDNR Point ID:** 017														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		469	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS		3.8	UG/L	1	10	P	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		46.3	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS1C	WDNR Point ID: 017														
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		5.3	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.68	FT MSL											
250225	IRON-DISSOLVED AS FE	J	0.022	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		9.7	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		9.7	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	N		MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		137.5	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.01	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		9.8	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		670	UMHOS/CM											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS1C	**WDNR Point ID:** 017														
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		17.9	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	J	0.0077	UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: OBS2C	**WDNR Point ID:** 022														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		430	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	N		UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		45.7	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390

Sample Point: OBS2C WDNR Point ID: 022

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		8.7	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		858.45	FT MSL											
250224	IRON-DISSOLVED AS FE	N		MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN	J	0.70	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN	J	0.70	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		4.3	MG/L	2	10	P	Table 1	M	M	F	0.25	0.10	0.33	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		63.4	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.30	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OBS2C	**WDNR Point ID:**	022													
250224	SAMPLE TEMPERATURE		10.6	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		599	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		23.0	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: MW7	**WDNR Point ID:**	025													
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		417	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	N		UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		54.9	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW7	WDNR Point ID: 025														
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		3.4	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		859.64	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.035	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	J	0.36	UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		37.8	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		37.8	UG/L	25	50	P	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		0.094	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		70.2	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW7	**WDNR Point ID:** 025														
250224	PH-FIELD		7.28	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		10.6	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		504	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		4.5	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: 0B8M	**WDNR Point ID:** 035														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point:	OB8M	WDNR Point ID:	035												
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		431	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	J	0.90	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		98.8	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		2.5	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		854.00	FT MSL											
250224	IRON-DISSOLVED AS FE		0.15	MG/L	0.15	0.3	P	Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB		1.3	UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		128	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		128	UG/L	25	50	E	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		0.44	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point:	0B8M	**WDNR Point ID:**	035												
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		83.1	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.17	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		11.0	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		664	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		37.6	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	VINYL CHLORIDE		0.10	UG/L	0.02	0.2	P	Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point:	0B11M	**WDNR Point ID:**	040												
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point:	0B11M	WDNR Point ID:	040												
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		464	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	N		UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		78.7	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		2.5	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		857.64	FT MSL											
250224	IRON-DISSOLVED AS FE	N		MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	J	0.43	UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		30.7	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		30.7	UG/L	25	50	P	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: OB11M	**WDNR Point ID:** 040														
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		0.081	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		69.2	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.16	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		10.9	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		771	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		49.2	MG/L	125	250		Table 2	M	M	M	4.0	0.70	2.3	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P17B	**WDNR Point ID:** 045														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P17B	WDNR Point ID: 045														
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		430	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS	J	0.70	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		46.1	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		7.1	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.27	FT MSL											
250225	IRON-DISSOLVED AS FE		0.069	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	J	0.24	UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		14.0	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		14.0	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P17B	**WDNR Point ID:** 045														
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		2.0	MG/L	2	10	P	Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		36.1	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.01	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		9.5	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		658	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		15.5	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE		0.026	UG/L	0.02	0.2	P	Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P17C	**WDNR Point ID:** 050														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390

Sample Point: P17C WDNR Point ID: 050

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		451	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS		1.5	UG/L	1	10	P	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		26.0	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		2.4	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.17	FT MSL											
250225	IRON-DISSOLVED AS FE		2.7	MG/L	0.15	0.3	P*	Table 2	M	M	M	0.030	0.019	0.064	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P17C	**WDNR Point ID:** 050														
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		212	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		212	UG/L	25	50	P*	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		0.33	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		91.4	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		6.84	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		8.9	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		703	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		23.1	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE		0.11	UG/L	0.02	0.2	P	Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P17DR	**WDNR Point ID:** 055														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390

Sample Point: P17DR WDNR Point ID: 055

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		328	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	J	0.43	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		24.3	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		13.5	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P17DR	**WDNR Point ID:** 055														
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		856.95	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.034	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	J	0.26	UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		3.8	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		3.8	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		5.2	MG/L	2	10	P	Table 1	M	M	M	0.25	0.10	0.33	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		-25.0	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.38	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		10.6	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		457	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		17.1	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P17DR	**WDNR Point ID:** 055														
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: MW22	**WDNR Point ID:** 060														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		647	MG/L					M	M	M	100	40.0	133	998310390
250225	ARSENIC-DISSOLVED AS AS		14.2	UG/L	1	10	P*	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		153	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	J	1.7	UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW22	WDNR Point ID: 060														
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		5.6	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	IRON-DISSOLVED AS FE		20.0	MG/L	0.15	0.3	P*	Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		254	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		254	UG/L	25	50	P*	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	J	0.028	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		51.8	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		6.70	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		10.3	DEGREES C											
250225	SAMPLE TURBIDITY		0	NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		889	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		3.4	MG/L	125	250		Table 2	M	M	M	2.0	0.35	1.2	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW22	**WDNR Point ID:** 060														
250225	VINYL CHLORIDE		4.0	UG/L	0.02	0.2	P*	Table 1	M	M	M	0.16	0.032	0.11	998310390
250225	VINYL CHLORIDE		3.7	UG/L	0.02	0.2	P*	Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P22B	**WDNR Point ID:** 065														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		441	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS		14.7	UG/L	1	10	P*	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		37.7	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390

Sample Point: P22B WDNR Point ID: 065

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		7.8	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		859.49	FT MSL											
250225	IRON-DISSOLVED AS FE		2.7	MG/L	0.15	0.3	P*	Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		174	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		174	UG/L	25	50	P*	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	J	0.020	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		39.0	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.04	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		10.4	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		664	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		17.1	MG/L	125	250		Table 2	M	M	M	4.0	0.70	2.3	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P22B	**WDNR Point ID:** 065														
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE		0.27	UG/L	0.02	0.2	P*	Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: MW23	**WDNR Point ID:** 075														
250224	GROUNDWATER ELEVATION		862.81	FT MSL											
Sample Point: MW26	**WDNR Point ID:** 080														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		670	MG/L					M	M	M	150	60.0	200	998310390
250225	ARSENIC-DISSOLVED AS AS	J	0.47	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		88.8	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390

Sample Point: MW26 WDNR Point ID: 080

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		7.5	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		859.66	FT MSL											
250225	IRON-DISSOLVED AS FE	J	0.026	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		2.2	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		2.2	UG/L	25	50		Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		0.25	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		212.0	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		6.77	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		9.8	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		884	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW26	**WDNR Point ID:** 080														
250225	SULFATE-DISSOLVED AS SO4		22.4	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P26B	**WDNR Point ID:** 085														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		451	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS		1.5	UG/L	1	10	P	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		59.3	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390

Sample Point: P26B WDNR Point ID: 085

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		3.2	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		859.46	FT MSL											
250225	IRON-DISSOLVED AS FE		0.20	MG/L	0.15	0.3	P	Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		317	UG/L	60	300	P*	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		317	UG/L	25	50	P*	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		0.29	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		189.6	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		6.85	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		10.1	DEGREES C											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P26B	**WDNR Point ID:** 085														
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		650	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		11.8	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE		0.24	UG/L	0.02	0.2	P*	Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: MW27	**WDNR Point ID:** 095														
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		383	MG/L					M	M	F	50.0	20.0	66.7	998310390
250225	ARSENIC-DISSOLVED AS AS	J	0.62	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		72.6	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW27	WDNR Point ID: 095														
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		8.4	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.11	FT MSL											
250225	IRON-DISSOLVED AS FE		0.14	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		97.2	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		97.2	UG/L	25	50	E	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N		1.2	MG/L	2	10		Table 1	M	M	M	0.25	0.10	0.33	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		54.6	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.24	SU											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW27	**WDNR Point ID:**	095													
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		10.5	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		765	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		68.6	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P27B	**WDNR Point ID:**	100													
250225	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)		439	MG/L					M	M	F	50.0	20.0	66.7	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P27B	WDNR Point ID: 100														
250225	ARSENIC-DISSOLVED AS AS		9.8	UG/L	1	10	P	Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA		88.9	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		7.9	MG/L											
250225	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250225	GROUNDWATER ELEVATION		858.05	FT MSL											
250225	IRON-DISSOLVED AS FE		2.3	MG/L	0.15	0.3	E	Table 2	M	M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN		201	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250225	MANGANESE-DISSOLVED AS MN		201	UG/L	25	50	E	Table 2	M	M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	N		MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P27B	**WDNR Point ID:** 100														
250225	OXIDATION REDUCTION POTENTIAL		43.1	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		7.09	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		10.7	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		753	UMHOS/CM											
250225	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4		10.9	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250225	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE	J	0.0089	UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P28B	**WDNR Point ID:** 105														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P28B	WDNR Point ID: 105														
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		459	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	J	0.52	UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		108	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		2.5	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		857.64	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.054	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		186	UG/L	60	300	P	Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		186	UG/L	25	50	E	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P28B	**WDNR Point ID:** 105														
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N	J	0.020	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		64.8	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.36	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		11.2	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		746	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		31.6	MG/L	125	250		Table 2	M	M	M	4.0	0.70	2.3	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P28C	**WDNR Point ID:** 110														
250224	GROUNDWATER ELEVATION		857.30	FT MSL											
Sample Point: MW29	**WDNR Point ID:** 115														
250224	GROUNDWATER ELEVATION		856.99	FT MSL											
Sample Point: P29B	**WDNR Point ID:** 120														
250224	GROUNDWATER ELEVATION		856.84	FT MSL											
Sample Point: P29C	**WDNR Point ID:** 125														
250224	GROUNDWATER ELEVATION		856.73	FT MSL											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point:	MW30	**WDNR Point ID:**	130												
250224	GROUNDWATER ELEVATION		858.28	FT MSL											
Sample Point:	P30B	**WDNR Point ID:**	135												
250224	GROUNDWATER ELEVATION		858.38	FT MSL											
Sample Point:	P30C	**WDNR Point ID:**	140												
250224	GROUNDWATER ELEVATION		858.39	FT MSL											
Sample Point:	MW32	**WDNR Point ID:**	145												
250224	GROUNDWATER ELEVATION		856.23	FT MSL											
Sample Point:	P32B	**WDNR Point ID:**	150												
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		393	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	N		UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		65.7	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P32B	WDNR Point ID: 150														
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		3.0	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		856.50	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.023	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		44.0	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		44.0	UG/L	25	50	P	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N		0.93	MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		78.6	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		7.29	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		11.0	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											
250224	SPECIFIC CONDUCTANCE-FIELD		581	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4		24.4	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: P32B	**WDNR Point ID:** 150														
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: MW33	**WDNR Point ID:** 155														
250224	1,1,1-TRICHLOROETHANE	N		UG/L	40	200		Table 1	M	M	M	1.0	0.82	2.7	998310390
250224	1,1,2,2-TETRACHLOROETHANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,1,2-TRICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.23	0.77	998310390
250224	1,1-DICHLOROETHANE	N		UG/L	85	850		Table 1	M	M	M	1.0	0.38	1.3	998310390
250224	1,1-DICHLOROETHYLENE	N		UG/L	0.7	7		Table 1	M	M	M	1.0	0.29	0.97	998310390
250224	1,2,4-TRICHLOROBENZENE	N		UG/L	14	70		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L	0.02	0.2		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	1,2-DIBROMOETHANE (EDB)	N		UG/L	0.005	0.05		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	1,2-DICHLOROETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.21	0.70	998310390
250224	1,2-DICHLOROPROPANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.72	2.4	998310390
250224	2-HEXANONE	N		UG/L					M	M	M	5.0	1.2	4.1	998310390
250224	4-METHYL-2-PENTANONE (MIBK)	N		UG/L	50	500		Table 1	M	M	M	5.0	2.1	7.0	998310390
250224	ACETONE	N		UG/L	1800	9000		Table 1	M	M	M	10	3.0	10	998310390
250224	ALKALINITY-TOTAL AS CACO3 (FILT)		485	MG/L					M	M	F	50.0	20.0	66.7	998310390
250224	ARSENIC-DISSOLVED AS AS	N		UG/L	1	10		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BARIUM-DISSOLVED AS BA		85.3	UG/L	400	2000		Table 1	M	M	M	5.0	0.70	2.3	998310390
250224	BENZENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.41	1.4	998310390
250224	BROMODICHLOROMETHANE	N		UG/L	0.06	0.6		Table 1	M	M	M	1.0	0.39	1.3	998310390
250224	BROMOMETHANE	N		UG/L	1	10		Table 1	M	M	M	1.0	0.69	2.3	998310390
250224	CARBON DISULFIDE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.19	0.63	998310390
250224	CARBON TETRACHLORIDE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.27	0.90	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW33	WDNR Point ID: 155														
250224	CHLOROBENZENE	N		UG/L	20	100		Table 1	M	M	M	1.0	0.75	2.5	998310390
250224	CHLOROETHANE	N		UG/L	80	400		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	CHLOROFORM	N		UG/L	0.6	6		Table 1	M	M	M	1.0	0.34	1.1	998310390
250224	CHLOROMETHANE	N		UG/L	3	30		Table 1	M	M	F	1.0	0.35	1.2	998310390
250224	CIS-1,2-DICHLOROETHENE	N		UG/L	7	70		Table 1	M	M	M	1.0	0.81	2.7	998310390
250224	CIS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	DIBROMOCHLOROMETHANE	N		UG/L	6	60		Table 1	M	M	M	1.0	0.32	1.1	998310390
250224	DIBROMOMETHANE	N		UG/L					M	M	M	1.0	0.41	1.4	998310390
250224	DICHLORODIFLUOROMETHANE	N		UG/L	200	1000		Table 1	M	M	M	1.0	0.68	2.3	998310390
250224	DICHLOROMETHANE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.44	1.5	998310390
250224	DISSOLVED OXYGEN, FIELD BY PROBE		6.4	MG/L											
250224	ETHYLBENZENE	N		UG/L	140	700		Table 1	M	M	M	1.0	0.74	2.5	998310390
250224	FLUOROTRICHLOROMETHANE	N		UG/L	698	3490		Table 1	M	M	M	1.0	0.88	2.9	998310390
250224	GROUNDWATER ELEVATION		858.76	FT MSL											
250224	IRON-DISSOLVED AS FE	J	0.055	MG/L	0.15	0.3		Table 2	M	M	M	0.030	0.019	0.064	998310390
250224	LEAD-DISSOLVED AS PB	N		UG/L	1.5	15		Table 1	M	M	M	1.5	0.21	0.70	998310390
250224	MANGANESE-DISSOLVED AS MN		44.8	UG/L	60	300		Table 1	M	M	M	10.0	0.40	1.3	998310390
250224	MANGANESE-DISSOLVED AS MN		44.8	UG/L	25	50	P	Table 2	M	M	M	10.0	0.40	1.3	998310390
250224	M-DICHLOROBENZENE	N		UG/L	120	600		Table 1	M	M	M	1.0	0.78	2.6	998310390
250224	MERCURY-DISSOLVED	N		UG/L	0.2	2		Table 1	M	M	M	0.20	0.042	0.14	998310390
250224	METHYL ETHYL KETONE (MEK)	N		UG/L	800	4000		Table 1	M	M	M	10	1.3	4.4	998310390
250224	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L	12	60		Table 1	M	M	M	1.0	0.16	0.53	998310390
250224	NAPHTHALENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.43	1.4	998310390
250224	NITRITE PLUS NITRATE-DISSOLVED AS N	N		MG/L	2	10		Table 1	M	M	M	0.050	0.020	0.067	998310390
250224	O-DICHLOROBENZENE	N		UG/L	60	600		Table 1	M	M	M	1.0	0.79	2.6	998310390
250224	OXIDATION REDUCTION POTENTIAL		196.3	MILLIVOLTS											
250224	P-DICHLOROBENZENE	N		UG/L	15	75		Table 1	M	M	M	1.0	0.84	2.8	998310390
250224	PH-FIELD		6.89	SU											
250224	SAMPLE COLOR	N		NONE											
250224	SAMPLE ODOR	N		NONE											
250224	SAMPLE TEMPERATURE		9.4	DEGREES C											
250224	SAMPLE TURBIDITY	N		NONE											

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: MW33	**WDNR Point ID:** 155														
250224	SPECIFIC CONDUCTANCE-FIELD		750	UMHOS/CM											
250224	STYRENE	N		UG/L	10	100		Table 1	M	M	M	1.0	0.73	2.4	998310390
250224	SULFATE-DISSOLVED AS SO4	J	4.2	MG/L	125	250		Table 2	M	M	M	10.0	1.7	5.8	998310390
250224	TETRACHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.36	1.2	998310390
250224	TETRAHYDROFURAN	N		UG/L	10	50		Table 1	M	M	M	5.0	1.3	4.2	998310390
250224	TOLUENE	N		UG/L	160	800		Table 1	M	M	M	1.0	0.51	1.7	998310390
250224	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L	20	100		Table 1	M	M	M	1.0	0.90	3.0	998310390
250224	TRANS-1,3-DICHLOROPROPENE	N		UG/L	0.04	0.4		Table 1	M	M	M	1.0	0.37	1.2	998310390
250224	TRIBROMOMETHANE	N		UG/L	0.44	4.4		Table 1	M	M	M	1.0	0.26	0.87	998310390
250224	TRICHLOROETHYLENE	N		UG/L	0.5	5		Table 1	M	M	M	1.0	0.46	1.5	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	F	1.0	0.90	3.0	998310390
250224	VINYL CHLORIDE	N		UG/L	0.02	0.2		Table 1	M	M	M	0.020	0.004	0.013	998310390
250224	XYLENES-TOTAL	N		UG/L	400	2000		Table 1	M	M	M	2.0	0.66	2.2	998310390
Sample Point: P33B	**WDNR Point ID:** 160														
250224	GROUNDWATER ELEVATION		858.71	FT MSL											
Sample Point: P35B	**WDNR Point ID:** 165														
250224	GROUNDWATER ELEVATION		854.57	FT MSL											
Sample Point: P40D	**WDNR Point ID:** 170														
250224	GROUNDWATER ELEVATION		858.74	FT MSL											
Sample Point: MW100	**WDNR Point ID:** 175														
250224	GROUNDWATER ELEVATION		861.57	FT MSL											
Sample Point: 01FB	**WDNR Point ID:** 997														
250225	1,1,1-TRICHLOROETHANE	N		UG/L						M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L						M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L						M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L						M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L						M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L						M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L						M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L						M	M	1.0	0.21	0.70	998310390
250225	1,2-DICHLOROPROPANE	N		UG/L						M	M	1.0	0.72	2.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: 01FB	WDNR Point ID: 997														
250225	2-HEXANONE	N		UG/L						M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L						M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L						M	M	10	3.0	10	998310390
250225	ALKALINITY-TOTAL AS CACO3 (FILT)	N		MG/L						M	M	10.0	4.0	13.3	998310390
250225	ARSENIC-DISSOLVED AS AS	N		UG/L						M	M	1.0	0.39	1.3	998310390
250225	BARIUM-DISSOLVED AS BA	N		UG/L						M	M	5.0	0.70	2.3	998310390
250225	BENZENE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L						M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L						M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L						M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L						M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L						M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L						M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L						M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L						M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L						M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L						M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L						M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L						M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L						M	M	1.0	0.44	1.5	998310390
250225	DISSOLVED OXYGEN, FIELD BY PROBE		75.8	MG/L											
250225	ETHYLBENZENE	N		UG/L						M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L						M	M	1.0	0.88	2.9	998310390
250225	IRON-DISSOLVED AS FE	N		MG/L						M	M	0.030	0.019	0.064	998310390
250225	LEAD-DISSOLVED AS PB	N		UG/L						M	M	1.5	0.21	0.70	998310390
250225	MANGANESE-DISSOLVED AS MN	J	0.98	UG/L						M	M	10.0	0.40	1.3	998310390
250225	M-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.78	2.6	998310390
250225	MERCURY-DISSOLVED	N		UG/L						M	M	0.20	0.042	0.14	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L						M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L						M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L						M	M	1.0	0.43	1.4	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: 01FB	**WDNR Point ID:**	997													
250225	NITRITE PLUS NITRATE-DISSOLVED AS N	N		MG/L						M	M	0.050	0.020	0.067	998310390
250225	O-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.79	2.6	998310390
250225	OXIDATION REDUCTION POTENTIAL		-6.6	MILLIVOLTS											
250225	P-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.84	2.8	998310390
250225	PH-FIELD		8.21	SU											
250225	SAMPLE COLOR	N		NONE											
250225	SAMPLE ODOR	N		NONE											
250225	SAMPLE TEMPERATURE		19.7	DEGREES C											
250225	SAMPLE TURBIDITY	N		NONE											
250225	SPECIFIC CONDUCTANCE-FIELD		15	UMHOS/CM											
250225	STYRENE	N		UG/L						M	M	1.0	0.73	2.4	998310390
250225	SULFATE-DISSOLVED AS SO4	N		MG/L						M	M	2.0	0.35	1.2	998310390
250225	TETRACHLOROETHYLENE	N		UG/L						M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L						M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L						M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L						M	M	1.0	0.90	3.0	998310390
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L						M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L						M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L						M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L						M	M	0.020	0.004	0.013	998310390
250225	VINYL CHLORIDE	N		UG/L						M	F	1.0	0.90	3.0	998310390
250225	XYLENES-TOTAL	N		UG/L						M	M	2.0	0.66	2.2	998310390
Sample Point: TB	**WDNR Point ID:**	999													
250225	1,1,1-TRICHLOROETHANE	N		UG/L						M	M	1.0	0.82	2.7	998310390
250225	1,1,2,2-TETRACHLOROETHANE	N		UG/L						M	M	1.0	0.21	0.70	998310390
250225	1,1,2-TRICHLOROETHANE	N		UG/L						M	M	1.0	0.23	0.77	998310390
250225	1,1-DICHLOROETHANE	N		UG/L						M	M	1.0	0.38	1.3	998310390
250225	1,1-DICHLOROETHYLENE	N		UG/L						M	M	1.0	0.29	0.97	998310390
250225	1,2,4-TRICHLOROBENZENE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	1,2-DIBROMO-3-CHLOROPROPANE	N		UG/L						M	M	1.0	0.39	1.3	998310390
250225	1,2-DIBROMOETHANE (EDB)	N		UG/L						M	M	1.0	0.73	2.4	998310390
250225	1,2-DICHLOROETHANE	N		UG/L						M	M	1.0	0.21	0.70	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: TB	WDNR Point ID:	999													
250225	1,2-DICHLOROPROPANE	N		UG/L						M	M	1.0	0.72	2.4	998310390
250225	2-HEXANONE	N		UG/L						M	M	5.0	1.2	4.1	998310390
250225	4-METHYL-2-PENTANONE (MIBK)	N		UG/L						M	M	5.0	2.1	7.0	998310390
250225	ACETONE	N		UG/L						M	M	10	3.0	10	998310390
250225	BENZENE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	BROMODICHLOROMETHANE	N		UG/L						M	M	1.0	0.39	1.3	998310390
250225	BROMOMETHANE	N		UG/L						M	M	1.0	0.69	2.3	998310390
250225	CARBON DISULFIDE	N		UG/L						M	M	1.0	0.19	0.63	998310390
250225	CARBON TETRACHLORIDE	N		UG/L						M	M	1.0	0.27	0.90	998310390
250225	CHLOROBENZENE	N		UG/L						M	M	1.0	0.75	2.5	998310390
250225	CHLOROETHANE	N		UG/L						M	M	1.0	0.32	1.1	998310390
250225	CHLOROFORM	N		UG/L						M	M	1.0	0.34	1.1	998310390
250225	CHLOROMETHANE	N		UG/L						M	F	1.0	0.35	1.2	998310390
250225	CIS-1,2-DICHLOROETHENE	N		UG/L						M	M	1.0	0.81	2.7	998310390
250225	CIS-1,3-DICHLOROPROPENE	N		UG/L						M	M	1.0	0.36	1.2	998310390
250225	DIBROMOCHLOROMETHANE	N		UG/L						M	M	1.0	0.32	1.1	998310390
250225	DIBROMOMETHANE	N		UG/L						M	M	1.0	0.41	1.4	998310390
250225	DICHLORODIFLUOROMETHANE	N		UG/L						M	M	1.0	0.68	2.3	998310390
250225	DICHLOROMETHANE	N		UG/L						M	M	1.0	0.44	1.5	998310390
250225	ETHYLBENZENE	N		UG/L						M	M	1.0	0.74	2.5	998310390
250225	FLUOROTRICHLOROMETHANE	N		UG/L						M	M	1.0	0.88	2.9	998310390
250225	M-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.78	2.6	998310390
250225	METHYL ETHYL KETONE (MEK)	N		UG/L						M	M	10	1.3	4.4	998310390
250225	METHYL TERT-BUTYL ETHER (MTBE)	N		UG/L						M	M	1.0	0.16	0.53	998310390
250225	NAPHTHALENE	N		UG/L						M	M	1.0	0.43	1.4	998310390
250225	O-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.79	2.6	998310390
250225	P-DICHLOROBENZENE	N		UG/L						M	M	1.0	0.84	2.8	998310390
250225	STYRENE	N		UG/L						M	M	1.0	0.73	2.4	998310390
250225	TETRACHLOROETHYLENE	N		UG/L						M	M	1.0	0.36	1.2	998310390
250225	TETRAHYDROFURAN	N		UG/L						M	M	5.0	1.3	4.2	998310390
250225	TOLUENE	N		UG/L						M	M	1.0	0.51	1.7	998310390
250225	TRANS-1,2-DICHLOROETHENE (TOTAL)	N		UG/L						M	M	1.0	0.90	3.0	998310390

Sample Date	Parameter	Qualifier	Value	Units	PAL	ES	Type of Exceedance	Type of Standard	QC 1	QC 2	QC 3	RL	LOD	LOQ	WDNR Lab Cert
Sample Point: TB	WDNR Point ID:	999													
250225	TRANS-1,3-DICHLOROPROPENE	N		UG/L						M	M	1.0	0.37	1.2	998310390
250225	TRIBROMOMETHANE	N		UG/L						M	M	1.0	0.26	0.87	998310390
250225	TRICHLOROETHYLENE	N		UG/L						M	M	1.0	0.46	1.5	998310390
250225	VINYL CHLORIDE	N		UG/L						M	F	1.0	0.90	3.0	998310390
250225	VINYL CHLORIDE	N		UG/L						M	M	0.020	0.004	0.013	998310390
250225	XYLENES-TOTAL	N		UG/L						M	M	2.0	0.66	2.2	998310390