

APPENDIX A

Public Participation Materials

Two Sisters Lake Management Planning Project

Kick-Off Meeting July 9, 2011 – 9:00 AM McNaughton Pub 5340 Bridge Road

The Two Sisters Lake Property Owners Association has received two grants totaling nearly \$20,000 from Wisconsin Department of Natural Resources to partially fund the of comprehensive completion a management plan for Two Sisters Lake. A third grant will be applied for in August of 2011. The design for the planning project has been finalized and approved by the WDNR and includes primary objectives: 1) completion of in-depth studies including multiple plant surveys, water quality sampling, and watershed investigations; and 2) the completion of a realistic



Aquatic ecologist, Tim Hoyman, speaks to a lake group in Waushara County about their lake management plan. Public participation will be an integral part of the Two Sisters Lake project.

management plan for the lake and its watershed. Most of the studies will be completed during the spring, summer and fall of 2011. The tasks associated with the analysis of the data will be completed during the following fall and winter. The project will also incorporate opportunities for stakeholder education and input, which are both very important components of all lake management planning efforts. The first opportunity for your participation in the process will be at the Project Kick-off Meeting to be held on Saturday, July 9th at 9:00 am at the McNaughton Pub (5340 Bridge Rd., west of Rhinelander off of Highway 47). In addition to this meeting as well as others, an additional opportunity for your input will be through a written stakeholder survey that will be distributed during the project.

Onterra, LLC, a lake management planning firm out of De Pere, has been hired to lead the project. During the meeting, Eddie Heath, an aquatic ecologist with Onterra, LLC, will describe the project and its importance. The presentation will include a description of the project's components, a quick course on general lake ecology, and a breakdown of how the Association's Planning Committee will be involved in the plan's completion. So, please plan on attending the meeting and do not hesitate to ask questions or make comments.

Two Sisters Lake Management Plan Unofficial Partial Summary Report by John Kraus June 30, 2012

Two sisters lake is technically classified as a spring lake. Headwater drainage lakes encompass this lake type. Therefore, TSL is designated as a headwater drainage lake.

Shoreline length is 8.9 miles

- 3.9 miles (45%) is natural/undeveloped beneficial to the lake
- 3.9 miles (44%) is developed-semi natural neutral to the lake

1 mile (11%) is urbanized & developed-unnatural – potentially harmful to the lake

On July 9, 2011, a project kick-off meeting was held at the McNaughton Pub to introduce the project.

Numerous field studies were conducted by Onterra on Two Sisters Lake during 2011 & 2012 to sample the water and vegetation.

Tests show that the phosphorus values, chlorophyll and water clarity are all rated as excellent. Water visibility on an average is close to 20 feet.

In July & August vegetation was sampled.

61 native aquatic plants were found in TSL. No non-native, invasive species were found.

A survey was developed by committee members with coordination between Onterra and the DNR.

During October 2011 this nine-page survey was mailed to 180 property owners on Two Sisters Lake. 122 (69%) of the surveys were returned and those results were entered into a spreadsheet by Joe Steinhage, a committee member.

Those responding to the survey indicated that:

44% own summer residences on the lake

21% own year-round residences

21% own a property that is visited on weekends throughout the year.

53% have owned their property for more than 25 years.

43 % said their property would be pass on to a family member

36% said they would continue to own their property

A vast majority use their property for relaxing/entertaining

Issues of concern about the lake expressed by property owners are:

Preventing invasive species from entering the lake

Jet Ski usage

Maintaining water quality

Lake shore development





- Onterra, LLC
- Why Create a Management Plan?
- Elements of a Lake Management Planning Project
 - Data & Information
 - Planning Process




Onterra LLC

Onterra, LLC

- Founded in 2005
- Staff
 - Four full-time ecologists
 - One part-time ecologist
 - One field technician
 - Two summer interns
- Services
 - Science and planning
- Philosophy
 - Promote realistic planning
 - Assist, not direct





- To create a better understanding of lake's positive and negative attributes.
- To discover ways to minimize the negative attributes and maximize the positive attributes.
- To foster realistic expectations and dispel myths.
- To create a snapshot of the lake for future reference and planning.

Onterra, LLC

July 9, 2010

Elements of an Effective Lake Management Planning Project

Data and Information Gathering

Environmental & Sociological

Planning Process

Brings it all together



Onterra LLC

Data and information gathering

- Study Components
 - Water Quality Analysis
 - Watershed Assessment
 - Shoreline Assessment
 - Aquatic Plant Surveys
 - Fisheries Data Integration
 - Zebra Mussel Survey
 - Stakeholder Survey




Onterra LLC

Water Quality Analysis

- General water chemistry (current & historic)
 - Citizens Lake Monitoring Network
- Nutrient analysis
 - Lake trophic state (Eutrophication)
 - Limiting plant nutrient
- Supporting data for watershed modeling.







July 9, 2010 2

Kick-off Meeting









July 9, 2010

Aquatic Plant Surveys

- Concerned with both native and nonnative plants
- Multiple surveys used in assessment
 - Curly-leaf pondweed survey
 - Point-intercept survey


Onterra LLC

Two Sisters Lake 41-meter resolution 1,735 total points Onterra LLC Lake Management Planning

Aquatic Plant Surveys

- Concerned with both native and nonnative plants
- Multiple surveys used in assessment
 - Curly-leaf pondweed survey
 - Point-intercept survey
 - Plant community mapping

Onterra LLC



July 9, 2010 4

Aquatic Plant Surveys

- Concerned with both native and nonnative plants
- Multiple surveys used in assessment
 - Curly-leaf pondweed survey
 - Point-intercept survey
 - Plant community mapping
 - Volunteer survey findings

Onterra LLC

Fisheries Data Integration

- No fish sampling completed
- Assemble data from WDNR, USGS, USFWS, & GLIFWC
- Fish survey results summaries (if available)
- Use information in planning as applicable



Onterra, LLC

Stakeholder Survey

- Standard survey used as base
 - Planning committee potentially develops additional questions and options
 - Must not lead respondent to specific answer through a "loaded" question
- Survey must be approved by WDNR


Onterra, LLC
Lake Management Planning


Planning Process Planning Committee Meetings Study Results (including a stakeholder survey) Conclusions & Initial Recommendations Management Goals Management Actions Timeframe Facilitator(s) Implementation Plan Onterra LLC

July 9, 2010

Kick-off Meeting







July 9, 2010












June 28, 2011














June 28, 2011


















































Aquatic Plant Surveys


- Concerned with both native and non-native plants
- Multiple surveys in assessment
 - Curly-leaf pondweeu (7) ey
 - Point-intercept survey
 - Systematic sampling method
 - Can compare lakes within same ecoregion
 - Plant community mapping
 - Accurately map floating-leaf & emergent communities
 - May compare to future surveys


Onterra LLC





June 28, 2011
























June 28, 2011














Conclusions

- Water quality is excellent
- Overall watershed is largely in healthy condition
 - Minimal phosphorus input; ecologically valuable landcover types present
 - Shoreline is mostly natural and undeveloped
- Aquatic plant community
 - Based on standard analysis, native community is of high quality
 - Lake has diverse plant community, and high species richness

Onterra LLC



June 28, 2011












August 4, 2012














August 4, 2012
























August 4, 2012

















Aquatic Plant Surveys

- Concerned with both native and non-native plants
- Multiple surveys used in assessment
 - Curly-leaf pondweed survey
 - Point-intercept survey
 - Systematic sampling method
 - Can compare lakes within same ecoregion
 - Plant community mapping
 - Accurately map floating-leaf & emergent communities
 - May compare to future surveys


Onterra LLC































Conclusions

- Water quality is excellent
- Overall watershed is largely in healthy condition
 - Minimal phosphorus input; ecologically valuable landcover types present
 - Shoreline is mostly natural and undeveloped
- Aquatic plant community
 - Based on standard analysis, native community is of high quality
 - Lake has diverse plant community, and high species richness

Onterra LLC

Management Goal 1: Develop and Maintain Partnerships with Cognizant Organizations

Management Actions

- 1. Identify potential partners.
- 2. Plan method to keep contact with partners.

Onterra, LLC

Management Goal 3: Foster a Quality Fishery

Management Actions

- 1. Understand fishery.
- 2. Move forward with fishery plan as developed by WDNR & association.

Unterra, LLC
Lake Management Planning

Management Goal 2: Develop Succession Plan

Management Actions

- 1. Review by-laws regarding who can & cannot be board members.
- 2. Identify prospective board members who cannot/will not be on the board.

Onterra, LLC

Management Goal 4: Increase Understanding of Shoreland Zoning Impacts on Two Sisters Lake

Management Actions

- 1. Assemble shoreland zoning regulations for Oneida County.
- 2. Provide distilled information to stakeholders.
- 3. Make contact with large-tract property owners to discuss their options.
- 4. Board of Directors develop policy for shoreland violations.

Onterra, LLC

August 4, 2012

Management Goal 5: Maintain Water Quality

Management Actions

- 1. Continue water quality monitoring.
- 2. Utilize Citizens Lake Monitoring Network (CLMN).

Onterra LLC _

Management Goal 7: Prevent Introduction of Aquatic Invasive Species

Management Actions

- 1. Continue Clean Boats/Clean Waters inspections.
- 2. Monitor lake through shoreline inspections.
- 3. Investigate mandatory-use watercraft washing station and other preventative alternatives.
- 4. Continue education.
- 5. Maintain strong relationship with Oneida County AIS Coordinator.

Onterra, LLC
Lake Management Planning

Management Goal 6: Maintain Water Level

Management Actions

1. Continue Contingency Fund

Onterra, LLC

Management Goal 8: Keep Stakeholders Informed

Management Actions

- 1. Continue newsletter.
- 2. Create website.
- 3. Continue email notifications.

Onterra LLC

August 4, 2012

B

APPENDIX B

Stakeholder Survey Response Charts and Comments


Returned Surveys	124 180
Sent Surveys Response Rate (%)	68.9

TWO SISTERS LAKE PROPERTY

#1 How is your property on Two Sisters Lake utilized?

	Total	%	Average Use*
Seasonal residence (summer only)	56	44.4	93
A year-round residence	27	21.4	289
Weekends throughout the year	26	20.6	68
Undeveloped	4	3.2	0
Rental property	3	2.4	213
Other	10	7.9	140
	126	100.0	

^{*}Average use (days per year) for property use categories as determined by Question #2 response




#2 How many days each year is your property used by you or others?

Answered Question	114
Average	131.0
Standard deviation	116.1

#3 Over a 12 month period, what is the average number of people that use your property in a typical week?

Answered Question	118
Average	3.5
Standard deviation	2.1
Responses with 1-5 people	102
Responses with 6-10 people	14
Responses with 11-15 people	2



#4 How long have you owned your property on Two Sisters Lake?


	Total	%
1-5 years	11	9.0
6-10 years	16	13.1
11-15 years	16	13.1
16-20 years	16	13.1
21-25 years	10	8.2
>25 years	53	43.4
	122	100.0


#5 What type of septic system does your property utilize?


	Total	%
Septic tank with conventional absorption field	94	76.4
Holding tank	14	11.4
Septic tank with mound	4	3.3
Advanced treatment system	1	0.8
Do not know	4	3.3
No septic system - Go to Question #7	6	4.9
	123	100.0

#6 If you have a septic system or holding tank, how often is it pumped?

	Total	%
Multiple times a year	5	4.2
Once a year	11	9.3
Every 2-4 years	84	71.2
Every 5-10 years	15	12.7
Do not know	3	2.5
	118	100.0








#7 Looking 20 years into the future, what plans, if any, do you have for your property?

	Total	%
I plan to pass the property onto a family member	54	42.9
I plan to continue to own the property	45	35.7
I am not sure what will happen to the property 20 years from now	14	11.1
I hope to sell the property as soon as I can get what I want for it	6	4.8
I expect to sell the property for future income	3	2.4
None of the above (See comments)	4	3.2
	126	100.0



RECREATIONAL USE ON TWO SISTERS LAKE

#8 How many years ago did you first visit Two Sisters Lake?


Answered Question	118
Average	32.1
Standard deviation	18.0

#9 Have you personally fished on Two Sisters Lake?

	Total	%
Yes	106	89.1
No - Go to Question #14	13	10.9
	119	100.0

#10 For how many years have you fished Two Sisters Lake?

	Total	%
1-5 years	21	20.2
6-10 years	14	13.5
11-15 years	12	11.5
16-20 years	13	12.5
21-25 years	5	4.8
>25 years	39	37.5
	104	100.0



#11 How would you describe the current quality of fishing on Two Sisters Lake?


	Total	%
Very Poor	3	3.3
Poor	14	15.4
Fair	40	44.0
Good	31	34.1
Excellent	3	3.3
Unsure	14	15.4
	91	100.0


#12 What species of fish do you typically catch on Two Sisters Lake?


	Total
Smallmouth bass	69
Bluegill/Sunfish	59
Walleye	56
Largemouth bass	49
Northern Pike	29
Yellow perch	27
Crappie	25
Other	21
All fish species	7

#13 How has the quality of fishing changed on Two Sisters Lake since you have started fishing the lake?

	Total	%
Much worse	10	9.3
Somewhat worse	29	27.1
Remained the Same	43	40.2
Somewhat better	4	3.7
Much better	1	0.9
Unsure	20	18.7
	107	100.0









#14 What types of watercraft do you currently use on Two Sisters Lake?

	Total
Canoe/Kayak	79
Motor boat with greater than 25 hp motor	67
Pontoon	46
Rowboat	45
Paddleboat	39
Sailboat	33
Motor boat with 25 hp or less motor	33
Jet ski (personal water craft)	15
Deckboat	10
Jet boat	2
Do not use watercraft	5



#15 Please rank up to five activities that you participate in on or near Two Sisters Lake?

	1st	2nd	3rd	4th	5th	% ranked
Relaxing/entertaining	52	20	17	11	6	18.0
Swimming	13	22	20	20	12	14.8
Motor boating	9	19	18	19	10	12.7
Nature viewing	10	24	21	12	7	12.6
Fishing - open water	28	9	16	10	9	12.2
Water skiing/tubing	6	12	11	9	16	9.2
Canoeing/kayaking	3	10	8	15	17	9.0
Ice fishing	0	1	1	9	7	3.1
Sailing	1	0	2	4	8	2.5
Hunting	0	3	2	3	3	1.9
Jet skiing	1	1	4	3	1	1.7
Snowmobiling/ATV	0	0	0	1	5	1.0
Other	0	2	0	1	4	1.2
I do not participate in any of these activities	1	0	0	0	0	0.2
	124	123	120	117	105	100.0




TWO SISTERS LAKE CURRENT AND HISTORIC CONDITION, HEALTH AND MANAGEMENT


#16 How would you describe the current water quality of Two Sisters Lake?

	Total	%
Very Poor	0	0.0
Poor	0	0.0
Fair	1	0.8
Good	33	26.6
Excellent	89	71.8
Unsure	1	0.8
	124	100.0

#17 How has the water quality changed in Two Sisters Lake since you visited the lake?

	Total	%
Severely degraded	1	0.8
Somewhat degraded	14	11.3
Remained the same	91	73.4
Somewhat improved	10	8.1
Greatly improved	4	3.2
Unsure	4	3.2
	124	100.0





#18 Do you have a lawn on your property?

	Total	%
Yes	67	54.0
No - Go to Question #23	57	46.0
	124	100.0

#20 How do you water your lawn?

	Total	%
Well water	9	13.2
Lake water	10	14.7
Do not water lawn	48	70.6
Other	1	1.5
	68	100.0

#22 If you fertilize your lawn, do you use phosphorus-free fertilizer?

	Total	%
Yes	15	22.1
No	5	7.4
Unsure	2	2.9
	22	32.4

#23 Have you ever heard of aquatic invasive species?

	Total	%
Yes	117	100.0
No - Go to Question #27	0	0.0
	117	100.0

#19 Is there a natural buffer between your lawn and the lake?

	Total	%
Yes	63	88.7
No	8	11.3
	71	100.0

#21 Do you fertilize your lawn?


	Total	%
Yes	21	30.0
No - Go to Question # 23	49	70.0
	70	100.0

#24 Are you aware of aquatic invasive species in Two Sisters Lake?

	Total	%
Yes	28	24.8
No - Go to Question #26	85	75.2
	113	100.0


#25 Which aquatic invasive species are you aware of in Two Sisters Lake?

	Total
Rusty crayfish	20
Carp	9
Chinese mystery snail	9
Eurasian water milfoil	4
Purple loosestrife	2
Zebra mussel	2
Heterosporosis (yellow perch parasite)	2
Alewife	1
Rainbow smelt	1
Curly-leaf pondweed	0
Pale yellow iris	0
Flowering rush	0
Freshwater jellyfish	0
Spiny water flea	0
Round goby	0
Other	5




#26 Aquatic invasive species can be controlled using many techniques. What is your level of support for the responsible use of the following aquatic invasive plant control techniques on Two Sisters Lake?

	1 - Not supportive	2	3 - Neutral	4	5 - Highly supportive	Unsure	Total	Average
Integrated control using many methods	2	0	18	22	33	40	75	4.1
Manual removal by property owners	8	1	17	26	39	22	91	4.0
Hand-removal by divers	8	2	31	17	32	23	90	3.7
Biological control	12	7	24	14	16	37	73	3.2
Mechanical harvesting	16	6	23	18	16	33	79	3.2
Dredging of bottom sediments	28	6	20	13	12	32	79	2.7
Herbicide (chemical) control	26	8	17	11	12	35	74	2.7
Water level drawdown	50	11	7	1	8	33	77	1.8
Do nothing	63	4	8	1	4	23	80	1.5




#27 Below is a list of possible impacts to Wisconsin lakes. To what level do you believe each of the following factors may be negatively impacting Two Sisters Lake?

	0-Not present	1-No Impact	2	3-Moderately negative impact	4	5-Great negative impact	Unsure need more info.	Total	Average
Jet ski traffic	3	20	11	22	16	41	8	110	3.3
Shoreland property runoff	2	16	14	27	21	19	19	97	3.1
Septic system discharge	7	11	13	14	13	22	40	73	3.0
Lakeshore development	10	14	15	28	17	19	13	93	2.8
Noise pollution	10	19	21	23	14	23	12	100	2.7
Boat traffic	4	23	20	33	15	16	10	107	2.7
Light pollution	11	17	20	22	16	17	15	92	2.6
Insufficient boating safety	12	20	19	26	16	11	15	92	2.5
Degradation of native aquatic plants	9	18	16	21	12	9	33	76	2.4
Loss of fish habitat	15	25	8	27	12	13	18	85	2.4
Loss of wildlife habitat	9	30	13	20	11	13	23	87	2.3
Loss of shoreline vegetation	12	23	17	27	17	7	16	91	2.3
Shoreline erosion	11	28	21	22	11	11	18	93	2.3
Excessive fishing pressure	15	21	20	22	8	11	22	82	2.2
Excessive aquatic plant growth	15	27	16	9	12	13	26	77	2.2
Aquatic invasive species	27	21	10	11	6	18	26	66	2.0
Algae blooms	19	24	13	11	11	10	30	69	2.0
Water quality degradation	25	25	16	12	5	12	23	70	1.8
Other	1	1	0	0	0	9	12	10	4.2



#28 From the list below, please rank your top five concerns regarding Two Sisters Lake.

	1st	2nd	3rd	4th	5th	% Ranked
Aquatic invasive species	26	16	16	10	2	12.0
Jet ski traffic	23	10	12	8	10	10.8
Water quality degradation	25	8	6	9	6	9.3
Lakeshore development	5	8	15	6	7	7.0
Septic system discharge	4	12	10	4	8	6.5
Loss of fish habitat	10	10	4	5	7	6.2
Shoreland property runoff	4	4	7	10	9	5.8
Boat traffic	3	9	3	7	7	5.0
Excessive aquatic plant growth	3	4	4	10	6	4.6
Noise pollution	2	7	6	9	3	4.6
Light pollution	3	5	6	7	6	4.6
Loss of wildlife habitat	2	4	3	7	5	3.6
Shoreline erosion	1	5	5	2	7	3.4
Loss of shoreline vegetation	0	6	7	4	2	3.3
Excessive fishing pressure	3	3	4	3	5	3.1
Insufficient boating safety	1	3	3	5	6	3.1
Degradation of native aquatic plants	0	1	1	5	6	2.2
Algae blooms	0	2	2	2	4	1.7
Other	1	3	3	5	6	3.1
	116	120	117	118	112	100.0





#29 During open water season how often does aquatic plant growth, including algae, negatively impact your enjoyment of Two Sisters Lake?

	Total	%
Never	52	43.7
Rarely	43	36.1
Sometimes	21	17.6
Often	2	1.7
Always	1	0.8
	119	100.0

#30 Considering your answer to the question above, do you believe aquatic plant control is needed on Two Sisters Lake?


_	Total	%
Definitely yes	14	11.9
Probably yes	28	23.7
Unsure	33	28.0
Probably no	34	28.8
Definitely no	9	7.6
•	118	100.0






#31 Native aquatic plants can be controlled using many techniques. What is your level of support for the responsible use of the following aquatic plant control techniques on Two Sisters Lake?

	1 - Not supportive	2	3 - Neutral	4	5 - Highly supportive	Unsure	Total	Average
Manual removal by property owners	14	5	17	24	33	20	93	3.6
Integrated control using many methods	13	5	23	14	26	35	81	3.4
Hand-removal by divers	18	9	20	16	26	22	89	3.3
Biological control	23	7	19	15	11	33	75	2.8
Mechanical harvesting	28	8	18	10	11	34	75	2.6
Dredging of bottom sediments	36	13	16	10	7	28	82	2.3
Herbicide (chemical) control	44	9	10	13	8	27	84	2.2
Water level drawdown	62	8	5	2	5	27	82	1.5
Do nothing	43	10	10	3	9	25	75	2.0



#32 Which of these subjects would you like to learn more about?

	Total
Invasive species present in your lake	75
Methods of controlling aquatic invasive species	74
Impacts of aquatic invasive species on your lake	59
Risks of aquatic invasive species control	59
Human impacts on lakes	55
Ecological benefits of shoreland restoration using native plants	52
Benefits of aquatic invasive species control	47
Clean Boats / Clean Waters volunteer watercraft monitoring program	36
Ways that aquatic invasive species are spread between lakes	30
Not interested in learning more on any of these subjects	9



TWO SISTERS LAKE PROPERTY OWNERS ASSOCIATION (TSLPOA)

#33 Before receiving this mailing, have you ever heard of the Two Sisters Lake Property Owners Association?


	Total	%
Yes	118	99.2
No - Go to Question #36	1	0.8
	119	100.0

#34 What is your membership status with the Two Sisters Lake Property Owners Association?

	Total	%
Current member	109	93.2
Former member	3	2.6
Never been a member	5	4.3
	117	100.0


#35 How informed has the Two Sisters Lake Property Owners Association kept you regarding issues with Two Sisters Lake and its management?

	Total	%
Not at all informed	3	2.6
Not too informed	8	6.8
Unsure	6	5.1
Fairly well informed	51	43.6
Highly informed	49	41.9
	117	100.0




#36 Please circle the activities you would be willing to participate in if the Two Sisters Lake Property Owners Association requires additional assistance.

	Total
Aquatic plant monitoring	45
Watercraft inspections at boat landings	35
Water quality monitoring	32
Bulk mailing assembly	29
Association Board	17
Writing newsletter articles	6
Attending Wisconsin Lakes Convention	5
I do not wish to volunteer	42



#37 If the Association became aware of a possible shoreline protection violation on private property, which of the following possible responses by the Association would you most support?

	Total	%
Request the proper authority to investigate the possible violation	64	53.3
Only refer the reporting individual to the appropriate authority	15	12.5
Do nothing - no response by the Association	10	8.3
Respond differently (see written comments)	31	25.8
	120	100.0



#38 The use of a website is an additional method of communication available to the Association for its membership. Would you favor the Association developing a Two Sisters Lake website?


	Total	%
Yes	80	66.1
No	18	14.9
Unsure - need more information	23	19.0
	121	100.0


#39 If the Association was to develop a website in order to share information about events and management issues, how likely would you be to visit the website to obtain information?

	Total	%
Not at all likely	12	9.8
Not too likely	12	9.8
Unsure	8	6.5
Somewhat likely	31	25.2
Very likely	60	48.8
	123	100.0

#40 Through what primary source would you most like to receive communication about Two Sisters Lake?

	Total	%
Newsletter mailed to your home	71	58.7
Electronic newsletter (email)	37	30.6
Potential website	13	10.7
Other	0	0.0
Not interested in receiving any information	0	0.0
	121	100.0





Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment		Comment	Comment	Comment	Comment	Comment
1		Land is										
'		undeveloped.										
											Request cooperation.	
2												
3										Too many muskies		+
3			I am 88 years old.							100 many muskles		
4			My estate will sell									
			it.									
5												
6				muskie					Pleasure boating			+
				muskie					disturbing fishing during			
									early morning and late			
									evening, especailly			
7									skiers and tubing. Jet			
									skis tend to be very			
									respectful so far.			
									roop con an co nam			
				muskie							Discuss with property	
											owner first, then	
8											request the proper	
											authority to investigate.	
		0	December of the control of	1								
		well to sand	Property already									1
9		well to sand	owned by children. We rent for estate									
9			tax puposes.									
			tax puposes.									
												1
10												
10												1
				1								
				ļ								
11		1		muskie								
12 13							<u> </u>					1
13		1		<u> </u>	l		1		1		L	1

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment
14									1. Lack of strong and effective legislation to prevent introduction of AIS into Wisconsin lakes with heavy fines, should it occur. 2. Lack of mandatory self-service watercraft wash stations at all public boat landings. 3. WDNR budget mismanagement and waste not allowing WDNR representatives to monitor watercraft entry into lakes during peak season times.			
15												
16	10-14 days monthly throughout year										depends on violation	
17												
18												
20											This is difficult but important.	
21						cross country skiing						
22												
23	Seasonally and once a month other times			muskie					spearing	spearing		
24												
25											Association to contact party directly to seek resolution. If not positive, go to appropriate authority.	
26				muskie							Depending on severity,	-
27				IIIusnie							secure the appropriate authority.	
28 29				muskie								
30				muskie							If we have knowledge of a violation, contact owner first, before reporting.	

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment catfish or	Comment	Comment	Comment	Comment
31								bullhead				
			Trying to keep up									
32			with the taxes so it									
32			can remain in the									
33			family.									
	resort			rock bass							A bad violation should	
											be discussed with the	
											violator.	
34												
	Extended											
0.5	weekends											
33	throughout the											
	year Irregular part-										Advise homeowner	
	time										first. If no response,	
36											then request proper	
											authority to investigate.	
											Stop violation before it	
											happens	
37												
38	April thru end											
36	of October											
39											Contact offending party	
40											Contact offering party	
40												
											Association member	
41											contact party and seek	
					laboord/						resolution.	
42					Inboard/ outboard							
				muskie							Ask them if they were	
,											aware of the violation	
43											almost everyone is, in one way or another.	
								<u> </u>				<u> </u>
44												

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number 45	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment
46												
47								some type of snails		neighbors bathing in lake		
48												
49										view of shore properties from water	Talk with owner prior to notifying authorities	
50												
51				muskie								
52												
53	nine months			muskie								
54		ļ										
55												
56												
57											depends on violation	
58		vacant									Educate the potential violater.	
-		property									violater.	
59												
60												
61			Hold in my family									
62	Most of summer, weekends in fall and winter											
63											Notify landowner of the concern	
64		 		1								
65												
66												

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment		Comment	Comment	Comment	Comment	Comment
											Advise property owner	
											of violation. This allows	
											owner to correct	
											problem on their own.	
67												
01												
68 69				muskie								
09											Inform and request	
											property owner to fix	
70											citation	
, ,											olation	
				muskie,								
				eelpout								
71												
71												
72				muskie								
											depends on violation	
70												
73												
74				no longer fish								
75				no longer listi								
				1								
76												
	Maakanda ir							n a a a i b lu				
	Weekends in							possibly				
	the summer							Chinese				
								Mystery Snails and Rusty				
								Crayfish				
77								Ciayiisii				
78												1
79												
80												
									l.	L		

Number	Comment monthly	Comment	Comment	C	_							40d
	monthly			Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment
81	throughout the year								Neighbors down our road frequently don't control their dogs, that go on our property, bark and growl, and try to attack our dog.			
									to attack our dog.			
82				Never catch any								
83												
84												
85											Contact owner	
86								some type of snail				
87												
88											First talk to property owner, make them aware of violation.	
89												
90											If no action, refer to proper authority.	
91								None	Need to reduce use of boat landing limit use. If we are a "lake district," could we eliminate boat public access.			
92				musky								
93	plus some winter weekends			no longer fishing							Make property owner aware of violation. If he does not comply, then contact proper authority.	

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment
96	- Common	Communit	Sommon	Comment		dog walking and gardening	Somment	Common	SSIMION	Jo., mont	Get response and commitment from owner, then request proper authority, if no reply.	Somment
97												
98					250 HP							
99					inboard							
100												
101					small inflatable and inner tube							
102												
103												
104												
105									Spearing of fish when ice melts in April is detrimental to the fish count and quality and size of fish caught by license-bearing fisherpersons.		Association to notify violator. If no action by violator, report to proper authority.	
106					shell for skulling						Notify offending party first to give chance to first abate. Then, notify auuthority.	
107												
108												
109				Pock base and								
110				Rock bass and muskie								

Survey	1f	5f	7f	12h	14k	15m	20d	25p	27s	28s	37d	40d
Number	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment	Comment
111		grandfather										
		outhouse										
										swing tree on island		
112												
113												
114												
115												
115												
											Work together to solve	
											the issue. Involve	
116											authorities only as a	
110											last resort and only if a	
											violation is confirmed.	
117												
		1		1	 		 					
118												
110												
119		1									depends	
120					none			none			dopolido	
	l	1	1	1	10	l			1	1	1	

Survey	Other
Number 1	Comments (and Question 41)
2	Our lake is a delight. We need to work to maintain lake quality for us and those who follow. We are indebted to those who volunteer to maintain and improve our lake.
3	maintain and improve our lake.
4	
5	For all the moneys we spend supporting the DNR, where are they with this situation? These questions are geared toward the current opinions of the Association Board members. They already know the answers and the direction they are going to take.
6	While I feel the Association has done a very good job in its approach to the protection and construction of our lake, I worry the
7	Association may be trying to take on too much themselves with issues that may not be of concern. I would like to make sure the Association can enforce, or try to enforce, current policies before taking on new responsibilities. Example: pleasure boating too early or too late and disturbing people fishing.
8 9	
10	I have been coming to TSL since my grandfather bought our property in 1954. We have always enjoyed motor boating. Fishing has become a recent activity, but we have fished since I was a kid. We will probably try ice fishing this winter. The boat landing is awful. It definitely affects decisions to pull aboat out and visit another lake. Thank sfor all your efforts in keeping the lake the pristine lake we have.
11	
12	
14	Two Sisters Lake should take the intiative to propose the design, construction, operation and maintenance of a self-service wash station at our public boat landing. Its use should be mandatory for all watercraft entering the lake. This is the right time and place to take this important step. We have the attention of the WDNR, Town of Newbold and the Onterra Company, that is the coordinator of this survey and our lake management plan. I am confident that with a "can do" attitude, all potential legal or governmental obstacles could be overcome.
15	Maria Black and the state of the state of the second title and the second title of the
16	Would like to see the quality of the lake maintained at its current level. We feel Board does a good job of being realistic as well as futuristic in evaluating what should be done.
17 18	
19	
20	This lake is so beautiful and I want it to stay that way. I am not the only one that needs information on how to take care of this wonderful lake.
21	
23	When we bought our property, the walleye fishery was outstanding. Now, with the planting of large-mouth bass years ago by the Association and the tribal spearing, the quantity of fish has gone down. There are still some beautiful walleyes here, but getting a meal can be an adventure.
24 25	See separate Word document containing a full page response.
26	Dee Separate word document containing a run page response.
27	
28 29	
30	I am pleased we have an active association whose mission it is to keep the lake quality it is for generations to come.
31	Kudos to the Association for your excellent efforts in the past to keep property owners educated and informed.
33	
34	We should use common sense and not discipline to monitor the actions of others. Excessive use of anything light, noise, chemicals, shoreline clearing, building, etc., is poor management of this beautiful resource. In other words, trust your neighbors to do the right and sensible thing, not only for themselves but also for generations to come. Thank you for caring all Planning Committee and Lake Association members. You have done an excellent job to date. Sorry, I am too old to help much.
35 36	
37	Boat houses/garages should not be allowed on the shoreline 75 feet should be the rule. Existing structures on the shoreline should be torn down and definitely not allowed in the future. Current jet ski rules need to be enforced. Right now, it's a joke. Fisherman need their space, more courtesy from jet skiers and pleasure boats.
38	
39 40	Observed changes in 40 years 1) frog population is a fraction of what it was, 2) reduction of bottom of lake crayfish, 3) increase in
41	small snails on bottom of lake Thank you for all your efforts to make this survey possible.
42	
43	See separate Word document containing a full page response. Appreciative of this questionnaire and the work done by TSLPOA in all of these areas. Willing to participate as a volunteer. Treasure
45	the lake and cultivate this attitude in our children and grandchildren as well.
46	I don't think the Association enacts rules contrary to state guidelines. Wave runner hours/boating hours should follow state guidelines.
48	
49	Concerned that Association membership is falling. Long term ongoing costs for monitoring lake heeds full support of property owners even if taxing is required.
50 51	

Survey	Other Comments (and Question 41)
Number 52	Comments (and Question 41)
53	
54 55	I love the lake. I think the Association is doing a good job at attempting to keep invasive species out. I think the Association is a little too strict regarding the use of personal watercraft during the weekends of Memorial Day, July 4th, and Labor Day.
56	Many people are violating the fireworks restriction.
57 58	Advise homeowners with lawns of lake problems caused by fertilizer and other treatments. Thank you for this effort.
59	I thank all the volunteers for their help. We have to keep Two Sisters a clean lake.
60	I would like to see a ban on new boat house construction. If every property owner built a shoreline boat house, this lake would look like a trailer park. My grandparents were the first year-round residents on this lake in the early 1900s. They would be appalled to see what has happened to the shoreline.
61	I am striving to keep my land wild. My heart is in it.
62	I am very glad that the Lake Association takes its job so seriously and does so much to keep the residents informed and our lake is in good shape. We have to work together to preserve this wonderful lake.
64	
65	See separate Word document containing a full page response.
66	We would like to see pan fish stocking rather than walleye stocking. We feel very lucky to have knowledgeable people monitoring our lake quality. Please continue to keep up the good work of preserving our beautiful lake. Our cottage is on north shore of the narrows. It is necessary to barricade our shore to stop wave erosion. Boats coming though at high
67	speed are just as damaging as boats that slow down when entering narrows. Suggest safety zone 300 ft from either end of narrows. Boat traffic with tow behind and skiers are putting their cargo at risk in the cramped narrows. Slow down. Jet ski regs are not necessary on lake. Would rather have jet skis leaving little or no wake rather than high speed boats blasting through. Jet ski ordinance is restrictive from the old regime on the lake.
68 69	
70	1) More attention to older homes close to shoreline with old septic systems, 2) control size of boats on lake, 3) control size of motors on boats, 4) stocking of fish must continue, 4) I know this is impossible, but stop Indians from fish harvesting.
71	The use of illegal fireworks has grown considerably over last 16 years from frequent use of firecrackers throughout summer (not just july 4th) but multiple sites of elaborate and illegal displays over the July 4th week and longer. My understanding that in addition to noise and possible fire hazard, they contribute to water quality degradation as remaining parts fall into lake. Use of fireworks should be discouraged, not just because illegal,but damage to our water.
72	
73 74	Some violations are serious and affect other lake owners fertilizer, run-off, light and sound pollution. Other "violations" like removing a tree that falls into the water destroying your dock/boat/beach are absurd. Trees that fall into lake should be able to be removed. Used to be a "shoreline vegetation removal" violation. Not sure if still is.
75	
76	I really appreciate the efforts of everyone to keep our lake like it is and wish I was around more to help out.
77	We are fortunate to have had 2 TSLPOA members monitoring the lake and informing us of water quality benefits & issues for years. They have been leading monitoring of boats and shoreline for about 10 years. Thus, we have a leg up on other lakes. As more people come on the lake, we must be more diligent. We have not been so good on noise and light issues. We have also been monitoring & informing the membership on our loon population and providing nesting sites.
78	
79 80	
81	Not a year-round resident and don't have a lot of timewhen I visit. Would like to help out, but just don't have time now hopefully will do so in future. Willing to make financial contributions, however.
82	
83 84	Some of the questions were asked twice just worded differently.
85	More control of jet ski traffice and use is needed. Let owners know the restrictions on what hours they can use jet skis.
86	I'm most concerned about homeowners not members of Association and connected to our group efforts. Like to see Association do whatever it could to reach 100% of owners with this and other projects, so all receive the same info. Want to see Association create "good neighbor' list. Sometimes at Annual Mtg strong feelings expressed. Some people have "I'll do what I want" attitude. Jet ski times, fishing times, noise, dogs, fireworks, light pollution we need to share same resource.
87	We are pleased with the ongoing efforts of the Assoc to preserve the high quality of the lake, this being one of them. We hope to keep multiple condos away. Having a minimum shoreline footage as we have has helped. I have enjoyed the lake since childhood and my kids and grandkids have the same sense of value.
88	Ban use of all lawn fertilizers. Ban use of all weed killers. Use harmless dye to check runoff of septic and wash machines. Continue checking boats at landing and pass on info. Info to property owners what to do to protect lake not all owners belong to Association. Expand getting the info out. Thanks for all your efforts on behalf of our lake.
89	
90	We are proud and glad that for decades we have had our water quality monitored. More recently, we have seen many of our lake residents respond to the calls for volunteerism on our lake.
92 93	
95	Have noticed soap suds in water and on shore at cvarious times.
96	Excellent association proactive Board.
97	
98	
99	
100	

Survey	Other
Number	Comments (and Question 41)
101	
102	Thanks to the Association Board members for your good work! Let's keep the lake clean, quiet (for the most part) and friendly. Light pollution is an issue and some former Board members need to take this seriously walk the talk. Thank you.
103	
104	See separate Word document containing a full page response.
	Email and newsletter mailing should be used. Give members option of hard copy or e-mail. Those without computer can receive newsletter. Hard copy newsletter can be printed from website for that period so there is not separate function to produce hard copy newsletter. Younger generation of property owners and their kids would be willing to contribute time to do this. I would contribute money to this effort. So many more options, contents, pictures, etc. going electronic. This is the 21st century.
106	Good job. We appreciate time and effort of Board and participating members. I think it would be advantageous to have our fire numbers on our piers for identification. We could then put our fire numbers on our possessions/toys for return when lost. Also, identify ownership of the respective properties via a Directory.
107	Jet skis are out of control. There is no respect for the allowed hours and safety. I was passed simultaneously by 3 jet skis in the narrows in August. I am in contact with Dave Kroll about enforcment. As far as I am concerned, they should be outlawed as well as any boats with more than 150 HP on the lake.
108	Thanks to the huge efforts and countless hours spent by individuals such as Robert Nicholson and Paul Kuhn who have monitored water quality through the years and others who have volunteered time to build a strong lake association that is proactive in the protection of this beautiful natural resource we move forward. May the next generation live as responsibly, protecting her for many years to come.
109	
110	
111	
112	Swing tree on island is a disaster waiting to happen. Either someone will break their neck or will be hit by a passing boat/jet ski in narrow passage between island and rock bar. Swing tree is also huge source of noise pollution to neighboring homes. Often as many as 5 boats/pontoons docking on island with radios blasting all waiting their turns on the swing. I vote for taking that tree down immediately. It's like having neighbors with a wild party nearly every day in summer.
113	
114	
115	The island swing is a constant source of boat raffic and noise and is a safety hazard. The tree will someday fall down (probalby when someone is swiinging on it) but should be cut down now.
116	
117	We're very proud of TSLPOA and the job the Board and other volunteers do.
118	I have come to the lake since I was 6 months old to visit my godmother. I have owned her old property for 12 years. I have not seen any significant decline in water or shoreline quality since my childhood. It is still a wonderful lake that I love with my whole heart.
119	
120	

Survey #26
Response to Q #41
I appreciate the value of the Association and how it can benefit the people that own (Comments)

I'm sure that it is your hope that the majority of the people receiving the survey will complete it as accurately as possible. The survey asks questions that are very easy to answer that will provide nice anecdotal information. The survey questions that relate to aquatic invasive plants and species are beyond most individual's knowledge base and therefore will not provide valid input. I sought the education, experience and understanding of a fisheries biologist with a masters degree to give me insight into the problems related to aquatic invasive plants and species. My responses to the survey are based on her input. She is my niece and grew up on the lake as I did. We concluded that policies and procedures related to prevention, mitigation, control, etc needs to be in the hands of an educated body and not the average Two Sisters resident. The body of knowledge is vast, however; it can be boiled down to some basic precautions that everyone that uses public waterways of Wisconsin NEEDS TO KNOW. While the Wisconsin Department of Natural Resources understands the need to educate the public there is a significant GAP between what the public knows and NEEDS TO KNOW about aquatic invasive plants and species. For instance...there are many lakes in Wisconsin that are infested with aquatic invasive plants and species. Do you know which lakes are infested with what? Here is a website with the answer:

http://dnr.wi.gov/lakes/invasives/AISByWaterbody.aspx

Did you know that there are about 112 lakes just in Oneida County that have aquatic invasive plants and/or species, including Two Sisters Lake?

Moving a boat from one lake to another...I personally would be very interested in knowing which lakes are infested so that I could avoid them or know what I need to do or not do to avoid infesting other lakes. I would be supportive of the WDNR posting signs at public landings of lakes that are infested and what they are infested with. Below is some education that the average person should be enlightened with:

http://dnr.wi.gov/invasives/prevention.htm

We all know this subject is daunting in scope and the ramifications are potentially devastating. One big question will arise if and when nasty invasives come to Two Sisters Lake...Who is going to PAY for expensive management/control of the problem. PREVENTION is our cheapest approach and I know that we have volunteers that so graciously donate their time to protect our most valuable resource. I would support the placement of a sign at the pier pleading our interest in preserving the beautiful Two Sisters Lake. Make some mention to boaters right to launch a boat in Two Sisters Lake with an appreciation of their time to self inspect their trailer and boat for invasives along with a THANK YOU!!

We have enjoyed 43 years of family time at Two Sisters Lake and look forward to preserving this for generations to come.

Response to Survey Q #41

To: Two Sisters Lake Management Planning Project Respondent #43

Re: Stakeholder Survey

41. I would like to let you know that I feel that the TSLPOA has done an excellent job helping its members learn more about the lake and about possible dangers to the lake. The time spent by some of the volunteers is amazing.

I would also like to let you know that I feel too many members have forgotten about the fun they had enjoying the lake in the past and seem to now focus on trying to regulate the heck out of everything. Whereas I am content with the way things currently are, I am very concerned that the TSLPOA may try to push further regulations through that will negatively impact our enjoyment of the lake. The guestion - #37 - about possible shoreline protection violations on private property and how we would like the Association to respond concerns me. I truly believe that if you went around the lake and looked at every possible violation you would find that over half of our members are in some violation or another. I most certainly do NOT want us to start "upsetting the apple cart" over every little thing. I feel any concern can almost always be resolved with a friendly discussion, if it is even warranted. If there are members that have too many boats in the water, too big of a raft, too many boat docking areas, too long of a pier, etc do we really want to do anything when these items don't really impact the rest of us? There are so many rules and regulations it is getting to be silly. We already have a lake regulation that I am not really sure is enforceable that we are supposed to not use personal watercraft after 3 or 4 pm.

I absolutely love the lake and everything about it. I plan on retiring there. I think the Association has done a wonderful job with all that it has done and hope it continues to do so. What I don't want is to see us start increasing regulations and nit picking every tiny little possible thing people can find. I love my neighbors and would do just about anything they needed me to do at any time day or night. Let's make sure we keep things positive and continue to have one of the absolute best lakes to be on in the country.

Thank you.

Response to R#41 Survey #65

- Please feel free to provide written comments concerning Two Sisters Lake, its current and/or historic condition, and its management. Please use an additional sheet if necessary.
- O low of years, many things change We have no problem with change loveyou a hould be able to enjoy the lake anter active active filleng the However common serves does not provide when some of these contrays "integer with wild life people who are fishing or coming to close to the show has
- Descrity owner who have potted planter on docks or too close to the show him the plants are beautiful but the soil ffestilizer from thesepots are going into the last degrading water quality. Owner out to be educated. Over
- 3 People who grew-up in the country appreciate the darkness and watching the night shy.

 The lightly that now privacle on some residence hight up the woods and the lake show line. This interfere with store gazing.

 A flash fight did the job for so many years and is obsolute today.

 We hope that future generations can enjoy the quality of lake living that we have had the privilese of expressions. We all need to be good stewards of this lake and the surrounding woods.

Response to Q#41 Survey # 104

I think one of our greatest challenges to the future of Two Sisters Lake's controlling AIS. I'm involved as a volunteer in the boat landing inspection program and the shoreline inspection program. These are worthwhile activities and should continue.

I recommend expanding the program to include all property owners on the lake. We need to send each property owner a detailed description of AIS and let them keep an eye on their own shoreline. The 8 x 10 pictures given to me when I started shoreline inspections were excellent. They have expanded my knowledge of what to look for. We spend a lot of time talking about AIS, supporting AIS and donating to AIS but I'll bet many of our members (and nonmembers) could not identify the species of plants and animals we're referring to. People are interested in keeping the lake AIS free, especially on their own shoreline. Let's give them the information to do it.

To complete the program I would recommend a member of the Lake Association Board or AIS committee member as a point of contact for emails and telephone calls on these items. If you're not sure what's on your shoreline, call or email the contact person and we'll find out for sure.

On another subject I have seen a species of algae, maybe metaphyton, in Eagle Bay and on a boat lift on the north side of the small lake. It looks like a fresh water jellyfish. I don't think it's a problem.

Thanks for the work you do for our lake!



APPENDIX C

Lake Waterway Ordinance (1999)

WATERWAY ORDINANCE

Town of Newbold # 02-1999 (A Revision of # 03-1996)

A SOLE ORDINANCE TO REGULATE BOATING UPON THE WATERS OF TWO SISTERS LAKE AND PRESCRIBING PENALTIES THEREOF.

The Town Board of the Town of Newbold, Oneida County, Wisconsin, does ordain as follows:

SECTION I: APPLICABILITY AND ENFORCEMENT

A. The provisions of this ordinance shall apply to the waters of Two Sisters Lake in the Town of Newbold, Oneida County, Wisconsin.

B. This ordinance will be enforced by the officers of the Town of Newbold and any other authorized law enforcement officers.

SECTION II: INTENT

The intent of this ordinance is to provide safe and healthful conditions for the enjoyment of aquatic recreation consistent with public rights and interests, and the capability of the water resources.

SECTION III: STATE BOATING AND SAFETY LAWS ADOPTED

Wisconsin Boating and Safety Laws and Rules are adopted by reference.

SECTION IV: DEFINITIONS

A. "Slow-No-Wake" means that speed at which a boat moves as slowly as possible while still maintaining steerage control.

SECTION V: CONTROLLED AREAS

No person shall operate a boat faster than slow-no-wake in the following locations:

A. Tamarack Bay: Northwest of a line from the southeast lot line of the parcel described as the East 538 feet of the West 860.5 feet of Govt. Lot 7, Section 17-T38N-R8E (tax number NE 644.5) to the eastern lot line of the property described as Parcels 9 & 10 of Genisot Plat 7267, part of the SE SE, Section 18-T38N-R8E (tax number NE 661.2).

B. Spring Bay: South of a line from the eastern lot line of the parcel described as the East 200 feet of Government Lot 4, Section 17¬T38N-R8E (tax number NE647.2) due south to the south shore of the bay. C. Eagle Bay located in the SE NW and NE SW parts of Section 19-T38N-R8E. D. HAZARD ROCK: A buoy will be placed at the hazard rock which is located near the emerging weed bed south of the north shore of the large portion of Two Sisters Lake.

SECTION VI: PLACEMENT AND MAINTENANCE OF MARKERS

Purchase and placement of markers and public landing postings will be by the Two Sisters Lake Property Owners Association, Inc., in accordance with instructions by the Town Chairperson and as described in Section V above, and further that the Association will maintain the markers and postings in a manner sufficient to meet State of Wisconsin requirements.

SECTION VII: POSTING REQUIREMENTS

The Town of Newbold shall place and maintain a copy of this ordinance at all public access points on Two Sisters Lake.

SECTION VIII: PENALTIES

Wisconsin state boating penalties as found in Section 30.80, Wisconsin Statutes, are adopted by reference.

SECTION IX: SEVERABILITY

The provisions of this ordinance shall be deemed severable and it is expressly declared that the Town of Newbold Board would have passed the other provisions of this ordinance irrespective of whether or not one or more provisions may be declared invalid. If any provision of this ordinance or the application to any

person or circumstances is held invalid, the remainder of the ordinance and the application of such provisions to other persons or circumstances shall not be affected.

SECTION X: EFFECTIVE DATE

This ordinance shall take effect and be in force from and after its passage and posting as provided by law. The foregoing ordinance was adopted at a regular meeting of the Town Board of the Town of Newbold on January 28, 1999

effective jan 29, 1999

APPENDIX D

Water quality data


Two Sisters Lake

Date: 5/3/2011 Time: 8:15 Weather: 100% clouds, snow, 31°F Entry: TWH

TSLS TSLB

Max Depth: 54.4 Depth (ft): 3.0 Depth (ft): 51.0 Secchi Depth (ft): 8.8

Depth	Temp	D.O.		Sp. Cond.
(ft)	(°C)	(mg/L)	pН	(µS/cm)
1	4.5	11.2	7.6	63.0
3	4.5	11.2	7.6	63.0
6	4.5	11.2	7.6	63.0
9	4.5	11.2	7.6	63.0
12	4.5	11.1	7.6	63.0
15	4.5	11.1	7.6	63.0
18	4.5	11.1	7.6	63.0
21	4.5	11.1	7.6	63.0
24	4.5	11.1	7.6	63.0
27	4.5	11.0	7.6	63.0
30	4.5	11.0	7.6	63.0
33	4.5	11.0	7.6	63.0
36	4.5	11.0	7.6	63.0
39	4.5	11.0	7.6	63.0
42	4.5	11.0	7.6	63.0
45	4.5	11.0	7.6	63.0
48	4.5	11.0	7.6	64.0
51	4.5	10.9	7.6	64.0



Parameter	TSLS	TSLB
Total P (µg/L)	13.00	15.00
Dissolved P (µg/L)	ND	ND
Chl-a (µg/L)	6.78	
TKN (μg/L)	240.00	330.00
$NO_3 + NO_2 - N (\mu g/L)$	ND	ND
NH ₃ -N (μg/L)	ND	40.00
Total N (µg/L)	240.00	330.00
Lab Cond. (µS/cm)	67.00	68.00
Lab pH	7.52	7.47
Alkalinity (mg/L CaCO ₃)	28.60	29.00
Total Susp. Solids (mg/L)	ND	ND
Calcium (mg/L)	7.00	· ·

Data collected by TAH (Onterra)

Two Sisters Lake

Date: 6/1/2011 Time: 14:25 Weather: 90% sun, very windy, 70°F Entry: TWH

TSLS TSLB

Max Depth: 54.7 Depth (ft): 3.0 Depth (ft): 50.0 Secchi Depth (ft): 15.5

Depth	Temp	D.O.		Sp. Cond.
(ft)	(°C)	(mg/L)	pН	(µS/cm)
1	15.0	9.8	8.3	65.0
3	15.0	9.8	8.3	65.0
6	15.0	9.8	8.3	65.0
9	14.9	9.8	8.3	65.0
12	14.9	9.8	8.3	65.0
15	14.8	9.8	8.3	65.0
18	14.7	9.8	8.3	65.0
21	14.5	9.9	8.3	65.0
24	9.5	11.1	8.3	64.0
27	8.1	10.6	8.1	64.0
30	7.4	10.7	7.9	64.0
35	6.3	6.5	7.6	63.0
40	6.0	4.7	7.4	62.0
45	6.0	3.7	7.3	62.0
50	5.9	3.3	7.2	62.0

		June	1, 2011			
0	5	10	15	20	25	30
0		- 1	- 8	'		
5		Ť	Ť			
10		Ţ	Į			
15		İ	#			
⊋ 20		Į,				
£ 25		1				
Depth (Ft)	,					
35	≠					
40	/					
45	√ ↓				Temp (°C)	•
50	1 1				 D.O.	
55					(mg/L	.)

Parameter	TSLS	TSLB
Total P (µg/L)	11.00	26.00
Dissolved P (µg/L)		
Chl-a (µg/L)	2.04	
TKN (μg/L)		
$NO_3 + NO_2 - N (\mu g/L)$		
NH ₃ -N (μg/L)		
Total N (µg/L)		
Lab Cond. (µS/cm)		
Lab pH		
Alkalinity (mg/L CaCO ₃)		
Total Susp. Solids (mg/L)	ND	3.00
Calcium (mg/L)		


Data collected by TWH and MMF (Onterra)

Two Sisters Lake

Date: 7/25/2011 Time: 15:30 Weather: 80°F 25% clouds and windy Entry: MMF

TSLS TSLB Max Depth: 54.6 Depth (ft): 3.0 Depth (ft): 51.0 Secchi Depth (ft): 17.3

Depth	Temp	D.O.		Sp. Cond.
(ft)	(°C)	(mg/L)	pН	(μS/cm)
1	25.3	8.0	8.5	67.0
3	25.3	8.0	8.5	67.0
6	25.3	8.0	8.5	67.0
9	25.3	8.0	8.5	67.0
12	25.2	8.0	8.5	67.0
15	25.2	8.0	8.5	67.0
18	21.0	8.9	8.4	66.0
21	18.4	9.5	8.3	66.0
24	14.0	10.7	8.1	65.0
27	11.7	10.9	8.0	65.0
30	9.5	9.5	7.8	65.0
33	8.5	5.7	7.6	65.0
36	7.5	1.1	7.3	68.0
39	7.1	0.4	7.1	70.0
42	6.9	0.3	7.1	72.0
45	6.7	0.2	7.0	79.0
48	6.6	0.2	7.0	83.0
51	6.6	0.2	7.0	84.0



Parameter	TSLS	TSLB
Total P (µg/L)	9.00	90.00
Dissolved P (µg/L)	ND	18.00
Chl-a (µg/L)	1.61	
TKN (μg/L)	280.00	590.00
$NO_3 + NO_2 - N (\mu g/L)$	ND	ND
NH ₃ -N (µg/L)	ND	207.00
Total N (µg/L)	280.00	590.00
Lab Cond. (µS/cm)	68.00	78.00
Lab pH		6.91
Alkalinity (mg/L CaCO ₃)	28.70	34.00
Total Susp. Solids (mg/L)	ND	7.00
Calcium (mg/L)		

Data collected by TWH and MMF (Onterra)

Two Sisters Lake

Date: 9/6/2011 Time: 14:30 Weather: clear, little wind, 65° Entry: TWH

TSLS TSLB


 Max Depth:
 54.1

 Depth (ft):
 3

 Depth (ft):
 51

 Secchi Depth (ft):
 17.1

Depth	Temp	D.O.		Sp. Cond.
(ft)	(°C)	(mg/L)	pH	(µS/cm)
1	22.5	8.5		-
3	21.8	8.5		
6	21.4	8.5		
9	21.1	8.6		
12	21	8.5		
15	20.9	8.6		
18	20.8	8.6		
21	20.6	8.5		
24	19	9.6		
27	16.1	10.1		
30	12.8	8.2		
33	11.4	4		
36	10	0.6		
39	9.1	0.3		
42	8.5	0.1		
45	8.1	0.1		
48	7.7	0		
51	7.5	0		



Parameter	TSLS	TSLB
Total P (µg/L)	13.00	257.00
Dissolved P (µg/L)		
Chl-a (µg/L)	25.80	
TKN (μg/L)		
$NO_3 + NO_2 - N (\mu g/L)$		
NH ₃ -N (µg/L)		
Total N (µg/L)		
Lab Cond. (µS/cm)		
Lab pH		
Alkalinity (mg/L CaCO ₃)		
Total Susp. Solids (mg/L)	ND	15.00
Calcium (mg/L)		

Data collected by TAH and TWH (Onterra)

2012

Two Sisters Lake

Date: 10/25/2011 Time: 1:10 Weather: 100% clouds, breezy, 45°F Entry: TWH


TSLS TSLB
 Max Depth:
 54.6

 Depth (ft):
 3

 Depth (ft):
 51

 Secchi Depth (ft):
 11.9

Depth	Temp	D.O.		Sp. Cond	
(ft)	(°C)	(mg/L)	pН	(μS/cm)	
1	9.8	9.6			
3	10	9.5			
6	10.1	9.4			
9	10.2	9.3			
12	10.2	9.3			
15	10.3	9.3			
18	10.3	9.2			
21	10.3	9.2			
24	10.3	9.2			
27	10.4	9.2			
30	10.4	9.2			
33	10.4	9.1			
36	10.4	9.2			
39	10.4	9.2			
42	10.4	9.2			
45	10.4	9.1			
48	10.2	8.2			
51	8	0.3			
		-			
		-			



Parameter	TSLS	TSLB
Total P (µg/L)	13.00	161.00
Dissolved P (µg/L)		
Chl-a (µg/L)	3.60	
TKN (μg/L)		
$NO_3 + NO_2 - N (\mu g/L)$		
NH ₃ -N (µg/L)		
Total N (µg/L)		
Lab Cond. (µS/cm)		
Lab pH		
Alkalinity (mg/L CaCO ₃)		
Total Susp. Solids (mg/L)	ND	12.00
Calcium (mg/L)		


Data collected by TWH (Onterra)

Two Sisters Lake

Date: 3/8/2012 Time: 14:00 Weather: 75% sun Entry: TWH

TSLS TSLB Max Depth: Depth (ft): Depth (ft): Secchi Depth (ft): 54.2 3 51 34.2

Depth	Temp	D.O.		Sp. Cond.
(ft)	(°C)	(mg/L)	pН	(µS/cm)
1	0	13.6	8.7	9
3	0.7	13.3	8.7	7.
6	2.1	11.9	8.5	6
9	2.7	11	8.4	6
12	3.1	11	8.3	6
15	3.4	10.6	8.3	6
18	3.7	10.1	8.2	6
21	3.8	9.6	8.2	6
24	3.8	9.3	8.1	6
27	3.9	8.9	8.1	6
30	3.9	8.7	8	6
33	3.9	8.3	8	6
36	4	7.3	7.9	6
39	4	5.7	7.8	6
42	4.2	4.5	7.8	7
45	4.4	1.6	7.6	7
48	4.7	0.6	7.5	9
51	4.9	0.4	7.5	12



Parameter	TSLS	TSLB
Total P (µg/L)	11.00	280.00
Dissolved P (µg/L)	ND	167.00
Chl-a (µg/L)	NA	NA
TKN (µg/L)	260.00	1720.00
$NO_3 + NO_2 - N (\mu g/L)$	25.00	ND
NH ₃ -N (µg/L)	33.00	1220.00
Total N (µg/L)	285.00	1720.00
Lab Cond. (µS/cm)	NA	NA
Lab pH	NA	NA
Alkalinity (mg/L CaCO ₃)	NA	NA
Total Susp. Solids (mg/L)	ND	10.00
Calcium (mg/L)	NA	NA

Data collected by TAH and TWH (Onterra) Ice depth: 1.6ft

Trophic State Index (WTSI)

Year TP Chl-a Secchi

Water Quality Data
2011 Surface Bottom

48.1	47.5	45.7
45.0	46.4	42.8
39.2	37.0	35.5
38.2	37.7	37.1
		35.2
		34.7
		37.4
		36.2
		37.4 36.6
		36.5
		38.6
44.4	20.4	37.4
		37.4
		33.0
		34.9
		34.7
		36.1
		35.1
		34.1
		33.2
		32.4
		34.6
		32.1
	39.2 45.0	38.4 36.1 42.5 36.4 39.6 35.5 36.4 38.2 37.8 35.7 40.0 35.3 38.7 39.0 38.2 37.7

Parameter	Count	Mean	Count	Mean
Secchi Depth (feet)	6	17.5	NA	NA
Total P (µg/L)	6	11.7	6	138.2
Dissolved P (µg/L)	3	ND	3	92.5
Chl a (µg/L)	5	8.0	0	NA
TKN (μg/L	3	260.0	3	880.0
NO3+NO2-N (µg/L)	3	25.0	3	ND
NH3-N (µg/L)	3	33.0	3	489.0
Total N (µg/L)	3	268.3	3	880.0
Lab Cond. (µS/cm)	2	67.5	2	73.0
Lab pH	2	7.7	2	7.2
Alkal (mg/l CaCO3)	2	28.7	2	31.5
Total Susp Sol (mg/l)	6	ND	6	9.4
Calcium (µg/L)	1	7.0	0	NA

		Secch	i (feet)			Chlorophyll-a	a (μg/L)			Total Phosp	horus (µg/L)	
	Growing	Season	Sum	mer	Grov	ving Season	Sum	mer	Growing	Season	Sum	nmer
Year	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean
1986	7	16.3	6	16.8								
1987	8	21.1	5	22.7								
1988	6	19.1	4	19.2								
1989	14	22.6	12	22.2								
1990	6	21.9	5	21.1								
1991	4	17.5	2	19.8								
1992	6	14.5	2	18.5								
1993	6	15.0	2	17.3								
1994	4	16.6	1	19.0								
1995	2	19.4	1	18.8								
1996	4	21.4	4	21.4								
2001	11	15.0	6	15.7								
2002	13	15.1	7	15.8								
2003	14	13.2	8	14.4	4	2.8	3	2.1	5	13.4	3.0	13.0
2004	13	14.5	7	16.8	5	2.4	4	1.8	6	13.2	4.0	10.8
2005	13	15.1	6	15.8	4	2.6	3	1.8	5	15.4	3.0	14.3
2006	13	14.7	7	16.7	4	2.5	3	1.6	5	16.2	3.0	11.7
2007	13	14.9	6	17.1	3	2.2	3	2.2	4	10.8	3.0	9.3
2008	14	14.8	8	15.7	2	1.7	2	1.7	4	12.3	3.0	10.3
2009	11	16.1	6	19.0	3	1.6	3	1.6	4	13.3	3.0	12.0
2010	10	17.7	6	18.4	3	2.4	3	2.4	4	11.5	3.0	11.0
2011	13	15.4	6	16.1	9	2.9	5	2.1	10	11.6	5.0	10.6
All Years (Weighted)		16.4	•	17.9	·	2.5	<u> </u>	1.9	•	13.0		11.4
Deep, Headwater Drainage Lakes				10.8				5.0				17.0
NLF Ecoregion				8.9				5.6				21.0

Summer 2011 N: Summer 2011 P: 280.0 9.0 Summer 2011 N:P 31 :1

Trophic State Index (TSI)

	TP		Carabi
Year	IP.	Chl-a	Secchi
1973			38.1
1974			38.3
1986			35.7
1987			32.3
1988			33.6
1989			32.4
1990			31.9
1991	32.2		34.4
1992	35.8		34.6
1993	24.1	36.8	35.5
1994	32.2	34.2	
1995		26.7	34.0
1996	32.2	34.1	32.9
2001			37.9
2002	38.1	30.8	36.7
2003	45.6	35.4	38.7
2004	38.1	35.4	36.6
2005	43.5	35.0	36.9
2006	39.2	34.2	36.4
2007	34.7	38.1	35.9
2008	36.9	29.3	36.4
2009	39.2	34.5	33.5
2010	36.9	38.2	34.8
2011	35.8	37.8	35.8
All Years (Weighted)	38.4	35.0	35.4
Deep, Headwater Drainage Lakes	45.0	46.4	42.8
NLF Ecoregion	48.1	47.5	45.7

		Secch	ni (feet)			Chlorophy	hyll-a (μg/L)			Total Phosp	horus (µg/L))
	Growing	Season	Sum	mer	Growing	Season	Sun	nmer	Growing	Season	Sum	nmer
Year	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean	Count	Mean
1973	1	15.0	1	15.0								
1974	2	10.9	1	14.8								
1986	7	17.2	6	17.7								
1987	8	20.4	5	22.4								
1988	6	20.0	4	20.4								
1989	7	22.4	6	22.3								
1990	5	23.7	4	23.1					2	7.0	0.0	
1991	4	17.8	2	19.4					3	5.3	1.0	7.0
1992	4	15.3	2	19.2					3	9.0	1.0	9.0
1993	3	14.9	1	18.0	3	3.4	1	1.9	3	5.3	1.0	4.0
1994					2	2.0	1	1.5	2	8.0	1.0	7.0
1995	2	19.9	1	20.0	2	1.7	1	0.7	1	8.0	0.0	
1996	2	21.5	2	21.5	2	1.4	2	1.4	1	7.0	1.0	7.0
2001	11	14.5	6	15.3								
2002	12	15.0	6	16.6	4	1.7	3	1.0	5	12.0	4.0	10.5
2003	14	12.9	8	14.4	4	2.0	3	1.6	5	15.4	3.0	17.7
2004	13	14.9	7	16.6	5	2.1	4	1.6	6	11.7	4.0	10.5
2005	13	14.5	6	16.3	4	2.2	3	1.6	5	16.6	3.0	15.3
2006	13	14.5	7	16.8	4	2.2	3	1.4	5	15.0	3.0	11.3
2007	13	15.1	6	17.5	3	2.1	3	2.1	4	10.3	3.0	8.3
2008	14	14.9	8	16.8	3	0.9	3	0.9	4	11.5	3.0	9.7
2009	11	17.2	6	20.7	3	1.5	3	1.5	4	12.8	3.0	11.3
2010	10	18.2	6	18.8	3	2.2	3	2.2	4	10.5	3.0	9.7
2011	6	16.6	4	17.6	3	2.2	2	2.1	4	10.3	2.0	9.0
All Years (Weighted)		16.3		18.1		2.0		1.6		11.3		10.7
Deep, Headwater Drainage				10.8				5.0				17.0
Lakes												
NLF Ecoregion				8.9				5.6				21.0

Е

APPENDIX E

Watershed Analysis WiLMS Results

Two Sisters Lake Watershed Analysis

Lake Id: 1588200 Watershed Id: 0

Hydrologic and Morphometric Data

Tributary Drainage Area: 0.0 acre

Total Unit Runoff: 12.2 in.

Annual Runoff Volume: 0.0 acre-ft Lake Surface Area <As>: 705 acre Lake Volume <V>: 21325 acre-ft Lake Mean Depth <z>: 30.2 ft

Precipitation - Evaporation: 5.8 in. Hydraulic Loading: 340.8 acre-ft/year Areal Water Load <qs>: 0.5 ft/year Lake Flushing Rate : 0.02 1/year Water Residence Time: 62.58 year

Observed spring overturn total phosphorus (SPO): 13.0 mg/m³ Observed growing season mean phosphorus (GSM): 10.5 mg/m³

% NPS Change: 0%
% PS Change: 0%

NON-POINT SOURCE DATA

Land Use	Acre	Low Mo	ost Likely	High Load	ling % Low	Most Likely	High	
	(ac)	L	oading (kg/	ha-year)	-	Loa	ading (kg/yea	ar)
Row Crop AG	0.0	0.50	1.00	3.00	0.0	0	0	0
Mixed AG	0.0	0.30	0.80	1.40	0.0	0	0	0
Pasture/Grass	0.0	0.10	0.30	0.50	0.0	0	0	0
HD Urban (1/8 Ac)	0.0	1.00	1.50	2.00	0.0	0	0	0
MD Urban (1/4 Ac)	0.0	0.30	0.50	0.80	0.0	0	0	0
Rural Res (>1 Ac)	0.0	0.05	0.10	0.25	0.0	0	0	0
Wetlands	0.0	0.10	0.10	0.10	0.0	0	0	0
Forest	0.0	0.05	0.09	0.18	0.0	0	0	0
Lake Surface	705.0	0.10	0.30	1.00	100.0	29	86	285

POINT SOURCE DATA

		(m^3/year)	(kg/year)	(kg/year)	(kg/year)	
Point	Sources	Water Load	Low	Most Likely	High	Loading %

SEPTIC TANK DATA

Description		Low	Most Likely	High	Loading %
Septic Tank Output (kg/capita-year)		0.3	0.5	0.8	
# capita-years	0.0				
% Phosphorus Retained by Soil		98	90	80	
Septic Tank Loading (kg/year)		0.00	0.00	0.00	0.0

TOTALS DATA

Description	Low	Most Likely	High	Loading %
Total Loading (lb)	62.9	188.7	629.0	100.0
Total Loading (kg)	28.5	85.6	285.3	100.0
Areal Loading (lb/ac-year)	0.09	0.27	0.89	0.0
Areal Loading (mg/m^2-year)	10.00	30.00	100.00	0.0
Total PS Loading (lb)	0.0	0.0	0.0	0.0
Total PS Loading (kg)	0.0	0.0	0.0	0.0
Total NPS Loading (lb)	0.0	0.0	0.0	100.0
Total NPS Loading (kg)	0.0	0.0	0.0	100.0

Phosphorus Prediction and Uncertainty Analysis Module

Date: 3/27/2012 Scenario: 35

Observed spring overturn total phosphorus (SPO): 13.0 mg/m^3 Observed growing season mean phosphorus (GSM): 10.5 mg/m^3

Back calculation for SPO total phosphorus: 0.0 mg/m^3

Back calculation GSM phosphorus: 0.0 mg/m^3

% Confidence Range: 70%

Nurenberg Model Input - Est. Gross Int. Loading: 0 kg

Lake Phosphorus Model	Low 1	Most Likely	High	Predicted	% Dif.
	Total P	Total P	Total P	-Observed	
	(mg/m^3)	(mg/m^3)	(mg/m^3)	(mg/m^3)	
Walker, 1987 Reservoir	13	38	126	28	267
Canfield-Bachmann, 1981 Natural Lake	6	11	22	1	10
Canfield-Bachmann, 1981 Artificial Lake	8	13	23	3	29
Rechow, 1979 General	1	3	8	-8	-76
Rechow, 1977 Anoxic	6	17	58	7	67
Rechow, 1977 water load<50m/year	1	3	11	-8	-76
Rechow, 1977 water load>50m/year	N/A	N/A	N/A	N/A	N/A
Walker, 1977 General	11	32	106	19	146
Vollenweider, 1982 Combined OECD	8	20	54	8	68
Dillon-Rigler-Kirchner	15	46	154	33	254
Vollenweider, 1982 Shallow Lake/Res.	6	16	46	4	34

Larsen-Mercier, 1976	8	23	76	10	77
Nurnberg, 1984 Oxic	12	35	118	25	238

Lake Phosphorus Model	Confidence	Confidence	Parameter	Back	Model
	Lower	Upper	Fit?	Calculation	Type
	Bound	Bound		(kg/year)	
Walker, 1987 Reservoir	19	93	Tw	0	GSM
Canfield-Bachmann, 1981 Natural Lake	3	32	FIT	1	GSM
Canfield-Bachmann, 1981 Artificial Lake	4	37	Lр	1	GSM
Rechow, 1979 General	1	6	P L qs	0	GSM
Rechow, 1977 Anoxic	9	43	FIT	0	GSM
Rechow, 1977 water load<50m/year	1	8	FIT	0	GSM
Rechow, 1977 water load>50m/year	N/A	N/A	N/A	N/A	N/A
Walker, 1977 General	14	81	FIT	0	SPO
Vollenweider, 1982 Combined OECD	9	45	FIT	0	ANN
Dillon-Rigler-Kirchner	23	114	P L qs p	0	SPO
Vollenweider, 1982 Shallow Lake/Res.	7	37	FIT	0	ANN
Larsen-Mercier, 1976	12	56	P Pin	0	SPO
Nurnberg, 1984 Oxic	16	89	qs	0	ANN

Water and Nutrient Outflow Module

Average Annual Surface Total Phosphorus: 10.5mg/m^3 Annual Discharge: 3.41 E + 002 AF => 4.20 E + 005 m³ Annual Outflow Loading: 9.3 LB => 4.2 kg

APPENDIX F

Aquatic Plant Survey Data

Point Number	LATITUDE		DEРТН	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	so etes sp.	Lobelia dodmanna	Manabolonta hackii	Myrionhyllim alterniflorim	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymph aea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton foliosus	Potamogeton illino ensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiriflus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Algae
2	45.762543 45.762541	-89.532384 -89.531856	1	Sand	Pole		1	1				t	1		t								1			1											1	v		_				口				口
3	45.762916 45.762914	-89.533435 -89.532908	8	Muck	Pole Pole					+		-	1		-	+	+	+			-								1								2					H		Н	_		H	Н
5	45.762914	-89.532908 -89.532381	6	Muck Muck	Pole							1			1	1		İ											1								3			_							d	
6	45.762910 45.763288	-89.531853 -89.533959	1	Sand Sand	Pole Pole		٧			+		+		1	+	+	+										1										2					1		Н		_	H	Н
8	45.763285	-89.533432	12	Muck	Pole													ļ																			2							H			Д	I
9	45.763283 45.763281	-89.532905 -89.532377	12	Muck	Pole							+	1		+			+	+																		2			_		H		\Box	-		H	\dashv
11	45.763659	-89.534483	1	Sand	Pole		v									1		ļ												1	1													H			Д	I
12	45.763657 45.763654	-89.533956 -89.533429	10	Muck	Pole								1					+																			2			_		H		П	-		Н	Н
14	45.763652	-89.532902	12	Sand	Pole								1																								2							H			П	H
15	45.763650 45.764028	-89.532374 -89.534480	5	Sand Muck	Pole Pole		1					+	1		+	1			1										1								3			-		H		\dashv		1	Н	
17	45.764026	-89.533953	12	Muck	Pole																																2					Щ		H			Н	H
18	45.764023 45.764021	-89.533426 -89.532899	16	Sand	Rope								1																								3			_								
20	45.764019	-89.532371	9	Sand	Pole					+		+	1		+	+		-														+			1	1	2					Н		Н	_		H	\vdash
21	45.763967 45.763964	-89.519718 -89.519190	10	Sand	Pole	TEMPORARY OBSTACLE																																		_								
23	45.763962	-89.518663	1	Sand	Pole					+		+			+	+		-														+										Н		Н	_		H	\vdash
24 25	45.764397 45.764395	-89.534477 -89.533950	12	Muck	Pole	TEMPORARY OBSTACLE																															2			_								
26	45.764392	-89.533423	13		Rope														-	-													-				3					Н		\vdash	_		H	Н
27	45.764390 45.764388	-89.532895 -89.532368	9	Sand	Pole			1				t	1		t																			1	1		3			_				口				口
29	45.764386	-89.531841 -89.520769	6	Sand	Pole							+	1		+	1	1 1												1								2					H		Н	_		Н	Н
30	45.764340 45.764338	-89.520242	6	Sand	Pole				1					1		1						1	1																					H	_		I	H
32	45.764336 45.764333	-89.519714 -89.519187	16 26		Rope Rope											t																								_								
34 35	45.764331 45.764329	-89.518660 -89.518133	24		Rope							+			+	+	+	+			H											+										Н		Н	_		Н	Н
36	45.764327	-89.517605	13	Sand	Pole											1																								_				H			П	H
37 38	45.764324 45.764766	-89.517078 -89.534474	7	Muck Muck	Pole Pole		1							1			1	+					1												1					_		H		П	1	1	Н	Н
39 40	45.764764 45.764761		12	Muck	Pole								1					-	-																		2							П			Н	П
41	45.764759	-89.532892	9	Sand	Pole			1					1			1		ļ			L											ļ		1	1		3					Д		H	_		Ħ	F
42	45.764757 45.764755	-89.532365 -89.531838	8	Sand Sand	Pole			1					1					١,																2	1		3			_		H		П	-		Н	П
44	45.764753	-89.531311	4	Sand	Pole				1								1					1																		\equiv				П	1		H	\vdash
45 46	45.764720 45.764718	-89.523402 -89.522875	8	Sand Sand	Pole Pole																		1																	_								
47	45.764716	-89.522347	12	Sand	Pole				1																																	Щ		H			Н	Н
48	45.764713 45.764711	-89.521820 -89.521293		Sand Sand												1						1	1								1								1	_								
50		-89.520766		Sand								-			-								1								1						1					Н		\vdash			Н	Н
51	45.764707 45.764705	-89.520238 -89.519711	16 29		Rope							t			t																									_				口				口
53	45.764702	-89.519184 -89.518657			Rope																																					Н		\vdash			Н	\vdash
54 55	45.764698	-89.518657 -89.518129			Rope					1	1	1	1	1	1	1	1	‡	ļ	İ	L								1	1	1	ļ	İ							_		d		Ħ			d	d
56 57	45.764696 45.764694	-89.517602 -89.517075			Rope					+	+	+	1	-	+	+	+	+	+		+						\dashv	\dashv	-	-	+	+										Н		Н			H	Н
58	45.764691	-89.516548		Sand	Pole				1	1	1	1	1	1	1	1	1	1	1		L		1						1	1	1	1			1					_		Ц		Ħ			I	H
59 60	45.764689 45.765137	-89.516021 -89.534998	1	Sand Sand	Pole Pole		v				1	v			+			+	+			1				v	V													_	1	H		\Box	-		H	Н
61	45.765135	-89.534471	5	Sand	Pole		Ĺ		2	1		_	1		1	1	1	1	ļ	L		1							1		1	1	L									Д		H	4		d	A
62	45.765133 45.765130	-89.533944 -89.533417		Sand	Pole Rope				-	+	+	+	1	+	+	+	+	+	+	+	+				-	-	-	-	-	+	+	+	+				2					H		\dashv	=		H	Н
64	45.765128	-89.532889			Rope			2		1		1	1	1	1	1	1		1	L										1			L	1			1					Ц		H			I	H
65	45.765126 45.765124		14		Rope Pole			2		_+		_	1	_	_	_	t	t	t		l	H					_	_	_	_	t	t		1	1			H				H		H			H	H
67	45.765122	-89.531308	7	Sand	Pole					4			2			1	1	1																	1		1					П		H	4	1	H	П
68	45.765096 45.765093	-89.524981 -89.524453	20	Sand	Pole Rope					_						\pm	1	\pm	t	ŀ	t	1	L	L							1	\pm	ŀ	t	L			L		_		H			_		╛	d
70	45.765091	-89.523926			Rope					\dashv		Ī	I	4	Ī	Ŧ	Ŧ	Ŧ	Ŧ	F	F						4	4	J	4	Ŧ	F	F	F								Ц		H	4	J	H	H
71 72	45.765089 45.765087	-89.523399 -89.522872			Rope Rope					_						\pm	t	\pm	t	ŀ	t	L	L	L							t	\pm	ŀ	t	L			L		_		H			_		╛	╛
73		-89.522344			Rope																Ī						I	I	I		I	Ι	Ĺ	L				L				Ц		\square	_]	\Box	\Box	J

Point Number	LATITUDE	LONGITUDE	DEРТН	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	El eochar is acicular is	El eochar is palu stris	Elodes canadensis	Grafiola aurea	and and and and and and and and and and	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myrlophyllum tenellum	Najas flexilis	Nitella sp.	Nuph ar variegata	Nymphaea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton rollosus	Potamogeton illino ensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Algae
74 75	45.765082 45.765080	-89.521817 -89.521290	17		Rope			2																													1											
76	45.765078	-89.520763	20		Rope						-	-	+																															H			H	\vdash
77	45.765076 45.765074	-89.520235 -89.519708	0			DEEP										+																													Г		H	
79	45.765071	-89.519181	0			DEEP																																										
80	45.765069	-89.518654	0			DEEP					+	+	+	+														-			+									_				H	H		H	Н
81 82	45.765067 45.765065	-89.518126 -89.517599	34		Rope	DEEP					Ì	Ì																																				
83	45.765063	-89.517072	30		Rope						4	4	4																															Щ	L		Щ	1
84 85	45.765060 45.765058	-89.516545 -89.516017	25		Rope Rope																							-																H	Н		H	Н
86	45.765056	-89.515490	12	Sand	Pole													1																			1									1		
87	45.765054	-89.514963	1	Sand	Pole						_	_	+	\perp		+		-	-												\perp	+								L				H			H	Н
88	45.765519 45.765517	-89.538159 -89.537632	6	Muck	Pole		1				t	t	1										1			V	V				1	T												H	Г		H	П
90	45.765504	-89.534468	6	Muck	Pole		v																1														1											\Box
91	45.765502	-89.533941 -89.533413	8	Muck	Pole								_					١.																			1								H		H	Н
92	45.765499 45.765497	-89.533413 -89.532886	18	Sand	Rope			1					2					1											1								1											
94	45.765495	-89.532359	17		Rope			2						-		-															-													Щ	H		Щ	Н
95 96	45.765493 45.765491	-89.531832 -89.531304	14	Sand	Rope Pole			1					1															-						1			1							H	Н		H	Н
98	45.765467	-89.525505	3	Sand	Pole								Ì										1											Ė			Ė											
99	45.765465	-89.524977	16		Rope						+	+	+			+		+	+	-				-								+									-			=	H		\dashv	
100	45.765462 45.765460	-89.524450 -89.523923	0			DEEP					t	t	1																			T												H	Г		H	П
102	45.765458	-89.523396	30		Rope																																								L			
103	45.765456	-89.522868	0			DEEP					+	+	+			+													+			+												\dashv	H		\dashv	
104	45.765454 45.765451 45.765449	-89.522341 -89.521814 -89.521287	29		Rope	DEEP																																										H
107	45.765447	-89.520759	0		Kupe	DEEP																																										┛
108	45.765445	-89.520232	0			DEEP							-																															H			H	Н
109	45.765443 45.765440	-89.519705 -89.519178	0			DEEP					+	+				\dagger																+												H			H	П
111	45.765438	-89.518650	0			DEEP																																							L			
112	45.765436	-89.518123 -89.517596	0			DEEP																																							H		H	Н
113	45.765434 45.765432	-89.517069	0			DEEP																																										
115	45.765429	-89.516541	0			DEEP					+	+	+			+				-				-								+									-			=	H		\dashv	Н
116	45.765427 45.765425	-89.516014 -89.515487	29		Rope	DEEP																																							Г			П
118	45.765423	-89.514960	22		Rope																			1																								Н
119	45.765420 45.765888	-89.514432	2		Pole		l		1		+	+	+									1																		-				H	1		H	Н
120		-89.538156 -89.537628					v																1																									
122	45.765883			Muck	Pole		1							-		-										v					-													Щ	H		Щ	H
123	45.765873 45.765871	-89.534465 -89.533938		Sand	Pole	TERRESTRIAL					t	t	+			1						1									1													H	1		H	П
125	45.765868	-89.533410		Sand	Pole				1							1						1																							1			
126	45.765866	-89.532883			Rope								+			+																-			1									H			H	Н
127	45.765864 45.765862	-89.532356 -89.531829			Rope			1																1										1											Г			П
129	45.765860	-89.531301	11	Sand	Pole			1					1																								1								F	L	Ш	H
130	45.765858 45.765836	-89.530774 -89.525502			Pole Pole								1																																H		H	Н
132	45.765834	-89.525502 -89.524974			Rope																		_																									
133	45.765832	-89.524447	0			DEEP							4			-		-	-													+												Ы	-		\sqcup	H
134	45.765829 45.765827	-89.523920 -89.523393	0			DEEP																						-																H	Н		H	Н
136		-89.523865				DEEP					1	1	1	1	ļ	ļ	ļ											_	1	1	1	I																d
137	45.765823	-89.522338				DEEP	-	H		$\vdash \vdash$	+	+	+	+	-	-		-	-	-		H		4				-	4	-	+	-	-				_			-	-			Н	-		Щ	Н
138	45.765821 45.765818	-89.521811 -89.521283			Pole	DEEP	t				╅	╅	J	╅	j	1	ŀ	İ	İ	İ	L	H							_		╅		t	Ė	L	L	L	L	H	İ	İ	H	H	H		Ħ	H	
140		-89.520756				DEEP		Щ		H	1	1	1	Ţ	I	ļ								1				1	1	1	Ţ	F					L			L				Ц	F	L		H
141	45.765814	-89.520229	0			DEEP	\vdash	H		\dashv	+	+	+	+	+	+	+	+	+					+				\dashv	+	+	+	+	+							H				H		-	H	Н
142	45.765812 45.765809	-89.519702 -89.519174	0			DEEP					1	1	1		t	t	t	t	t										1			t							L			L	L					╛
144	45.765807	-89.518647				DEEP		\sqcup			4	4	4	_				1	1					4				4	4	4	_	<u> </u>					L			L				\sqsubseteq	H		Щ	Н
145 146	45.765805 45.765803	-89.518120 -89.517593				DEEP	H	H		+	+	+	+	+	-	+	-	+	+	\vdash		H		+	-	-		\dashv	+	+	+	+	+	H			H		H	H	\vdash	H	H	H			H	Н
146	45.765803					DEEP					1	1	1					t	t													t	t													L		
			1																	•													•			_	_			_	•							

Point Number	LATITUDE		рертн	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Eleverharie malitetrie	Elodea can adensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nifelia sp.	rupnar variegata	Nymphaea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton ampriorius	Potamogeton epinyarus	Potamogeton follosus	Dotamong management of	Potamogeton Illinoensis	Potamogeton praelongus	Potamodelop pusillus	Potamogeton richardsonii	Potamonator adabase	Dotamographic and like	rotamograma	Foramogeron sercinolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Algae
148	45.765798 45.765796	-89.516538 -89.516011	0			DEEP							İ																			İ						İ					1	1	1				
150	45.765794	-89.515484	0			DEEP					+		-											_		-	-			-	_	+					-	+	+		+		_	4	4	4	_	4	_
151	45.765792 45.765789	-89.514956 -89.514429	19		Rope	DEEP					t		t											+							1	t			T			t	+		+		+	$^{+}$	+	1	1	1	-
153	45.765787	-89.513902	1	Sano	Pole						_											1									_	4							_		_	-	_	4	4	1	4	4	
154	45.766257 45.766255	-89.538153 -89.537625	5	Muck	Pole								t										1			v						Ŧ						Ŧ			+		+	\dagger	+	+	-	-	-
156	45.766252	-89.537098	1	Sand	Pole					1			٧	,	1			v					2	١	v	v ,	v																1	I	v				
157	45.766246 45.766244	-89.535516 -89.534989	2	Sand	Pole								+									1					+			+		+						+			+		+	+	+	1	-	-	-
159	45.766242	-89.534462	7	Sand	-				1														1																				1	1	I	1			
160	45.766240	-89.533935	8	Sand	Pole				1		-	1											1	1							1				+				-		_		+	+	\dashv	_	_	\dashv	_
161	45.766237 45.766235	-89.533407 -89.532880	20	Sand	Rope											1								1											١,								1	1		1			
163	45.766233	-89.532353	21		Rope			1																			+			+		-		-	+			-					_	4	4	4	_	_	_
164	45.766231 45.766229	-89.531826 -89.531298	14	Sand	Rope			1	1			1	T									1	1								١,			1	١,								\dagger	\dagger	7	1	_	_	
166	45.766207	-89.526026	1	Sano	Pole																	1																					1	4	1	4	1	4	
167	45.766205 45.766203	-89.525498 -89.524971	18		Rope								T																			t						t			+		+	\dagger	+	+	-	-	-
169	45.766201	-89.524444	0			DEEP																																					1	I					
170	45.766198 45.766196	-89.523917 -89.523389	0			DEEP							+														+			+		+						+			+		+	+	+	4	-	-	-
172	45.766194	-89.522862	0			DEEP																																					I	I	I				
173	45.766192	-89.522335	0			DEEP							-														+			+		+			+			+					+	+	+	4	_	4	_
174	45.766190 45.766187	-89.521808 -89.521280	0			DEEP																																					\pm	1	1				
176	45.766185	-89.520753	0			DEEP					+													_							_								+		4		+	+	4	4	4	\dashv	_
177	45.766183 45.766181	-89.520226 -89.519699	0			DEEP																			1																1	1	1	1	=	1		=	_
179	45.766178 45.766176	-89.519171 -89.518644	0			DEEP																																					1	1					
181	45.766174	-89.518117	0			DEEP																					+			+		-		-	+			-					_	4	4	4	_	_	_
182	45.766172 45.766170	-89.517590 -89.517062	0			DEEP							T																			t						t					\dagger	\dagger	7	1	_	_	
184	45.766167	-89.516535 -89.516008	0			DEEP					+														+		+			+		+	+				+	+	+		+		+	+	+	_	-	\dashv	_
186	45.766165 45.7661629 45.7661606	-89.5154805 -89.5149532	0			DEEP DEEP																			1																		1	1	_	1	_	_	_
188	45.7661584	-89.514426	26		Rope	DELI							I																			I						I					1	1	1				
189	45.7661562	-89.5138987	9	Sano	Pole						+		+			ļ.,							1				+			+	1	+						+			+		+	+	+	_	1	-	-
190	45.7661539 45.7666258	-89.5133714 -89.5381496	5	Sand	Pole						Ι,					1	1					1				v																	#	I	1	1			
192		-89.5376224	4	Muck	Pole		v						-														+			+		+			+			+			-		+	+	+	4	_	4	4
193		-89.5370951 -89.5365678										1													v	V			1						,		2	2					1	I	I		1		
196		-89.5360406							1		+		-											_		-	-			-	_	+					-	+	+		+		_	4	4	1	_	4	4
196		-89.5355133 -89.534986		Sand	Rope								T										1									t			ľ		1	+					\dagger	+	7	1	_	_	-
198					Rope																																						1	4	4	4		4	4
199		-89.5339315 -89.5334042			Rope	DEEP					+													+			+			+	+								+		+		+	+	+	+	+	+	\dashv
201	45.7666043	-89.532877	18		Rope						ļ	l	ļ	ļ										1	1		1			1	1	ļ	ļ		ļ	l	ļ	ļ	1		1	1	7	7	7	1	4	4	\exists
202		-89.5323497 -89.5318225		Sans	Rope I Pole		-		1	H	+	+	t	+	1			1					1	+	+	+	+	1	+	+	١.	+	+	+	+	+	ť	+	+	+	+	+	+	+	+	1	\dashv	\dashv	\dashv
204		-89.5318225 -89.5312952		Sand					1						Ľ							1																					1	1	I	_			
205		-89.5260226		Sand									-														+			+		+			+			+					+	+	\dashv	1	_	4	4
206	45.7665739 45.7665717	-89.5254953 -89.524968	0		Rope	DEEP							İ					1						1								İ											1	1	1				
208	45.7665695	-89.5244408				DEEP	<u> </u>	L		\mathbb{H}	4	1	1	1	L					4		4	4	+	4	- -	4	-	1	4	+	1	1	+	L	1	ļ	1	4	1	4	4	4	4	4	4	4	4	\dashv
209		-89.5239135 -89.5233862				DEEP				H	\dagger	t	\dagger	t	L								\dashv	\dagger	+	\dagger	+		\dagger	+	\dagger	\dagger	\dagger	\dagger	t	t	\dagger	\dagger	\dagger	\dagger	\dagger	+	+	+	+	\dashv	\dashv	\dashv	\dashv
211	45.766563	-89.522859	0			DEEP																										ļ						ļ	ļ		1	1	ļ	1	7	4	4	4	4
212 213		-89.5223317 -89.5218044			H	DEEP	-			H	+	+	+	+	-								+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	\dashv	+	+	\dashv	\dashv
214	45.7665563	-89.5212772	0			DEEP					1		ļ										1	1	1		1		1	1	1	ļ			ļ		ļ	ļ	1	1	1	#	#	#	#]	_	\rfloor	
215	45.7665541					DEEP	-				+		-										+	+	+	+	+		+	+	+	+	+	+	+		-	+	+	+	+	+	+	+	\dashv	\dashv	\dashv	\dashv	\dashv
216	45.7665519 45.7665497	-89.5202227 -89.5196954	0			DEEP					1	t	t														1			1		t		t	t	t		t	1		1	1	1	\pm	\exists	╛	\exists	\exists	
218	45.7665475	-89.5191681	0			DEEP		L		\coprod	+		+	1									4	+	4	-	4	- -	-	4	+	#	+	\perp	1		1	#	#	-	4	4	+	4	4	4	4	4	\dashv
219 220		-89.5186409 -89.5181136				DEEP	H	H		\vdash	\dagger	+	t	+	H								+	+	+	+	+	1	\dagger	+	+	\dagger	+	\dagger	t	+	$^{+}$	\dagger	\dagger	\dagger	+	+	+	+	+	\dashv	+	+	\dashv
220	-u.ru0043	Jul. J 101136	U		1	, DEEP	1	1							1	-				!														1			-							_	_				

Point Number	LATITUDE	LONGITUDE	DEРТН	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymphaea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton ampiriorius	Potamogeton epihydrus	rotamogeton tonosus	Potamogenon grammeus	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiritius	Potamogeton strictifolius	Company of the compan	Potamogeton vaseyi	Sacitaria rioida	Schoen oplectus acutus	Sparaanium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Algae
221	45.7665408	-89.5175863 -89.5170591	0			DEEP			-												-				-	4		+	+	+	-	-						+		+		-			+	+	+	H
222	45.7665386 45.7665364	-89.5165318	0			DEEP																																							İ	İ	İ	I
224 225	45.7665341 45.7665319	-89.5160046 -89.5154773	0			DEEP																			+	+			+				+				+	+		+					+	+	+	H
226	45.7665296	-89.5154773 -89.51495	0			DEEP																																							I	I	T	
227	45.7665274 45.7665252	-89.5144228 -89.5138955	16		Rope	DEEP		1																																					‡	_	_	1
229	45.7665229 45.7665207	-89.5133682 -89.512841	9	Sand	Pole Pole						٧											1	1									1					2								İ		t	Ħ
231	45.7669905	-89.5370921	3	Sand	Pole											1					-		-		+	4		\dashv	+	_			+		ŀ		-	-		+					+	+	+	H
232	45.7669884 45.7669863	-89.5365648 -89.5360375	20	Muck	Pole Rope							1																									1			İ					İ	t	t	
234	45.7669841	-89.5355102	31		Rope																				-	4								-						-					+	+	+	+
236	45.766982 45.7669798	-89.534983 -89.5344557	0			DEEP																			T			1												t					\dagger	+	\dagger	Н
237	45.7669777	-89.5339284	0			DEEP																							_			-						-					_		Ŧ	1	Ŧ	\blacksquare
238	45.7669755 45.7669734	-89.5334012 -89.5328739	33			DEEP																			1	1		$^{+}$	+								1			Ŧ					+	+	+	+
240	45.7669712	-89.5323466	18		Rope																																								Į	Į	Į	I
241	45.766969 45.7669451	-89.5318194 -89.5260194	2	Sand	Pole															+					1	+		-	+	+		1			1	+		+				_ 1	1		1	+	+	Н
242	45.7669429	-89.5254922	8	Sand	Pole				1														1																						ľ	1		П
244	45.7669408	-89.5249649	27		Rope																				-	4								-						-					+	+	+	\vdash
245 246	45.7669386 45.7669364	-89.5244376 -89.5239104	0			DEEP														_					1			+	+	+								t		t		t	+		t	+	+	Ħ
247	45.7669342	-89.5233831	0			DEEP																																							Ţ	Ţ	L	፱
248 249	45.766932 45.7669298	-89.5228558 -89.5223286	0			DEEP														+					1	+		-	+	+		+				+		+				+	+		+	+	+	Н
250	45.7669276	-89.5218013	0			DEEP																																							I	İ	t	
251	45.7669254	-89.521274	0			DEEP					-								_	-						4		\perp	+	+		+				-		+				+	+		+	+	+	+
252 253	45.7669231 45.7669209	-89.5207468 -89.5202195	0			DEEP																																							İ		土	
254	45.7669187	-89.5196922	0			DEEP																				4		_						-											#	_	+	+
255 256	45.7669165 45.7669143	-89.519165 -89.5186377	0			DEEP														_					1			1	+	+								t		t		+	+		t	+	+	H
257	45.7669121	-89.5181104	0			DEEP																																							Į	Į	Į	П
258 259	45.7669098 45.7669076	-89.5175832 -89.5170559	0			DEEP														+					+	+			+	+		+				+		+				+	+		+	+	+	Н
260	45.7669054	-89.5165286	0			DEEP																																		I					I	I	I	П
261	45.7669031	-89.5160014	0			DEEP															_		-		+	\dashv		-	+	-		+	+	+			H	+		+		+	+		+	+	+	+
262 263	45.7669009 45.7668987	-89.5154741 -89.5149468	0			DEEP																																							İ	I	I	
264	45.7668964	-89.5144196	0			DEEP					-								_	-						4		\perp	+	+		+				-		+				+	+		+	+	+	+
265 266	45.7668942 45.7668919	-89.5138923 -89.513365	23		Rope																				T			1												t					\dagger	+	\dagger	Н
267		-89.5128378		Sand	Pole																																1								Ŧ	Ţ	Ŧ	П
268	45.7673829	-89.5123105 -89.542889	7	Sand																																	2								‡	1	_	Ħ
270		-89.5418344 -89.5376163			Pole																1	1			1	1			1		1	1			L		t	İ		t	İ	İ	İ		1	İ	İ	П
272		-89.537089			Rope			H	\dashv	+				H							-	-	-	+	4	+	-	-	+	+	+	+	+		-		-	-	\perp	+	+	+	+	\perp	+	+	+	\dashv
273 274		-89.5365617 -89.5360345				DEEP														_					T	Ħ			1	+				T		+	t			t			+		$^{+}$	+	t	Н
275	45.7673531	-89.5355072	0			DEEP			7	Ţ											4		1	7	7	1	1	1	7	1	1	Ţ	Ŧ					I	I	Ţ	1	ļ	1	I	Ŧ	Ŧ	Ŧ	Д
276 277	45.767351 45.7673488	-89.5349799 -89.5344526				DEEP		Н	\dashv	+	H									1	\dashv	1	+	+	+	+	1	+	+	+	+	+	+	H	H	H	t	+	ł	+	+	+	+	ł	+	+	+	\forall
278		-89.5339254				DEEP			1											1	1	1	1	1	1	1	1	1	1	1	l	ļ	ļ		L		L	ļ	ļ	1		ļ	ļ	ļ	#	Į	#	I
279		-89.5333981				DEEP		\vdash	\dashv	+											\dashv	-	-	+	+	+	-	-	+	+	+	+	+		\vdash	1	+	+	+	+	+	+	+	+	+	+	+	\dashv
280		-89.5328708 -89.5323436			Rope	DEEP																	1	1													1								\dagger	\dagger	\dagger	\forall
282	45.7673142 45.767312	-89.5260163 -89.525489		Sand	Pole	TEMPORARY OBSTACLE																	1																						1			H
284		-89.5249618			Rope			H	+	+				H						-	-	-		1	+	+	1	-	+	+	+	+	-	-	1		+	+		+	+	+	+		+	+	+	Н
285 286		-89.5244345 -89.5239072			Rope	DEEP				1	L														1	1		1	1	1	1		t	t	L	L	t	t	t	t	İ	t	t	t	1	t	T	Ħ
287	45.7673032	-89.5233799	0			DEEP		П	7		F									1	4	1	1	1	1	1	1	1	Ţ	1	1	Ţ	-							Ţ	1		_		Ŧ	ļ	Ŧ	Д
288 289		-89.5228527 -89.5223254				DEEP		H	+	+	-									1	1	-	+	+	+	+	1	+	+	+	+	\dagger	+	H		-		+	+	+	\parallel	+	+	+	+	+	+	\forall
289	45.7672988					DEEP			1	1															1	1			1	1	1	1			L		L	ļ		ļ	1	1	1		ļ	ļ	Į	П
291		-89.5212709	0			DEEP		\vdash	\dashv	+											\dashv	-	-	+	+	+	-	-	+	+	+	+	+		\vdash	1	+	+	+	+	+	+	+	+	+	+	+	\dashv
292	45.7672922 45.7672899	-89.5207436 -89.5202163	0			DEEP			_	╅	L		L							_		_			_			╛	j	<u></u>			1	İ	t	t	t	İ	t	1		İ	İ	t	1	İ	1	H
293	ı+u./0/2899	us.5202163	υ			DEEL		ш			1										1									!_				1	_													ш

Point Number	LATITUDE	LONGITUDE	ОЕРТН	SEDIMENT	POLE_ROPE	S DEEP	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Flootharis palustris	Elodea can adensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Number of Section 1997.	Nymphaea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton follosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiriflus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Atgae
294	45.7672877 45.7672855	-89.5196891 -89.5191618	0			DEEP																																							\pm	1	
296	45.7672833	-89.5186345	0			DEEP							-												-																			4	_	_	_
297	45.7672811	-89.5181072 -89.51758	0			DEEP					+				-								-	-				-			+	+											-	+	+	+	+
298 299	45.7672788 45.7672766	-89.5170527	0			DEEP							T											T	T																			T	\dagger	T	1
300	45.7672744	-89.5165254	0			DEEP																																						Į	4	Ţ]
301	45.7672722	-89.5159982	0			DEEP						-	+		-								+	+	+			-			+	-											-	+	+	+	+
302	45.7672699 45.7672677	-89.5154709 -89.5149436	0			DEEP						t	t									1	+	t	t					1		+											7	\dagger	\dagger	\dagger	1
304	45.7672654	-89.5144164	0			DEEP																																						I	1]
305	45.7672632	-89.5138891	0			DEEP					+	-	+									4	+		+					4		+												+	+	+	4
306	45.767261 45.7672587	-89.5133618 -89.5128346	18		Rope	DEEP						t										1	T							1														$^{+}$	\dagger	+	1
308	45.7672565	-89.5123073	4	Sand	Pole																		1								1													1	1]
309	45.7677645	-89.5460496	4	Muck	Pole						+	+	+		-							-	+	+	+	+	-	-		-	+	+	-										-	+	+	+	+
310 311 312	45.7677624 45.7677561 45.767754	-89.5455224 -89.5439405 -89.5434133	1	Sand	Pole		v						1										1		ļ																	٧		1	1		
313	45.7677519	-89.542886	27	Sanu	Rope																																							I	1	I	
314	45.7677498		21		Rope						+		-												-																			4	4	+	\dashv
315 316	45.7677477 45.7677456	-89.5418314 -89.5413042	13		Rope Rope		1		1			1	+							-			1		+									1		1								+	+	+	1
317	45.7677435		21		Rope																																							1	I	1	1
318 319	45.7677413 45.7677392	-89.5402496 -89.5397223	8	Sand Rock	Pole Pole																		1													1		1						\pm	1	1	
320	45.7677371	-89.539195	0			DOCK							-												-																			4	_	_	4
321 322	45.767735 45.7677328	-89.5386678 -89.5381405	3	Rock Sand	Pole Pole				1													1	1								1													1			
323 324	45.7677307 45.7677286	-89.5376132 -89.5370859	25 35		Rope	DEEP																																						1	1		
325	45.7677264	-89.5365587	0			DEEP	-				+	+	+									\dashv	+		+					\dashv		+												+	+	+	+
326 327	45.7677243 45.7677221	-89.5360314 -89.5355041	0			DEEP					\dagger		t									1	T		t					1														T	\dagger	\dagger	1
328	45.76772	-89.5349768	0			DEEP																																						4	4	1	
329	45.7677179	-89.5344496	0			DEEP					+	+	+		-							-	+	+	+	+	-	-		-	+	+	-										-	+	+	+	+
330	45.7677157 45.7677136	-89.5339223 -89.533395	0			DEEP																																									
332	45.7677114 45.7677092	-89.5328677 -89.5323405	21	Rock	Rope Pole																																							$\frac{1}{2}$	1	1	_
334	45.7676832	-89.5260132	1	Sand	Pole				1	1	+		-												-															1				4	4	+	4
335	45.767681 45.7676788	-89.5254859 -89.5249586	10	Sand	Pole Rope						+		+									-	1		+					-														+	+	+	+
337	45.7676766	-89.5244314	22		Rope																																							I		I	1
338		-89.5239041	0			DEEP					-	+	ł									4	-		ł					4		-												4	+	+	_
339		-89.5233768 -89.5228495				DEEP						+										1								1														+	+	+	1
341		-89.5223223				DEEP																																						I	1	I	
342			0			DEEP					+		-												-																			4	4	+	4
343		-89.5212677 -89.5207404	0			DEEP																									+											7		+	+	+	1
345	45.767659		0			DEEP																																						I	1	I	
346			0			DEEP									-									_				-																4	+	+	4
347		-89.5191586 -89.5186313				DEEP	H	H		+	+	t	t		\vdash					1		\dashv	+	+	t	+	+	\vdash	H	\dashv	+	+	+			H	H	H		H			\dashv	+	+	+	\forall
349		-89.5181041				DEEP					I	I	I												I						1													I	ユ	1	1
350		-89.5175768	0			DEEP									-									_				-																4	+	+	4
351 352	45.7676456 45.7676434	-89.5170495 -89.5165222	0			DEEP					+	+	t									+	+		t	+	+			+		+	+											+	+	+	1
353	45.7676412	-89.515995	0			DEEP																																						1	I	1	
354		-89.5154677				DEEP					+	+	+									4	-		+					4		-												+	+	+	4
355 356		-89.5149404 -89.5144132				DEEP	H	H	1	+	\dagger	\dagger	\dagger		H					1		\dashv	+	+	\dagger	+	+	H	H	\dashv	+	+	+							H			\dashv	+	+	+	\dashv
357		-89.5138859				DEEP																1	T							1		T												1	#	#	1
358	45.76763		0			DEEP					+	-	+		-					-		-	- -	+	+	-	-	-		-	-	+	-			_	_						-	+	+	+	4
359 360	45.7676277 45.7676255	-89.5128313 -89.5123041		Sand	Rope Pole			H			+	+	+	-						1		1	+	+	+	+	+		H	\dashv	1	+	+			H	H	H		H			+	+	+	+	\dashv
361		-89.5123041	1	Sand	Pole						I		t												t						1													I	I	I	1
362	45.7681377	-89.5471012		Muck	Pole		L	Ш		_	ļ		Ŧ							_[4	1	\perp	1	1	-		Ш	4	-[1	-							Ы			4	4	4	4	4
363		-89.5465739					v	Н		-	+	+	+		-					+		+	1	+	+	+	+	-	Н	+	+	1	+			H	H	H		H			\dashv	+	+	+	\dashv
364 365		-89.5460466 -89.5455194			Pole		v	Ħ	1			2		l	İ	İ	İ								t	╅	╽	1	Ħ		_	_	╽	İ		3	H							\dagger		_	1
366		-89.5434102																					I								1														1	\perp	_]
								_						_				_					_																								Τ

							usum	ĺ				F						florum	phyllum	E 6						8	lrus		sners	nsis		snBu	2	Isonii	sii	2	olius				tus	Polium			T
oint Number	ATITUDE	ONGITUDE	DEPTH	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	uncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllun	Myriophyllum sibiricum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymphaea odorata	ontederia cordata	Potamogeton alpinus	Potamogeton epihydrus	otamogeton foliosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	otamogeton richardsonii	otamogeton robbinsii	Potamogeton spirillus	otamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge Filamentous Algae
367	45.7681209		28	Rope	,										7						_		_	_			ľ			Ì				_	_		ů.	_	0)	0)	v)	0)		_	
368	45.7681188		30	Rope																		-				-																_	4	+	_
369 370	45.7681167 45.7681146	-89.5418284 -89.5413011	0	Rope	DEEP																																						1	1	
371	45.7681125	-89.5407738	28	Rope																						_																_	4	4	_
372 373	45.7681104 45.7681082	-89.5402466 -89.5397193	24	Pole																		+				+																-	+	+	+
374	45.7681061	-89.539192	22	Rope																																								I	
375	45.768104	-89.5386647	21	Rope				+																		+																=	+	+	-
376 377	45.7681019 45.7680997	-89.5381375 -89.5376102	0	Rope	DEEP		Ħ							_		_											+															1	\forall	+	+
378	45.7680976	-89.5370829	0		DEEP																																						\Box	4	
379	45.7680954	-89.5365556 -89.5360283	0		DEEP			+			-															+																=	+	+	+
380	45.7680933 45.7680912	-89.5355011	0		DEEP																																						I		
382	45.768089	-89.5349738	0		DEEP															-							-		-													4	4	4	-
383 384	45.7680869 45.7680847	-89.5344465 -89.5339192	0		DEEP			+														+				+																-	+	+	+
385	45.7680826	-89.5333919	34		DEEP																																							1	
386	45.7680804	-89.5328647	22	Rope		-								_		_				_							-															4	+	+	-
387	45.7680783 45.7680522	-89.5323374 -89.52601	2 Sa 1 Sa	nd Pole		L	H	+	+	+		1	H	1		1	+	\dagger	\dagger	\dagger	+	\dagger			H	\dashv	\dagger	+	H				1	1							7	\dashv	1	+	+
389	45.76805	-89.5254828	8 Sa	nd Pole				1				Ĺ						1	1		1	1				1	T	İ	1				1									1	Ï	1	┰
390	45.7680478	-89.5249555	27	Rope															+	\perp		-				-	+		-													_	+	+	-
391 392	45.7680456 45.7680434	-89.5244282 -89.5239009	0		DEEP																	t				1																7	\forall	+	
393	45.7680412	-89.5233737	0		DEEP																																						\Box	I	
394	45.768039	-89.5228464	0		DEEP																						-															_	+	+	_
396 396	45.7680368 45.7680346	-89.5223191 -89.5217918	0		DEEP																																					7	\forall	+	
397	45.7680324	-89.5212646	0		DEEP																																						1	1	
398	45.7680302	-89.5207373 -89.52021	0		DEEP			-									+					-				+	+															+	\dashv	+	-
399	45.768028 45.7680258	-89.52021 -89.5196827	0		DEEP																																							╛	
401	45.7680235	-89.5191554	0		DEEP																					_																_	4	4	_
402	45.7680213 45.7680191	-89.5186282 -89.5181009	0		DEEP																	+				+																-	+	+	+
404	45.7680169	-89.5175736	0		DEEP																																						I	I	
405	45.7680146	-89.5170463	0		DEEP														+	\perp		-				-	+		-													_	+	+	-
406	45.7680124 45.7680102	-89.5165191 -89.5159918	0		DEEP																																					7	\forall	+	
408	45.768008	-89.5154645	0		DEEP																																					_	4	4	
409	45.7680057	-89.5149372	0		DEEP																																					-	\dashv	+	
410	45.7680035 45.7680012	-89.51441 -89.5138827	0		DEEP																																						I		
412	45.767999	-89.5133554	30	Rope																-							-		-													4	4	4	-
413		-89.5128281 -89.5123009					H	1	-								+			+	1	+				+	+		+													+	+	+	+
415		-89.5117736		ind Pole					ľ																																		I	I	
416		-89.5476255				1	H							_		_		2		_							-															4	+	+	-
417		-89.5470982 -89.5465709					\dagger		+				H				+			+		T	H		H	+	+				H								H			\dashv	+	+	+
419			5 Mu			v												1									I															4	7	1	1
420		-89.5455164 80.54388				-	H	\dashv	+	-				1		1	+	+	+	+		1		1	H	+	+	+	+				-	1							-	+	+	+	+
421 422	45.76849 45.7684878		- 1	Rope	,														1		1						İ	t	1													╛	\exists	\pm	土
423	45.7684857	-89.5418254		Rope			\sqcup		-								4		-	_		1			Н	4					L				_							4	4	4	4
424 425		-89.5412981 -89.5407708			DEEP		\forall	\dashv	+				Н				+	+	+	+	+	+	H		H	+	+	+	+		H		-	1					H			\dashv	+	+	+
426		-89.5407708 -89.5402435			DEEP						L								1		l						ļ	l						1								\exists	1	1	1
427		-89.5397163		+	DEEP	-	\vdash	\dashv	-		L				-		\dashv	+	+	+	+	1			Н	+	+	+	+				4	1			Н				4	\dashv	+	+	+
428 429	45.7684751 45.768473	-89.539189 -89.5386617	0		DEEP	l	Ħ	_	_	l	l						_	\dagger	_	†		1			H		\dagger		l	l	H											_	\dagger	†	╁
430	45.7684709	-89.5381344	0		DEEP		П	7	1					1		1	Ţ	1	Ţ	Ţ	I				П	1	I	I					1	1								4	4	4	1
431		-89.5376071		-	DEEP	H	\vdash	\dashv	+				Н				+	+	+	+	+	+			H	+	+	+	+		H		\dashv	1	-		H				-	\dashv	+	+	+
432		-89.5370798 -89.5365526			DEEP	L					L							1	1	1	t					_	t	t	L	L														\exists	
434	45.7684623	-89.5360253	0		DEEP		\sqcup	4	-						-[4	\parallel	4		1	1				4	+	1						_[_							4	4	4	+
435	45.7684602 45.768458		0	+	DEEP	\vdash	\forall	\dashv	+	+			H	1	1	1	+	+	+	+	+	+			H	+	+	+	ŀ	-			-	-			H				-	\dashv	+	+	+
436			0		DEEP	L													1	1							İ																\downarrow	╛	
438	45.7684537		35	-	DEEP	-	\sqcup	-	+						_		4	\downarrow	+	+	-	-			Н	+	+	-	-													4	\dashv	\dashv	_
439	45.7684516	-89.5333889	21	Rope			Ш		_		<u> </u>	<u> </u>	Ш					L			_		Ш		Ш				1_	<u> </u>	<u> </u>								Ш				_		

Point Number	LATITUDE		DEPTH	SEDIMENT	POLE_ROPE	соммечтѕ	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymph aea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton epihydrus	Potamogeton foliosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiriflus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagitaria rigida	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge	Filamentous Algae
440	45.7684494 45.7684212	-89.5328616 -89.5260069	1 3	Sand	Pole								1			1	1				1													1								İ	Ï			
442	45.768419	-89.5254796	9 5	Sand	Pole																	1								1				1		1	4					+	_	_		
443 444	45.7684168 45.7684146	-89.5249524 -89.5244251	30			DEEP																																				+	+	\vdash	Н	-
445	45.7684124		0			DEEP																															1					T	T	1		
446	45.7684102	-89.5233705	0			DEEP																																				I	I			
447	45.768408	-89.5228432	0			DEEP					-																		-					4			4					╀	+	▙		4
448	45.7684058 45.7684036	-89.522316 -89.5217887	0			DEEP						+								+						+										+	+					+	╁	\vdash	H	1
450	45.7684014	-89.5212614	0			DEEP																																				İ	I	I		
451	45.7683992	-89.5207341	0			DEEP					-	-								_						_										4						1	╄	L		4
452	45.768397	-89.5202068	0			DEEP																																				+	+	\vdash	Н	-
453 454	45.7683948 45.7683926	-89.5196796 -89.5191523	0			DEEP																												1			1					T	T			
455	45.7683903	-89.518625	0			DEEP																																				Ţ	L]
456	45.7683881	-89.5180977	0			DEEP							<u> </u>					+						_	-	_			-		<u> </u>				_	_	+					+	+	┾		=
457 458	45.7683859 45.7683837	-89.5175704 -89.5170432	0			DEEP					t	t								t						1			t					1			1					t	t		H	1
459	45.7683814	-89.5165159	0			DEEP																																				I	I			
460	45.7683792	-89.5159886	0			DEEP						-								-						_																+	+	\vdash		\dashv
461 462	45.768377 45.7683747	-89.5154613 -89.514934	0			DEEP																												-								+	+	-	H	\exists
463	45.7683725	-89.5144068	0			DEEP																																				İ	I	I		
464	45.7683702	-89.5138795	0			DEEP																																				\downarrow	╄	▙		4
465	45.768368	-89.5133522	33		Rope						+		-					+		+					\dashv	+			+		-			\dashv			+					+	+	┾		=
466 467	45.7683658 45.7683635	-89.5128249 -89.5122976	17		Rope						t	t								t						1			t					1			1					t	t		H	1
468	45.7683613	-89.5117704	7 5	Sand	Pole																	1																				I	I			
469	45.768359	-89.5112431	1 3	Sand	Pole							-								-	1					_																+	1	\vdash		=
470 471	45.7688779 45.7688758	-89.5476225 -89.5470952		Muck Muck	Pole Pole		V	1			+	+						+		+		1	_	1	1	+			+					+	1	1	+		1		+	╁	╁	┢	H	1
472	45.7688737	-89.5465679			Pole																																									
473	45.768859	-89.5428769	6 5	Sand	Pole							-								_	1	1				_																+	╄	1	Н	\perp
474 475	45.7688569 45.7688547	-89.5423497 -89.5418224	7 5	Sand	Pole				1		-	+			1					+		1			+	+			+					\dashv			1	1				╁	╁	-		\exists
476	45.7688526	-89.5412951	0		коре	DEEP																												T								İ				
477	45.7688505	-89.5407678	0			DEEP							ļ												_				-		ļ			_								+	4	▙		
478	45.7688484	-89.5402405	0			DEEP							-												+	-				-	-			-			1					+	+	\vdash		-
479 480	45.7688463 45.7688441	-89.5397132 -89.5391859	0			DEEP												1						1											1		1					t	T	-		
481	45.768842	-89.5386586	0			DEEP																																				Ţ	L]
482	45.7688399	-89.5381314	0			DEEP							<u> </u>					+						_	-	_			-		<u> </u>				_	_	+					+	+	┾		=
483	45.7688378 45.7688356	-89.5376041 -89.5370768	0			DEEP					\dagger												_	1					+					+	1		1					$^{+}$	+	-		\exists
		-89.5365495	0			DEEP																																				I	I			
486		-89.5360222				DEEP						-								_						_																+	╄	L	Ш	\perp
487		-89.5354949 -89.5349676				DEEP					+	+								+				+		+			+						+	+	+				+	+	╁	\vdash	H	\exists
488		-89.5349676 -89.5344404				DEEP					T															Ť																t	T	T	Ħ	1
490	45.7688228	-89.5339131	29		Rope							_								_						_																1	Ļ	L		
491	45.7688206				Pole						+		-					+		+					\dashv	+			+		-			\dashv			+					+	1	+		=
492		-89.5260038 -89.5254765		Sand	Rope		H	H			1		1			1		_	⇟	_	1			_			T	⇟			ŀ	H			_	_	_†	_†	_	_	ⅎ	力	Ť	Ħ	H	\exists
494		-89.5249492				DEEP		П]	Ţ	Ţ	I			I		7	Ţ	T	Ţ			I	1	I	Į	T	Τ	Į					\Box	1	1	1	I	1	Į	Ţ	Ţ	L		П	J
495		-89.5244219				DEEP	-	Н		+	+	+		H	\dashv		\dashv	+	+	+	-	Н	+	-	+	+	+	+	+			-		+	-	-	+	+	-	+	+	+	+	╄	H	\dashv
496 497			0			DEEP	H	H		+	\dagger	+	H	H	1		\dashv	+	+	+	\vdash	H	\dashv	+	$^{+}$	+	+	+	\dagger	t	H	H		\dashv	+	+	+	\dashv	1	+	+	+	t	+	H	\dashv
498	45.768777		0			DEEP																																								
499	45.7687748		0			DEEP						-								_						_																+	╄	L	Н	
500		-89.5217855 -89.5212582				DEEP	H	H		+	+	+	H	H	\dashv		\dashv	+	+	+	\vdash	H	+	+	+	+	+	+	\dagger	H	H	H		+	+	+	+	\dashv	+	+	+	+	+	+	H	\dashv
501		-89.5212582 -89.520731				DEEP					İ	İ	L					1	1	İ	L			╛		J		1	İ	t	L				╛		_			⇟		1	İ	t		J
503		-89.5202037				DEEP				1]	1	1	Ţ	I				1	1	1	1								1	1	1	1	1	1	Ţ	Ţ	F	F	F	Ц	Д
504		-89.5196764	0			DEEP	\vdash	Н		+	+	+		H	\dashv		\dashv	+	+	+	-	Н	\dashv	-	+	+	+	+	+	+		\vdash		+	-	-	\dashv	\dashv	-	+	+	+	+	+	Н	\dashv
506 506		-89.5191491 -89.5186218	0	1		DEEP		H		\dagger	\dagger	\dagger	H		1	1	+	\dagger	+	\dagger		H	\dashv	1	$^{+}$	\dagger	1	+	+		H			\dashv	1	1	+	+	+	1	+	+	t	+	H	\dashv
507		-89.5180945	0			DEEP]	1	1]		1					Į	Į	L		J
508		-89.5175673	0			DEEP	_	Н		+	+	+			-	_	-	+	\perp	+		H	\dashv	-	+	+	+	\perp	+	-		_		\dashv	-	-	4	4	-	+	+	+	+	╁	\vdash	\dashv
509		-89.51704 -89.5165127	0			DEEP	H	Н		+	+	+		H	-		\dashv	+	+	+		H	\dashv	+	+	+	+	+	\dagger			H		\dashv	+	+	+	+	+	+	+	+	+	-	\vdash	\dashv
510		-89.5165127 -89.5159854				DEEP					t	L	L				1		t	t	L				1		1	t	L	L	L						1		1		1	T	İ	t		╛
512		-89.5154581				DEEP												\prod				Ш	\Box	J	\Box	$\bot I$									J			I					L	Ĺ	Ш	╝
				_														_				_											_			_		_						_		_

							ersum		.92			E					ifforum	ophyllum	onm	um						folius	drus	sn	neus	ensis	s	snBuc	us	iisii	ns	folius	_	6		rtus	ifolium	ta .	ea .	П
oint Number	ATITUDE	ONGITUDE	DEPTH	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	nucas belocarbus	Lobelia dortmanna	Moriophyllum alterniflorum	Myriophyllum heterophyllun	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymphaea odorata	ontederia cordata	Potamogeton arphitolius	Potamogeton epihydrus	otamogeton foliosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton natans	Potamogeron praelongus	Potamogeton pusillus	otamogeton robbinsii	Potamogeton spiriflus	otamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge
513	45.7687437	-89.5149308	0 8	2	DEEP	ä	రి	5	a a	ü	ā	E	9	<u>s</u> .	3	3 3	Ě	` ≨	£	W)	Na	ž	ž	ź	2 6	2 2	8	Po	Po	å	8 6	2 ,	8 8	9	P	9	- 8	Sa	Sa	တိ	S	5	2 6	: E
514	45.7687415	-89.5144036	0		DEEP																																L					I	Į	
515	45.7687393	-89.5138763	0		DEEP		H		-	-					+	+		-								+				-	+	+	+	+			+					+	+	╬
516 517	45.768737 45.7687348	-89.513349 -89.5128217	28	Rope	DEEP											T			t							t				1				t								+	$^{+}$	1
518	45.7687325	-89.5122944	18	Rope																																	L					I	Į	
519	45.7687303	-89.5117671	23	Rope			H		-	-					+	+		-								+				-	+	+	+	+			+					+	+	╬
520 521	45.768728 45.7692469	-89.5112399 -89.5476195	7 Sa 5 Mu			1		1							1						1										1	T										+	1	\top
522	45.7692448		6 Mu	ck Pole							1															1								33			L					I	Į	
523	45.7692427	-89.546565	6 Mu						-					\dashv	+	+	1		+							+				+	+	+		+			+					+	+	╫
524 525	45.7692301 45.769228	-89.5434012 -89.5428739	2 Sa 7 Sa	nd Pole				1	1					1	1						1											T										+	\top	\top
526	45.7692259	-89.5423466	7 Sa	nd Pole				1													1								1								L					4	4	
527	45.7692238	-89.5418193	18	Rope					+					+	+	-			-							+				-		+	2			-	-					+	+	╫
528 529	45.7692216 45.7692195	-89.5412921 -89.5407648	0		DEEP																																L						土	
530	45.7692174	-89.5402375	0		DEEP										4											-											-					4	4	-
531 532	45.7692153 45.7692132	-89.5397102 -89.5391829	0	+	DEEP	\vdash	H		+	+			H	+	+	+	+	+	+	H	H	+	1	\dashv	+	+	\vdash			+	+	+	+	+	+	-	H				\dashv	+	+	+
532	45.7692132 45.769211	-89.5391829 -89.5386556	0		DEEP		Ш								1	1	t		L				1		1					1	1	1		İ	İ		İ				╛	1	土	
534	45.7692089	-89.5381283	0		DEEP		\Box							4	4	4	ļ					_		4	4	1				4	4	4	\perp		Ļ		Ļ				_	4	4	\perp
535 536	45.7692068 45.7692046	-89.537601 -89.5370737	0	-	DEEP		H		+	-		-		+	+	+	+	-				-	1	+	+	+			H	\dashv	+	+	+	+	+		\vdash				\dashv	+	+	+
537	45.7692046	-89.53/0/3/ -89.5365464	0		DEEP																																L						土	
538	45.7692004	-89.5360192	0		DEEP										_																	-					-					_	4	#
539	45.7691982 45.7691961	-89.5354919 -89.5349646	0		DEEP									+					-							+						+					-				_	+	+	+
541	45.7691939	-89.5344373	26	Rope	DEEP																																L						I	T
542	45.7691918	-89.53391	8 Sa	nd Pole				1							-					1	1								1			-		1			-					_	1	₽
543 544	45.7691896 45.7691592	-89.5333827 -89.5260007	2 Sa 3 Sa	nd Pole								1		1	1					1												t										1	+	₩
545	45.769157	-89.5254734	21	Rope																																	L					I	Į	
546	45.7691549	-89.5249461 -89.5244188	0		DEEP				+					+	+	-			-							+				-		+				-	-					+	+	╫
547 548	45.7691527 45.7691505	-89.5244188 -89.5238915	0		DEEP																																L					1	ightharpoons	
549	45.7691483	-89.5233642	0		DEEP										+	-			-							+				4		+		+			┡					4	+	#
550 551	45.7691461 45.7691439	-89.5228369 -89.5223097	0		DEEP									1												$^{+}$				1							+					+	+	+
552	45.7691417	-89.5217824	0		DEEP																																L					1	1	
553	45.7691394	-89.5212551	0		DEEP				+					+	+	-			-							+				-		+				-	-					+	+	╫
554 555	45.7691372 45.769135	-89.5207278 -89.5202005	0		DEEP																									T							L							
556	45.7691328	-89.5196732	0		DEEP										4				-							-						4					-					_	4	#
557 558	45.7691306	-89.5191459 -89.5186186	0		DEEP									+					-							+						+					-				_	+	+	+
559		-89.5180914	0		DEEP																																							
560			0		DEEP									_	4	-			-							+				4		+		+			_					_	+	#
561 562		-89.5170368 -89.5165095			DEEP		H			+					+	+																t					H					+	+	+
563	45.7691172	-89.5159822	0		DEEP		П								1	1	ļ									1					1	1	1	ļ			L				\exists	1	#	T
564 565		-89.5154549		-	DEEP	-	\vdash		+	+		-	\dashv	+	+	+	+	+	H	Н		+	-	+	+	+	-		H	+	+	+	+	+	+	\vdash	H				\dashv	+	+	+
565		-89.5149276 -89.5144003	0		DEEP	L				L	L				1	1	t	L	t						1	T	L	L			1	1	1	t	t	L	İ		L		╛	\exists	士	T
567	45.7691083		0	-	DEEP	-	\mathbb{H}		\perp	-				4	+	+	+	-	-			4		\dashv	4	+	-			\dashv	+	+	+	+	+	-	L				\dashv	4	+	+
568 569	45.769106 45.7691038	-89.5133458 -89.5128185		Rope	DEEP		H			ŀ		-	H	+	+	+	+	t	t			1	1	+	+	+			H	+	+	\dagger	+	\dagger	t	H	H	H			\dashv	+	+	+
570		-89.5122912		Rope										1	1		1							1	1	1						1		ļ			ļ				⇉	#	#	T
571		-89.5117639		Rope			H			+					+	+		+								+				4							-					+	+	+
572 573		-89.5112366 -89.5107093		Rope nd Pole				1							1		t														1	1		İ			İ					#	\pm	\perp
574	45.7696138	-89.5470893	8 Mu	ck Pole			$oxed{igspace}$	1	- -	Ĺ				4	4	1	+	F	F				-[4	+	1			H	-	#	4	+	+	F	F	Ļ					4	+	\perp
575 576	45.7696117 45.7696096		8 Mu 4 Sa			-	\forall	1	1	+		-	H	+	\dagger	+	+	+					v	\dashv		+	-		H	\dashv	+	1	+	+		-	+				\dashv	+	+	+
577	45.7695991			nd Pole				1	ľ					1	1		1		İ		1			1	1	1					1	1		1		L	I				I	1	#	
578		-89.5428709		Rope		-	H			+	1			-	+	+	+	+	-				-	\dashv	-	+	-	-		\dashv	+	+	1	1	-	-	\vdash				\dashv	4	+	+
579 580		-89.5423436 -89.5418163		Rope		L			⇟	ŀ					j	╛	İ	İ	İ				_	_	_	T	L				j		1	İ	t	L	t				╛	_	\pm	H
581	45.7695907	-89.541289	0		DEEP		П							1	1	Ţ	I					1	1	7	1	\perp			П	1	1	Ţ	\bot	F	F		Ļ				J	4	4	₽
582 583	45.7695885		0	-	DEEP		H		+	-				+	+	+	+						1	\dashv	+	+			H	\dashv	\dagger	+	+		+		+				\dashv	+	+	+
583	45.7695843	-89.5397071	0		DEEP										1	1	ļ		L					1							1	1		L	L		İ					#	#	
585	45.7695822	-89.5391799	0		DEEP		Ш			_	<u> </u>																_					1							_		\perp		\perp	\perp

Point Number	LATITUDE		DEPTH	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis Nitella so.	Nuphar variegata	Nymph aea odorata	Pontederia cor data	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton follosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge
586 587	45.7695801 45.7695779	-89.5386526 -89.5381253	0			DEEP							t																					t									\forall	\top	+	+
588	45.7695758	-89.537598	0			DEEP																																					4	1	1	
589	45.7695737	-89.5370707	0			DEEP					+		H											+	+							+	+	H			-						\dashv	+	+	+
590 591	45.7695715 45.7695694	-89.5365434 -89.5360161	0			DEEP					\dagger	t	l	t								1		t	t					1		+	t	l									+	\dagger	+	+
592	45.7695672	-89.5354888	0			DEEP																																						I		
593	45.7695651	-89.5349615	0			DEEP						-		-																			-										\dashv	+	+	+
594 596	45.7695629 45.7695608	-89.5344342 -89.5339069	34		Bono	DEEP		2				١.	t	+								\dashv			t					\dashv			+	t									+	+	+	+
596	45.7695586	-89.5333796	2	Sand	Pole			2				Ľ	1				1					1																						1	1	
597	45.7695283	-89.5259975	5	Sand	Pole							-		-								_	1							_			_										\dashv	4	4	\perp
598 599	45.7695261 45.7695239	-89.5254703 -89.524943	27		Rope	DEEP																			+							+											+	+	+	+
600	45.7695239	-89.524943 -89.5244157	0			DEEP																																								
601	45.7695195	-89.5238884	0			DEEP						_		_																			_										4	4	4	\perp
602	45.7695173	-89.5233611	0			DEEP																																					\dashv	+	+	+
603	45.7695151	-89.5228338 -89.5223065	0			DEEP							l																					l									7	T	+	\top
605	45.7695107	-89.5217792	0			DEEP																																					\Box	1	I	
606	45.7695085	-89.5212519	0			DEEP																			+								-										\dashv	+	+	+
607	45.7695063 45.769504	-89.5207246 -89.5201973	0			DEEP							t																					t									\dashv	+	+	± 1
609	45.7695018	-89.5196701	0			DEEP																																						I		
610	45.7694996	-89.5191428	0			DEEP							-																					-									4	4	4	+
611	45.7694974 45.7694952	-89.5186155 -89.5180882	0			DEEP					+	+	T	+										t	t							+	+	T	+								+	$^{+}$	+	+
613	45.7694929	-89.5175609	0			DEEP																																						I	1	
614	45.7694907	-89.5170336	0			DEEP						-		-								_								_			_										\dashv	4	4	\perp
616	45.7694885 45.7694862	-89.5165063 -89.515979	0			DEEP																																					_		+	
617	45.769484	-89.5154517 -89.5149244	0			DEEP					\dagger		t											\dagger	t							+		t									+	+	+	+
619	45.7694795	-89.5143971	0			DEEP																																						I	I	
620	45.7694773	-89.5138699	0			DEEP						-		-																			-										\dashv	+	+	+
621	45.769475 45.7694728	-89.5133426 -89.5128153	0			DEEP					\dagger		t											\dagger	t							+		t									+	+	+	+
623	45.7694706	-89.512288	24		Rope																																							I		
624 625	45.7694683 45.769466	-89.5117607 -89.5112334	30 33		Rope Rope																																								_	
626	45.7694638	-89.5107061	3	Sand	Pole																	1			+								-										\dashv	+	+	+
627	45.7699828	-89.5470863 -89.546559	1 9	Sand	Pole			1	1		t	1	1	t								7		t	t	V		1		7		+	t	1		2							+	\dagger	+	+
629	45.7699786	-89.5460317	6	Sand	Pole							1										1									1			ľ										I		
630	45.7699702		5	Sand	Pole				1	-	-		H									_	1	+	-					_				H			<u> </u>						\dashv	+	+	+
631		-89.5433952 -89.5428679			Rope	DEEP			1				t																					t									\dashv	+	+	± 1
633		-89.5423406				DEEP																																						I	I	
634		-89.5418133	0			DEEP							L									_		-	-					_				L			-						4	4	4	+
635 636	45.7699597 45.7699576	-89.541286 -89.5407587	0			DEEP						1		1																			+									1	+	+	+	+
637		-89.5407587 -89.5402314	0			DEEP							L										1	T								1		L									#	1	1	
638						DEEP				-	+	+	1	+		L					4	4	+	+	-		-		Н	4	4	+	+	1	-	-					4	_	\dashv	+	+	+
639 640		-89.5391768 -89.5386495				DEEP		H		+	+	+	t	+		H	H			+	\dashv	\dashv	+	+	+	-	\vdash		H	\dashv	1	+	+	t	+		H			H	\dashv		+	+	+	+
641		-89.5386495 -89.5381222				DEEP					t		İ												İ							1	I	İ									士	I	⇉	$\downarrow \downarrow \downarrow$
642	45.7699448	-89.5375949	0			DEEP		Ш		4	╽`	1	Ļ	1			$oxed{\sqcup}$			_	_[4	- -	1	1				Ы	4	_[1	Ļ	Ļ	-		L			$oxed{\sqcup}$	_[4	4	4	+
643 644	45.7699427 45.7699405	-89.5370676 -89.5365403	0			DEEP		H		+	+	+	+	+		H	H			-	-	\dashv	+	+	+		-		H	\dashv	-	+	+	+	+					H	\dashv		+	+	+	+
645	45.7699384	-89.5365403 -89.536013	0			DEEP							l																					l									7	T	+	\top
646		-89.5354857	0			DEEP		П		1							Ц]		4	1				L			4	1	Ţ								Ц			1	4	1	Д
647		-89.5349584				DEEP		Н		+	+	+	+	+		H	Н			\dashv	-	+	+	+	+				H	+	-	+	+	+	-					Н	+		+	+	+	+
648 649		-89.5344311 -89.5339039			Rope	DEEP		H		+	\dagger	t	t	t		H	H	1		1	1	1	+	+	t				H	1	1	+	\dagger	t		H	F			H	1	7	+	\dagger	+	+
650		-89.5333766		Sand	Pole					1													1									1											ゴ	1	1	\blacksquare
651		-89.5259944	10	Sand	Pole			H		+	+	+	+	+		L	Н	4		-	-	4	1	+	-		-		Н	4	4	- -	+	+	-					Н	-		\dashv	+	+	+
652 653	45.7698951 45.7698929	-89.5254671 -89.5249398	0			DEEP		H		+	+	+	t	+		H	H			-	\dashv	\dashv	+	+	+	-	1		H	\dashv	-	+	+	t	+					H	\dashv		+	+	+	+
653	45.7698929 45.7698907		0			DEEP					t		İ												İ							1	I	İ									士	I	⇉	$\downarrow \downarrow \downarrow$
655	45.7698885	-89.5238852	0			DEEP		Ш		4	╽`	1	Ļ	1			$oxed{\sqcup}$			_	_[4	- -	1	1				Ы	4	_[1	Ļ	Ļ	-		L			$oxed{\sqcup}$	_[4	4	4	+
656		-89.5233579				DEEP		Н		+	+	+	+	+		H	Н			\dashv	-	+	+	+	+				H	+	-	+	+	+	-					Н	+		+	+	+	+
657		-89.5228307 -89.5223034				DEEP		H		\dagger	t	\dagger	t	\dagger			Н			1	1	7		t	t			H	H	7	1	+	\dagger	t	\dagger	H	H			H			+	\dagger	+	+
			-												_												-		!								•	•	•							

						eberi	Ceratophyllum demersum		ioularis	lu stris	ensis	luatioum			arpus	anna	peckii	Myriophyllum alterniflorum Myriophyllum heterophyllum	sibiricum	tenellum		4	-	orata	alpinus	amplifolius	epihydrus	foliosus	gramineus	illino ensis	praelongus	busilus	otamogeton richardsonii	robbinsii	spirillus	strictifolius	vaseyi	(rosette)	da	us acutus	Sparganium angustifolium	supinata	nericana	Algae
oint Number	ATITUDE	ONGITUDE	DEPTH	POLE_ROPE	COMMENTS	Brasenia schreberi	eratophyllun	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	uncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	lyriophyllum lyriophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	rupiia vaiiegara	Nymphaea odorata Pontederia cordata	Potamogeton alpinus	otamogeton amplifolius	Potamogeton epihydrus	otamogeton foliosus	Potamogeton gramineus	Potamogeton illinoensis	Potamogeton praelongus	Potamogeton pusillus	otamogeton	otamogeton robbinsii	Potamogeton spirillus	otamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	parganium a	Utricularia resupinata	Vallisneria americana	Filamentous Algae
659	45.7698797	-89.5217761	0	, .	DEEP	8	Ö	o	шш	ш	ш	ш	9		Ō		2 :	2 2	2	2	z	Z 2		2 0			•	•	•			•		•	_	•	4	S	S	S	s)	> 0	
660	45.7698775	-89.5212488	0		DEEP																																						1	
661	45.7698753	-89.5207215	0		DEEP											4	-	-				-	+						-	-	+	-									-	+	+	#
662	45.7698731 45.7698708	-89.5201942	0	+	DEEP											+	+	-	+				+			+				+	+											+	+	+
663 664	45.7698686	-89.5196669 -89.5191396	0		DEEP																									T		T										7	T	П
665	45.7698664	-89.5186123	0		DEEP																																							
666	45.7698642	-89.518085	0	-	DEEP											_	_		-				4			-				-	+	-										+	+	\perp
667	45.769862	-89.5175577	0		DEEP											\dashv		+				+	+						+	+	+										\dashv	+	+	+
668	45.7698597 45.7698575	-89.5170304 -89.5165031	0		DEEP														T							T				T		T										+	\dagger	+
670	45.7698553	-89.5159758	0		DEEP																																						1	
671	45.769853	-89.5154485	0		DEEP											4	-	_				-	_						_	-	-	-									_	4	+	\blacksquare
672	45.7698508	-89.5149212	0		DEEP											-	-		+				+			+			_	+	+										_	+	+	+
673 674	45.7698486 45.7698463	-89.5143939 -89.5138667	0		DEEP														T							T				T		T										+	\dagger	+
675	45.7698441	-89.5133394	0		DEEP																																							
676	45.7698418	-89.5128121	35	Rope	,																		_							4												4	4	
677	45.7698396	-89.5122848	23	Rope			Н		+				H	\dashv		\dashv	+	+	+	\vdash	H	+	+	+	+	-	H		\dashv	+	+					H		H	-		\dashv	+	+	+
678 679	45.7698373 45.7698351	-89.5117575 -89.5112302	25	Rope			H		+	1				\dashv		\forall	\dagger	\dagger	\dagger			\dagger	t	t	1	1			\dashv	1	\dagger								1		\dashv	+	\dagger	1
680	45.7698328	-89.5107029	3 Sa	ind Pole]	Ţ	Ţ	L			1	Ţ						1		Ţ										\Box	I	1	
681	45.7703497	-89.546556	3 Sa	nd Pole			1				1					4	-	_		1		-	_						_	-	-	1									_	4	+	\blacksquare
682	45.7703477	-89.5460287	14	Rope			1			-									+				+																-			+	+	+
683 684	45.7703456 45.7703435	-89.5455014 -89.5449741	7 Sa	ind Pole				1															1.	v																		1	†	
685	45.7703414		6 Sa	nd Pole														1											1														1	
686	45.7703393	-89.5439195	20	Rope				1															_							4				1								4	4	
687	45.7703371	-89.5433922	0		DEEP					-									+				+																-			+	+	+
688	45.770335 45.7703329	-89.5428649 -89.5423376	0		DEEP																		Ť																			+	†	
690	45.7703308	-89.5418103	0		DEEP																																						1	
691	45.7703287	-89.541283	0	-	DEEP											_	_		-				4			-				-	+	-										+	+	\perp
692	45.7703266 45.7703245	-89.5407557 -89.5402284	0		DEEP					1									+																				1			+	+	+
693	45.7703245	-89.5397011	0		DEEP																		Ť								T											+	$^{+}$	
696	45.7703202	-89.5391738	0		DEEP																																						1	
696	45.7703181	-89.5386465	0		DEEP											4	-	-				-	+						-	-	+	-									-	+	+	#
697	45.770316 45.7703138	-89.5381192 -89.5375919	0		DEEP									-		\dashv		+					+						\dashv		+										\dashv	+	+	+
699	45.7703136		0		DEEP																																					1	I	
700	45.7703095	-89.5365373	0		DEEP																		1																			4	4	
701	45.7703074	-89.53601	0		DEEP														-				+							-												#	+	+
702	45.7703053 45.7703031	-89.5354827 -89.5349554	0		DEEP											-			+																							+	+	+
704		-89.5344281	0		DEEP																																						1	
706	45.7702988	-89.5339008	34		DEEP																		1																			4	4	
706		-89.5333735		Rope															-		1		+							-		1										#	+	+
707		-89.5265186 -89.5259913		nd Pole			H		+		1		H	+	1	\dagger	\dagger	\dagger			H	+	\dagger	+	+	1	H	1	\dashv	+	\dagger			1		H		H	1	1	\dashv	+	1	+
709		-89.525464			DEEP											1						1	Ţ																			1	I	T
710		-89.5249367		-	DEEP	L		4	+	-		L	H	4	_	4	+	+	-			+	+	+	-	-	Н		4	-	+	L		L			L	H	4	4	4	4	4	\perp
711	45.7702597	-89.5244094 -89.5238821	0	+	DEEP	H	H	1	+			H	H	\dashv	-	+	+	+	+	\vdash	H	+	+	+	+	+	H	-	\dashv	+	+	ŀ		H	-	H	H	Н	\dashv	+	\dashv	+	+	+
712	45.7702575 45.7702553		0	1	DEEP				1	L						▆	╛	Ī	T	Ħ		J	İ	╅	İ	İ				1	1	İ	L		L							⇟	t	T
714	45.7702531		0		DEEP			\Box	Ţ					I		Į	Ţ	Ţ	Ι			Ţ	Ţ	I	I				I	Ţ	Ţ										I	1	1	
715		-89.5223002		+	DEEP		Н		+	1				4		4	+	+	1			+	+	+	-	-	H		4	-	+	-				Н		Н			4	+	+	+
716 717		-89.5217729 -89.5212456		+	DEEP		H	1	+	+				\dashv		\dashv	+	+	+			+	+	+	1	-	H		+	+	+	H				H		H	1		+	+	+	+
717		-89.5212456 -89.5207183			DEEP					L							1	t	İ			1	I	t	L					1	t	L			L							1	1	T
719	45.7702421		0	\parallel	DEEP		Ц	1					Щ	_[_[_[\downarrow	Į	1	Į	ЦĪ	\bot	\downarrow	Ţ	╽	Ļ			_[1	Ļ	L				Ц		Ц	_[_[Ţ	4	\Box
720		-89.5196637		+	DEEP		H		+	1				+		\dashv	+	+	+	\vdash	\sqcup	+	+	+	+	+	H		+	+	+	H				Н		Н			+	+	+	+
721 722	45.7702376 45.7702354		0	+	DEEP		H		+	+				\dashv		\dashv	\dagger	\dagger	+			+	\dagger	+	+	1	H		+	+	\dagger					H		H	1		+	+	+	+
723		-89.5180818	-		DEEP																																					1	1	T
724	45.770231	-89.5175545	0		DEEP		Ц		_							4	4	_	1			4	4	1		1			_	1	1								_[_	4	4	\perp
725		-89.5170272		-	DEEP		Н		+				H	\dashv		+	+	+		+		+	+		+	1	H		\dashv	+	+					\vdash		\vdash			\dashv	+	+	+
726 727		-89.5164999 -89.5159726			DEEP		H		+	+				\dashv		\dashv	\dagger	+	+			+	\dagger	+	+	1	H		7	+	t					H		H	1		7	+	+	+
728	45.770222	-89.5154453	0		DEEP																																					1	1	
729	45.7702198	-89.514918	0	-	DEEP		Ц		_							4	4	_	1			4	4	-	-	1	Щ		_	4	+								_		_	4	4	\perp
730	45.7702176		0	+	DEEP	H	H	-	+	+		H	H	\dashv	-	\dashv	+	+	+		H	+	+	+	+	+	H		\dashv	+	+	H		H	-	\vdash	H	\vdash	-		\dashv	+	+	+
731	45.7702153	-89.5138634	0		DEEP	L	ш					<u> </u>	ш				L			ш	1						ш						<u> </u>	<u> </u>	1	ш	<u> </u>	ш						

Point Number	90011100 	-89.5133361	у DEРТН	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Flaccharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis Nitella en	Nuphar variegata	Nymph aea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton foliosus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiriflus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata Valitsneria americana	Valistreria attrensana Freehwaler Sponge	Filamentous Algae
733	45.7702108	-89.5128089	14	Sand	Rope																		1																				I	Ι,	1	
734	45.7702086	-89.5122816	12	Sand	Rope				4			-	-										1	-		+					1		+	1		2						_	+	+	+	+
735 736	45.7702063 45.7702041	-89.5117543 -89.511227	9	Sand	Rope Pole				+				<u> </u>					1					1					1			+					1						+	+	+	+	\forall
737	45.7702018	-89.5106997	3	Sand	Pole									1		1						1																					I	I		
738	45.7707167	-89.5460257	7	Sand	Pole				1	1													1																				+	+	+	+
739 740	45.7707146 45.7707125	-89.5454984 -89.5449711	14		Rope				1			1												t		t							t			2							+	1	+	\dagger
741	45.7707104	-89.5444438	0			DEEP																																					I	I	I	
742 743	45.7707083 45.7707062	-89.5439165 -89.5433892	0			DEEP			\dashv			+	-											+		+							+									-	+	+	-	+
743	45.7707062	-89.5428619	0			DEEP																																								$^{\pm}$
745	45.7707019	-89.5423346	0			DEEP																		-		-							-										4	+	+	+
746	45.7706998	-89.5418073 -89.54128	0			DEEP																	+			+							+										+	+	+	+
748	45.7706956	-89.5407526	0			DEEP																																						I		
749	45.7706935	-89.5402253	0			DEEP			+			+	-	-						-			-	+		+							+									-	+	+	-	+
750 751	45.7706914 45.7706892	-89.539698 -89.5391707	0			DEEP																																					+	$^{+}$	+	\dagger
752	45.7706871	-89.5386434	0			DEEP																																					_	4	1	\blacksquare
753	45.770685	-89.5381161	0			DEEP			\dashv			+	-											+		+							+									-	+	+	-	+
754 756	45.7706828 45.7706807	-89.5375888 -89.5370615	0			DEEP																																						\pm	1	
756	45.7706786	-89.5365342	0			DEEP																																					_	_	_	\perp
757 758	45.7706764 45.7706743	-89.5360069 -89.5354796	0			DEEP			+				-																		+											+	+	+	+	\forall
759	45.7706721	-89.5349523	0			DEEP																																						I		
760	45.77067	-89.534425	0			DEEP			_			+	\vdash											+		+					_		+	-								_	+	+	+	+
761 762 763	45.7706678 45.7706657 45.7706635	-89.5338977 -89.5333704 -89.5328431	33	Sand	Pole	DEEP																																					#	+	#	#
764 765	45.7706375 45.7706353	-89.5265156 -89.5259882	10	Sand	Pole	DEEP						1																																		
766	45.7706331	-89.5254609	0			DEEP			+			+	-	-						-			-	+		+							+									-	+	+	-	+
767 768 769	45.7706309 45.7706287 45.7706265	-89.5249336 -89.5244063 -89.523879	0			DEEP DEEP DEEP																																					#	+	+	\pm
770 771	45.7706243 45.7706221	-89.5233517 -89.5228244	0			DEEP																																					1		1	
772	45.7706199	-89.5222971	0			DEEP																																					_	_	_	\perp
773 774	45.7706177 45.7706155	-89.5217698 -89.5212425	0			DEEP																	+			+							+										+	+	+	+
775	45.7706133	-89.5207152	0			DEEP																																					1	I		
776	45.7706111		0			DEEP			-			-											-	+		+							+										+	+	+	+
777		-89.5196605 -89.5191332				DEEP			1																																	1	+	\dagger	$^{+}$	\forall
779	45.7708044	-89.5186059	0			DEEP																																					_	4	1	\blacksquare
780 781		-89.5180786 -89.5175513				DEEP			+			+											+	+		+							+							H		-	+	+	+	+
782	45.7705978		0			DEEP																																					I	I	I	
783		-89.5164967				DEEP			_			+	\vdash											+		+					_		+	-								_	+	+	+	+
784 785		-89.5159694 -89.5154421				DEEP			1			t												t		t							t										+	$^{+}$	\dagger	\dagger
786	45.7705888	-89.5149148	0			DEEP																		ļ																		1	1	Į	Ţ	\blacksquare
787		-89.5143875				DEEP			+	+	-	-	-	-		-				+	+		+	+	+	-	-			-	-	+	-	-		-				\mathbb{H}		-	+	+	+	+
788 789		-89.5138602 -89.5133329				DEEP			1			t												t		t							t										+	$^{+}$	\dagger	\dagger
790	45.7705798	-89.5128056	13	Sand	Rope			3				1																								1								I	I	
791	45.7705776			Sand					+				\vdash									1	-			+					+	+	+	-							-	-	+	+	+	+
792 793		-89.511751 -89.5112237							1	1					1							1																				1	+	\dagger	†	\forall
794	45.7705708	-89.5106964	2							1 1					1							1																				1	_	ļ	ļ	
796		-89.5460227		_		TEMPORARY OBSTACLE			+				\vdash									-	-			+					+	+	+	-							-	-	+	+	+	+
796 797		-89.5454954 -89.5449681			Pole				1		t	t	t	L	L	L	L						1	t	t	T					1		T	L	L								\pm	#	Ï	\Box
798		-89.5444408	0			DEEP		\blacksquare	J			F	F	I		L	L			1	1	4	Ţ			F			Ц	I	I	\bot	F	L	L			Ц			4	4	Ţ	Ŧ	Ţ	\Box
799	45.7710773 45.7710752	-89.5439135 -89.5433862	0			DEEP		-	+	+		\vdash	H	\vdash	H	H				+	+		+	+	-	+	-	H		-	1	+	+	-	H	H				\dashv		+	+	+	+	+
800			0			DEEP			1		t	L	L											t	t						1			L								1	士	土	1	目
802		-89.5423315				DEEP		-	4	+	-		1	-						4	4		+	-		+	-			4	-	+	+	-								_	+	+	+	+
803 804		-89.5418042 -89.5412769				DEEP			\dashv	+	+		H							+	+	1	+	+	+	+	1			+	+	+	+	-		H				\exists	1	1	+	+	+	+
604	j¥5.7/10667	-09.5412769	U			DEEP								1	1		<u> </u>				!						1	ш						1												

Point Number	45.7710646	300-LIONO11 -89.5407496	о DEРТН	SEDIMENT	POLE_ROPE	SS WWW OO	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Iso etes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllum	Myriophyllum sibiricum	Nalas flexilis	Nitella sp.	Nuphar variegata	Nymph aea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton gramineus	Potamogeton illino ensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spiriflus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge
806	45.7710625	-89.5402223	0			DEEP																																						1	1	
807	45.7710604	-89.539695	0			DEEP																-	-								+												_	+	+	_
808	45.7710582 45.7710561	-89.5391677 -89.5386404	0			DEEP							-																														+	+	+	+
810	45.771054	-89.5381131	0			DEEP																																								
811	45.7710519	-89.5375858	0			DEEP														_	_	-							_			-											4	4	4	
812	45.7710497		0			DEEP																																					+	+	+	-
813 814	45.7710476 45.7710454	-89.5365312 -89.5360039	0			DEEP																																					+	T	T	+
815	45.7710433	-89.5354766	0			DEEP																																						I	Į	
816	45.7710412	-89.5349492	0			DEEP				-									_	_	-										-										_		+	+	+	-
817 818	45.771039 45.7710369	-89.5344219 -89.5338946	0			DEEP													-	+																							+	$^{+}$	+	+
819	45.7710347	-89.5333673	33			DEEP																																								
820	45.7710326	-89.53284	6	Sand	Pole				1										_	_	_	4										-		1									4	4	4	
821 822	45.7710065 45.7710043	-89.5265123 -89.525985	5	Sand	Pole	DEEP													-	+	-									1											-		+	+	+	-
823	45.7710021	-89.5254577	0			DEEP																																						1	1	
824	45.7709999	-89.5249304 -89.5244031	0			DEEP												4	_	_	+								+														+	+	+	-
825 826	45.7709977 45.7709955	-89.5244U31 -89.5238758	0			DEEP																																					T	T	T	\top
827	45.7709933	-89.5233485	0			DEEP																																					1	Į	_	
828 829	45.7709911 45.7709889	-89.5228212 -89.5222939	0			DEEP													+	+	+											+											-	+	+	-
830	45.7709867	-89.5217666	0			DEEP																																								
831	45.7709845	-89.5212393	0			DEEP																-	-								-												4	4	4	_
832 833	45.7709823 45.7709801	-89.520712 -89.5201847	0			DEEP													+	+	+											+												+	+	+
834	45.7709779	-89.5196574	0			DEEP																																						1	1	
835 836	45.7709757 45.7709735	-89.5191301 -89.5186028	0			DEEP													+	+	+	+	-									+											-	+	+	+
837	45.7709712	-89.5180755	0			DEEP																																						I	I	
838	45.770969	-89.5175482	0			DEEP							-						_	_	-																				-		4	4	4	
839 840	45.7709668 45.7709645	-89.5170209 -89.5164936	0			DEEP													-	-	-																				-		+	+	+	-
841	45.7709623	-89.5159662	0			DEEP																																						1	1	
842 843	45.7709601 45.7709678	-89.5154389 -89.5149116	0			DEEP																																					-	+	+	-
844	45.7709556	-89.5143843	0			DEEP																																						I	I	
845	45.7709534	-89.513857	0			DEEP														_	_											-											+	+	+	-
846 847	45.7709611	-89.5133297 -89.5128024	21		Rope	DEEP																																					+	T	T	+
848	45.7709466	-89.5122751	7	Sand	Pole										1															1														I	1	
849		-89.5117478	6		Pole					-									_	_	-										-										_		+	+	+	-
850 851		-89.5112205 -89.5106932							1												- 1	+	+								+												+	$^{+}$	+	+
852		-89.5454924							1			1										1								1				1		1									1	
853		-89.5449651			Rope														4	4	-	-							-		-	-											4	4	4	#
854 855		-89.5444378 -89.5439105	30		Rope	DEEP						1							-	+																					1		+	+	+	+
856			0			DEEP																																						I	I	
857	45.7714421	-89.5428558		_		DEEP				- -	Ļ	L						4	4	4	4	1	1			Ц		4	\downarrow		Ļ	Ļ										_	4	4	4	$oldsymbol{\perp}$
858		-89.5423285				DEEP		H	-	+	-	-			H			+	+	+	+	+	+			H		+	+	+	-	+								H	+		+	+	+	+
859 860		-89.5418012 -89.5412739				DEEP	L			_		İ	L	L						_	1		1	L	L	Ħ					1	T	L										_†	Ħ	Ħ	\exists
861			0			DEEP			1	1	I							1	Į	Ţ	Ţ							1	1			I									1		1	4	ļ	\blacksquare
862			0			DEEP		\vdash	-	+		+			Н		-	-	+	+	+	+	+			H		1	+		+	+		H					\vdash	H	_		+	+	+	+
863 864	45.7714294 45.7714273		0			DEEP																T									t												+	$^{+}$	\dagger	+
865		-89.5386373	0			DEEP		П	1	Ţ							7	1	1	1	Ţ	I					\exists		1	I	I	I]	I	4	1	
866			0			DEEP		\dashv	-	+	-				H		\dashv	4	+	+	+	+	+			H	-	-	+	+	+	+		H					-	Н	_		+	+	+	+
867 868		-89.5375827 -89.5370554				DEEP		\exists	1	+	$^{+}$	t			H	1	1	1	\dashv	+	+	\dagger	+			H		1	+	+	\dagger	+		H				H	H	H	1		\dashv	+	+	+
869		-89.5365281	0			DEEP																								I													I	I	⇉	
870		-89.5360008	0			DEEP			4	+	\bot				H		_	4	4	4	-	+	1					4	4	-	-	-								Н	4		\dashv	4	4	+
871		-89.5354735	0	\dashv		DEEP			-	+	+				H	1	\dashv	+	+	+	+	+	1					+	+	+	+	+						H		Н	_	+	+	+	+	+
872 873	45.7714102	-89.5349462 -89.5344189	0			DEEP	L				1	L	L	L	Ħ				╛	⇟		1	L	L	L				╛	╅	Ţ	İ	L										_	J	J	1
874		-89.5338916	0			DEEP				1	F					1]	1	1	1	Ţ						1	1	1	1										Ц	1		1	4	4	\Box
875		-89.5333642			Rope			\dashv	-	+	+	+			H	-	-	+	+	+	+	+	+				-	+	+	+	+	+			-				L	Н	-		+	+	+	+
876 877		-89.5328369 -89.5265092			Rope	TERRESTRIAL				+		+			H		1		1	+	\dagger	+	+					1	+		\dagger									\Box	+		+	+	+	+
			- 1					·						_		_								_	•								•													

							ire	emersum		laris	stris	sis	tionm			us	na	ckii	terniflorum	sterophyllum	nellum			_	ata	ata	sinus	phronus	losus	amineus	in oens is	tans	aelongus	sillus	hardsonii	ppinsii	drillus	ictifolius	seyi	sette)		acutus	Instifolium	inata	icana	1ge
Point Number	LATITUDE	LONGITUDE	DEPTH	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elodea canadensis	Eriocaulon aquaticum	Gratiola aurea	Isoetes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllum alterniflorum	Myriophyllum heterophyllun Myriophyllum elbiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp.	Nuphar variegata	Nymphaea odorata	Pontederia cordata	Potamogeton alpinus	Potamogeton ampiritorius	Potamogeton follosus	Potamogeton gramineus	Potamogeton illinoensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida	Schoen oplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge Filamentous Algae
878	45.7713733	-89.5259819	27		Rope											į																														
879	45.7713711	-89.5254546	0			DEEP																																						4	4	_
880 881	45.771369 45.7713668	-89.5249273 -89.5244	0			DEEP																																						\dashv	+	+
882	45.7713646	-89.5238727	0			DEEP																																								
883	45.7713624	-89.5233454	0			DEEP													_									_	_															_	_	\perp
884	45.7713602	-89.5228181	0			DEEP													+		+							+	+															+	+	+
885 886	45.771358 45.7713558	-89.5222906 -89.5217634	0			DEEP																																						7	+	+
887	45.7713535	-89.5212361	0			DEEP																																								
888	45.7713513	-89.5207088	0			DEEP													_									_	-															-	_	+
889 890	45.7713491 45.7713469	-89.5201815 -89.5196542	0			DEEP											H		+		+							+	\dagger															\dashv	+	-
891	45.7713447	-89.5191269	0			DEEP																																								
892	45.7713425	-89.5185996	0			DEEP																						_	_															4	4	_
893	45.7713402	-89.5180723	0			DEEP											H		_									+	+		-													\dashv	+	-
894 895	45.771338 45.7713358	-89.517545 -89.5170177	0			DEEP													1									Ť	t															+	+	_
896	45.7713336	-89.5164904	0			DEEP																																								
897	45.7713313	-89.5159631	0			DEEP													_									_	-															-	_	+
898 899	45.7713291 45.7713269	-89.5154357 -89.5149084	0			DEEP		Н	1						H			+	+		+			H			1	+	+		H							H		H			1	+	\dashv	+
900	45.7713269	-89.5149084 -89.5143811	0			DEEP																																						T	T	
901	45.7713224	-89.5138538	0			DEEP																																								
902	45.7713201	-89.5133265	0			DEEP																																						4	4	_
903	45.7713179 45.7713156	-89.5127992 -89.5122719	0	Sand	Pole	DEEP													-											1	1													+	+	+
906	45.7713134	-89.5117446	6	Sand	Pole				1	1					1						1																									
906	45.7713111	-89.5112173	5	Sand	Pole				1	1					1				4		1							-	-															4	4	4
907	45.7713089 45.7718216	-89.51069 -89.5454894	3	Sand	Pole				1	1									\dashv									+	+	1														+	+	-
908	45.7718195	-89.5449621	10	Muck	Pole				1			1										ľ						1		ľ						1								T	1	
910	45.7718174	-89.5444348	23		Rope																																									_
911	45.7718153	-89.5439074	0			DEEP													+									+	+															+	+	+
912 913	45.7718132 45.7718111	-89.5433801 -89.5428528	0			DEEP													1									Ť	t															+	+	_
914	45.771809	-89.5423255	0			DEEP																																								
915	45.7718069		0			DEEP													_									-			-													4	4	_
916 917	45.7718048 45.7718027	-89.5412709 -89.5407436	0			DEEP																																						\dashv	+	+
918	45.7718005	-89.5402162				DEEP																																							1	I
919	45.7717984	-89.5396889	0			DEEP																																						4	4	
920	45.7717963	-89.5391616	26		Rope														\dashv									+	+															+	+	-
921 922	45.7717942 45.771792	-89.5386343 -89.538107	11	Sand	Pole				1													1												1										T	T	
923	45.7717899				Rope																																									_
924		-89.5370524				DEEP																						_	_															-	_	_
925 926		-89.5365251 -89.5359977				DEEP																																						7	+	+
927		-89.5354704				DEEP																																							I	
928		-89.5349431				DEEP		Н		-	+				Н		\square	4	\dashv	+	+	+		Н			-	+	+							4		Н		H	-	4	-	4	4	+
929 930	45.771777	-89.5344158 -89.5338885				DEEP	H	Н		+	+	H			H		\forall	1	\dashv	+	+	+		H			+	+	+	-			H					H		H	\dashv		+	+	+	+
930		-89.5338886 -89.5333612				DEEP				1	L	L	L							1	1	L					1	1	I	L	L	L													╛	1
932		-89.5328339				DEEP			4		Ļ	Ļ	L					4	4		1	Ļ		H			4	4	#							_[_[4	4	#
933		-89.5323065			Rope			1		+	-	2					H	+	+	+	+	1		H			+	+	+	-	-					1							+	\dashv	+	+
934 935		-89.5259788 -89.5254515			Pole Rope			H		\dagger							H	1	\dagger	+	\dagger	1	H			H	1	\dagger	t											H	1		1	\forall	\dagger	+
936	45.771738	-89.5249242	0			DEEP														1							1																	1	コ	I
937 938 939	45.7717336 45.7717314	-89.5243969 -89.5238695 -89.5233422	0			DEEP DEEP DEEP	E	H		1	Ė	Ė	L	E	Ы				1	1	ŧ	Ė	E				1	ŧ	ŧ	Ŀ	Ė	E	E					Ы						╛	#	ŧ
940 941 942	45.771727	-89.5228149 -89.5222876 -89.5217603	0			DEEP DEEP DEEP	Ē	H	j		F	F	Ė	ΙĒ	Ħ		Ħ	_[1	=F	▋	F	F	Ħ		Ħ	Ħ	f	ŧ	F	Ė	F	Ē				Ē	Ħ	Ē	Ħ	_		=	1	Į	Ŧ
943 944 945	45.7717248 45.7717226 45.7717204 45.7717181	-89.5207057	0			DEEP DEEP DEEP				ŧ	F	F	E						4	Ŧ		F	F				1	ļ	Ŧ		F													╡	⇉	⇟
946 947	45.7717159 45.7717137	-89.519651 -89.5191237	0			DEEP DEEP	E			Ŧ	Ł	E	L	E			Ħ	1	1	Ŧ	ŧ	Ł	E				1	⇟	ŧ	F	E		E										4	4	⇉	ŧ
948 949 950	45.7717093 45.771707	-89.5185964 -89.5180691 -89.5175418	0			DEEP DEEP DEEP	E	H		⇟	Ė	E	L	E						1	Ė	Ė	E				1	⇟	Ė	Ŀ	L	E	E										_	\exists	#	ŧ
951 952 953	45.7717048 45.7717026	-89.5170145 -89.5164872 -89.5159599	0			DEEP DEEP DEEP	E	H	1	1	F	F	E	E	Ħ		Ħ	1	1	Ŧ	F	F	E	H		Ħ	1	Ŧ	Ŧ		E	E	E		Ħ	1	Ē	Ħ	Ē	Ħ	4	1	7	₹	#	Ŧ
954 955		90 5154996	0			DEEP DEEP				#	E	E	E					1	╡	1		E	E			Ħ	1	ŧ	ŧ	E	E	E											=	∄	⇉	ŧ
956 957 958	45 7716914	-89.5143779 -89.5138506 -89.5133233 -89.512796	0			DEEP DEEP DEEP	E			l	Ė	E	Ė	E					1	1	ŧ	Ė	E				1	ŧ	ŧ	Ė	E	E	E				E		E					=	#	#
959 960 961	45.7716846	-89.5122687 -89.5117414	30	Sand	Rope Pole			H		#	F	F	F		1			=	#	#	Ŧ	F	F	H			#	ŧ	ŧ	1	F	F				1		H		H	=	=	=	#	#	#
962 963 964	45.7716801 45.7716779	-89.5112141 -89.5106868 -89.5454864	6	Sand Rock	Pole Pole				1 1 1	1 1		E	E		1		Ħ	1	╡	Ŧ	Ŧ	1	E				1	Ŧ	Ŧ	F	E	E									1		1	╡	⇉	₣
985	45.7721885 45.7721864 45.7721843	.80 5440501	8	Sand	Pole		E			ť	E	E	E	E			Ħ		1	+	ŧ	E	F	Ħ		Ħ	#	ŧ	ŧ	F	E		1			2								4	#	ŧ
967	45.7721843	-89.5439044	0	<u> </u>		DEEP	ĻĪ	ωТ			1	LΞ	LΞ	ιΞ	Щ		ЦΊ	T		┸		ıΞ		ш		ШΤ		ΨĒ	ı	┸	LΞ	Ļ		ш	ш			Щ		Ц				\perp I	$\perp \Gamma$	ᆂ

Bee 45.777120 95.453771 0 DEEP 0 DEEP 0 DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP DEEP 0 DEEP	Protection and the property of the property of the protection and th
969 45.777182 98.543717 0 DEEP	
971 45.772739 89.547267 0 DEEP 973 45.772731 89.547267 0 DEEP 974 45.772731 89.547267 0 DEEP 975 45.772731 89.547267 0 DEEP 976 45.772747 89.558689 0 DEEP 977 45.77274 89.558689 0 DEEP 978 45.772740 89.558768 0 DEEP 979 45.77266 89.559768 12 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 13 Rock Pole 979 45.77266 89.559768 1 Rock Pole 979 45.77266 89.559768 1 Rock Pole 979 45.77266 89.559768 1 Rock Pole 979 45.77266 89.559768 1 Rock Pole 979 45.77266 89.559768 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.772768 89.559778 1 Rock Pole 979 45.77268 89.559778 1 Rock Pole 979 45.77268 89.559778 1 Rock Pole 979 45.77268 89.559778 1 Rock Pole 979 45.77268 89.559778 1 Rock Pole 979 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.559778 1 Rock Pole 970 45.77268 89.55977	
ROPE ROPE	
ROPE ROPE	
883 45.772461 85.53442F 0 DEEP	
883 45.772461 85.53442F 0 DEEP	
Bell	
888 45 772101 48 5507276 1 2 Sand Peb 890 45 772101 48 5507276 1 5 Ross Peb 991 45 772102 48 552392 2 8 Rose 992 45 772102 48 552392 2 8 Rose 993 45 772102 48 552392 2 8 Rose 993 45 772102 48 552392 2 8 Rose 994 45 772102 48 552392 2 8 Rose 995 45 772102 48 552392 1 8 Rose 996 45 772102 48 552392 1 8 Rose 997 45 772102 48 552392 1 8 Rose 998 45 772102 48 552392 1 8 Rose 998 45 772102 48 552392 1 8 Rose 998 45 77200 48 552392 1 8 Rose 998 45 77200 48 552392 1 8 Rose 998 45 77200 48 552392 1 8 Rose 998 45 77200 48 552392 1 8 Rose 998 45 77200 48 55230 1 8 Rose 998 45 77200 48 5520 1 8 Rose 998 45 7720	
980 45.772002 85.238964 0 DEEP 884 45.772002 85.238939 0 DEEP 885 45.772002 85.238939 0 DEEP 886 45.772002 85.232860 0 DEEP 987 45.772002 85.232860 0 DEEP 988 45.772001 85.512280 0 DEEP 989 45.772001 85.512280 0 DEEP 1001 45.772002 85.512280 0 DEEP 1002 45.772002 85.512200 0 DEEP 1003 45.772002 85.512200 0 DEEP 1003 45.772002 85.51200 0 DEEP 1004 45.772002 85.51200 0 DEEP 1005 45.772002 85.51200 0 DEEP 1006 45.772002 85.51200 0 DEEP 1007 45.772002 85.51200 0 DEEP 1008 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1009 45.772002 85.51200 0 DEEP 1010 45.772002 85.51200 0 DEEP 1010 45.772002 85.51200 0 DEEP 1010 45.772002 85.51200 0 DEEP 1010 45.772002 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 45.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP 1010 85.772000 85.51200 0 DEEP	
984 45.772004 69.523391 0 DEEP 986 45.772004 69.523281 0 DEEP 987 45.772004 69.522381 0 DEEP 988 45.772004 69.522381 0 DEEP 988 45.772004 69.522082 0 DEEP 989 45.772004 69.522082 0 DEEP 980 45.772004 69.522082 0 DEEP 1001 45.772004 69.52072 0 DEEP 1002 45.772004 69.52072 0 DEEP 1003 45.772004 69.519620 0 DEEP 1004 45.772072 69.519620 0 DEEP 1006 45.772073 69.519620 0 DEEP 1007 45.772074 69.51962 0 DEEP 1008 45.772074 69.51962 0 DEEP 1008 45.772074 69.51962 0 DEEP 1008 45.772074 69.51962 0 DEEP 1009 45.772074 69.51962 0 DEEP 1009 45.772074 69.51962 0 DEEP 1010 45.772074 69.51962 0 DEEP 1010 45.772074 69.51962 0 DEEP 1010 45.772074 69.51962 0 DEEP 1010 45.772074 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP 1010 45.772064 69.51962 0 DEEP	
987 45.720338 95.517271 0 DEEP	
1000 45.7726972 46.5501752 0 DEEP	
1006 45.772078-0 89.5190580 0 DEEP	
1006 45.720738-95.570131 0 DEEP 1007 45.720738-95.570131 0 DEEP 1008 45.720738-95.570130 0 DEEP 1009 45.720671-95.57068-9 0 DEEP 1010 45.7720691-95.57068-9 0 DEEP 1011 45.7720691-95.57068-9 0 DEEP 1011 45.7720691-95.57068-9 0 DEEP 1012 45.7720691-95.57068-9 0 DEEP 1013 45.7720691-95.57068-9 0 DEEP 1014 45.7720691-95.57068-9 0 DEEP 1016 45.7720691-95.57068-9 0 DEEP 1017 45.7720691-95.57068-9 0 DEEP 1018 45.7720691-95.57068-9 0 DEEP 1019 45.7720691-95.57068-9 0 DEEP 1019 45.7720691-95.57068-9 0 DEEP 1019 45.7720691-95.57068-9 0 SEP	
1009 45.7/20071-89/51542694 0 DEEP 1010 45.7/20071-89/5154269 0 DEEP 1010 45.7/20061-89/5154269 0 DEEP 10112 45.7/20061-89/5154260 0 DEEP 1012 45.7/20061-89/5154260 0 DEEP 1013 45.7/20061-89/5157260 0 DEEP 1014 45.7/20061-89/5157260 0 DEEP 1016 45.7/20061-89/5157260 0 DEEP 1016 45.7/20061-89/5157260 0 September 10 DEEP 1017 45.7/20061-89/5157260 0 September 10 DEEP 1018 45.7/20061-89/5106260 2 September 10 DEEP 1018 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP 1019 45.7/20061-89/5106260 2 September 10 DEEP	
1011 45.726026-95.543747 0 DEEP 1012 45.7726026-95.543747 0 DEEP 1013 45.7726026-95.543747 0 DEEP 1014 45.7726026-95.543747 0 DEEP 1015 45.7726026-95.543267 0 DEEP 1016 45.772601-96.543748 13 Sand Pole 1016 45.772601-96.55172602 5 DEEP 1017 45.772601-96.55172602 5 DEEP 1018 45.772601-96.55172602 5 DEEP 1019 45.772601-96.5516025 2 Sand Pole 1019 45.772601-96.5516025 2 Sand Pole 1019 45.772601-96.5516025 1 DEEP 1019 45.772601-96.5516025 1 DEEP 1019 45.772601-96.5516025 1 DEEP	
1015 45.7726327 49.512655 0 DEEP 1016 45.7726327 49.5171261 1 Sand Pole 1017 45.7726042 49.5171261 8 Sand Pole 1018 45.7726042 49.5171261 2 Sand Pole 1019 45.7725627 49.546461 2 Sand Pole 1019 45.7725627 49.54661 1 Sand Pole 1020 45.7725627 49.54661 1 Sand Pole 1021 45.7725627 49.54661 1 Sand Pole 1021 45.7725627 49.54661 1 Sand Pole 1021 45.7725628 49.546381 27 Rope	
1018 45.7720609 69.5108265 2 Sand Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
1021 45.7725555 89.5434288 27 Rope 1022 45.7725554 85.439014 0 DEEP	
1022 40.7720304 93.0439014 0 DEEP	1
1023 45.772511 95.5433741 0 DEEP 1024 45.772541 95.243861 0 DEEP 1025 45.772541 95.823861 0 DEEP 1025 45.772547 95.9423151 0 DEEP 1025 45.772547 95.9423151 0 DEEP	
1026 45.7725449 99.5417921 0 DEEP 1027 45.7725449 99.5417921 0 DEEP 1027 45.7725429 99.5412648 0 DEEP	
1028 45.772580 49.5502737 0 DEEP 1029 45.772588 49.5502102 0 DEEP 1030 45.772588 49.559629 0 DEEP	
1031 45.77253431-98.53915555 5 Rock Pole	
1033 45.7726327 95.5595199 0 DEEP	
1037 45.7725151 98.5344097 0 DEEP 1038 45.77251751 98.5344097 0 DEEP 1038 45.77251751 98.5334023 0 DEEP 1039 45.77251081 98.5333651 0 DEEP 1039 45.77251081 98.5333651 0 DEEP 1	
1000 45.772008 49.572077 23 Rope	
1043 45.7729221 89.5291287 14 Sand Pole 1 1 1 1 1 1 1 1 1 1	
1046 45.7724891 -99.5280818 20 Rope 1047 45.7724899 -99.5275545 21 Rope	
1048 45.7724841-85.270272 17 Rope 1049 45.7724821-85.254299 14 Rope 1050 45.7724041-85.259725 2 Rope	
1051 45.772478 69.552452 0 DEEP 1052 45.772478 69.5249179 0 DEEP 1053 45.772478 69.5249179 0 DEEP	
1054 45.77247E 85.238353 0 DEEP 1055 45.77240E 85.238359 0 DEEP 1056 45.772407E 85.238359 0 DEEP	
1057 45.772462 89.5222613 0 DEEP	
1060 45.7724584-89.5206939 0 DEEP	
1092 45772454 95.519647 0 DEEP	
1066 45.7724451 89.5175354 0 DEEP 1067 45.7724429 89.5170351 0 DEEP 1068 45.7724409 89.514080 0 DEEP 1078 45.7724409 89.514080 0 DEEP 1078 45.77440 89.514080 0 DEEP 1078 45.77440 0 DEEP 1078	
1009 45.772684 -85.515685 0 DEEP	
1072 45.7724317 -89.5143715 0 DEEP DEEP DEEP	
1074 45.7724272 69.5123169 0 DEEP 1075 45.7724291 69.5127898 0 DEEP 1076 45.7724291 69.5127898 0 DEEP 1076 45.7724297 69.5122623 0 DEEP	
1077 45.7724014-85.517349 25 Rope 1 1 1078 45.7724019-85.5112076 14 3 Rope 3 1 1 1079 45.7724199-85.5108031 5 Sand Pole 9	
1080 45.7724137 88.510153 1 Sand Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
1083 45.7728245 99.5448277 0 DEEP 1084 45.7728245 99.5438984 0 DEEP 1085 45.7728203 99.5438984 0 DEEP 1085 45.7728203 99.5438711 0 DEEP 1	
1086 45.7729182 -99.5429438 0 DEEP DEEP DEEP DEEP DEEP DEEP DEEP DE	
1089 45.772593 95.547051 0 DEEP	
1091 45.7729/10;495.942072 0 DEEP 1092 45.772903;495.942072 0 DEEP 1092 45.772903;495.951920 0 DEEP 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 1
1095 45.7728927 -89.5365159 0 DEEP 1096 45.7728905 -89.5358886 0 DEEP	
1097 45.7728884 86.9534912 0 DEEP 1098 45.7728802 89.534939 0 DEEP 1099 45.7728041 49.534408 0 DEEP	
1100 45.7728919 (8-95.328789) 0 DEEP 1101 45.7728979 (8-95.328246) 7 Sand Pole 1 1	
1103 45.772875,8-5.522873 24 Rope 1104 45.772873 49.53177 25 Rope 1105 45.7728712 49.5312428 16 Rope	
1108 45.772892 8-55071531 13 Roce 1107 45.7728947 8-55076907 33 Rock Pole 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
1109 45.7728031 49.528036 22 Rope	
1112 45.772801 98.024030 22	
1115 45.7728472 -89.5254421 0 DEEP 1116 45.772845 -89.5249148 0 DEEP	
1117 45.7728026 95.5243874 0 DEEP 1118 45.7728026 95.2538001 0 DEEP 1119 45.7728084 95.253328 0 DEEP 1119 45.7728384 95.233328 0 DEEP	
1120 45.7728052 49.5222055 0 DEEP	

oint Number	ATITUDE	оматире	SECIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp. Elatine minima	Eleocharis acicularis	Eleocharis palustris	Elo dea canadensis	Eriocaulon aquaticum	Scelles so.	uncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myrio phyllum alterniflorum	Myrio phyllum heter ophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Nitella sp.	Nuphar variegata	Nymphaea od orata	Ontederia cordata	Potamogeton alpinus	otamogeton amplifolius	Potamogeton epihydrus	Potamogeton follosus	Potamogeton illinoensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton strictifolius	Potamogeton vaseyi Sagitaria sp. (rosette)	Sagittaria rigida	Scho enoplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana	Freshwater Sponge Filamentous Algae
1124 1125	45.7728274		SEDIME	Pol	DEEP DEEP	Bras	Cera	Elafi	Eleo	Eleo	Elod	Erio	1908	Junc	Lobe	Mega	Myrie	Myrie	Myri	Myrik	Nitel	Nup	Nym	Pont	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Pota	Sagi	Sagi	Scho	Spar	Ourlo	Vali	Filan
1126 1127 1128 1129	45.7728208 45.7728185	-89.5191142 -89.5185869	0		DEEP DEEP DEEP DEFP			ŧ																																	#	#	\equiv
1131 1132	45.7728096	-89.5170049	0		DEEP DEEP DEEP DEEP																																					⇟	\equiv
1134 1135 1136	45.7728052 45.7728029 45.7728007	-89.515423 -89.5148956 -89.5143683	0		DEEP DEEP DEEP DEEP								ŧ																F			Ħ				Ŧ					Ŧ	#	#
1137 1138	45.7727984 45.7727962 45.7727939	-89.513841 -89.5133137 -89.5127864	0 0		DEEP DEEP DEEP DEEP								Ė	Ė	L												#		Ė												#	#	\equiv
1141 1142	45.7727894 45.7727872	-89.5117317 -89.5112044 -89.5106771	25 19	Rope Rope d Pole				2	1				1							1								1	F					1							#	#	目
1144 1145 1146 1147	45.7727827 45.7732977 45.7732956	-89.5101498 -89.5454774 -89.5449501 -89.5444227	8 San 28	d Pole d Pole Rope	DEEP			1													1																				1	#	
1148 1149 1150	45.7732914 45.7732893 45.7732872	-89.5438954 -89.5433681 -89.5428408	0		DEEP DEEP DEEP DEEP									Ė															Ė												1	$\frac{1}{2}$	
1151 1152 1153	45.773283 45.7732808	-89.5423134 -89.5417861 -89.5412588 -89.5407314	0		DEEP DEEP						=				F					ŧ							+	ŧ	F							ŧ					=	#	\equiv
1156 1157	45.7732766 45.7732745 45.7732723	-89.5402041 -89.5396768 -89.5391495	0	Rope	DEEP DEEP DEEP																																				1	1	\equiv
	45.7732638	-89.5386221 -89.5370402 -89.5365128 -89.5359855	3 San	k Pole d Pole Rope	DEEP				1												1		1						Ė												#	#	\equiv
1162 1163 1164	45.7732574 45.7732553 45.7732531	-89.5354582 -89.5349308 -89.5344035	0		DEEP DEEP DEEP																																						\equiv
1167	45.7732488 45.7732467 45.7732445	-89.5338762 -89.5333489 -89.5328215 -89.5322942	2 Roc	Rope k Pole d Pole	DEEP			1	1		2	1	ŧ	1	1					1						1			F			Ħ				Ŧ					Ŧ	#	#
1170	45.7732402	-89.5312396 -89.5307122	25 27 29	Rope Rope Rope																																					1	#	
1173 1174 1175	45.7732337 45.7732315 45.7732293	-89.5296576 -89.5291302 -89.5286029	18 16	Rope Rope Rope																																					▋	1	픨
1176 1177 1178 1179	45.7732271 45.773225 45.7732228 45.7732206	-89.5275483 -89.5270209	0 0 0	Rope	DEEP DEEP DEEP																								ļ	F											=	#	\equiv
1180 1181 1182	45.7732184 45.7732162 45.773214	-89.5259663 -89.525439 -89.5249116	0		DEEP DEEP DEEP DEEP																																						\equiv
1183 1184 1185 1186	45.7732118 45.7732096 45.7732074 45.7732052	-89.5243843 -89.523857 -89.5233297 -89.5228023	0		DEEP DEEP DEEP			F																			#		Ė	Ė											#	#	\equiv
1187 1188 1189	45.773203 45.7732008 45.7731986	-89.522275 -89.5217477 -89.5212204	0		DEEP DEEP DEEP DEEP																																						\equiv
1192	45 7731942	-89.5201657 -89.5196384	0 0		DEEP DEEP								ŧ																F			Ħ				Ŧ					Ŧ	#	#
1194 1195 1196	45.7731875 45.7731853 45.7731831	-89.5185837 -89.5180564 -89.5175291	0		DEEP DEEP DEEP																																					⇟	\equiv
1199 1200	45.7731764 45.7731742	-89.5154198	0		DEEP DEEP DEEP DEEP DEEP																																					#	\equiv
1201 1202 1203 1204	45.7731697 45.7731675	-89.5143651 -89.5138378	0		DEEP DEEP DEEP						=				F					ŧ							+	ŧ								ŧ					=	#	\equiv
1205 1206 1207	45.773163 45.7731607 45.7731585	-89.5127831 -89.5122558 -89.5117285	0 0		DEEP DEEP DEEP																																				▋	1	픨
1208 1209 1210 1211	45.7731539 45.7731517	-89.5112012 -89.5106738 -89.5101465 -89.5470564	3 Roc	Rope Rope k Pole d Pole			1	1							F		E		=				E				+	ŧ	Ė	F	E			=	1	ŧ		E			2	#	1
1212 1213 1214	45.7736709 45.7736688 45.7736667	-89.5465291 -89.5460017 -89.5454744	2 San	d Pole								1		1						1	1																				Ī	Ŧ	\equiv
1217 1218	45.7736604 45.7736583	-89.5444197 -89.5438924 -89.5433651	0		DEEP DEEP DEEP DEEP																								Ė												Ħ	ŧ	픨
1219 1220 1221	45.7736541 45.773652	-89.5428377 -89.5423104 -89.5417831	0		DEEP DEEP DEEP																																					Ī	
1223 1224 1225	45.7736477 45.7736456 45.7736435	-89.5412557 -89.5407284 -89.5402011 -89.5396738	0		DEEP DEEP DEEP																																					$\frac{1}{4}$	\equiv
1227 1228	45.7736392 45.7736328	-89.5391464 -89.5386191 -89.5370371 -89.5365098	18 4 San	Rope d Pole Rope			1	ŧ			1																									ŧ					#	#	#
1230 1231 1232	45.7736286 45.7736264 45.7736243	-89.5359824 -89.5354551 -89.5349278	0 30 16	Rope	DEEP																																						\equiv
1234	45.77362 45.7736113	-89.5344004 -89.5338731 -89.5317638 -89.5312365	2 Roc	Rope k Pole d Pole Rope							1		ŧ																F			1		1		Ŧ					Ŧ	#	#
1237 1238 1239	45.773607 45.7736049 45.7736027	-89.5307091 -89.5301818 -89.5296545 -89.5291271	14 19 19	Rope Rope Rope																	1							1						1								#	\equiv
1241 1242	45.7735983 45.7735962	-89.5285998 -89.5280725 -89.5275451	28 29	Rope																									F												#	⇟	目
1245 1246	45.7735896 45.7735874	-89.5270178 -89.5264905 -89.5259632 -89.5254358	0		DEEP DEEP DEEP DEEP																								Ė												#	#	\equiv
1248 1249 1250	45.773583 45.7735809 45.7735787	-89.5249085 -89.5243812 -89.5238538	0		DEEP DEEP DEEP																																					#	\equiv
1252 1253	45.7735743 45.7735721	-89.5233265 -89.5227992 -89.5222719 -89.5217445	0		DEEP DEEP DEEP DEEP										F					ŧ							+	ŧ	F							ŧ					=	#	\equiv
1255 1256 1257	45.7735676 45.7735654 45.7735632	-89.5212172 -89.5206899 -89.5201625	0		DEEP DEEP DEEP								ŧ	Ė															Ė	L											⇟	⇟	\blacksquare
1259 1260	45.7735588 45.7735566	-89.5196352 -89.5191079 -89.5185805 -89.5180532	0		DEEP DEEP DEEP DEEP	=		Ŧ			=	#	ŧ	ŧ	Ė	F	Ė	Ħ	#	#	ŧ	F	Ė			ļ	ŧ	Ŧ	ŧ	ŧ	Ė		1	#	#	#	Ŧ	Ė			#	#	丰
1262 1263 1264	45.7735521 45.7735499 45.7735477	-89.5175259 -89.5169986 -89.5164712	0		DEEP DEEP DEEP			ŧ					ŧ	İ	E	F					Ī	F					ļ	l	ŧ				=		ļ	ŧ					▋	⇟	\blacksquare
1265 1266 1267	45.7735454 45.7735432 45.7735409	-89.5159439 -89.5154166 -89.5148892 -89.5143619	0	+	DEEP DEEP DEEP DEEP			+				#	ŧ	ŧ	F	F		Ħ	1	‡	l	F	F			ŧ	#	‡	ŧ	F	F		1	1	1	#	ŧ				#	#	\sharp
1269 1270 1271	45.7735365 45.7735342 45.773532	-89.5138346 -89.5133073 -89.5127799	0		DEEP DEEP DEEP			ŧ	Ħ			Ŧ	ļ	Ė															Ė	F						ļ					Ŧ	Ŧ	\blacksquare
1273 1274 1275	45.7735275 45.7735252 45.773523	-89.5122526 -89.5117253 -89.5111979 -89.5106706	0 0 15	Pole				1				#	ļ	ŧ	Ė	Ė	Ė	Ħ	#		1	Ė	Ė					ŧ	ŧ	Ė	Ė	1		#			ŧ	E			#	#	\sharp
1276 1277 1278	45.7735207 45.7740441 45.774042	-89.5101433 -89.5475807 -89.5470534 -89.5465261	3 San 10 San 21	d Pole Rope	2		1	1	1		2	1	1	I	E				1	1	1 1					Ī	Ī	Ŧ	l	I				1	1	Ī	Ŧ				1	⇟	\blacksquare

							reberi	Ceratophyllum demersum	au	icularis	nustris	lensis	quaricum		sarbns	nanna	Megalodonta beckiii	Myrio phyllum heter ophyllum	sibiricum	n tenellum		gata	Iorata	ordata	Potamogeton amplifolius	epihydrus	loliosus	gramineus	natan s	praelongus	pusillus	Potamogeton robbinsii	spirillus	strictifolius	vaseyi	(ro sette)	tus acutus	Sparganium angustifolium	supinata	nericana	Algae
Point Number	LATITUDE	LONGITUDE	рертн	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllu	Chara spp. Elatine minima	Eleocharis acicularis	Eleocharis palustris	Elo dea canadensis	Errocaulon aqu Gratiola aurea	Isoetes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myriophyllun	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis Nitella sp.	Nuphar variegata	Nymphaea odorata	Pontederia cordata	Potamogeton	Potamogeton epihydrus	Potamogeton follosus	Potamogeton gramineus Potamogeton illinoensis	Potamogeton natans	Potamogeton praelongus	Potamogeton pusillus	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton strictifolius	Potamogeton vaseyi	Sagitaria sp. (ro sette)	Schoenoplectus acutus	Sparganium	Utricularia resupinata	Vallisneria americana Freshwater Sponge	Filamentous Algae
1282	45.7740357 45.7740336	-89.5459987 -89.5454714 -89.5449441	4 30		Rope	DEEP							Ė					E														Ė					Ė			⇟	
1284	45.7740294	-89.5444167 -89.5438894 -89.5433621	4 0			DEEP DEEP DEEP					=															H	=				+	+	+							#	\equiv
1285 1286 1287 1288	45.7740273 45.7740252 45.7740231	-89.5428347 -89.5423074 -89.5417801	7 0			DEEP DEEP DEEP																																		▋	囯
1289 1290	45.7740189 45.7740168	-89.5412527 -89.5407254	7 0			DEEP DEEP DEEP																				H														#	Ħ
1291 1292 1203	45.7740146 45.7740125 45.7740104	-89.5401981 -89.5396707	1 0 7 0			DEEP					=																=				=	ŧ								7	\equiv
1293 1294 1295	45.7740083 45.7740061	-89.538616 -89.5380887	7 27		Rope	DEEP DEEP																																		⇟	\equiv
1296 1297 1298	45.774004 45.7740019 45.7739997	-89.5375614 -89.537034 -89.536506	4 13 24 7 18	Sand	Rope Rope								ŧ											+	+		=				+	ŧ				+		H	=	#	Ħ
1299	45.7739976 45.7739954	-89.5359794 -89.535452	1 12	Rock	Rope Pole																1											1								⇟	Ħ
1302	45.7739933 45.7739804 45.7739782 45.7739717	-89.5349247 -89.5317607 -89.5312334	7 0		Pole	TERRESTRIAL							1							1						H														#	Ħ
1304 1305 1306	45.7739717 45.7739695 45.7739674	-89.5296514 -89.529124 -89.5285963	4 0 24 7 26		Rope Rope	TEMPORARY OBSTACLE					=														+		=					ŧ					ŧ		=	#	뻳
		-89.5280694 -89.527542 -89.5270147				DEEP																																		⇟	Ħ
1309 1310 1311	45.7739586 45.7739584 45.7739543 45.7739521	-89.5264874 -89.52596	4 0			DEEP DEEP DEEP																																		≢	囯
1312 1313 1314	45.7739543 45.7739521 45.7739499	-89.5254321 -89.5249054 -89.524378	7 0 4 0			DEEP DEEP DEEP					=														+		=					ŧ					ŧ		=	#	뻳
1315 1316	45.7739455	-89.5238507 -89.5233234	4 0			DEEP																																		1	\equiv
1317 1318 1319 1320	45.7739411 45.7739389 45.7739367 45.7739344	-89.522796 -89.5222687 -89.5217414	7 0			DEEP DEEP DEEP																																		≢	囯
1320 1321 1322	45.7739367 45.7739344 45.7739329	-89.521214 -89.5206867 -89.520150	0 7 0 4 0					={			=	-#	Ħ			H					Ŧ			#		H	#				#	Ŧ	F			#	ŧ		4	#	Ħ
1323 1324	45.7739322 45.77393 45.7739278	-89.519632 -89.5191047	0 7 0			DEEP DEEP DEEP					4	1	ŧ	E			#	E			1						#	ŧ				Ŧ	ŧ			#	ŧ		1	#	Ħ
1327	45.7739256 45.7739234 45.7739211	-89.5175227	7 0			DEEP DEEP DEEP							ŧ	Ė	E	Ħ	t	Ė	E		£		Ħ		t		1	t	E	Ħ	1	ŧ	ŧ	E		1	ŧ			ŧ	Ħ
1328 1329 1330	45.7739189 45.7739167	-89.5169954 -89.516468 -89.5159407	4 0		Rope	DEEP	Ħ	Ŧ	Ŧ	Ħ	1	Ŧ	Ŧ	F	E	H	Ŧ	Ē	F	Ħ	Ŧ	Ħ	Ħ	F	+	H	Ŧ	F	F	Ħ	F	Ŧ	╞	F	Ħ	Ŧ	Ŧ	H	1	Ŧ	Ħ
1331	45.7739122 45.77391	-89.5154134 -89.514886	4 0			DEEP DEEP DEEP																										Ŧ								₮	\equiv
1334	45.7739055 45.7739032	-89.5143587 -89.5138314 -89.5133041	1 0			DEEP DEEP																																		⇟	\equiv
1336 1337 1338	45.773901 45.7738987	-89.5127767 -89.5122494 -89.5117221	7 0			DEEP DEEP DEEP																				H											+			#	Ħ
1339	45.7738942 45.773892	-89.5111947 -89.5106674	7 31 4 20		Rope Rope	ULLI																																		⇟	\equiv
1341 1342 1343	45.7744131	-89.5101401 -89.5475778 -89.5470504	8 6	Sand	Pole Pole Rope								ŧ	+									=							=		ŧ					+		2	#	Ħ
1344 1345 1346	45.7744089 45.7744068 45.7744047	-89.5465231 -89.5459957	1 24 7 28		Rope Pole	DEEP																																		1	〓
1347	45.7744026 45.7744005 45.7743984	-89 5449411	1 0			DEEP DEEP																																		⇟	\equiv
1350		-80 5433501	1 0			DEEP DEEP DEEP							H																			ŧ					ŧ		#	#	Ħ
1352 1353 1354	45.7743921 45.77439 45.7743879	-89.5423044 -89.541777	0 7 0			DEEP DEEP DEEP																																		1	〓
1355 1356	45.7743858 45.7743836	-89.5407224 -89.540195	0			DEEP																																		⇟	\equiv
1358 1359	45.7743794 45.7743773	-89.539667 -89.5391403 -89.538613	3 0			DEEP DEEP DEEP																																		Ė	\equiv
1360	45.7743751 45.774373 45.7743709	-89.5380857	7 30		Rope Rope Pole						=	1													+		=					ŧ					ŧ		=	#	뻳
1363	45.7743687	-89.536503 -89.535976 -89.529648	7 12	Muck	Pole			1				1							1						1						1	1								1	\equiv
1366 1367	45.7743385 45.7743364	-89.5291209 -89.5285936	9 24 8 0	Rock	Rope	DEEP																																		⇟	\pm
1368	45.7743342 45.774332 45.7743208	-89.5280663 -89.5275389	9 0			DEEP					=														+		=					ŧ					ŧ		=	#	뻳
1372	45 7743255	-89.5270116 -89.5264842 -89.5259569	0			DEEP DEEP DEEP DEEP																																		Ŧ	目
1375	45.7743233 45.7743211 45.7743189	-89.5243749	9 0			DEEP DEEP																																		⇟	\equiv
1377	45.7743167 45.7743145 45.7743123	-89.5233202	2 0			DEEP DEEP DEEP							ŧ											+	+		=				+	ŧ				+		H	=	#	Ħ
1379 1380	45.7743101	-89.5222656 -89.5217382	0 2			DEEP DEEP DEEP	H	=			4	1	ŧ	F		H	ŧ	F				H	Ħ	Ŧ	H	H	1	ŧ	F	Ħ	ŧ	ŧ	F	F	Ħ	1	ŧ	H	4	#	Ħ
1382 1383	45.7743035 45.7743012	-89.5206836 -89.5201562	5 0			DEEP DEEP																																		⇟	\equiv
1385	45.774299 45.7742968 45.7742946	-89.5191015	5 0			DEEP DEEP DEEP	L					_	⇟	Ŀ	Ė	H		l	Ŀ			L			1	Ħ	=	_	Ŀ			⇟	Ė	Ŀ		_	₽	H	_	#	Ħ
1387 1388	45.7742924 45.7742901	-89.5180469	9 0			DEEP DEEP DEEP					4		Ŧ											1			4	1			1	Ŧ	1			1	Ŧ		1	#	目
1390 1391	45.7742857 45.7742835	-89.5164649 -89.5159375	9 0		Rope	DEEP	Ħ	=			4	1	ŧ	E		Ħ	ŧ	E	E		1	H		Ŧ	F	H	1	ŧ	E		ŧ	ŧ	F	E		1	ŧ	Н	4	#	\equiv
1393	45.7742812 45.774279 45.7742767	-89.5154102 -89.5148828 -89.5143558	8 41		Rope Rope	DEEP		=			=														+		=					ŧ	+				F		=	#	Ħ
1395	45.7742745 45.7742723	-89.5138282 -89.5133006 -89.5127738	2 0			DEEP DEEP DEEP																																		▋	囯
1398 1399	45.7742678 45.7742655	-89.5122462 -89.5117188	2 0			DEEP DEEP																																		Ŧ	Ħ
1401 1402	45.7742587	-89.5106642 -89.5101368	2 17	Sand	Rope Rope Pole		L	3				1	⇟	Ŀ	Ė	H		l	Ŀ			L			1	Ħ	=	_	Ŀ			1	1	Ŀ		_	₽	H	1	#	Ħ
1403	45.7747821 45.77478	-89.5475748 -89.5470474 -89.5465201	8 10 4 25	Sand	Rope Rope		Ħ	1	-	Ħ	1	1	Ŧ	£	E	H	Ŧ	£	F	Ħ		Ħ	Ħ	#	F	Ħ	₹	F	E	Ħ	#	Ŧ	F	E	Ħ	1	F		7	Ŧ	冄
1406 1407	45.7747759 45.7747738	-89.5459928 -89.5454654	3 28 4 29		Rope Rope						4	1	ŧ	E			ŧ	E			1						#	ŧ				Ŧ	ŧ			#	ŧ		1	#	Ħ
1409 1410	45.7747675	-89.5444107 -89.5438834	7 0 4 0		Rope	DEEP DEEP	H		1	Ħ	=	_	#	ŧ	Ė	H	#	ŧ	Ė	H	1	H		-	Ł		#	l	Ŀ			Ŧ	ŧ	Ŀ	Ħ	#	ŧ	Ы	#	#	Ħ
1411 1412	45.7747654	-89.543356 -89.5428287	7 0			DEEP DEEP DEEP	Ħ	╡		Ħ	╛	Ŧ	F	F		H	Ŧ	F	E	H		Ħ	Ħ	Ŧ	F	Ħ	Ŧ	£	E	Ħ	Ŧ	F	F	E	H	Ŧ	F	H	Ŧ	Ŧ	Ħ
1414 1415	45.774759 45.7747569	-89.541774 -89.5412467	28 7 25		Rope			=			=	1	ŧ	E		Ħ	ŧ	E			₽		Ħ	ŧ	F	H	╡	ŧ	E	Ħ	ŧ	ŧ	ŧ	E		1	ŧ		=	⇟	\equiv
1417 1418	45.7747527 45.7747505	-89.5396646	0 0		Rope	DEEP DEEP	H		t		=		ŧ	Ė	Ė	Ħ	Ŧ	ŧ	Ė		1	H		⇟	Ė		▋	ŧ	E		⇟	ŧ	Ė	E		1	ŧ		Ⅎ	#	Ħ
1419 1420	45.7747484 45.7747463	-89.5391373	3 0		Rope	DEEP TEMPORARY OBSTACLE	H	1	-	Ħ	1	1	Ŧ	£	E	H	Ŧ	£	F	Ħ		Ħ	Ħ	#	F	Ħ	₹	F	E	Ħ	#	Ŧ	F	E	Ħ	1	F		7	Ŧ	冄
1422	45.774742	-89.5375553 -89.5370279	3 14	Rock	Rope Pole	ORGER OBSTACLE		=			=	1	ŧ	E		Ħ	ŧ	E	1					ŧ	F		╡	ŧ	E		1	1		E		1	ŧ		=	≢	\equiv
1425 1426	45.7747076	-89.5296452 -89.5291178	2 1	Sand			Ħ				=		1	1	1	H		Ė	L	Ħ		Ħ			1	Ħ	#	⇟	F		#	2		F	Ħ	=	#		=†	1	Ħ
1427 1428	45.7747054	-89.5285906 -89.5280631	5 0			DEEP DEEP DEEP		1			4	1	Ŧ	E	F	H	Ŧ	£		Ħ	I		H	1			1	I		H	1	Ŧ	F		Ħ	1	F		1	Ŧ	丯
1430 1431	45.7746988 45.7746967	-89.5270085 -89.5264811	5 0			DEEP DEEP	H	=			4	1	ŧ	E		Ħ	ŧ	E	E		ŧ	H		Ŧ	F	H	1	ŧ	E		ŧ	ŧ	F	E		1	ŧ	Н	4	#	\equiv
1433 1434	45.7746923 45.7746901	-89.5248991	4 0 1 0			DEEP DEEP DEEP	H		=	Ħ	=		ŧ	Ŀ	Ė	H	1	ŧ	Ė	Ħ	=	H			Ł	H	#	ŧ	Ŀ		=	ŧ	ŧ	Ŀ	Ħ	4	ŧ		#	#	Ħ
1435	45.7746879	-89.5243718	0			DEEP		\Box	\Box		コ						_	T		ш				\exists			I	T			1	I							\Box	エ	┚

						-	mersum		siz	is		uno				-	miflorum	ricum	ellum					nus	ydrus	snsc	nineus	oensis	signole	illus	ardsonii	insii	sniii	amolinus M	tte)		cutus	stiolium	ana		
oint Number	ATITUDE	ГОМБИТИВЕ	SEDIMENT	POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp.	Elatine minima Eleocharis acicularis	Eleocharis palustris	Elo dea canadensis	Eriocaulon aquaticum Gratiola aurea	soetes sp.	Juncus pelocarpus	Lobelia dortmanna	Megalodonta beckii	Myrio phyllum alterniflorum Myrio phyllum heter ophyllun	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis	Nitella sp. Nuphar variegata	Nymphaea odorata	ontederia cordata	Potamogeton alpinus Potamogeton amplifolius	Potamogeton epihydrus	Potamogeton follosus	Potamogeton gramineus	Potamogeton illinoensis	Potamogeton praelongus	Potamogeton pusillus	Potamogeton richardsonii	Potamogeton robbinsii	Potamogeton spirillus	Potamogeton stricting	Sagitaria sp. (ro sette)	Sagittaria rigida	Scho enoplectus acutus	Sparganium angustifolium	Vallisneria americana	Freshwater Sponge	Filamentous Algae
1436 1437	45.7746857	-89.5238444 0 -89.5233171 0		ā	DEEP DEEP	ā	ű	0 1	ш	Ē	ū	m o	- 8	-5	3	Σ	2 2	2	2	ž :	2 2	ž	ď.	4 4	ă	ā	ď	4	ď	ā	ā	<u> </u>		i a	. 0	ΰ	Ö	σ :	5 >	=	Œ
1438 1439	45.7746813 45.7746791	-89.5227897 0 -89.5222624 0			DEEP																																			E	E
1440 1441 1442	45.7746747	-89.5217351 0 -89.5212077 0 -89.5206804 0 -89.520153 0			DEEP DEEP DEEP DEEP														H	=			H					+												Ŧ	F
1443 1444 1445	45.774668	-89.520153 0 -89.5196257 0 -89.5190984 0	1		DEEP DEEP DEEP																																			E	E
1446 1447	45.7746636 45.7746614	-89.518571 0 -89.5180437 0			DEEP DEEP														H	=			H					+												Ŧ	F
1448 1449 1450	45.7746592	-89.5175163 0 -89.516989 0		Rope	DEEP DEEP						=																													Ŧ	E
1451 1452	45.7746502	-89.5164617 29 -89.5159343 27 -89.515407 21	7	Rope Rope																	1																			圭	Е
1453 1454 1455	45.774648 45.7746458 45.7746435	-89.5148796 14 -89.5143523 0 -89.513825 0		Rope	DEEP		2	1			1									1										1		1								ŧ	Ħ
1456 1457	45.7746413	-89.5132976 0 -89.5127703 0			DEEP DEEP DEEP																																			ŧ	E
1458 1459 1460	45.7746368 45.7746345 45.7746323	-89.512243 0 -89.5117156 0 -89.5111883 0			DEEP DEEP DEEP																																			#	Ħ
1461 1462	45.77463 45.7746277	-89.5106609 24 -89.5101336 3	Sand	Rope Pole																																	1		1	E	E
1463 1464 1465	45.775147 45.7751449	-89.5470445 24 -89.5465171 27 -89.5459898 28	3	Rope Rope													+		H	=	+		H		-			+												ŧ	F
1466 1467 1468	45.7751428 45.7751407 45.7751386	-89.5454624 26 -89.5449351 17 -89.5444077 24	7	Rope Rope Rope																																				E	E
1469 1470 1471	45.7751365	-89.5438804 0 -89.543353 0 -89.5428257 0		Корс	DEEP DEEP DEEP																																			Ε	E
1471 1472 1473	45.7751323 45.7751302 45.775128	-89.5428257 0 -89.5422983 27 -89.541771 16	7	Rope Rope	DEEP																							+												ŧ	Ħ
1474 1475 1476	45,7751259	-89.5412436 8 -89.5407163 21		Pole Rope Rope				1	1										1	1							1		1			1		1						E	Е
1477	45.7751196	-89.5396616 19 -89.5391343 18	3	Rope																													+							Ħ	H
1479 1480 1481	45.7751153 45.7751089	-89.5386069 11	Sand Muck	Pole Pole	-	F		1	F	П	1	Ŧ	£	E	H	1	Ŧ	1	-	1	Ŧ		H	1	E	E	1	Ŧ	E	1	1	2	Ŧ	E			1	1	E	£	Ħ
1482 1483	45.7750766 45.7750744	-89.5291147 14 -89.5285874 0	1	Rope	DEEP DEEP				E				E	E					Ë		ŧ		H						E				1							ŧ	
1484 1485 1486	45.7750722	-89.52806 0 -89.5275327 0 -89.5270053 0			DEEP DEEP DEEP																																			ŧ	Ħ
1487 1488	45.7750657 45.7750635	-89.526478 0 -89.5259507 0			DEEP DEEP																																			Ε	E
1489 1490 1491	45.7750613 45.7750691 45.7750669	-89.5254233 25 -89.524896 20 -89.5243686 20)	Rope Rope			1														1																			#	Ħ
1492	45.7750547 45.7750525	-89.5238413 24 -89.5233139 25	5	Rope																	1																			ŧ	E
1494 1495 1496	45.7750503 45.7750481 45.7750459	-89.5227866 15 -89.5222592 25 -89.5217319 0	5	Rope Rope	DEEP																1											2								#	Ħ
1497 1498	45.7750437 45.7750415	-89.5212046 0 -89.5206772 0			DEEP DEEP																																			₽	E
1499 1500 1501	45.7750393 45.7750371 45.7750348	-89.5201499 0 -89.5196225 0 -89.5190952 0			DEEP DEEP DEEP DEEP														H	=			H					+												Ŧ	F
1502 1503 1504	45.7750326	-89.5185678 0 -89.5180405 28 -89.5175132 0	3	Rope	DEEP																1																			E	E
1505 1506	45.7750259 45.7750237	-89.5169858 0 -89.5164585 24	1	Rope	DEEP																																			ŧ	E
1507 1508	45.7750192	-89.5159311 16 -89.5154038 25 -89.5148764 24	5	Rope Rope																	1												+							ŧ	Ħ
1509 1510 1511	45.7750125	-89.5143491 0 -89.5138218 0		Nope	DEEP DEEP																																			ŧ	E
1512 1513 1514	45.775008	-89.5132944 0 -89.5127671 0 -89.5122397 0			DEEP DEEP DEEP																																			#	Ħ
1515 1516	45.7750035 45.7750013	-89.5117124 0 -89.5111851 0			DEEP DEEP																																			E	E
1517 1518 1519	45.774999 45.7749968 45.7755181	-89.5106577 29 -89.5101304 10 -89.5470415 5	Sand	Rope Pole Pole															H	1			H					+				2								Ŧ	F
1520 1521 1522		-89.5465141 24 -89.5459868 22 -89.5454594 7	2 Cond	Rope Pole Pole				1			1					1				1																				E	E
1523 1524 1525	45.7755097 45.7755076	-89.5449321 7 -89.5444047 11	Sand Sand	Pole Pole				1												1										1									1	E	Е
1525 1526 1527	45.7755034	-89.5438774 20 -89.54335 23 -89.5428227 21	3	Pole Rope Rope																																				#	Ħ
1528 1529	45.7754992 45.7754971	-89.5422953 13 -89.541768 6 -89.5412406 2	3 Sand	Rope Pole Pole							1									1												2							1	E	Е
1530 1531 1532	45.7754928 45.7754907	-89.5407133 3 -89.5401859 10	Rock Muck	Pole			1				1						+		H	=	+		H		-			+	1			1							2	ŧ	F
1533 1534 1535	45.7754864	-89.5396586 6 -89.5391312 6 -89.5291116 4	Sand	Pole									1						1	1							1												1 1	ŧ	Ħ
1536 1537	45.7754434 45.7754412	-89.5285843 27 -89.5280569 0	7	Rope									Ė																										Ė	Ε	E
1538 1539 1540	45.7754369	-89.5275296 0 -89.5270022 0 -89.5264749 29		Rope	DEEP DEEP	F	H	#	Ŧ	H	=	ŧ	ŧ		H	4	+	ŧ	H	#	Ŧ	F	Ħ	ŧ	F	F	Ħ	Ŧ	ŧ	H	#	#	#	ŧ	F	H		#	Ŧ	ŧ	H
1541 1542	45.7754325 45.7754303	-89.5259475 23 -89.5254202 14	4	Rope Rope	-	E		7	Ŧ	Е	╛	Ŧ	E		Ħ	Ī	Ŧ	Ŧ	П		1 1	F	H	1	F		Ħ	Ŧ	E		1	₹	Ŧ	Ŧ	F		1	1	Ŧ	E	Ħ
1543 1544 1545	45.7754259 45.7754237	-89.5248928 13 -89.5243655 13 -89.5238381 22	3 Sand	Rope Pole Rope					E				E	E							1		H						E				1							ŧ	
1546 1547 1548	45.7754193	-89.5233108 15 -89.5227834 6 -89.5222561 18	Rock	Rope Pole Rope				1	F	H	=	ŧ		F	H	1				1	Ħ		Ħ	Ŧ		F	1	+		1		#	#	F			4	#		ŧ	H
1549 1550	45.7754149 45.7754127	-89.5217288 0 -89.5212014 0	1	نمر	DEEP DEEP			#	F		=	ŧ	E	F	Н	1	ŧ	F		=	ŧ		H		E	E		ŧ	F	Ė	1	#	Ŧ	ŀ	E		4		ŧ	Ŧ	Ħ
1551 1552 1553	45.7754083	-89.5206741 0 -89.5201467 0 -89.5196194 0			DEEP DEEP DEEP		H	#	+	H	=	#	ŧ	F	H	#	+	+	H	#	ŧ	F	H		+	F	#	+	ŧ	H	1	#	+	#	F	H	-	1	+	#	Ħ
1554 1555 1556	45.7754039 45.7754016	-89.519092 0 -89.5185647 25 -89.5180373 19	5	Rope	DEEP	Е		1		E	1	Ŧ	Ε	E	П	1	Ŧ	E	I		1 2	Ε	П	1	Έ	E		Ŧ	E		1	1	Ŧ	Ι	Ε		1	1	Ŧ	E	Ħ
1557 1558	45.7753972 45.775395	-89.51751 22 -89.5169826 15	Sand	Rope Rope Pole		E			ŧ			ŧ	Ė	E		1	#	Ė			2	Ė	Ħ	1	E	E		\downarrow	E		1	#	1	ŧ	Ė			1	t	ŧ	ø
1559 1560 1561	45.7753927	-89.5164553 2 -89.5159279 1 -89.5154006 19	Rock	Pole		F	H	Ŧ	Ŧ	1		1	ŧ	F	1	Ŧ	f	ŧ	Ħ	Ŧ	Ŧ	F	Ħ	1	ŧ	Ē	Ħ	F	ŧ	1	1	Ŧ	f	ŧ	Ē	H	Ŧ	1	ŧ	ŧ	Ħ
1562 1563	45.775386 45.7753838	-89.5148732 20 -89.5143459 27	7	Rope Rope					ı		=		Ė	E		1	ŧ	E			1		Н		E	E		ŧ	F			2		Ė	E				ŀ	ŧ	Ħ
1564 1565 1566	45.7753793	-89.5138186 25 -89.5132912 24 -89.5127639 0	1	Rope	DEEP	Ŀ	H		₽	Ħ			▐	F	H	#					2		H	_		E	H	#	1	H	_	#	1			H		_		ŧ	H
1567 1568 1569	45.7753748 45.7753725	-89.5127635 0 -89.5117092 0 -89.5111818 0	1		DEEP DEEP DEEP			#	F		=	ŧ	E	F	Н	1	ŧ	F		=	ŧ		H		E	E		ŧ	F		1	#	Ŧ	ŀ	E		4		ŧ	Ŧ	Ħ
1570 1571	45.775368 45.7753658	-89.5106545 0 -89.5101271 27	7	Rope	DEEP	Ŀ	Ħ	#	1	Ħ				F	H	_		Ė	Ħ	=			H		Ħ	Ė	Ħ		F	Ħ	_	#	#			Ħ		_		Ŧ	E
1572 1573 1574	45.7753635 45.775885	-89.5095998 1 -89.5465111 1 -89.5444017 1	Sand Sand	Pole Pole		v		7	I	Е	1	1	1	1	H	Ţ	Ŧ	I	1	7	Ŧ	F	Ħ	Ŧ	F			Ŧ	I		1	1	Ŧ	Ŧ	F		1		1	ŧ	Ħ
1575 1576	45.7758745 45.7758724	-89.5438744 6 -89.543347 13	Sand Sand	Pole Pole		E	1	1	ŧ		1	#	Ė	E		1	#	Ė	Ė	1	ŧ	Ė	Ħ	1	E	E		\downarrow	E		1	#	1	ŧ	Ė			1		ŧ	
1577 1578 1579	45.7758703 45.7758597	-89.5428197 10 -89.5401829 0 -89.5396555 1	Sand	Pole	SHALLOW		H	Ŧ	E	Ħ	1	F		F		Ŧ		F	Ħ	Ŧ			H		Ŧ	F	H	F	F	H	1	2	Ŧ		Ē	H	1		1	Ħ	Ħ
1580 1581	45.7758146 45.7758124	-89.5291085 3 -89.5285812 28	Sand	Pole Rope								ŧ	E	E	П	1	ŧ	E		1	ŧ		Ħ		E	E		ŧ	E				1	l	E				ŧ	ŧ	E
1582 1583 1584	45.7758081	-89.5280538 21 -89.5275265 25 -89.5269991 27	5	Rope Rope			H	#	+	H	=	#	+	F	H	+	+	ŧ	Ħ	#	1	H	Ħ	#	t	F	Ħ	+	+	H	1	#	#	ŧ	t	H	1	+	+	ŧ	H
1585 1586	45.7758037 45.7758015	-89.5264718 20 -89.5259444 9	Sand	Rope Pole					I				E			1				1	ŧ		П		H						1		1	ŧ				1		ŧ	Ħ
1587 1588 1589	45.7757971 45.775795	-89.5248897 12 -89.5243623 9	Sand	Pole Pole		Ė	2	1	ŧ		1 2		ŧ	F		#		Ė		1	1	Ė			Ė	E	Ħ	▐	F	1		1	1	ŧ	Ŀ			#	1	ŧ	Ħ
1590 1591	45.7757928 45.7757906	-89.523835 10 -89.5233076 6	Sand Sand	Pole Pole			Ы	1		H	1	ŧ		Ė	Ħ	1	\pm	Ŧ		#	Ŧ	Ė	Н	1			1	\pm	E			1	Ŧ	£	\pm		=	_	\pm	1	

Point Number	гитпо	LONGITUDE	ОЕРТН	SEDIMENT POLE_ROPE	COMMENTS	Brasenia schreberi	Ceratophyllum demersum	Chara spp. Elatine minima	Eleocharis acicularis	Eleocharis palustris	Elodea canad ensis	Gratiola aurea	Isoetes sp.	Jun cus pelocarpus	Lobelia dortmanna	Myriophyllim alterniflorim	Myriophyllum heterophyllum	Myriophyllum sibiricum	Myriophyllum tenellum	Najas flexilis Nitella sp.	Nuphar variegata	Nymphaea odorata	Pontederia cordata	Potamo geton al pinus Potamo geton amplifo lius	Potamo geton epihydrus	otamo geton foliosus	Potamo geton gramineus	Potamo geton natans	Potamogeton praelongus	Potamogeton pusillus	Potamo geton richar dsonii	Potamogeton robbinsii Potamogeton spirillus	Potamogeton strictifollus	Potamo geton vaseyi	Sagitaria sp. (rosette)	Sagittaria rigida Schoenoplectus acutus	Sparganium angustifolium	Utricularia resupinata	Vallisneria americana Freshwater Sponge	rresnwarer oponge Fitamentous Agae
1592 45.77 1593 45.77 1594 45.77 1595 45.77	757884 -8 757862 -8 757839 -8 757817 -8	89.5227803 89.5222529 89.5217256 89.5211982	6 Si 15 Si 0	and Poli	DEEP DEEP	a		1	Ш	Ü	W 0	1 0	8	Ť	1	2		2	1	ŻZ	2	ž	ď.	ă ă	ā	á	ā (i d	ď	ď.	ď.	ā ā	á	ā	Ø.	Ø Ø	S	5	> E	: E
1597 45.77 1598 45.77	757773 -8 757751 -8	89.5206709 89.5201435 89.5196162 89.5190888 89.5185615 89.5180341	0	Rop Rop and Pole	DEEP DEEP DEEP e		1				1									1 1										1									1	
1602 45.77 1603 45.7 1604 45.7	757662 -8 775764 -8 775755 -	89.5175068 89.5169794 -89.51487	12 1 Si	and Pol	e e			1 1 1	1 1		1	1	1 1	1	1					1							1			1		1							1	
1606 45.77 1607 45.77 1608 45.77 1609 45.77	757506 -8 757483 -4 757461 -8 757438 -8	89.5143427 89.5138153 89.513288 89.5127607 89.5122333 89.511706	13 18 22 27	Rop Rop	e e															1 1 1																				
1611 45.77 1612 45.77 1613 45.77	757393 -8 757371 -8 757348 -8	89.511706 89.5111786 89.5106513 89.5101239 89.5095966	28 28 26	Rop Rop Rop	e e		1				1									1												2								\equiv
1615 45.77 1616 45.77 1617 45.77	761836 -8 761815 -4 761793 -8 761771 -8	89.5291054 89.528578 89.5280507	20 28 26	Rop Rop Rop	e e e															1 1																				
1622 45.77 1622 45.77	761684 -8 761682 -8	89.526996 89.5264686 89.5259413 89.5254139 89.5248866	4 Si	and Pol	2			1				1								1																		1		Ħ
1624 45.77 1625 45.77 1626 45.77 1627 45.77	76164 -8 761618 -8 761596 -8 761574 -8	89.5243592 89.5238319 89.5233045 89.5227771	0 2 Si 3 Si 7 Si	and Pol	TEMPORARY OBSTACLE			1	1			1	1		1					1							1					1	1			V				
		89.5222498 89.5217224 89.5211951 89.5206677 89.5201404			DEEP DEEP																												Ė							
1636 45.77	761374 -	89.5201404 89.519613 89.5196857 89.5185583 89.518031 89.5175036	2 R	ock Pol				1 1					1							1 2							1			1		2							1	
1638 45.77 1639 45.77 1640 45.77 1641 45.77	761196 -8 761173 -8 761151 -8 761128 -8	89.5138121 89.5132848 89.5127574 89.5122301	1 Si 2 Ri 6 Si 10 Si	and Poli ock Poli and Poli and Poli			2	1		1		1		1													1			1 1		1 1	1					1		\equiv
1644 45.77 1645 45.77 1646 45.77	761061 -6 761038 -8 761015 -8	89.5117027 89.5111754 89.510648 89.5101207 89.5095933	25 22 24	Rop Rop Rop Rop	e e e		1											1		2 2 2										1		1								Ħ
1647 45.77 1648 45.77 1649 45.77	760993 765548 -8 765526 -8	89.509066 89.5296297 89.5291023 89.5285749 89.5280476 89.5275202	6 S: 1 S: 22		e															1 1				2																
1653 45.77 1654 45.77 1655 45.77	765439 -8 776533 -8 765308 -8	89.5269929 89.5243561 89.5238287	3 Si 0 1 Si	Rop and Pole and Pole	TEMPORARY OBSTACLE					V			1	1	1				1								1									v		1		
1656 45.77 1657 45.77 1658 45.77 1659 45.7 1660 45.77	765286 -8 765264 -4 765242 -8 776522 -8 765198 -8	89.5233014 89.522774 89.5222466 89.5217193 89.5211919 89.5206646	2 Si 8 Si 22 0	and Poli and Poli Rop	e DEEP															1 1																		1		Ħ
1662 45.77 1663 45.77	765131 -8 765131 -8	89.5206646 89.5201372 89.5196099 89.5190825 89.5185551	15	Rop	e DEEP			1 1	1											1																			1	
1666 45.77 1667 45.77 1668 45.77	764796 -8 764773 -8 764751 -8	89.5116995 89.5116996 89.5111722 89.5106448 89.5101174 89.5095901	1 Si 7 Si 7 Ri	and Poli))				1						-					1				1			1 2					1						1		
1671 45.77 1672 45.7 1673 45.7	764683 -8 776466 -8 776926 -8	89.5095901 89.5090627 89.5085354 89.5301539 89.5296265	5 Si 1 Si	and Poli and Poli	e	٧	1								1					1 1 1			v	1			1 1 1		1	1		1		1			V			Ħ
1675 45.77 1676 45.77 1677 45.77 1678 45.77	769217 -8 769195 -8 769173 -8 768976 -8	89.5290992 89.5285718 89.5280445 89.5232982 89.5227709	14 16 9 Si 1 Si	Rop Rop and Pole and Pole	e e e	1					1									1 1												1				1		1		
1680 45.77 1681 45.7 1682 45.77	768932 -8 776891 -8 768888 -8	39.5222435 39.5217161 39.5211888	21 24	Rop Rop Rop Rop	e e e															2 2 2												1								Ħ
1685 45.77 1686 45.77 1687 45.77	768821 -8 768799 -8 768441 -8	39.5206614 89.520134 39.5196067 39.5190793 39.5106416 39.5101142	16 1 Si	Rop Rop and Pole and Pole	e			1 1			1	1					1		1	1										1		2							1	
1689 45.77 1690 45.77 1691 45.7 1692 45.77	768396 -8 768373 -8 76835 -8 768328 -8	39.5095869 39.5090596 39.5085321 39.5080048	0 2 R 19 8 M	ock Poli Rop uck Poli	TERRESTRIAL e				1	1	1				1					1										1		2 1								
1694 45.77 1695 45.77 1696 45.77	772928 -8 772907 -8 772885 -8	39.5301508 39.5296234 39.5290961 39.5285687 39.5280414	3 Si 5 Si 6	and Poli			1 2				1	1	1					1	1								1			1		3 1	E							
1698 45.77 1699 45.77 1700 45.77 1701 45.7	772666 -8 772644 -8 772622 -8 77726 -4	89.5232951 89.5227677 89.5222403 89.521713 89.5211856	1 Si 15 22 24	Rop Rop Rop Rop	e e e		1						1	1						1 2											-	2				1		1		
1703 45.77 1704 45.77 1705 45.77 1706 45.77	772556 -8 772534 -8 772512 -8 772041 -8	39.5206582 39.5201309 39.5196035 39.5085289	10 Si 17 12 Si 1 Si	and Poli Rop and Poli and Poli	e e		1	1	1		1		1							1 1							1			1		1					1			
1708 45.77 1709 45.77 1710 45.77 1711 45.77	771995 -8 776619 -8 776597 -1 776575 -8	39.5080015 39.5074742 39.5296203 89.529093 39.5285656	5 S: 4 S: 6 S: 6 S:	and Pole and Pole and Pole and Pole	a		1	1	1		1 1			1				1		1				1 1			1		1				F					1	1	$ \pm $
1712 45.77 1713 45.77 1714 45.77 1715 45.7	776553 -8 776334 -8 776312 -8 777629 -8	39.5280382 39.5227646 39.5222372 39.5217098	5 Si 11 22 22	and Poli Rop Poli Rop	e e e		1	1			1					ŀ		1		2				1								1 2								1
1717 45.77 1718 45.77 1719 45.77 1720 45.77	776246 -8 776224 -8 776202 -8 775685 -8	39.5211825 39.5206551 39.5201277 39.5196004 39.5074709	7 Si 7 Si 4 Si 2 M	and Poli and Poli and Poli uck Poli	2		1	1 1 1	1		1		1 1							2	1			1	1		1	Ė		1		1	Ė				F	1	1	otan
1721 45.77 1722 45.77 1723 45.77 1724 45.77	775663 -8 780287 -8 780265 -8 780047 -8	39.5069436 39.5290899 39.5285625 39.5232888	2 Si 6 Si 5 Si	and Pol- and Pol- and Pol- and Pol-		V 1	1				1 1 1	I				I		1 1	1	1	1		v	1			Ī	I		1		3			Ī					
1727 45.77 1728 45.77 1729 45.77	777998 -8 779958 -8 779936 -8	39.5227614 89.522234 39.5217067 39.5211793 39.5206519	14 5 Si 2 Si	Rop and Poli and Poli	e 2		3	1 1	1				1		1				1	1	E				Ė		1	Ė		1		2	E					1	⇟	
1730 45.77 1731 45.77 1732 45.77 1733 45.77	779914 -8 783737 -8 783715 -8 783693 -8	39.5201246 39.5232856 39.5227583 39.5222309 39.5217035	1 Si 1 M 6 M 10 M	and Poli uck Poli uck Poli uck Poli		1		1	1			1			1	Ī			1	I	v		V	1				I	1			2 2	E		Ī	Ī		1	#	1



APPENDIX G

Oneida County Shoreland Restoration Program Overview

Oneida County Cost Share Program Shoreline Restoration program

- Landowner to obtain, complete, and return a Cost Share application to Oneida County Land & Water Conservation Department, P.O. Box 400, Rhinelander, WI 54501. This application does not obligate the applicant or Oneida County to enter into a cost share agreement. A completed application is merely stating the landowner is interested in the cost share program and the process can start.
- 2. An on site visit will be scheduled. The Conservation Specialist will go to the site and perform an assessment of the site. At this point, the landowner may be present but it is not necessary. This visit will determine if the site is eligible for the cost share program.
- 3. If a complete assessment was not performed during the first visit, another site visit may be necessary to gather more information. That information could be for the type of existing vegetation of the area, measurements, type of soils, etc.
- 4. The Conservation Specialist will then meet with the landowner to exchange ideas, determine the view corridor if there is one, explain and answer questions regarding the program, future contract obligations, operation and maintenance agreement, etc.
- 5. A plan will be designed
- 6. The plan will then be shown to the landowner for their approval. Final tweaking can be made here.
- 7. The landowner will then be required to obtain a minimum of three cost estimates from contractors of their choice. The landowner will be given four copies of the plan; one for the landowner and three for the contractors. Quantities will be the same for all three contractors and a cost estimate sheet will be provided for completion.
- 8. The Land and Water Conservation Department staff will reviewed the submitted cost estimates. When the review is completed they will be scheduled on the Land and Water Conservation Committee agenda. The Committee meets once a month and depending on when the cost estimates are submitted, approval may be several

- days to up to a month. Usually the low cost estimate will be approved. The amount of the cost share is determined by the lowest cost estimate. This does not mean that the landowner must choose the contractor with the lowest estimate. If the landowner chooses to hire a contractor with a higher cost estimate, the landowner will be responsible for the difference in cost.
- 9. Before the contract can be signed, Oneida County must have a copy of the homeowner's insurance and the contractor's insurance.
- 10. Once the Committee approves a cost estimate, it is now time to sign the contract, operation and maintenance agreement and tax form (W-9).
- 11. The Land and Water Conservation Department shall be notified five working days in advance of start work.
- 12. Once the work is complete, the landowner is responsible to pay the contractor. Submit paid invoices to the Land and Water Conservation Department. Invoices must have date, check number (if paying by check), paid in full written or stamped, and initials of contractor on them.
- 13. The Committee must approve payment; therefore payment will be placed on the next available agenda for approval.
- 14. Payment will be sent to the landowner
- 15. Periodical site visits will be made over the next ten years