



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 1 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511367  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/15/20 1000  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Big McGraw Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 2 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511368  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/15/20 1400  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Little McGraw

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 3 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511369  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/16/20 1300  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Long Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 4 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511370  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/16/20 1200  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Des Moines Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

**Comments:**

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 5 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511371  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/15/20 1545  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Lake 26

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 6 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511372  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/17/20 1400  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Holmes Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<b>Miscellaneous Analyses</b>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*



# RMB

## Environmental Laboratories, Inc.

www.rmbel.info

Bloomington, MN  
2200 West 94th Street  
Bloomington, MN 55431  
952-456-8470

Detroit Lakes, MN  
22796 County Highway 6  
Detroit Lakes, MN 56501  
218-846-1465

Hibbing, MN  
1111 7th Ave. E  
Hibbing, MN 55746  
218-440-2043

**Laboratory Results**  
**July 27, 2020**  
**Original Report**  
**Page 7 of 7**

**Report To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Bill To:** National Park Service - Saint Croix Nation  
Attn: Byron Karns  
401 N Hamilton St.  
St. Croix Falls, WI 54024-9214

**Project:** Burnett County ZM Tows  
**Lab Code:** 511373  
**Matrix:** Surface Water  
**Collection:** Lake Surface Integrated Other  
**Samplers:** Thomas Boisvert  
**Date/Time Sampled:** 07/17/20 1100  
**Date/Time Received:** 07/22/20 1534  
**Sample Description:** Big Wood Lake

**Contact/Phone:** Robert Borash, 218-846-1465  
**Sample Receipt:** Samples meet proper sampling and transportation guidelines  
Temperature: 22.6 - 22.8 °C

Compound	Analysis Method	Preparation Date/Time	Analysis Date/Time	DF	Method MDL	Sample RL	Sample Result	Qualifier
<u>Miscellaneous Analyses</u>								
Zebra Mussel Veligers	Microscopy		07/27/20: 1100	1		1	Absent /sample	

### Comments:

DF = Dilution Factor  
RL = Reporting limit of the analysis method.  
MDL = Minimum detection limit of the analysis method.

Report approved by:

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All analyses performed at RMB-Detroit Lakes unless appropriately qualified.*