Madison, WI 53707-7921

Final Report Form 3400-189 (rev. 7/30/09)

Targeted Runoff Management Grant Program (ch. NR 153)

Notice of Discharge Program (ch. NR 153)

Unban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

1. GRANT TYPE. Check	the one that applies.							
☐ Targeted Runoff Management Grant – Agricultural			☐ Targeted Runoff Management Grant – Urban					
☐ Urban Nonpoint Source & Storm Water Management Grant – Construction			Urban Nonpoint Source & Storm Water Management Grant – Planning					
☐ Notice of Discharge Grant								
2. PROJECT NAME & LO	OCATION.							
2.1. Project Name:				2.2. Grant Number:				
Polzin Farm Runoff Control			TRC-GB07-38000-11 B					
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershe			ed Code:		
Marinette County LWCD			Lower Peshtigo River			GB07	GB07	
NOTE FOR SECTION 2.6 (whic	h follows):							
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.								
2.6 Site Location(s) →	Α.	В,		C.	T.	D.	E.	
Name of Cost-Share Recipient or Governmental Unit	Todd Polzin						П	
Cost-Share Agreement Number (Agricultural only)	11-Polzin-01		)					
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	040301060601							
Nearest Surface Receiving Water Affected								
Name:	Gravelly Brook						8 1	
Waterbody Identification Code(s) (WBIC): 517100								
Nearest Impaired Water Affected								
Name:	Name: Gravelly Brook						li .	
Waterbody Identification Code(s) (WBIC): 517100 Not 303(d) iw			npai	od			1 V 1	
Pollutants Reduced	phosphorus		1 1				= 1	
Impairments/Impacts	nutrients, manure							

RECEIVED

DEC 0 6 2013

## Final Report Form 3400-189 (rev. 7/30/09) • Targeted Runoff Management Grant Program (ch. NR 153)

- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	Α.	В.	C. (	D.	<b>E.</b>
Project Coordinates:					
Town	31N				
Range	21E				1100
Section	17	74			
Quarter	SE	1		1 -	2
Quarter-Quarter	NE			#	
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	45 9' 27.5"		2 - MAN TH		
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	87 54' 17.3"		01		*

able A. Agricultural Projects Ch. NR	151 Performance Standards a	nd Prohibitions and Other	Water Resources Management Priorities
v.1. Management Measures	Units of Measure	Quantity	Measurement Method Used
Sheet, rill and wind erosion	Acres meeting "T"	acres	
Manure Storage Facilities:	Number of facilities	1 facilities	Count
New Construction/Alterations	Number of animal units	88 animal units	Count
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities:	Number of facilities	facilities	
Failing/Leaking Facilities	Number of animal units	animal units	
	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	
Prohibition: Manure Storage Overflow	Number of farms	farms	
Frombition. Manure Storage Overnow	Number of animal units	animal units	
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms	
	Pollutant load reduction	54.5 lbs.	BARNY
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	1 facilities	Count
. 22.22 Stored Mariaro	Number of animal units	88 animal units	Count
	Feet of bank protected	feet	77.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
Prohibition: Unlimited Livestock Access	Number of farms	farms	

- Final Report Form 3400-189 (rev. 7/30/09)

  Targeted Runoff Management Grant Program (ch. NR 153)

  Notice of Discharge Program (ch. NR 153)

  Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

continued)	Units of Measure	Quantity	Measurement Method Used
2. Other Management Measures			
Streambank & Shoreline Protection	Units (use feet, acres or number as applicable)		
	Pollutant load reduction (if method available)		
Other:	Units (use feet, acres or number as applicable)		
	Pollutant load reduction (if method available)		11
Other	Units (use feet, acres or number as applicable)		
Other:	Pollutant load reduction (if method available)		
Other:	Units (use feet, acres or number as applicable) Pollutant load reduction (if		
	method available)		1
1 Degriffed Management Managemen			
able B. Urban Construction Projects Se	erving beveloped Areas.		
.1. Required Management Measures	Units of Measure	Quantity	Measurement Method Used
		Quantity lbs.	Measurement Method Used
.1. Required Management Measures  20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced TSS reduction	Ibs.	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced	lbs.	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced	lbs.	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures	TSS reduced TSS reduction	lbs.	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2.2. Other Management Measures 20-40% Reduction in TSS for	TSS reduced TSS reduction TSS reduced	lbs. %	Measurement Method Used
Reduction for NR 216 communities  3.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on	Ibs. % Ibs.	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduction  TSS reduced TSS reduction  Pre-development stay-on volume	Ibs. % Ibs. %	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	Ibs. % Ibs. % % ft³/year	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per	Ibs. % Ibs. % % ft³/year ft³/sec	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	Ibs. % Ibs. % % ft³/year ft³/sec feet	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced	Ibs. % Ibs. %  ft³/year  ft³/sec  feet  Ves \square No	Measurement Method Used
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	Ibs. % Ibs. %  ft³/year  ft³/sec  feet  Yes \ No  tons	Measurement Method Used

Tabl	e C. Urban Planning Projects.			
C.1.	Governmental unit(s) involved (list by	name):		
C.2.	Estimate total acres covered by the	Existing Developed Urban Areas	New Development	Total Acres

## Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:		acres	acr	es	an E	acres	
C.2. Descripto de colonad		Photographic states and the state of the sta					
C.3. Products developed (check all below that app	oly)	Identify Documents by Name (if applicable)					
Storm Water Plan						<u>K</u>	
Construction or Erosi	on Ordinances						
Post-construction Sto	rm Water						
Other Types of Storm Water Quality Ordinances		1	A d				
Financing Methods: id evaluated	entified and						
Financing Methods: do implemented	eveloped or		1 , 5				
☐ I & E Plan						-	
☐ I & E Implementation	Activities						
Other:				4			
C.4. Identify the Storm Water goals addressed (check all that apply)							
Reduce TSS						2 2 52	
Maintain infiltration		Comments:				*	
Control Peak Flow Protective Areas Control of Fueling & Maintenance Areas		on the fifth of the figure 2 to be				1 7 9 10	
		<sup>34</sup> (1 - x)				. × a	
Remove Illicit Discharges							
Other:							
4. Satisfaction of No provide information for each	tice Require	ements. If cost sharing for this project	was offered under a formal i	notice pursu	ant to c	hs. NR 151 or 243,	
Notice Information	Thouce in the t	able below.		Notice	Satisfa	action Information	
Chs. NR 151 or 243 Notice Type	Issue Date	From (Name)	To (Name)	The same of the sa	ied?	AND THE RESERVE OF THE PROPERTY OF THE PROPERT	
		The state of the s	CONTRACTOR OF THE PROPERTY OF	П	П	manco (Cross) a series de la constitución de la con	
			10 CO				

## Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
  Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)					
LWCD staff visit all TRM project sites annually to ensure operation and maintenance of the BMP's. There have been no contaminated runoff events related to this farm since the application was completed for this project.					
6. Summary of Project Challenges. (Space will expand to fit y	our text \				
The state of the s	ne operator changed his housing for the animals did not need to install				
	A.7				
7. Grantee Certification.					
Checking here Coertifies that, to the best of your knowledge, the information contained in this report is correct.					
Name of Authorized Representative (type or print) ↓ Gregory G. Cleereman	Title of Authorized Representative (type or print) ↓  Marinette County Conservationist				
Signature of Authorized Representative  Date  12/4/13					
8. For Departmental Use Only.					
Regional NPS Coordinator – Please complete the following:  8.A. Check here if you have received the following from the project sponsor one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report.  Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section	ts version to the Community Financial Assistance Grants Manager.				
8.B. Comments about this project: No No.					

8.C. Type or print Name of Regional NPS Coordinator →

8.D. Signature of Regional NPS Coordinator

8.E. Date