Phase II: Zebra Mussel Monitoring Report

| Personal Data |
|--|
| Name: P. Schmalz - GLEA |
| Name: 4. Schwart G-Cera |
| Address: Hwy 67 Po Box 200 State: WI Zip: 53125 |
| Phone Number: 414-275-6310 |
| |
| Monitoring Location |
| |
| Date: 8-37-96 Time: |
| Date: 8-37-96 County: Walworth City: Williams Bay |
| body of water: (Section Control |
| Nearest Landmark (town, highway, boat ramp, bridge): Municipal Pier next to Public |
| Distance from nearest landmark: |
| Habitat Type: River/Stream Natural Lake/Pond Marsh/Swamp |
| Canal/Ditch Man Made Reservoir Estuary/Bay |
| <u> </u> |
| Water Quality Parameters |
| |
| Temperature: <u>37°C</u> Secchi Depth: <u>3.5 m</u> |
| |
| Sampler Information |
| Total Water Depth: 2.6 m Depth of Sampler: 1m |
| Total Water Depth: Depth or Sampler: Total Water Depth or Sampler: |
| Length of time sampler was in place (Days): 76 (20 since latt club) |
| Monitoring Results |
| \sim 1 |
| Number of mussels found: # on Top side of Plates: |
| # on Bottom side of Plates: |
| Total: 6 |
| Size of the largest mussel (in mm): 5 mm |
| Size of the smallest mussel (in mm): 4 mm |
| Density of mussels on sampler: $\frac{13/m^2}{}$ |
| , |
| Density of mussels(N/M^2)= $Number counted (N) X 10.000$ Area Counted (cm^2) |
| Area Counted (Cm ⁻) |
| Area conversions for the plate sampler described in this document: |
| Plate Size Area (in.2) Area(cm2) |
| 6" x 6" 36 232 |
| 8" x 8" 64 413 |
| 10" x 10" 100 645 |
| 12" x 12" <u>144</u> <u>929</u> Total (4 plates): 344 2219 |
| Total (4 plates): 344 2219 |
| If greater than 20 mussels are found measure 20 mussels chosen randomly from the sample. |

If greater than 20 mussels are found measure 20 mussels chosen randomly from the sample. If less than 20 mussels are found measure all mussels found. Report results in table given on next page.

Bottom HT1

Top

Length of Zebra Mussels

| Number | Length (mm) | Number | Length (mm) |
|--------|-------------|--------|-------------|
| 1. | Smm | 1.1 | |
| 2 | 5 mm | 12 | |
| 3 | Ymm | 13 | |
| . 4 | 5mm. | 14 | |
| 5 | Ymm | 15 | |
| 6 | Ymm | 16 | , |
| . 7 | | 17 | |
| 8 | | 18 | |
| 9 | | 19 | |
| 10 | | 20 | |

NOTE: All samples should be placed in isopropyl or rubbing alcohol until verification is obtained.