### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

**NOTICE**: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

1. GRANT TYPE. Check the one that applies.							
☐ Targeted Runoff Management Grant – Agricultural			☐ Targeted Runoff Management Grant – Urban				
☐ Urban Nonpoint Source & Storm Water Management Grant – Construction			☐ Urban Nonpoint Source & Storm Water Management Grant – Planning				
☐ Notice of Discharge Grant							
2. PROJECT NAME & LOCATION.							
2.1. Project Name:			2.2. Grant Number:				
Detention Basin No. 4 Lot 60			USC-LR10-13900-11				
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershed Code:				
University of Wisconsin - Madison			Six Mi	le & Pheasant Branch	Creek	LR10	
NOTE FOR SECTION 2.6 (whic	h follows):		-			<del>-</del>	
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.							
2.6 Site Location(s) →	A.	B.		C.		D.	E.
Name of Cost-Share Recipient or Governmental Unit	Univeristy of Wisconsin - Madison						
Cost-Share Agreement Number (Agricultural only)	N/A						
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	70900020604						
Nearest Surface Receiving Water Affected							
Name:	Lake Mendota						
Waterbody Identification Code(s) (WBIC):	8050400						
Nearest Impaired Water Affected							
Name:	Lake Mendota						
Waterbody Identification Code(s) (WBIC):	8050400						
Pollutants Reduced	Phosphorous						
Impairments/Impacts Addressed	TSS Reduction						

### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A.	B.	C.	D.	E.
Project Coordinates:					
Town	T07N				
Range	R09E				
Section	16				
Quarter	SE				
Quarter-Quarter	NE				
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	43 4'50.83"				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	89 25'36.38"				

### 3. SUMMARY OF RESULTS. Table A. Agricultural Projects. - Ch. NR 151 Performance Standards and Prohibitions and Other Water Resources Management Priorities A.1. Management Measures Units of Measure Quantity Measurement Method Used Sheet, rill and wind erosion Acres meeting "T" acres Number of facilities facilities Manure Storage Facilities: New Construction/Alterations Number of animal units animal units Manure Storage Facilities: Closure Number of facilities facilities Number of facilities facilities Manure Storage Facilities: Failing/Leaking Facilities Number of animal units animal units Pollutant load reduction lbs. Number of farms with Clean Water Diversions in WQMA farms diversions Number animal units animal units Nutrient Management on Acres planned acres Agricultural Land Number of farms farms Prohibition: Manure Storage Overflow Number of animal units animal units Prohibition: Unconfined Manure Pile in Number of farms farms **WQMA** Pollutant load reduction lbs. Prohibition: Direct Runoff From Number of facilities facilities Feedlot/Stored Manure animal units Number of animal units Feet of bank protected feet Prohibition: Unlimited Livestock Access Number of farms farms

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Table A. Agricultural Projects.				
(continued)	Units of Measure	Quantity	Measurement Method Used	
A.2. Other Management Measures		,		
	Units (use feet, acres or			
Streambank & Shoreline Protection	number as applicable) Pollutant load reduction (if			
	method available)			
Other:	Units (use feet, acres or			
	number as applicable)			
	Pollutant load reduction (if method available)			
	Units (use feet, acres or			
Other:	number as applicable)			
	Pollutant load reduction (if method available)			
	Units (use feet, acres or			
Other:	number as applicable)			
Outor.	Pollutant load reduction (if method available)			
	metriod available)			
Table B. Urban Construction Projects Se	erving Developed Areas.			
B.1. Required Management Measures	Units of Measure	Quantity	Measurement Method Used	
20-40% Total Suspended Solids (TSS)	TSS reduced	7372 lbs.	SLAMM Modeling	
Reduction for NR 216 communities	TSS reduction	9 %	SLAMM Modeling	
B.2. Other Management Measures				
20-40% Reduction in TSS for	TSS reduced	lbs.		
20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduction	lbs.		
non-NR 216 communities	TSS reduction Pre-development stay-on	%		
non-NR 216 communities	TSS reduction  Pre-development stay-on volume	%		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour	TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per	% % ft³/year		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm	TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	% ft³/year ft³/sec		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas  Fueling & maintenance areas	TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	% ft³/year ft³/sec feet		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced	%  ft³/year  ft³/sec  feet  ☐Yes ☐ No		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced	%  ft³/year  ft³/sec  feet  Yes No  tons		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas  Fueling & maintenance areas	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced  Bank protected  Pollutant load reduction (if	%  ft³/year  ft³/sec  feet  Yes No  tons		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced  Bank protected  Pollutant load reduction (if method available)  Units (use feet, acres or	%  ft³/year  ft³/sec  feet  Yes No  tons		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas  Fueling & maintenance areas  Streambank & Shoreline Protection  Other:	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced  Bank protected  Pollutant load reduction (if method available)  Units (use feet, acres or	%  ft³/year  ft³/sec  feet  Yes No  tons		
Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection  Other:  Table C. Urban Planning Projects.	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced  Bank protected  Pollutant load reduction (if method available)  Units (use feet, acres or number as applicable)	%  ft³/year  ft³/sec  feet  Yes No  tons		
non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection	TSS reduction  Pre-development stay-on volume  Stay-on volume  Change in cubic feet per second for design year  Bank protected  Oily sheen presence reduced  Bank erosion reduced  Bank protected  Pollutant load reduction (if method available)  Units (use feet, acres or number as applicable)	%  ft³/year  ft³/sec  feet  Yes No  tons		

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

acres	acres		acres					
Ide	ntify Documents by Name (if applic	able)						
Comments:								
	ject was offered under a formal not	ice pursuant to c	hs. NR 151 or 243,					
	Notice Satisfaction Information							
From (Name)	To (Name)	Satisfied? Yes No	Date Letter Sent					
	Comments:  Comments:	Identify Documents by Name (if applications)  Comments:  Comments:  Pinents. If cost sharing for this project was offered under a formal not able below.	Identify Documents by Name (if applicable)  Comments:  Comments:  Penents. If cost sharing for this project was offered under a formal notice pursuant to cable below.  Notice Satisfied?  Satisfied?					

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)					
This project installed one wet detention pond in the area north of Univerlsity of Wisconsin - Madison's Lot 60. The area was previously paved for parking. Some of the soil under the parking area was contaminated and that was removed to an approved landfill site.					
O O O O O O O O O O O O O O O O O O O					
6. Summary of Project Challenges. (Space will expand to fit yo					
Challenges during this construction project were few. The only challenge was dewatering but due to the drought that was likely not as challenging as it would have been most years.					
7. Grantee Certification.					
Checking here certifies that, to the best of your knowledge, the information contained in this report is correct.					
Name of Authorized Representative (type or print) ↓	Title of Authorized Representative	(type or print) ↓			
Bonniejean Zitske	Managing Officer, RSP				
Signature of Authorized Representative	_l	Date 5/13/14			
8. For Departmental Use Only.					
Regional NPS Coordinator – Please complete the following:					
8.A. Check here if you have received the following from the project sponsor:  one (1) printed, signed, original Final Report + attachments  one (1) electronic version of Final Report.  Send the printed, signed original Final Report with attachments + electronic version to the Community Financial Assistance Grants Manager.					
Community Financial Assistance will forward to Runoff Management Section Grants Coordinator.  8.B. Comments about this project:					
o.b. Comments about this project.					
8.C. Type or print Name of Regional NPS Coordinator →					
8.D. Signature of Regional NPS Coordinator		8.E. Date			

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)