


ORIGINAL



December 4, 2012

Kimberly D. Bose, Secretary  
Federal Energy Regulatory Commission  
888 First Street, N.E.  
Washington, DC 20426

FILED  
SECRETARY OF THE  
COMMISSION  
2012 DEC 10 P 2:51  
FEDERAL ENERGY  
REGULATORY COMMISSION

**RE: Danbury Hydroelectric Project  
FERC Project Number 9184  
Flambeau Hydro LLC  
Final Report 2012 Water Quality Monitoring Data**

Dear Ms. Bose:

On behalf of Flambeau Hydro LLC, "Flambeau" (Licensee), Renewable World Energies, LLC (RWE) is submitting one (1) original and eight (8) copies of the *Final Report 2012 Water Quality Monitoring Data* for the Danbury Hydroelectric Project. The Federal Energy Regulatory Commission "FERC" issued a License to Flambeau on September 5, 2006. This report is submitted as a requirement of that License pursuant to License Article 401 WQC, Condition K. 2012 was the fifth year monitoring was conducted since the license was issued, but is the first year of submittal by RWE on the behalf of the Licensee.

Monitoring was conducted on April 5, July 12, and August 14, 2012. The only issue encountered was some below standard D O measurements taken on the July 12<sup>th</sup> date. Agencies were notified by e-mail dated July 13, 2012 of the issue. The draft report was sent to the agencies by letter dated October 19, 2012 for review and comment. Correspondence was received from WDNR and USFWS on November 19<sup>th</sup> and 27<sup>th</sup> respectively. Both agencies indicated they had reviewed the report and had no comment to offer. The next scheduled monitoring event will be conducted in 2013.


If you have any questions concerning this submittal, please contact Mr. Gary Rast at the Renewable World Energies, LLC offices @ 855-994-9376 Ext 105. He can also be reached by e-mail at [grast@rwehydro.com](mailto:grast@rwehydro.com).

**Corporate Office**  
P.O. Box 264  
100 S. State Street  
Neshkoro, WI 54960  
Fax: 920-293-4100

Phone: 855-99HYDRO  
(855-994-9376)  
[www.renewableworldenergies.com](http://www.renewableworldenergies.com)

**Administrative Office**  
1001 Stephenson Street  
Norway, MI 49870  
Fax: 906-563-9344

Sincerely,  
**Renewable World Energies, LLC**  
**Agent for Licensee**

  
Mr. Jason Kreuzscher  
Vice President, Operations

Attachment: Final Report 2012 Water Quality Monitoring Data – December 4, 2012

Cc: Ms. Cheryl Laatsch, WDNR  
Mr. Craig Roesler, WDNR  
Mr. Nick Utrup, USFWS  
RWE, Corporate

## **Final Report**

**2012 Water Quality Monitoring Data  
(Per License Article 401 WQC, Condition K)**

**For the**

**Danbury Hydroelectric Project  
FERC Project # 9184  
Flambeau Hydro, LLC**

**Yellow River  
Barnett County, WI**

**Respectfully Submitted by:**

**Renewable World Energy, LLC  
100 State Street - P.O. Box 264  
Neshkoro, Wisconsin 54960**

**Final - December 4, 2012**

## Table of Contents

I.	Summary.....	3
II.	2012 Sampling Results Table .....	5
III.	2012 Graphed Data .....	6
IV.	2012 Monthly Temperature and Precipitation Table .....	7
V.	2012 Sampling Comparison Table.....	8
VI.	Sampling Location Map.....	9
	<b>APPENDIX A - April 05, 2012 Sampling Documents.....</b>	<b>10</b>
	<b>APPENDIX B - July 12, 2012 Sampling Documents.....</b>	<b>11</b>
	<b>APPENDIX C - August 14, 2012 Sampling Documents.....</b>	<b>12</b>
	<b>APPENDIX D - Agency Correspondence.....</b>	<b>13</b>

## Summary

2012 marked the fifth year of water quality sampling under the FERC License issued on September 5, 2006 to Flambeau Hydro, LLC for the Danbury Hydroelectric Project – FERC Project # 9184 and specifically License Article 401 WQC, Condition K.

Ice-Out occurred on the Yellow River during the 3<sup>rd</sup> full week of March 2012. The Ice-Out sampling event occurred on April 05, 2012. River flow, based on Danbury Hydroelectric Project records, was approximately 286 cubic feet per second. Sampling occurred between 10:05 a.m. and 10:25 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. However, no bottom phosphorus sample was taken because the lab did not send a sample bottle. Samples for laboratory analysis were delivered to Northern Lake Service, Inc in Crandon, WI on April 06, 2012. Northern Lake Service, Inc. issued a laboratory report on April 11, 2012. No unusual levels of Chlorophyll a, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 133 cubic feet per second during the July 12, 2012 sampling event. Sampling occurred between 9:00 a.m. and 9:52 a.m. Samples were taken without incident. No abnormal Temperature readings were observed. However, D.O. dropped below the state standard of 5 mg/l at 5 meter and continued to fall down to .5 meter above the bottom. Agencies were notified by e-mail on July 13, 2012. Samples for laboratory analysis were delivered to Northern Lake Service, Inc. in Crandon, WI on July 13, 2012. Northern Lake Service, Inc issued a laboratory report on July 20, 2012. No unusual levels of Chlorophyll a, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 117 cubic feet per second during the August 14, 2012 sampling event. Sampling occurred between 8:45 a.m. and 8:51 a.m. Samples were taken without incident. No unusual Temperature readings were observed. Samples for laboratory analysis were delivered to Northern Lake Service, Inc in Crandon, WI on August 15, 2012. Northern Lake Service, Inc issued a laboratory report on August 20, 2012. No unusual levels of Chlorophyll a, True Color, or Total Phosphorus were noted in the laboratory reports.

In general, the weather during the 2012 monitoring season was somewhat above normal. Average temperatures were approximately 3 - 10° above normal. Precipitation was on average above normal but August was very dry. **(Refer to 2012 Monthly Temperature and Precipitation Table page 7)**

A summary of a comparison between the 2011 and 2012 (**Refer to 2012 Danbury Project Sampling Comparison Table 2011-2012 page 8**) sampling results are as follows:

1. Water Clarity – Increased
2. Chlorophyll a – Increased July – Decreased April/August
3. Color – Increased April/July – Decreased August
4. Total Phosphorus – Increased July/August – Same April
5. Overall, D.O. – Increased April/August – Decreased Slightly July
6. Water Temperatures – Increased April/July – Decreased August

Correspondence from the agencies during 2010 indicated they would prefer that notifications of incidents be by e-mail only and that telephone contacts are not needed. All other correspondence can be found on page 13, **Appendix D**. The next scheduled Water Quality monitoring at the Danbury Hydroelectric Project is set to take place in 2013 beginning with the Ice-Out sampling event.

**2012  
Sampling Results  
Table**

# Danbury Hydroelectric Project - FERC Project # 9184 2012 Water Quality Sampling Data

	April 5, 2012	July 12, 2012	August 14, 2012																																																																																	
<b>Project Flow (c.f.s.)</b>	140	133	117																																																																																	
<b>Dissolved Oxygen</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>D.O. (mg/L)</th> <th>Water Temp. (°C)</th> </tr> </thead> <tbody> <tr><td>10:07 AM</td><td>10.30</td><td>10.3</td></tr> <tr><td>10:08 AM</td><td>10.60</td><td>10.6</td></tr> <tr><td>10:10 AM</td><td>10.60</td><td>10.6</td></tr> <tr><td>10:11 AM</td><td>10.60</td><td>10.6</td></tr> <tr><td>10:12 AM</td><td>10.60</td><td>10.6</td></tr> <tr><td>10:13 AM</td><td>10.60</td><td>10.6</td></tr> <tr><td>#N/A</td><td>#N/A</td><td>#N/A</td></tr> <tr><td>10:15 AM</td><td>10.60</td><td>10.60</td></tr> </tbody> </table>	Time	D.O. (mg/L)	Water Temp. (°C)	10:07 AM	10.30	10.3	10:08 AM	10.60	10.6	10:10 AM	10.60	10.6	10:11 AM	10.60	10.6	10:12 AM	10.60	10.6	10:13 AM	10.60	10.6	#N/A	#N/A	#N/A	10:15 AM	10.60	10.60	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>D.O. (mg/L)</th> <th>Water Temp. (°C)</th> </tr> </thead> <tbody> <tr><td>9:40 AM</td><td>7.04</td><td>26.7</td></tr> <tr><td>9:42 AM</td><td>6.97</td><td>26.7</td></tr> <tr><td>9:44 AM</td><td>6.54</td><td>26.6</td></tr> <tr><td>9:46 AM</td><td>6.36</td><td>26.5</td></tr> <tr><td>9:48 AM</td><td>6.22</td><td>26.5</td></tr> <tr><td>9:50 AM</td><td>4.65</td><td>26.3</td></tr> <tr><td>#N/A</td><td>#N/A</td><td>#N/A</td></tr> <tr><td>9:52 AM</td><td>2.96</td><td>26.1</td></tr> </tbody> </table>	Time	D.O. (mg/L)	Water Temp. (°C)	9:40 AM	7.04	26.7	9:42 AM	6.97	26.7	9:44 AM	6.54	26.6	9:46 AM	6.36	26.5	9:48 AM	6.22	26.5	9:50 AM	4.65	26.3	#N/A	#N/A	#N/A	9:52 AM	2.96	26.1	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>D.O. (mg/L)</th> <th>Water Temp. (°C)</th> </tr> </thead> <tbody> <tr><td>8:05 AM</td><td>6.06</td><td>21.4</td></tr> <tr><td>8:06 AM</td><td>5.93</td><td>21.8</td></tr> <tr><td>8:07 AM</td><td>5.85</td><td>21.9</td></tr> <tr><td>8:08 AM</td><td>5.60</td><td>21.9</td></tr> <tr><td>8:09 AM</td><td>5.55</td><td>22.0</td></tr> <tr><td>8:10 AM</td><td>5.52</td><td>22.0</td></tr> <tr><td>#N/A</td><td>#N/A</td><td>#N/A</td></tr> <tr><td>8:12 AM</td><td>5.44</td><td>22.0</td></tr> </tbody> </table>	Time	D.O. (mg/L)	Water Temp. (°C)	8:05 AM	6.06	21.4	8:06 AM	5.93	21.8	8:07 AM	5.85	21.9	8:08 AM	5.60	21.9	8:09 AM	5.55	22.0	8:10 AM	5.52	22.0	#N/A	#N/A	#N/A	8:12 AM	5.44	22.0
Time	D.O. (mg/L)	Water Temp. (°C)																																																																																		
10:07 AM	10.30	10.3																																																																																		
10:08 AM	10.60	10.6																																																																																		
10:10 AM	10.60	10.6																																																																																		
10:11 AM	10.60	10.6																																																																																		
10:12 AM	10.60	10.6																																																																																		
10:13 AM	10.60	10.6																																																																																		
#N/A	#N/A	#N/A																																																																																		
10:15 AM	10.60	10.60																																																																																		
Time	D.O. (mg/L)	Water Temp. (°C)																																																																																		
9:40 AM	7.04	26.7																																																																																		
9:42 AM	6.97	26.7																																																																																		
9:44 AM	6.54	26.6																																																																																		
9:46 AM	6.36	26.5																																																																																		
9:48 AM	6.22	26.5																																																																																		
9:50 AM	4.65	26.3																																																																																		
#N/A	#N/A	#N/A																																																																																		
9:52 AM	2.96	26.1																																																																																		
Time	D.O. (mg/L)	Water Temp. (°C)																																																																																		
8:05 AM	6.06	21.4																																																																																		
8:06 AM	5.93	21.8																																																																																		
8:07 AM	5.85	21.9																																																																																		
8:08 AM	5.60	21.9																																																																																		
8:09 AM	5.55	22.0																																																																																		
8:10 AM	5.52	22.0																																																																																		
#N/A	#N/A	#N/A																																																																																		
8:12 AM	5.44	22.0																																																																																		
<b>Secchi Disk</b> Meters below surface	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>Depth (mtr)</th> </tr> </thead> <tbody> <tr><td>10:05 AM</td><td>2.80</td></tr> </tbody> </table>	Time	Depth (mtr)	10:05 AM	2.80	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>Depth (mtr)</th> </tr> </thead> <tbody> <tr><td>9:28 AM</td><td>1.90</td></tr> </tbody> </table>	Time	Depth (mtr)	9:28 AM	1.90	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>Depth (mtr)</th> </tr> </thead> <tbody> <tr><td>8:55 AM</td><td>2.65</td></tr> </tbody> </table>	Time	Depth (mtr)	8:55 AM	2.65																																																																					
Time	Depth (mtr)																																																																																			
10:05 AM	2.80																																																																																			
Time	Depth (mtr)																																																																																			
9:28 AM	1.90																																																																																			
Time	Depth (mtr)																																																																																			
8:55 AM	2.65																																																																																			
<b>Chlorophyll a</b> 1 meter below surface	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>ug/L</th> </tr> </thead> <tbody> <tr><td>10:20 AM</td><td>1.70</td></tr> </tbody> </table>	Time	ug/L	10:20 AM	1.70	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>ug/L</th> </tr> </thead> <tbody> <tr><td>9:30 AM</td><td>6.90</td></tr> </tbody> </table>	Time	ug/L	9:30 AM	6.90	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>ug/L</th> </tr> </thead> <tbody> <tr><td>8:45 AM</td><td>7.10</td></tr> </tbody> </table>	Time	ug/L	8:45 AM	7.10																																																																					
Time	ug/L																																																																																			
10:20 AM	1.70																																																																																			
Time	ug/L																																																																																			
9:30 AM	6.90																																																																																			
Time	ug/L																																																																																			
8:45 AM	7.10																																																																																			
<b>Color (True)</b> 1 meter below surface	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>C.P.U. Units</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>10:22 AM</td><td>25.0</td><td>5.0*</td></tr> </tbody> </table>	Time	C.P.U. Units	LOD	10:22 AM	25.0	5.0*	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>C.P.U. Units</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>9:32 AM</td><td>40.0</td><td>5.0*</td></tr> </tbody> </table>	Time	C.P.U. Units	LOD	9:32 AM	40.0	5.0*	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>C.P.U. Units</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>8:47 AM</td><td>40.0</td><td>5.0*</td></tr> </tbody> </table>	Time	C.P.U. Units	LOD	8:47 AM	40.0	5.0*																																																															
Time	C.P.U. Units	LOD																																																																																		
10:22 AM	25.0	5.0*																																																																																		
Time	C.P.U. Units	LOD																																																																																		
9:32 AM	40.0	5.0*																																																																																		
Time	C.P.U. Units	LOD																																																																																		
8:47 AM	40.0	5.0*																																																																																		
<b>Total Phosphorus</b> 1 meter below surface 1 meter above bottom	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>mg/L</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>10:25 AM</td><td>0.030</td><td>0.0070*</td></tr> <tr><td>N/A</td><td>N/A</td><td>N/A</td></tr> </tbody> </table>	Time	mg/L	LOD	10:25 AM	0.030	0.0070*	N/A	N/A	N/A	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>mg/L</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>9:34 AM</td><td>0.062</td><td>0.0070*</td></tr> <tr><td>9:38 AM</td><td>0.061</td><td>0.0070*</td></tr> </tbody> </table>	Time	mg/L	LOD	9:34 AM	0.062	0.0070*	9:38 AM	0.061	0.0070*	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Time</th> <th>mg/L</th> <th>LOD</th> </tr> </thead> <tbody> <tr><td>8:49 AM</td><td>0.058</td><td>0.0070*</td></tr> <tr><td>8:51 AM</td><td>0.056</td><td>0.0070*</td></tr> </tbody> </table>	Time	mg/L	LOD	8:49 AM	0.058	0.0070*	8:51 AM	0.056	0.0070*																																																						
Time	mg/L	LOD																																																																																		
10:25 AM	0.030	0.0070*																																																																																		
N/A	N/A	N/A																																																																																		
Time	mg/L	LOD																																																																																		
9:34 AM	0.062	0.0070*																																																																																		
9:38 AM	0.061	0.0070*																																																																																		
Time	mg/L	LOD																																																																																		
8:49 AM	0.058	0.0070*																																																																																		
8:51 AM	0.056	0.0070*																																																																																		

\* Considered Reporting Limits




**2012**


**Graphed Data**

**Temperature and Dissolved Oxygen**

# Danbury Impoundment - FERC # 9184 2012 Temperature Samples



# Danbury Impoundment - FERC # 9184 2012 Dissolved Oxygen Samples



**2012  
Monthly  
Temperature and Precipitation  
Table**

## 2012 Water Year Monthly Temperature and Precipitation for Danbury, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October-11	80	24	48.5	5.3	513	678	1.13	T	2.85	40%
November-11	54	9	33.1	4.3	950	1088	0.60	3.7	2.09	29%
December-11	43	-1	21.7	6.9	1334	1556	0.55	8.1	1.21	45%
January-12	48	-18	31.1	7.8	1449	1699	0.37	5.1	0.96	39%
February-12	43	-7	23.7	8.6	1190	1399	1.41	19.7	0.81	174%
March-12	75	-1	39.2	13.3	793	1210	1.62	11.9	1.49	109%
April-12	72	21	42.4	2.8	671	762	3.70	0.6	2.43	152%
May-12	87	34	55.0	3.6	320	426	6.61	0.0	3.23	205%
June-12	88	37	64.2	4.1	77	179	10.03	0.0	4.23	237%
July-12	92	53	71.9	6.1	0	63	3.09	0.0	3.85	80%
August-12	87	42	66.1	1.8	4.7	86	1.42	0.0	3.70	38%
September-12	87	33	56.2	0.6	281	298	0.84	0.1	4.11	24%

Source: NOAA/Duluth,  
MN

To calculate HDD or Heating Degree Days--If the departure from normal is a negative number (-) you add this to the total below the HDD column  
If the departure from normal is a plus number (+) you subtract this from the total below the HDD column  
Calculations for NDD or Normal Degree Days follow the same formula

**2012  
Danbury  
Sampling Comparison Table  
2011—2012**

**2012 Danbury  
Project Sampling Comparison Table  
To Previous Year**

<b>Year</b>	<b>Month</b>	<b>Secchi Disk Depth (m)</b>	<b>Chlorophyll a ug/l</b>	<b>Color (True) C.P.U. Units</b>	<b>Total Phosphorus Below Surface mg/l</b>	<b>Total Phosphorus Above Bottom mg/l</b>	<b>Lowest D.O. mg/l</b>	<b>Highest D.O. mg/l</b>	<b>Lowest Water Temp. °C</b>	<b>Highest Water Temp. °C</b>
2011	April	1.95	4.7	20	0.030	.030	12.19	11.94	7.3	7.5
2012	April	2.8	1.7	25	0.030	No Sample Bottle N/A	11.93	12.69	10.3	10.6
2011	July	1.8	6.1	25	0.066	0.063	0.26	7.35	19.4	24.4
2012	July	1.9	6.9	40	0.062	0.061	2.96	7.04	26.1	26.7
2011	August	1.5	16.0	50	0.054	0.052	1.64	6.03	22.3	23.5
2012	August	2.65	7.1	40	0.058	0.056	5.44	6.06	21.4	22.0

# **Danbury Hydroelectric Project**


## **Sampling Location**

### **Map**



**Danbury Hydroelectric Project  
Water Quality Sampling Location  
FERC Project #9184**

**Danbury Water Quality Sample Location**  
N45° 59,730' W092° 22,541' Elev.939'  
Waypoint #33



**Legend**

- Dam
- Major Highways
- Interstate
- State Highway
- U.S. Highways
- County Roads
- Local Roads
- 24K County Boundaries
- Civil Towns
- Civil Town
- 24K Open Water
- 24K Rivers and Shorelines
- Cities and Villages
- Village
- City

Scale: 1:14,043

0 1400 2800 4200 ft.

This map is a user generated static output from an internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

**Appendix A**

**April 05, 2012 Sampling Documents**

# IMPOUNDMENT SAMPLING LOG

2012 Water Quality Study - Danbury Hydroelectric Project - FERC #9184

HWL - 928.77

PROJECT FLOW - 140 CFS

Date: 4/5/12

Pre-Sampling Data:

Time: 10:00 Barometer: 30.20 Air Temp: 6.1 °C Wind Speed: E 5MPH

Sky Conditions: BRIGHT SUN - CLEAR - COOL - BREEZY

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration: Instrument Model Used: Hach HQ40d

Where The Batterys Changed?

Yes

No

If Yes, When Changed: \_\_\_\_\_

Battery Status: 70% Charge

Calibration Time: February 2012

Method: Factory

Sampling Depth Profile: Measured Depth to Bottom of the Impoundment: 6.0 Meter

Secchi Disk Depth: (E0.1 Meter): 2.8 Meter.

Time: 10:05

Chlorophyll a (1 Meter below surface)

Time	Quantity (ml)	Filtered
10:20	1000	NO

True Color (1 Meter below surface)

Time	Quantity (ml)
10:22	250

D.O. Sample Data

Depth	Time	D.O. (mg/l)	°C
0.5 Meter below surface	10:07	12.69	10.3
1 Meter	10:08	12.44	10.6
2 Meter	10:10	12.32	10.6
3 Meter	10:11	12.23	10.6
4 Meter	10:12	12.17	10.6
5 Meter	10:13	12.0	10.6
6 Meter	<del>        </del>		
7 meter	<del>        </del>		
8 Meter	<del>        </del>		
0.5 Meter above bottom	10:15	11.93	10.6

Phosphorus

Time	Quantity (mg/l)
10:25	H2504

Time	Quantity (mg/l)
<del>        </del>	

Comments: Sampling location is N45 59.730 W92 22.541

NO SAMPLE BOTTLE SHIPPED FOR 2ND PHOSPHORUS

Performed By:

GARY RAST + Aneta Richard, Greg Rust + Andrew K. Hill

# ANALYTICAL REPORT

**NORTHERN LAKE SERVICE, INC.**  
 Analytical Laboratory and Environmental Services  
 400 North Lake Avenue - Crandon, WI 54520  
 Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460  
 WDATCP Laboratory Certification No. 105-330  
 EPA Laboratory ID No. W100034

Printed: 04/11/12 Code: NNNN-S Page 1 of 1  
 NLS Project: 176366  
 NLS Customer: 102823



4/13/12

**Client:** Renewable World Energies  
**Attn:** Gary Rast  
 PO Box 264  
 Neshkoro, WI 54960

**Project:** Danbury

**201204051A NLS ID: 657471**

COC: 141406:1 Matrix: SW

Collected: 04/05/12 10:20 Received: 04/06/12

**Parameter**

Chlorophyll, all species  
 Lab filtration for Chlorophyll

Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
see attached yes					04/11/12 04/06/12	10200-H NA	721026460 721026460

**201204051B NLS ID: 657472**

COC: 141406:2 Matrix: SW

Collected: 04/05/12 10:20 Received: 04/06/12

**Parameter**

Color, APHA (true)

Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
25	C.P.U.	1	5.0*		04/06/12	SM 2120-B 20ed	721026460

**201204051C NLS ID: 657473**

COC: 141406:3 Matrix: SW

Collected: 04/05/12 10:25 Received: 04/06/12

**Parameter**

Phosphorus, tot. as P

Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
0.030	mg/L	1	0.0070*		04/10/12	SM 4500P-E 20ed	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(\*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection      LOQ = Limit of Quantitation      ND = Not Detected (< LOD)      1000 ug/L = 1 mg/L  
 DWB = Dry Weight Basis      NA = Not Applicable      %DWB = (mg/kg DWB) / 10000  
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:

Authorized by:  
 R. T. Krueger  
 President

Northern Lake Service, Inc.  
Chlorophyll Results

Customer: Renewable World Energies  
Project: 176366  
Danbury

Sample	Description	CC a	Pheo a	TC a	TC b	TC c
657471	201204051A	2	0.0*	1.7	0.073	0.32

CC a = Corrected Chlorophyll a  
Pheo a = Pheophytin a  
TC a = Trichromatic Chlorophyll a  
TC b = Trichromatic Chlorophyll b  
TC c = Trichromatic Chlorophyll c  
Units = ug/L for Water, ug/cm<sup>2</sup> for periphyton samplers


\*: The complex calculations used to differentiate the various chlorophyll species magnify error at low concentrations and sometimes produce negative values, which are reported as 0.0 on this report.

**SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD**

**NORTHERN LAKE SERVICE, INC.**

Analytical Laboratory and Environmental Services  
 400 North Lake Avenue • Crandon, WI 54520-1298  
 Tel: (715) 478-2777 • Fax: (715) 478-3060

Wisconsin Lab Cert. No. 721026460  
 WIDATCP 105-000330



NO. 141406

CLIENT: Renewable World Energy  
 ADDRESS: PO Box 264  
 CITY: Neshkoro, WI 54160  
 PROJECT DESCRIPTION / NO.: Dredging  
 DNR FID #: [blank]  
 CONTACT: [blank]  
 PHONE: (715) 478-2777  
 PURCHASE ORDER NO.: 120-570-0995

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.  
 Indicate G or C if WW Sample is Grab or Composite.

MATRIX:  
 SW = surface water  
 WW = waste water  
 GW = groundwater  
 DW = drinking water  
 TIS = tissue  
 AIR = air  
 SOIL = soil  
 SED = sediment  
 PROD = product  
 SL = sludge  
 OTHER

ITEM NO.	NLS LAB. NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS		COLLECTION REMARKS (i.e. DNR Well ID #)
			DATE	TIME		Chlorophyll a	True Color	
1.	657471	20120405 1A	04/05/2012	10:20	River	X	phosphorus	
2.	472	20120405 1B	04/05/2012	10:20	Water	X	phosphorus	
3.	473	20120405 1C	04/05/2012	10:25	River	X	phosphorus	
4.								
5.								
6.								
7.								
8.								
9.								
10.								

REPORT TO: Attn: Gary  
 SAME as above

INVOICE TO: SAME as above

COLLECTED BY (signature): [Signature]  
 RELINQUISHED BY (signature): [Signature]

CUSTODY SEAL NO. (IF ANY):  
 DATE/TIME: 4/05/2012 10:20-10:25

RECEIVED BY (signature): [Signature]  
 DATE/TIME: 4/05/2012 10:25

METHOD OF TRANSPORT: UPS

DATE/TIME: 4/16/12 10:25  
 CONDITION: CRUDE

TEMP: [blank]

REMARKS & OTHER INFORMATION: [blank]

WDNR FACILITY NUMBER: [blank]  
 E-MAIL ADDRESS: [blank]


COOLER # 86022

RECEIVED AT NLS BY (signature): [Signature]

**IMPORTANT:**  
 1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.  
 2. PLEASE USE ONE LINE PER SAMPLE. NOT PER BOTTLE.  
 3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.  
 4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.  
 INDICATE COPY

# Danbury Impoundment - FERC # 9184

## April 05, 2012 Iceout Sampling Event



## **Appendix B**

July 12, 2012 Sampling Documents



# IMPOUNDMENT SAMPLING LOG

2012 Water Quality Study - Danbury Hydroelectric Project - FERC #9184

HWL 929.30 CFS - 133

Date: 7/2/12

Pre-Sampling Data:

Time: 9:00 Barometer: 30.07 Air Temp: 25 °C Wind Speed: SW 6MPH

Sky Conditions: FAIR, CLEAR, BRIGHT SUN, HOT!

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration: Instrument Model Used: Hach HQ40d

Where The Batterys Changed?  Yes  No If Yes, When Changed: \_\_\_\_\_

Battery Status: 80% Charge

Calibration Time: February 2012 Method: Factory

Sampling Depth Profile: Measured Depth to Bottom of the Impoundment: 6.2 Meter

Secchi Disk Depth: (E0.1 Meter:) 1.9 Meter. Time: 9:28

Chlorophyll a (1 Meter below surface)

Lab Sample I.D. #:		
<u>20120712-1A</u>		
Time	Quantity (ml)	Filtered
<u>9:30</u>	<u>1000</u>	<u>NO</u>

True Color (1 Meter below surface)

Lab Sample I.D. #:		
<u>20120712-1B</u>		
Time	Quantity (ml)	
<u>9:32</u>	<u>250</u>	

D.O. Sample Data

Depth	Time	D.O. (mg/l)	°C
0.5 Meter below surface	<u>9:40</u>	<u>7.04</u>	<u>26.7</u>
1 Meter	<u>9:42</u>	<u>6.97</u>	<u>26.7</u>
2 Meter	<u>9:44</u>	<u>6.54</u>	<u>26.6</u>
3 Meter	<u>9:46</u>	<u>6.36</u>	<u>26.5</u>
4 Meter	<u>9:48</u>	<u>6.22</u>	<u>26.5</u>
5 Meter	<u>9:50</u>	<u>4.65</u>	<u>26.3</u>
6 Meter	<del>        </del>		
7 meter	<del>        </del>		
8 Meter	<del>        </del>		
0.5 Meter above bottom	<u>9:52</u>	<u>2.96</u>	<u>26.1</u>

Phosphorus

Lab Sample I.D. #:		
<u>20120712-1C</u>		
(1 Meter below surface)		
Time	Quantity (ml)	Preserved
<u>9:34</u>	<u>H<sub>2</sub>SO<sub>4</sub></u>	

Lab Sample I.D. #:		
<u>20120712-1D</u>		
(1 Meter above bottom)		
Time	Quantity (ml)	Preserved
<u>9:38</u>	<u>H<sub>2</sub>SO<sub>4</sub></u>	

Comments: Sampling location is N45 59.730 W92 22.541

4.5m 9:49 5.99 26.4 4.5m

Performed By: GARY RAST + NORBERT REHDER

**NORTHERN LAKE SERVICE, INC.**  
 Analytical Laboratory and Environmental Services  
 400 North Lake Avenue - Crandon, WI 54520  
 Ph: (715)-478-2777 Fax: (715)-478-3060

**Client:** Renewable World Energies  
 Attn: Gary Rast  
 1001 Stephenson Street  
 Norway, MI 49870

# ANALYTICAL REPORT



WDNR Laboratory ID No. 721026460  
 WDATCP Laboratory Certification No. 105-330  
 EPA Laboratory ID No. WI00034


Printed: 07/20/12 Code: NNNN-S Page 1 of 1  
 NLS Project: 181281  
 NLS Customer: 102823  
 Phone: 855 994 9376

JUL 23 2012

Project	Danbury	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
<b>20120712-1A NLS ID: 672642</b>									
COC: 144727-1 Matrix: SW									
Collected: 07/12/12 09:30 Received: 07/13/12									
<b>Parameter</b>									
Chlorophyll, all species									
Lab filtration for Chlorophyll									
<b>20120712-1B NLS ID: 672643</b>									
COC: 144727-2 Matrix: SW									
Collected: 07/12/12 09:30 Received: 07/13/12									
<b>Parameter</b>									
Color, APHA (true)									
<b>20120712-1C NLS ID: 672644</b>									
COC: 144727-3 Matrix: SW									
Collected: 07/12/12 09:30 Received: 07/13/12									
<b>Parameter</b>									
Phosphorus, tot. as P									
<b>20120712-1D NLS ID: 672645</b>									
COC: 144727-4 Matrix: SW									
Collected: 07/12/12 09:38 Received: 07/13/12									
<b>Parameter</b>									
Phosphorus, tot. as P									

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(\*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection      LOQ = Limit of Quantitation      ND = Not Detected (< LOD)  
 DWB = Dry Weight Basis      NA = Not Applicable      %DWB = (mg/kg DWB) / 10000  
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:   
 R. T. Krueger  
 President

Northern Lake Service, Inc.  
Chlorophyll Results

Customer: Renewable World Energies  
Project: 181281  
Danbury

Sample	Description	CC a	Pheo a	TC a	TC b	TC c
672642	20120712-1A	6.3	0.47	6.9	0.0*	0.39

CC a = Corrected Chlorophyll a  
Pheo a = Pheophytin a  
TC a = Trichromatic Chlorophyll a  
TC b = Trichromatic Chlorophyll b  
TC c = Trichromatic Chlorophyll c  
Units = ug/L for Water, ug/cm<sup>3</sup> for periphyton samplers

\*: The complex calculations used to differentiate the various chlorophyll species magnify error at low concentrations and sometimes produce negative values, which are reported as 0.0 on this report.

**SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD**

Wisconsin Lab Cert. No. 721026460  
WI DATCP 105-000330

**NORTHERN LAKE SERVICE, INC.**

Analytical Laboratory and Environmental Services  
400 North Lake Avenue • Crandon, WI 54520-1298  
Tel: (715) 478-2777 • Fax: (715) 478-3060



NO. 144727

**CUSTOMER:**  
**RENEWABLE WORLD ENERGIES**  
 ADDRESS: 1005 ST STREET BOX 269  
 CITY: WESHORO WI 54960  
 STATE: WI  
 QUOTATION NO.: 54960  
 DNR FID # \_\_\_\_\_ DNR LICENSE # \_\_\_\_\_  
 CONTACT: CARLY KAST PHONE: 855-994-9376  
 PURCHASE ORDER NO.: VERBAL 2 FAX: \_\_\_\_\_

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.  
Indicate G or C if WW Sample is Grab or Composite.

**MATRIX:**  
 SW = surface water  
 WW = waste water  
 GW = groundwater  
 DW = drinking water  
 TIS = tissue  
 AIR = air  
 SOIL = soil  
 SED = sediment  
 PROD = product  
 SL = sludge  
 OTHER \_\_\_\_\_

ITEM NO.	NLS LAB NO.	SAMPLE ID	DATE	COLLECTION TIME	MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS	COLLECTION REMARKS (i.e. DNR Well ID #)
1.	67642	202072-1A	7/12/12	9:30	RIVER WATER	TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY TRACER ONLY	
2.	643	" 1B	"	"	"		
3.	644	" 1C	"	9:38	"		
4.	645	" 1D	"	11:00	"		
5.							
6.							
7.							
8.							
9.							
10.							


**COLLECTED BY (signature):** *[Signature]* DATE/TIME: 7/12/12 9:30-9:38  
**RELINQUISHED BY (signature):** \_\_\_\_\_ DATE/TIME: \_\_\_\_\_  
**DISPATCHED BY (signature):** *[Signature]* DATE/TIME: 7/12/12 1:00  
**RECEIVED AT NLS BY (signature):** *[Signature]* DATE/TIME: 7/13/12 9:45  
 METHOD OF TRANSPORT: UPS  
 TEMP: \_\_\_\_\_  
 CONDITION: \_\_\_\_\_  
 REMARKS & OTHER INFORMATION: \_\_\_\_\_  
 WDNR FACILITY NUMBER: \_\_\_\_\_ E-MAIL ADDRESS: \_\_\_\_\_

**REPORT TO:** SAME  
**INVOICE TO:** RWE OPERATIONS  
 1001 STEPHANSON ST  
 NORWAY, WI 54957

**IMPORTANT:**  
 1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.  
 2. PLEASE USE ONE LINE PER SAMPLE; **NOT** PER BOTTLE.  
 3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.  
 4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

# Danbury Impoundment - FERC # 9184

## July 12, 2012 Sampling Event



## **Appendix C**

August 14, 2012 Sampling Documents

HWL-928.98

TWL-889.00

TP Flow - 117 CFS

# IMPOUNDMENT SAMPLING LOG

2012

Water Quality Study - Danbury Hydroelectric Project - FERC #9184

Date: 8-14

### Pre-Sampling Data:

Time: 8:45 Barometer: 30.00 Air Temp: 15.0 °C Wind Speed: CALM

Sky Conditions: FAIR, Clear and sunny

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration: Instrument Model Used: HQ40d

Where The Batterys Changed?  Yes  No If Yes, When Changed: \_\_\_\_\_

Battery Status: 100% Charge

Calibration Time: APRIL Method: Factory

Sampling Depth Profile: Measured Depth to Bottom of the Impoundment: 6.2 Meter

Secchi Disk Depth: (E0.1 foot) 2.65 Meter. Time: 8:55

### Chlorophyll a (1 Meter below surface)

Lab Sample I.D. #:	201208141A	
Time	Quantity (ml)	Filtered
8:45	1000	NO

### True Color (1 Meter below surface)

Lab Sample I.D. #:	201208141B	
Time	Quantity (ml)	
8:47	250	

### D.O. Sample Data

Depth	Time	D.O. (ml)	°C
0.5 Meter below surface	8:05	6.06	21.4
1 Meter	8:06	5.93	21.8
2 Meter	8:07	5.85	21.9
3 Meter	8:08	5.60	21.9
4 Meter	8:09	5.55	22.0
5 Meter	8:10	5.52	22.0
6 Meter	X		
7 meter			
8 Meter	X		
0.5 Meter above bottom			

### Phosphorus

Lab Sample I.D. #: 201208141C	
(1 Meter below surface)	
<del>Time</del>	<del>Quantity</del>
8:49	H2SO4

Lab Sample I.D. #: 201208141D	
(1 Meter above bottom)	
<del>Time</del>	<del>Quantity</del>
8:51	H2SO4

Comments: Sampling location is N45 59.730 W92 22.541

LOTS OF ALGAE + DUCKWEED

Performed By: AKR GGR

# ANALYTICAL REPORT



AUG 22 2012

**NORTHERN LAKE SERVICE, INC.**  
 Analytical Laboratory and Environmental Services  
 400 North Lake Avenue - Grandon, WI 54520  
 Ph: (715)-478-2777 Fax: (715)-478-3060

**Client:** Renewable World Energies  
 Attn: Gary Rast  
 100 State Street  
 P.O. Box 264  
 Neshkoro, WI 54960

WDNR Laboratory ID No. 721026460  
 WDATCP Laboratory Certification No. 105-330  
 EPA Laboratory ID No. WI00034  
 Printed: 08/20/12 Code: NNNN-S Page 1 of 1  
 NLS Project: 183022  
 NLS Customer: 102823  
 Phone: 855 994 9376

Project:	Danbury
<b>201208141A NLS ID: 677880</b>	
COC: 160053:1 Matrix: SW	
Collected: 08/14/12 08:45	Received: 08/15/12
<b>Parameter</b>	
Chlorophyll, all species	
Lab filtration for Chlorophyll	
<b>201208141B NLS ID: 677881</b>	
COC: 160053:2 Matrix: SW	
Collected: 08/14/12 08:47	Received: 08/15/12
<b>Parameter</b>	
Color, APHA (true)	
<b>201208141C NLS ID: 677882</b>	
COC: 160053:3 Matrix: SW	
Collected: 08/14/12 08:49	Received: 08/15/12
<b>Parameter</b>	
Phosphorus, tot. as P	
<b>201208141D NLS ID: 677883</b>	
COC: 160053:4 Matrix: SW	
Collected: 08/14/12 08:51	Received: 08/15/12
<b>Parameter</b>	
Phosphorus, tot. as P	

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(\*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection    LOQ = Limit of Quantitation    ND = Not Detected (< LOD)  
 DWB = Dry Weight Basis    NA = Not Applicable    %DWB = (mg/kg DWB) / 10000  
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:

*[Signature]*

Authorized by:  
 R. T. Krueger  
 President

Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
see attached yes					08/18/12 08/15/12	10200-H NA	721026460 721026460
40	C.P.U.	1	5.0*		08/15/12	SM 2120-B 20ed	721026460
0.058	mg/L	1	0.0070*		08/17/12	SM 4500P-E 20ed	721026460
0.056	mg/L	1	0.0070*		08/17/12	SM 4500P-E 20ed	721026460



Northern Lake Service, Inc.  
Chlorophyll Results

Customer: Renewable World Energies  
Project: 183022  
Danbury

Sample	Description	CC a	Pheo a	TC a	TC b	TC c
677880	201208141A	6.6	0.4	7.1	0.0*	0.59

CC a = Corrected Chlorophyll a  
Pheo a = Pheophytin a  
TC a = Trichromatic Chlorophyll a  
TC b = Trichromatic Chlorophyll b  
TC c = Trichromatic Chlorophyll c  
Units = ug/L for Water, ug/cm<sup>3</sup> for periphyton samplers

\*: The complex calculations used to differentiate the various chlorophyll species magnify error at low concentrations and sometimes produce negative values, which are reported as 0.0 on this report.

**NORTHERN LAKE SERVICE, INC.**  
 Analytical Laboratory and Environmental Services  
 400 North Lake Avenue • Crandon, WI 54520-1288  
 Tel: (715) 478-2777 • Fax: (715) 478-3060

Wisconsin Lab Cert. No. 721026460  
 WI DATCP 105-000330

**SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD**

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.  
 Indicate G or B if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	TRUE COLOR	X
	PHOSPHORUS	X
	PHOSPHORUS	X

MATRIX:  
 SW = surface water  
 WW = waste water  
 GW = groundwater  
 DW = drinking water  
 TIS = tissue  
 AIR = air  
 SOIL = soil  
 SED = sediment  
 PROD = product  
 SL = sludge  
 OTHER

CLIENT: RENEWABLE WORLD ENERGIES, LLC  
 ADDRESS: 1005 STATE ST PO BOX 264 NESHKORO WI 54960  
 CONTACT: GARY RAST  
 PHONE: 855-994-9376 X105  
 PURCHASE ORDER NO.: 720-213-4100

DNR LICENSE #  
 QUOTATION NO.  
 DNR FACILITY NUMBER

No. 160053

ITEM NO.	NLS LAB. NO.	SAMPLE ID	DATE	COLLECTION TIME	MATRIX (See above)	COLLECTION REMARKS (i.e. DNR Well ID #)
1.	677880	20208141A	8/14/12	8:45	RIVER WATER	
2.	881	20208141B	"	8:47	"	
3.	882	201208041C	"	8:49	"	
4.	883	201208141D	"	8:51	"	
5.						
6.						
7.						
8.						
9.						
10.						

REPORT TO: RENEWABLE WORLD ENERGIES  
 1005 STATE STREET  
 PO BOX 264  
 NESHKORO, WI 54960  
 INVOICE TO: RW OPERATIONS  
~~1001 STEPHENSON ST~~  
 NORWAY, MI 49870


COLLECTED BY (signature): GARY RAST  
 RELINQUISHED BY (signature): GARY RAST  
 CUSTODY SEAL NO. (IF ANY): 8/14/12 8:45-8:51  
 RECEIVED BY (signature): GARY RAST  
 METHOD OF TRANSPORT: UPS  
 DATE/TIME: 8/14/12 12:00 PM  
 CONDITION: DRY  
 TEMP: 10.00  
 REMARKS & OTHER INFORMATION: 10-1656

COOLER # 10-1656  
 PRESERVATIVE: N = nitric acid, OH = sodium hydroxide, HA = hydrochloric & asorbic acid, M = methanol, H = hydrochloric acid, S = sulfuric acid  
 1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.  
 2. PLEASE USE ONE LINE PER SAMPLE. NOT PER BOTTLE.  
 3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.  
 4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE

**IMPORTANT**

# Danbury Impoundment - FERC # 9184

## August 14, 2012 Sampling Event



**Appendix D**

Agency Correspondence

COPY



RECEIVED

**Gary Rast**

---

**From:** Utrup, Nick <nick\_utrup@fws.gov>  
**Sent:** Tuesday, November 27, 2012 12:57 PM  
**To:** Gary Rast  
**Subject:** Re: FW: WDNR comments for Winter, Clam, and Danbury 2012 WQ data

NOV 27 2012

Gary,

The USFWS has no comments on the Winter, Clam, and Danbury 2012 WQ data.

Nick

On Tue, Nov 27, 2012 at 12:49 PM, Gary Rast <[grast@rwehydro.com](mailto:grast@rwehydro.com)> wrote:

Gary Rast

Regulatory Compliance Manager

Renewable World Energies, LLC

100 S. State Street

P.O. Box 264

Neshkono, WI 54960

Phone: 855-994-9376 Ext. 105

Fax: 920-293-4100

Cell: 920-570-0995

E-mail: [grast@rwehydro.com](mailto:grast@rwehydro.com)

**From:** Laatsch, Cheryl - DNR [mailto:[Cheryl.Laatsch@Wisconsin.gov](mailto:Cheryl.Laatsch@Wisconsin.gov)]  
**Sent:** Monday, November 19, 2012 1:33 PM  
**To:** Gary Rast  
**Subject:** WDNR comments for Winter, Clam, and Danbury 2012 WQ data

Hi Gary –

Staff have reviewed the reports above, and have no concerns or comments.

e-mail: [Cheryl.laatsch@wisconsin.gov](mailto:Cheryl.laatsch@wisconsin.gov)  
Website: [dnr.wi.gov](http://dnr.wi.gov)  
[www.facebook.com/WIDNR](http://www.facebook.com/WIDNR)

--  
Nicholas J. Utrup  
U.S. Fish and Wildlife Service  
Wisconsin Ecological Services Office  
2661 Scott Tower Drive  
New Franken, WI 54229

Office: (920) 866-1736  
Cell: (920) 530-9937  
FAX: (920) 866-1710  
Email: [Nick\\_Utrup@fws.gov](mailto:Nick_Utrup@fws.gov)



**COPY**

**Gary Rast**

---


**From:** Laatsch, Cheryl - DNR <Cheryl.Laatsch@Wisconsin.gov>  
**Sent:** Monday, November 19, 2012 1:33 PM  
**To:** Gary Rast  
**Subject:** WDNR comments for Winter, Clam, and Danbury 2012 WQ data

 **RECEIVED**  
NOV 19 2012

Hi Gary –

Staff have reviewed the reports above, and have no concerns or comments.

e-mail: [Cheryl.laatsch@wisconsin.gov](mailto:Cheryl.laatsch@wisconsin.gov)  
Website: [dnr.wi.gov](http://dnr.wi.gov)  
[www.facebook.com/WIDNR](http://www.facebook.com/WIDNR)



October 19, 2012

Mr. Craig Roesler  
Water Quality Biologist, Upper Chippewa Basin  
Wisconsin Dept. of Natural Resources  
10220 State Hwy. 27  
Hayward, WI 54843

Mr. Nick Utrup  
Fish and Wildlife Biologist  
U.S. Fish and Wildlife Service  
2661 Scott Tower Drive  
New Franken, WI 54229

Ms. Cheryl Laatsch  
Water Regulations & Zoning Specialist  
Wisconsin Dept. of Natural Resources  
P O Box 7921  
Madison, WI 53707-7921

**Re: Danbury Hydroelectric Project  
FERC Project Number 9184  
Flambeau Hydro LLC  
Draft Report 2012 Water Quality Monitoring Data**

Dear Agency:

Purpose

On behalf of Flambeau Hydro LLC "Flambeau" (Licensee), Renewable World Energies, LLC is submitting (2) copies of the Draft Report 2012 Water Quality Monitoring Data for the Danbury Hydroelectric Project. Furthermore, the Licensee is requesting your comments should you have any to offer on the report. The Federal Energy Regulatory Commission "FERC" issued a License to Flambeau on September 5, 2006. 2012 was the fifth year that monitoring was conducted since the license was issued. The submitted report is a requirement of that License pursuant to License Article 401 WQC, Condition K.

**Corporate Office**  
P.O. Box 264  
100 S. State Street  
Neshkoro, WI 54960  
Fax: 920-293-4100

Phone: 855-99HYDRO  
(855-994-9376)  
[www.renewableworldenergies.com](http://www.renewableworldenergies.com)

**Administrative Office**  
1001 Stephenson Street  
Norway, MI 49870  
Fax: 906-563-9344




Conclusion

The Federal Energy Regulatory Commission's regulations allow for a 30 day formal review and comment period. Thank you in advance for providing your responses in a timely manner so we can include your comments and recommendations, as appropriate, into our report.

If you have any questions concerning the report, please contact Mr. Gary Rast at the Renewable World Energies, LLC offices @ 855-994-9376 ext. 105, or by email at: [grast@rwehydro.com](mailto:grast@rwehydro.com).

Sincerely,  
**Renewable World Energies, LLC**  
**Agent for Licensee**

  
for Mr. Jason Kreuzscher  
Vice President, Operations

Attachment: Draft Report 2012 Water Quality Monitoring Data - October 17, 2012

Cc: RWE, Corporate

**COPY****Gary Rast**

---

**From:** Gary Rast  
**Sent:** Friday, July 13, 2012 8:23 AM  
**To:** Jeffrey.Scheirer@Wisconsin.gov; 'craig.roesler@dnr.state.wi.us'; Nick Utrup (nick\_utrup@fws.gov)  
**Cc:** Laatsch, Cheryl - DNR (Cheryl.Laatsch@Wisconsin.gov)  
**Subject:** Danbury Below Std DO July

Everyone,

I performed the July WQ survey at the Danbury Hydroelectric Project yesterday, July 12, 2012. A few below standard DO measurements were noted. DO dropped below state standard of 5 mg/l at the 5 meter depth.

The results are found below:

4.5 M = 5.99 mg/l and 26.4 °C  
5 M = 4.65 mg/l and 26.3 °C °C  
.5 M Above Bottom = 2.96 mg/l and 26.1 °C

Thanks

Gary

Gary Rast  
Regulatory/Compliance Manager



Renewable World Energies, LLC  
100 State Street  
P.O. Box 264  
Neshkoro, WI 54960  
Phone: 855-994-9376 Ext. 105  
Fax: 920-293-4100  
Cell: 920-570-0995  
E-mail: [grast@rwehydro.com](mailto:grast@rwehydro.com)

Document Content(s)

13128568.tif.....1-42