


Luxemburg

Kewaunee County


The proposed outfall for the new STP is to be located on the Kewaunee River below the confluence of School Creek. The 7^{Q}_{10} of the Kewaunee River is 5.0 CFS at Kewaunee. The River supports many species of game fish.

Recommendations

The Kewaunee River should be classified as continuous/fish and aquatic life. School Creek should be classified as non-continuous/intermediate fish and aquatic life.



Dan Uhl
District Engineer




Dennis C. Weisensel
District Biologist


DU:DCW:sh

LUXEMBURG

SURVEY DATE: 8-27-75




DW 9-10-75



...d, edited, and published by the Geological Survey
 by USGS and USC&GS

...phy from aerial photographs by Kelsh plotter
 ...plane-table surveys 1952. Aerial photographs taken 1951
 ...ic projection. 1927 North American datum
 ...foot grid based on Wisconsin coordinate system,
 ...one

TRUE NORTH
 MAGNETIC NORTH
 APPROXIMATE MEAN
 DECLINATION, 1952



SCALE 1:62500
 Kewaunee 5.8 MI. | 35' R. 24 E.
 CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS
 DATUM IS MEAN SEA LEVEL
 DEPTH CURVES AND SOUNDINGS IN FEET--DATUM IS 578 FEET
 THIS MAP CONFORMS WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY THE GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
 AND BY THE WISCONSIN GEOLOGICAL AND NATURAL HISTORY SURVEY, MADISON 6, WISCONSIN
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

Heavy-duty
 Medium-duty
 U. S. Road

INTERIOR-GEOLOGICAL SURVEY
 KEWAUNEE 4.3 MI. | M



LUXEMBURG LOOKING
UPSTREAM ON KEWAUNEE
RIVER ABOVE CONFLUENCE
WITH SCHOOL CREEK

#3

LUXEMBURG LOOKING
DOWNSTREAM ON
SCHOOL CREEK ABOVE
PROPOSED STP OUTFALL

#2

LUXEMBURG LOOKING
DOWNSTREAM ON
KEWAUNEE RIVER
BELOW PROPOSED STP
OUTFALL

~~#1~~