

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

January 6, 2014

DNR File No. SE-0139

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Sanitary Sewer Service Area for the Village of Menomonee Falls,
Waukesha County.

Dear Mr. Stroik:

We have completed our review of the subject amendment request submitted to the Department on December 13, 2013. The Department hereby approves the sewer service area amendment request which adds a total of 21 acres, located north of Elder Lane and east of Maple Road to the Village of Menomonee's Sanitary Sewer Service Area (see Map 1).

There are no environmental corridors or isolated natural resource areas within the site. The area is tributary to the Milwaukee Metropolitan Sewerage District sewerage system. The proposed amendment was approved by the Menomonee Falls Village Board following a public hearing on December 2, 2013, and the amendment was adopted by SEWRPC per Resolution Number 2013-18 on December 4, 2013.

This plan amendment becomes part of the SEWRPC Community Assistance Planning Report No. 208, *Sanitary Sewer Service Area for the Villages of Lannon and Menomonee Falls, Waukesha County, Wisconsin*, June 1993, as amended, which is a part of the SEWRPC Planning Report No. 30 *Regional Water Quality Management Plan for Southeastern Wisconsin*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

Mr. David Stroik – January 6, 2014

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,




Thomas J. Mugan, P.E., Chief
Wastewater Section
Bureau of Water Quality




cc:


Ms. Janice Moyer, Clerk, Village of Menomonee Falls, W156 N8480 Pilgrim Road,
Menomonee Falls, WI 53051
Mr. Matthew Carran, Community Development Director, Village of Menomonee Falls,
W156 N8480 Pilgrim Road, Menomonee Falls, WI 53051
Ms. Kathleen Novack, Waukesha County Clerk, 515 W. Moreland Blvd, Rm 120, Waukesha WI 53188
Mr. Dale Shaver, Director, Waukesha County Dept of Parks and Land Use, 515 W. Moreland Blvd,
Rm 260, Waukesha WI 53188
Mr. Kevin Shaver, Executive Director, Milwaukee Metropolitan Sewerage District, 260 W. Seeboth
Street, Milwaukee, WI 53204-1446
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Waukesha
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3

Map 1


PROPOSED AMENDMENT TO THE MENOMONEE FALLS SANITARY SEWER SERVICE AREA



-  GROSS SANITARY SEWER SERVICE AREA BOUNDARY
-  PLANNED SANITARY SEWER SERVICE AREA
-  AREA TO BE ADDED TO THE MENOMONEE FALLS SANITARY SEWER SERVICE AREA TRIBUTARY TO THE MILWAUKEE METROPOLITAN SEWERAGE DISTRICT



Source: SEWRPC



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

January 6, 2014

DNR File No. SE-0140

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Sanitary Sewer Service Area for the Village of Nashotah and Environs,
Waukesha County.

Dear Mr. Stroik:

We have completed our review of the subject amendment request submitted to the Department on December 16, 2013. The Department hereby approves the sewer service area amendment request which adds a total of 11 acres, located south of STH 16, about one-half mile east of CTH C, to the Village of Nashota's Sanitary Sewer Service Area (see Map 1).

There are no environmental corridors or isolated natural resource areas within the site. The area is tributary to the Delafield-Hartfield Water Pollution Control Commission wastewater treatment facility. The proposed amendment was approved by the Nashotah Village Board following a public hearing on November 6, 2013, and the amendment was adopted by SEWRPC per Resolution Number 2013-16 on December 4, 2013.

This plan amendment becomes part of the SEWRPC Community Assistance Planning Report No. 127, *Sanitary Sewer Service Area for the City of Delafield and the Village of Nashotah and Environs, Waukesha County, Wisconsin*, November 1992, as amended, which is a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for Southeastern Wisconsin*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

Mr. David Stroik – January 6, 2014

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,



Thomas J. Muga, P.E., Chief
Wastewater Section
Bureau of Water Quality

cc:

Ms. Cynthia Pfeifer, Clerk, Village of Nashotah, N44 W32950 Watertown Plank Rd, PO Box 123
Nashotah, WI 53058-0123

Mr. Timothy Barbeau, Village of Nashotah Engineer, R.A. Smith National, Inc., 16745 W. Bluemound
Road, Suite 200, Brookfield, WI 53005-5938

Ms. Kathleen Novack, Waukesha County Clerk, 515 W. Moreland Blvd, Rm 120, Waukesha WI 53188

Mr. Dale Shaver, Director, Waukesha County Dept of Parks and Land Use, 515 W. Moreland Blvd,
Rm 260, Waukesha WI 53188

Mr. Scott Luczak, General Manager, Delafield-Hartland WPC, 416 Butler Dr, Delafield, WI 53018


Mr. Mike Luba, Basin Supervisor, WDNR – SER - Waukesha













Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee

Ms. Lisa Helmuth – WDNR – WQ/3


Ms. Fran Keally – WDNR - WQ/3


RECOMMENDED AMENDMENT TO THE
DELAFIELD-NASHOTAH SANITARY SEWER SERVICE AREA



- | | | | | | |
|---|---|---|--|--|--|
|  | PRIMARY ENVIRONMENTAL CORRIDOR |  | GROSS SANITARY SEWER SERVICE AREA BOUNDARY |  | LANDS IN THE CITY OF DELAFIELD WHICH ARE CURRENTLY, OR ARE PROPOSED TO BE, SERVED BY CITY OF DELAFIELD SEWERS WHICH CONNECT TO THE VILLAGE OF HARTLAND SEWER SERVICE SYSTEM FOR CONVEYANCE TO THE DELAFIELD-HARTLAND SEWAGE TREATMENT FACILITY |
|  | SECONDARY ENVIRONMENTAL CORRIDOR |  | EXISTING PUBLIC SEWAGE TREATMENT FACILITY |  | EXISTING PUMPING STATION |
|  | ISOLATED NATURAL RESOURCE AREA |  | EXISTING TRUNK SEWER |  | LANDS PROPOSED TO BE ADDED TO THE NASHOTAH SANITARY SEWER SERVICE AREA |
|  | NET SANITARY SEWER SERVICE AREA (1992) |  | EXISTING FORCE MAIN | | |
|  | NET SANITARY SEWER SERVICE AREA (PLANNED) | | | | |

Source: SEWRPC.





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

April 21, 2014

DNR File No. SE-0141

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Sanitary Sewer Service Area for the City of Mequon,
Ozaukee County.

Dear Mr. Stroik:

We have completed our review of the subject amendment request received by the Department on April 2, 2014. The Department hereby endorses the sewer service area amendment request which adds a total of 360 acres, located north of Donges Bay Road and east of Swan Road, to the Mequon-Thiensville Sanitary Sewer Service Area (see Map 1). This review is an equivalent analysis action under s. NR 150.20 (2) (a) 3, Wis. Adm. Code. By means of this review, the Department has complied with ch. NR 150, Wis. Adm. Code, and with s. 1.11, Stats.

The subject area includes seven existing homesites and under the City land use plan, the area is recommended for low-density residential use. There are no environmental corridors or isolated natural resource areas within the site, although there are 6 acres of isolated wetlands less than 5 acres in size. The area is tributary to the Milwaukee Metropolitan Sewerage District sewerage system. The proposed amendment was approved by the Mequon Common Council following a public hearing on March 11, 2014. The amendment was adopted by SEWRPC per Resolution Number 2014-03 on March 19, 2014.

This plan amendment becomes part of the SEWRPC Community Assistance Planning Report No. 188, *Sanitary Sewer Service Area for the City of Mequon and the Village of Thiensville, Ozaukee County, Wisconsin*, January 1992, as amended, which is a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for Southeastern Wisconsin 2000*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.


Mr. David Stroik – April 21, 2014

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,




Thomas J. Muga, P.E., Chief
Wastewater Section
Bureau of Water Quality







cc:






Mr. Lee Szymborski, Administrator, City of Mequon, 11333 N. Cedarburg Rd, Mequon, WI 53092
Ms. Kimberly Tollefson, Director of Community Development, City of Mequon, 11333 N. Cedarburg Rd, Mequon, WI 53092
Ms. Julianne Winkelhorst, Ozaukee County Clerk, Administrative Center, 121 W. Main St, PO Box 994, Port Washington WI 53074-0994
Mr. Andrew Holschbach, Director, Ozaukee County Land and Water Management, 121 W. Main St, PO Box 994, Port Washington WI 53074-0994
Mr. Andrew Struck, Director, Ozaukee County Planning and Parks, 121 W. Main St, PO Box 994, Port Washington WI 53074-0994
Mr. Kevin Shaver, Executive Director, Milwaukee Metropolitan Sewerage District, 260 W Seeboth Street, Milwaukee, WI 53204-1446
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Waukesha
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3


Map 1

PROPOSED AMENDMENT TO THE MEQUON-THIENSVILLE SANITARY SEWER SERVICE AREA




-  PRIMARY ENVIRONMENTAL CORRIDOR
-  SECONDARY ENVIRONMENTAL CORRIDOR
-  ISOLATED NATURAL RESOURCE AREA
-  EXISTING AREA SERVED BY MEQUON AND THIENSVILLE SANITARY SEWER SYSTEMS: 2009
-  MEQUON-THIENSVILLE PLANNED SANITARY SEWER SERVICE AREA
-  MEQUON-THIENSVILLE PLANNED SANITARY SEWER SERVICE AREA BOUNDARY

-  EXISTING TRUNK SEWER
-  EXISTING FORCE MAIN
-  EXISTING PUMPING STATION
-  LANDS PROPOSED TO BE ADDED TO THE MEQUON-THIENSVILLE SANITARY SEWER SERVICE AREA
-  OTHER PLANNED SANITARY SEWER SERVICE AREAS



Source: SEWRPC.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

July 18, 2014

DNR File No. SE-0142

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Sanitary Sewer Service Areas-Village of Hartland and Lake Pewaukee Sanitary District
Waukesha County

Dear Mr. Stroik:

We have completed our review of the subject amendment request received by the Department on July 2, 2014. The Department hereby approves the sewer service area amendment request which pertains to a change in the Hartland and Pewaukee sewer service areas. The area is located in the northwest one-quarter of the southwest one-quarter of U.S. Public Land Survey Section 11, Township 7 North, Range 18 East, Town of Delafield, in Waukesha County (see Map 1).

The amendment removes 26 acres from the Hartland sewer service area, which is tributary to the Dela-Hart wastewater treatment facility and adds them to the Pewaukee sewer service area, which is tributary to the Brookfield Fox River wastewater treatment plant. These 26 acres will be developed as part of a proposed larger subdivision called Woodridge Estates, which is primarily located within the Pewaukee sewer service area. It was determined that this area could be more cost effectively served by the Lake Pewaukee Sanitary District system. There are no environmental corridors, isolated natural resource areas, or wetlands within the 26-acre subject area.

The proposed amendment was requested by the Lake Pewaukee Sanitary District and prior to the public hearing was approved by the Lake Pewaukee Sanitary District Board of Commissioners, the Village of Hartland and the Delafield-Hartland Water Pollution Control Commission. A public hearing was held on April 22, 2014. The amendment was adopted by SEWRPC per Resolution Number 2014-06 on June 18, 2014.

This plan amendment becomes part of SEWRPC Community Assistance Planning Report No. 93, *Sanitary Sewer Service Area for the Village of Hartland, Waukesha County, Wisconsin*, dated April 1985, as amended, and SEWRPC Community Assistance Planning Report No. 113, *Sanitary Sewer Service Area for the Town of Pewaukee Sanitary District No. 3, Lake Pewaukee Sanitary District, and Village of Pewaukee, Waukesha County, Wisconsin*, dated June 1985 as amended, which are a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for*

Southeastern Wisconsin 2000, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.


This review is an equivalent analysis action under s. NR 150.20 (2) (a) 3, Wis. Adm. Code. By means of this review, the Department has complied with ch. NR 150, Wis. Adm. Code, and with s. 1.11, Stats.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.


Sincerely,



Thomas J. Muga, P.E., Chief
Wastewater Section
Bureau of Water Quality


cc:

Ms. Mary Elsner, Clerk, Town of Delafield, N14 W30782 Golf Rd, Delafield WI 53018-2117
Ms. Connie Casper, Clerk, Village of Hartland, 210 Cottonwood Avenue, Hartland, WI 53029
Mr. Thomas Koepp, Manager, Lake Pewaukee Sanitary District, N25 W27534 Oak St, PO Box 111, Pewaukee, WI 53072
Mr. Thomas Grisa, Director of Public Works, Fox River Water Pollution Control Commission, 2000 N. Calhoun Road, Brookfield, WI 53005
Mr. Scott Luczak, General Manager, Delafield-Hartland Water Pollution Control Commission, 416 Butler Drive, Delafield, WI 53018
Ms. Kathleen Novack, Waukesha County Clerk, 515 W. Moreland Blvd, Room 120, Waukesha, WI 53188
Mr. Dale Shaver, Director, Waukesha County Department of Parks and Land Use, 515 W. Moreland Boulevard, Room 260, Waukesha, WI 53188
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Milwaukee
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3




Map 1
**PROPOSED AMENDMENT
 TO THE PEWAUKEE SANITARY
 SEWER SERVICE AREA**

- PRIMARY ENVIRONMENTAL CORRIDOR
- SECONDARY ENVIRONMENTAL CORRIDOR
- ISOLATED NATURAL RESOURCE AREA
- SURFACE WATER
- PLANNED SANITARY SEWER SERVICE AREA: 2013
- PLANNED SANITARY SEWER SERVICE AREA BOUNDARY
- OTHER SANITARY SEWER SERVICE AREAS
- LANDS PROPOSED TO BE REMOVED FROM THE HARTLAND SANITARY SEWER SERVICE AREA AND ADDED TO THE PEWAUKEE SANITARY SEWER SERVICE AREA
- CITY AND VILLAGE BOUNDARIES: 2013



Source: SEW/RPC,
 JUNE 2014





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

September 17, 2014

DNR File No. SE-0143

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Greater Kenosha Area, Kenosha County

Dear Mr. Stroik:

We have completed our review of the subject amendment request received by the Department on September 12, 2014. The Department hereby approves the sewer service area amendment request which adds 317 acres, located south of STH 142, west of IH 94/USH 41, and east of CTH UE in the City of Kenosha, to the Greater Kenosha Sanitary Sewer Area (see Map 1).

The proposed area includes one acre of existing right-of-way, less than 3 acres of small wetlands and 313 acres of other open land, to be developed for commercial use. There is no significant adverse water quality impact attributable to developing this area, and the Kenosha wastewater treatment plant has adequate capacity to treat the wastewater flows from the proposed development.

The proposed amendment was requested by the City of Kenosha on April 7, 2014. Following the public hearing on August 18, 2014, the amendment was approved by the Board of Commissioners of the Kenosha Water Utility. The amendment was adopted by SEWRPC per Resolution Number 2014-19 on September 10, 2014.

This plan amendment becomes part of SEWRPC Community Assistance Planning Report No.106, *Sanitary Sewer Service Area for the City of Kenosha and Environs, Kenosha County, Wisconsin*, November 1985, as amended, which is a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for Southeastern Wisconsin 2000*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.

This review is an equivalent analysis action under s. NR 150.20 (2) (a) 3, Wis. Adm. Code. By means of this review, the Department has complied with ch. NR 150, Wis. Adm. Code, and with s. 1.11, Stats.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,










Thomas J. Muga, P.E., Chief
Wastewater Section
Bureau of Water Quality





cc:


Mr. Edward St. Peter, General Manager, Kenosha Water Utility, 4401 Green Bay Rd, Kenosha, WI 53144
Ms. Deb Salas, Clerk/Treasurer, City of Kenosha, 625 52nd St, Room 105, Kenosha, WI 53140
Mr. Jeffrey Labahn, Director, Community Development and Inspections, City of Kenosha, 625 52nd St, Kenosha, WI 53140
Ms. Mary Schuch-Krebs, Kenosha County Clerk, Kenosha County Administration Building, 1010 56th St, Kenosha, WI 53140
Mr. Andy Buehler, Director of Planning and Development, Kenosha County Center, 19600 75th St, Suite 185-3, Bristol, WI 53104
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Milwaukee
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Nicole Clayton – WDNR – DWG - Madison
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3

PROPOSED AMENDMENT TO THE GREATER KENOSHA SANITARY SEWER SERVICE AREA



-  GREATER KENOSHA SANITARY SEWER SERVICE AREA
-  AREAS SERVED BY SEWERS TRIBUTARY TO THE CITY OF KENOSHA SEWAGE TREATMENT FACILITY: 2008
-  RACINE AND ENVIRONS SANITARY SEWER SERVICE AREA
-  PRIMARY ENVIRONMENTAL CORRIDOR
-  SECONDARY ENVIRONMENTAL CORRIDOR
-  ISOLATED NATURAL RESOURCE AREA

-  WETLANDS AND SURFACE WATER AREAS LESS THAN FIVE ACRES IN SIZE LOCATED OUTSIDE ENVIRONMENTAL CORRIDORS AND ISOLATED NATURAL RESOURCE AREAS
-  AIRPORTS, LARGE PARK AND RECREATION SITES, AND SIMILAR USES WITHIN THE SEWER SERVICE AREA
-  UNDEVELOPED FLOODLANDS ALONG PIKE CREEK THAT ARE POTENTIAL ADDITIONS TO THE PIKE CREEK ENVIRONMENTAL CORRIDOR. THE BOUNDARIES OF SUCH AREAS MAY BE MODIFIED BASED UPON ENGINEERING STUDIES AND DETAILED SITE PLANNING, IN ACCORDANCE WITH EXISTING FLOODPLAIN REGULATIONS AND A FINDING OF NO NET LOSS IN FLOODWATER STORAGE VOLUME. CLASSIFICATION AS TO PRIMARY OR SECONDARY ENVIRONMENTAL CORRIDOR WILL BE MADE BASED UPON THE ULTIMATE CONFIGURATION OF THE FLOODPLAIN IN THIS AREA.
-  AREA PROPOSED TO BE ADDED TO THE GREATER KENOSHA SANITARY SEWER SERVICE AREA: SEPTEMBER 2014



Source: SEWRPC.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

October 1, 2014

DNR File No. SE-0144

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
Sanitary Sewer Service Area for the Village of Menomonee Falls,
Waukesha County.

Dear Mr. Stroik:

We have completed our review of the subject amendment request submitted to the Department on September 17, 2014. The Department hereby approves the sewer service area amendment request which adds a total of 86 acres, located within the northwest quarter of US Public Land Survey Section 16, Township 8 North, Range 20 East, in the Village of Menomonee Falls (see Map 1).

The northerly portion of the area will be used to accommodate potential expansion of existing governmental and institutional uses, while the balance of the area is recommended for low-density residential use. The subject area contains 9 acres of environmentally significant lands, including 0.5 acres of primary environmental corridor and about 8.5 acres of wetlands under 5 acres in size. The area will be tributary to the Milwaukee Metropolitan Sewerage District.

The proposed amendment was approved by the Menomonee Falls Village Board following a public hearing on August 4, 2014, and the amendment was adopted by SEWRPC per Resolution Number 2014-17 on September 10, 2014.

This plan amendment becomes part of the SEWRPC Community Assistance Planning Report No. 208, *Sanitary Sewer Service Area for the Villages of Lannon and Menomonee Falls, Waukesha County, Wisconsin*, June 1993, as amended, which is a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for Southeastern Wisconsin*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.

Mr. David Stroik – October 1, 2014


This review is an equivalent analysis action under s. NR 150.20 (2) (a) 3, Wis. Adm. Code. By means of this review, the Department has complied with ch. NR 150, Wis. Adm. Code, and with s. 1.11, Stats.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,




Thomas J. Mrgan, P.E., Chief
Wastewater Section
Bureau of Water Quality

cc:

Ms. Janice Moyer, Clerk, Village of Menomonee Falls, W156 N8480 Pilgrim Road,
Menomonee Falls, WI 53051
Mr. Matthew Carran, Community Development Director, Village of Menomonee Falls,
W156 N8480 Pilgrim Road, Menomonee Falls, WI 53051
Ms. Kathleen Novack, Waukesha County Clerk, 515 W. Moreland Blvd, Rm 120, Waukesha WI 53188
Mr. Dale Shaver, Director, Waukesha County Dept of Parks and Land Use, 515 W. Moreland Blvd,
Rm 260, Waukesha WI 53188
Mr. Kevin Shaver, Executive Director, Milwaukee Metropolitan Sewerage District, 260 W. Seeboth
Street, Milwaukee, WI 53204-1446
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Waukesha
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Nichol Clayton – WDNR – DWG/5
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3

Map 1

PROPOSED AMENDMENT TO THE MENOMONEE FALLS SANITARY SEWER SERVICE AREA




- GROSS SANITARY SEWER SERVICE AREA BOUNDARY
- ▨ PLANNED SANITARY SEWER SERVICE AREA
- ▧ AREA TO BE ADDED TO THE MENOMONEE FALLS SANITARY SEWER SERVICE AREA TRIBUTARY TO THE MILWAUKEE METROPOLITAN SEWERAGE DISTRICT



0 2,000 4,000 Feet

Source: SEWRPC



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary

101 S. Webster St.
Box 7921
Madison, Wisconsin 53707-7921
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711

October 9, 2014

DNR File No. SE-0145

Mr. David L. Stroik, Chairman
Southeastern Wisconsin Regional Planning Commission
W239 N1812 Rockwood Drive
P.O. Box 1607
Waukesha, WI 53187-1607

SUBJECT: Amendment to the Regional Water Quality Management Plan -
City of Burlington, ~~Walworth~~ County

Racine

Dear Mr. Stroik:

We have completed our review of the subject amendment request received by the Department on September 24, 2014. The Department hereby approves the sewer service area amendment request which adds 82 acres, located at 1062 Spring Valley Road in the City of Burlington, Walworth County, to the City of Burlington and Environs Sanitary Sewer Area (see Map 1).

The proposed area includes one acre of land currently in residential use, ten acres of land located within road rights-of-way, and a 28-acre isolated natural resource area consisting entirely of wetlands, plus an additional isolated wetland less than one-quarter acre in size. The remainder of the land is in agricultural use and it is envisioned that this would be developed as the future site of an Aurora Health Care medical complex. There is no significant adverse water quality impact attributable to developing this area, and the City of Burlington wastewater treatment plant has adequate capacity to treat the wastewater flows from the proposed development.

The proposed amendment was requested by the City of Burlington on August 1, 2014. Following the public hearing on September 2, 2014, the amendment was approved by the Burlington Common Council. The amendment was adopted by SEWRPC per Resolution Number 2014-21 on September 10, 2014.

This plan amendment becomes part of SEWRPC Community Assistance Planning Report No.78 (2nd Edition), *Sanitary Sewer Service Area for the City of Burlington and Environs, Racine County, Wisconsin*, December 2001, as amended, which is a part the SEWRPC Planning Report No. 30 *A Regional Water Quality Management Plan for Southeastern Wisconsin 2000*, and will be forwarded to the US Environmental Protection Agency to meet the requirements of the Clean Water Act of 1987 (Public Law 92-500 as amended by Public Law 95-217) and outlined in the federal regulations 40 CFR, part 35.

This review is an equivalent analysis action under s. NR 150.20 (2) (a) 3, Wis. Adm. Code. By means of this review, the Department has complied with ch. NR 150, Wis. Adm. Code, and with s. 1.11, Stats.

The approval of this sewer service area amendment does not constitute approval of any other local, state, or federal permit that may be required for sewer construction or associated land development activities.

If you believe that you have a right to challenge this decision, you should know that the Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed. For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review must name the Department of Natural Resources as the respondent.

To request a contested case hearing pursuant to section 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. All requests for contested case hearings must be made in accordance with section NR 2.05(5), Wis. Adm. Code, and served on the Secretary in accordance with section NR 2.03, Wis. Adm. Code. The filing of a request for a contested case hearing does not extend the 30 day period for filing a petition for judicial review.

Sincerely,



Thomas J. Mullan, P.E., Chief
Wastewater Section
Bureau of Water Quality


cc:

Mr. Kevin Lahner, Administrator, City of Burlington, 300 N Pine St, Burlington, WI 53105
Ms. Diahnn Halback, Clerk, City of Burlington, 300 N.Pine St, Burlington, WI 53105
Ms. Kimberly Bushey, Walworth County Clerk, Walworth County Government Center, PO Box 1001
Elkhorn, WI 53121
Ms. Wendy Christensen, Racine County Clerk, Racine County Courthouse, 730 Wisconsin Ave,
Racine, WI 53403
Ms. Julie Anderson, Director, Racine County Public Works and Development Services Department,
Ives Grove Office Complex, 14200 Washington Avenue, Sturtevant WI 53177
Mr. Mike Luba, Basin Supervisor, WDNR – SER - Milwaukee
Mr. Eric Nitschke, Regional Director –WDNR - SER – Milwaukee
Ms. Lisa Helmuth – WDNR – WQ/3
Ms. Fran Keally – WDNR - WQ/3

Map 1


PROPOSED AMENDMENT TO THE BURLINGTON SANITARY SEWER SERVICE AREA

R 19E R 20E



- PRIMARY ENVIRONMENTAL CORRIDOR
- SECONDARY ENVIRONMENTAL CORRIDOR
- ISOLATED NATURAL RESOURCE AREA
- WETLANDS AND SURFACE WATER AREAS LESS THAN FIVE ACRES IN SIZE LOCATED OUTSIDE ENVIRONMENTAL CORRIDORS AND ISOLATED NATURAL RESOURCE AREAS
- RESTRICTIONS ON SEWERED DEVELOPMENT**
- PRIMARY ENVIRONMENTAL CORRIDORS WITHIN THE PLANNED SANITARY SEWER SERVICE AREA: THE EXTENSION OF SEWERS TO SERVE NEW DEVELOPMENT IS CONFINED TO LIMITED RECREATIONAL AND INSTITUTIONAL USES AND RURAL-DENSITY RESIDENTIAL DEVELOPMENT IN AREAS OTHER THAN WETLANDS, FLOODLANDS, SHORELANDS, AND STEEP SLOPES.
- PORTIONS OF SECONDARY ENVIRONMENTAL CORRIDORS AND ISOLATED NATURAL RESOURCE AREAS WITHIN THE PLANNED SANITARY SEWER SERVICE AREA WHICH ARE COMPRISED OF WETLANDS, FLOODLANDS, SHORELANDS, AND STEEP SLOPES: THE EXTENSION OF SEWERS TO SERVE NEW DEVELOPMENT IN THESE AREAS IS NOT PERMITTED.

- EXISTING AREA SERVED BY SANITARY SEWERS TRIBUTARY TO THE CITY OF BURLINGTON SEWAGE TREATMENT PLANT, 2010
- BURLINGTON AND ENVIRONS PLANNED SANITARY SEWER SERVICE AREA
- PLANNED SANITARY SEWER SERVICE AREA BOUNDARY
- AREA PROPOSED TO BE ADDED TO THE BURLINGTON SANITARY SEWER SERVICE AREA
- WATERFORD/ROCHESTER SANITARY SEWER SERVICE AREA
- EXISTING PUBLIC SEWAGE TREATMENT FACILITY
- EXISTING TRUNK SEWER
- EXISTING FORCE MAIN
- EXISTING PUMPING STATION



Source: SEWRPC.