

Instructions: Bold fields must be completed.

Location Name	WBIC	County	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM ≥ 99 umhos/cm)	Collector(s)	Start Time	End Time	Total Hours (hrs x # ppl)
Mausau		Marathon	8/11/15	Yes	3.75 ft	120	M. Nault R. Matiff	11:15am	6:00pm	

STEP 1: Circle species that you looked for and review the Identification Handout.

AQUATIC PLANTS/ALGAE	HYDRILLA	Water hyacinth	RIPARIAN PLANTS	INVERTEBRATES	Other (please specify)
European frogbit	Curly leaf pondweed	Water lettuce	Flowering rush	Zebra/quagga mussels	
Yellow floating heart	Fanwort	Eurasian water milfoil	Phragmites	Asian clam	
Brazilian waterweed	Parrot feather	Didymo	Japanese hop	New Zealand mudsnails	
				Faunt snails	
				Chinese/Banded mystery snails	
				Rusty/red swamp crayfish	
				Spiny/fishhook waterflea	

STEP 2: Record locations of sampling sites (in decimal degrees). Indicate whether snorkeled or why not. List AIS found and density at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and up to 3 of each invertebrate species. Include internal and external labels with WBIC, name of lake, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site*	Latitude	Longitude	Snorkel (Y/N)	If no, indicate why†	Species name, density (1-5)‡, and live (L) or dead (D)§	Sample (Y/N)	Photo (Y/N)	No AIS	Comments
BL1	44.90147	-89.61886	N	poor water clarity	MyoSco-1(L); RC-1(L); CMS-1(D); EMM-1(L)	Y	N		
MS1	44.90111	-89.6397	F	-	EMM-1(L)	Y	N		
MS2	44.89779	-89.62087	-	-	PL-2(L)	Y	N		
MS3	44.89788	-89.6234	-	-	PL-2(L)	N	N		
MS4	44.90029	-89.62614	-	-	PL-1(L)	N	N		
MS5	44.90108	-89.63112	-	-	PL-1(L)	N	N		not in no flowers, seeds
MS6	44.90223	-89.63705	-	-	MyoSco-2(L)	N	N		
MS7	44.90270	-89.63973	-	-	Inisp. -1(L)	Y	N		PII? shorter than others
MS8	44.90774	-89.64396	-	-	MyoSco-2(L)	N	N		

\*boat landing (BL), target site (TS), meander survey (MS).

†stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a while bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.  
§Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments.

**STEP 3:** Collect Waterflea Tows from the deep hole (DH). Decant water and preserve the sample. Preserve with 4 parts ethanol and 1 part sample. Submit the sample, a completed copy of this data form, and a completed copy of the Water Flea Tow Monitoring Report (3200-128) to DNR Science Services. Legibility is appreciated.

Latitude	Longitude	Method*	Net ring depth (m)	Net diameter†	Ethanol‡	Samples combined (Y or N)	Date sent
44.90211	-89.62617	Vert*				non	

**STEP 4:** Collect vertical Veiliger Tows from 3 sites; the deep hole (DH) and two other deep areas along the downwind side of the lake. Preserve with 4 parts ethanol and 1 part sample. Submit the sample, a copy of this completed data form, and a completed copy of the Mussel Veiliger Tow Monitoring Report (3200-135) to DNR Science Service. Legibility is appreciated.

Latitude	Longitude	Net ring depth (m)	Net diameter†	Ethanol‡	Samples combined (Y or N)	Date sent
44.90240	-89.62643	4m		non	Y	

\*Horizontal, oblique, or vertical.  
†30 or 50 cm.

‡Non-denatured or denatured ethanol.

**STEP 5:** Coordinate voucher and sample submission and verification with regional DNR staff for all AIS records for the specific region.

- Plants will be compiled and entered into a spreadsheet to be verified and submitted to a herbarium by an in-person appointment. Please indicate which herbarium: Freckmann Herbarium, Wisconsin State Herbarium, Other \_\_\_\_\_ Date of herbarium meeting \_\_\_\_\_
- Snails will be compiled with other regional snail specimens and sent to UW La Crosse. Date sent \_\_\_\_\_
- Dreissenids will be sent to Science Services. Date sent \_\_\_\_\_
- Crayfish compiled and sent to: Craig Roesler or Scott VanEgeren. Date \_\_\_\_\_

**STEP 6:** Data was entered into SWIMS on \_\_\_\_\_ by \_\_\_\_\_

Once data is entered, send scans of data sheets to central office (Maureen.Ferry@Wisconsin.gov and Amanda.Perdzock@Wisconsin.gov).  
**STEP 7:** Data was proofed on \_\_\_\_\_ by \_\_\_\_\_

Notes:

\* too much floating algae/debris for ob/horz

Instructions: Bold fields must be completed.

Location Name	WBC	County	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM ≥ 99 µmhos/cm)	Collector(s)	Start Time	End Time	Total Hours (hrs x # ppl)
Nassau		Marathon	8/11/15							

STEP 1: Circle species that you looked for and review the Identification Handout.

AQUATIC PLANTS/ALGAE	Hydrilla	Water hyacinth	Water chestnut	Purple loosestrife	INVERTEBRATES	Faucet snails	Other (please specify)
European frogbit	Curly leaf pondweed	Water lettuce	RIPARIAN PLANTS	Yellow flag iris	Zebra/quagga mussels	Chinese/Banded mystery snails	
Yellow floating heart	Fanwort	Eurasian water milfoil	Flowering rush	Japanese knotweed	Asian clam	Rusty/red swamp crayfish	
Brazilian waterweed	Parrot feather	Dickymo	Phragmites	Japanese hop	New Zealand mudsnails	Spiny/fishhook waterflea	

STEP 2: Record locations of sampling sites (in decimal degrees). Indicate whether snorkeled or why not. List AIS found and density at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and up to 3 of each invertebrate species. Include internal and external labels with WBC, name of lake, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site*	Latitude	Longitude	Snorkel (Y/N)	If no, indicate why†	Species name, density (1-5)‡, and live (L) or dead (D)§	Sample (Y/N)	Photo (Y/N)	No AIS	Comments
TS1	44.91644	-89.63818	N	very poor clarity	CMS-1(L); RC-1(L); EMM-1(D)	Y	N		EMM fishing bag
MS9	44.91902	-89.63574	N	meander site	Narrow leaf Cattail (L) - 2	Y	N		
MS10	44.91873	-89.63525	-	-	CMS-1(L)	Y	N		
MS11	44.92119	-89.63299	-	-	Jap. Knotweed - 2(L)	Y	N		
BL3	44.92650	-89.63997	N	very poor clarity	CMS-1(L); RC-2(L); Myosco-1(L); EMM-1(D)	Y	N		EMM fishing bag
MS12	44.93061	-89.65035	N	-	Jap. Knotweed - 2(L); PL-2(L)	N	N		
BL4	44.93785	-89.65760	N	"	Myosco-1(L); CMS-1(L); PMS?-1(L)	N	N		Seed pod collected
TS2	44.94133	-89.63492	N	"	Myosco-3(L); PL-3(L); EMM-1(L); CMS-1(L); snail - 1(L)	Y	N		
BL5	44.93749	-89.63935	N	"	RC-1(L); PL-1(L); vnr. snail - 2(L)	Y	N		

\*boat landing (BL), target site (TS), meander survey (MS).

†stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a while bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

§Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments.

Instructions: Bold fields must be completed.

Location Name	WBIC	County	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM ≥ 99 umhos/cm)	Collector(s)	Start Time	End Time	Total Hours (hrs X # ppl)
Mawsau										

STEP 1: Circle species that you looked for and review the Identification Handout.

AQUATIC PLANTS/ALGAE	Hydrilla Curly leaf pondweed Fanwort Parrot feather	Water hyacinth Water lettuce Eurasian water milfoil Didymo	RIPARIAN PLANTS Flowering rush Phragmites	Water chestnut Purple loosestrife Yellow flag iris Japanese knotweed Japanese hop	INVERTEBRATES Zebra/quagga mussels Asian clam New Zealand mudsnails	Faucet snails Chinese/Banded mystery snails Rusty/red swamp crayfish Spiny/fishhook waterfleas	Other (please specify)
----------------------	--	---	---	---	--	---	------------------------

STEP 2: Record locations of sampling sites (in decimal degrees). Indicate whether snorkeled or why not. List AIS found and density at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and up to 3 of each invertebrate species. Include internal and external labels with WBIC, name of lake, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site*	Latitude	Longitude	Snorkel (Y/N)	If no, indicate why†	Species name, density (1-5)‡, and live (L) or dead (D)§	Sample (Y/N)	Photo (Y/N)	No AIS	Comments
TS3	44.95386	-89.63638	N	very poor clarity	RC-2(L)	N	N		
BL7	44.95330	-89.62924	N	" "	RC-1(L)	N	N		

\*boat landing (BL), target site (TS), meander survey (MS).

†Stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a whole bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

§Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments.

Instructions: Bold fields must be completed.

Location Name	WBIC	County	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM ≥ 99 umhos/cm)	Collector(s)	Start Time	End Time	Total Hours (hrs x # ppl)
		Marathon	8/1/2015				Chris Haner & Cody Williams	11:00		

STEP 1: Circle species that you looked for and review the Identification Handout.

AQUATIC PLANTS/ALGAE	Hydrilla	Water hyacinth	Water lettuce	RIPARIAN PLANTS	Purple loosestrife	INVERTEBRATES	Faucet snails	Other (please specify)
European frogbit	Curly leaf pondweed	Water lettuce	Eurasian water milfoil	Flowering rush	Yellow flag iris	Zebra/quagga mussels	Chinese/Banded mystery snails	
Yellow floating heart	Fanwort			Phragmites	Japanese Knotweed	Asian clam	Rusty/red swamp crayfish	
Brazilian waterweed	Parrot feather	Didymo			Japanese hop	New Zealand mudsnails	Spiny/fishhook waterfleas	

STEP 2: Record locations of sampling sites (in decimal degrees). Indicate whether snorkeled or why not. List AIS found and density at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and up to 3 of each invertebrate species. Include internal and external labels with WBIC, name of lake, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site*	Latitude	Longitude	Snorkel (Y/N)	If no, indicate why†	Species name, density (1-5)‡, and live (L) or dead (D)§	Sample (Y/N)	Photo (Y/N)	No AIS	Comments
MS1	44.90271	-89.62218	N		swm, 1, L	Y	N		
MS2	44.90350	-89.62337	N		swm, 1, L	Y	N		
MS3	44.90386	-89.62346	N		swm, 1, L	Y	N		
MS4	44.90912	-89.63086	N		clp, 1, L	Y	N		
MS5	44.90937	-89.63221	N		clp, 1, L	Y	N		
MS6	44.90977	-89.63337	N		clp, 1, L				
MS7	44.90764	-89.63861	N		qls, 2, L				Patches on small island
TS1	44.90737	-89.64166	N	POOR WATER CLARITY	swm				Scattered swm
TS2	44.91118	-89.61996	D		Nothing			X	

\*boat landing (BL), target site (TS), meander survey (MS).

†Stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a whole bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

§Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments.

Instructions: Bold fields must be completed.

Location Name	WBIC	County	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM ≥ 99 umhos/cm)	Collector(s)	Start Time	End Time	Total Hours (hrs x # ppl)

STEP 1: Circle species that you looked for and review the Identification Handout.

AQUATIC PLANTS/ALGAE	Hydrilla	Water hyacinth	Water chestnut	Purple loosestrife	INVERTEBRATES	Other
European frogbit	Curly leaf pondweed	Water lettuce	RIPARIAN PLANTS	Yellow flag iris	Zebra/quagga mussels	Faucet snails
Yellow floating heart	Fanwort	Eurasian water milfoil	Flowering rush	Japanese knotweed	Asian clam	Chinese/Banded mystery snails
Brazilian waterweed	Parrot feather	Didymo	Phragmites	Japanese hop	New Zealand mudsnails	Rusty/red swamp crayfish
						Spiny/fishhook waterflea

STEP 2: Record locations of sampling sites (in decimal degrees). Indicate whether snorkeled or why not. List AIS found and density at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and up to 3 of each invertebrate species. Include internal and external labels with WBIC, name of lake, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site*	Latitude	Longitude	Snorkel (Y/N)	If no, indicate why†	Species name, density (1-5) ‡, and live (L) or dead (D) §	Sample (Y/N)	Photo (Y/N)	No AIS	Comments
B22	44.915924	-89.61148	N					✓	
B26	44.93972	-89.63806							

\*boat landing (BL), target site (TS), meander survey (MS).

†Stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡Density ratings: 1-a few plants or invertebrates, 2-one or a few plant beds or colonies of invertebrates, 3-many small beds or scattered plants or colonies of invertebrates, 4-dense plant, snail, or mussel growth in a while bay or portion of the lake, or 5-dense plant, snail or mussel growth covering most shallow areas.

§Live (L) animals will contain flesh and live plants will generally be rooted. Dead (D) animals will not contain flesh and dead plants include sterile fragments.