	To so regions of the second of	Data collectors		Lake Name
			高点技术	County
	(50) 360-63(6 F/m	Lead Monitor phone an	55.000	WBIC
	C. 20	Lead Monitor phone and email Start time (~ 15 min)	7915	Date(s), AIS sign?
`	12:30	1) End time (~ 15 min)	Z)	Secchi (ft or m)
	5	Total collector time (hrs x # collectors)	8	Conductivity (ZM tow if > 99 umhos/cm)

swamp crayfish, rusty crayfish, didymo, and any other AIS found Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla,

appreciated. If needed, preserve with adequate ethanol. STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
# \ #			9		
	15057	28 out 14			AND DE TOUR
	0051015N	A. Curi	N	Mecader	Tun 2
Z,		86. OU 218	Z	Demodel	ATMEN
121	45 61684	かっています			Thinky Bus-
な	45. 61723	86.04317	4-		TUMI BASI
3	17 56-53	GR. 04702			TWM-8 BMS-
1/5	S. S.	25 CT 20		Newson /	PISC (
2	からい	28, 0467	<		,
755	45. 653	88. 04377			535 L
			٠		
	-				

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

+If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe)

‡ Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

4 – Bense plant, snail or mussel growth in a whole bay or portion of the lake
5 – Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services.

		Sign (Mining.	in the second	-
		1000				-
					7	
	2000		-		A	inee*
		9204				
		Control Control			81	نتين
		The last	-			
	-(i Kang				
					Lact III actor.	0.50
Sample sent to, date) Samples combined (Yor N)	Ethanol added (Yor N)	Net diameter (30 or/50,cm)	Method (hor, oblig, vert)	Net ring denth	Si+D
	:					
		7				

Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to

Notes:

Step 6: Data was entered into SWIMS on

Step 7: Data was proofed on

þ

