

Lake Name	County	WBIC	Date(s)	AIS sign?	Secchi (ft or m)	Conductivity (ZM tow if ≥ 99 umhos/cm)
Skice Lake	Menominee	339900	6/19/14	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	1.2	330
Data collectors	Lead Monitor phone and email	Start time (~ 15 min)	End time (~ 15 min)	Total collector time (hrs x # collectors)		
Jason Cotter Loren Mottif	Jason Cotter (920) 360-0173	09:30	12:45	6.5 hrs		

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla, Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red swamp crayfish, rusty crayfish, didymo, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is appreciated. If needed, preserve with adequate ethanol.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why†	Species, density 1-5‡
BL	44.88911	88.62819	Y	-	EWM - D1
MS1	44.88829	88.62711	N	meander survey (MS)	EWM - D1
MS2	44.88866	88.62445	N	MS	EWM - D2
S1	44.88884	88.61645	Y	-	Ab AIS
MS3	44.88817	88.61407	N	MS	Aquatic Forget-me-not - D1
MS4	44.88926	88.61357	N	MS	Y.I. - D1
MS5	44.88927	88.61317	N	MS	AFMN - D2
MS6	44.88950	88.61145	N	MS	" "
MS7	44.88973	88.60984	N	MS	Y.I. - D1
MS8	44.88891	88.60547	N	MS	Y.I. - D1
S2	44.88892	88.60548	Y	-	Y.I.-D1, AFMN-D1, ZM-D1

*For lakes/sites not snorkeled, substitute:

- Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
- Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
- 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

† If lake/site was not snorkeled, indicate why: **stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).**

‡ Density Ratings

- 1 - A few plants or invertebrates
- 2 - One or a few plant beds or colonies of invertebrates
- 3 - Many small beds or scattered plants or colonies of invertebrates
- 4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 - Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit sample and datasheet to Science Services.

Site	Net ring depth	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1						
1						
1						

Step 3: Collect Velliger Tows from 3 sites; the deep hole (DH), water depth of about 4 meters (if possible). Submit sample and Mussel Velliger Tow Monitoring Report form to Science Service.

Site	Net ring depth	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date

*Cobra
Mussels
Already present*

Step 4: Were plant/voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other _____

Step 5: Were snail voucher specimens submitted (separate into Chinese, banded, all others)? (circle) Yes No (circle) If yes, where? (circle) UW La Crosse, or Other _____

Step 6: Data was entered into SWIMS on 7/29/14 by Tason Cotter

Step 7: Data was proofed on 8/28/14 by Ryan Plotz

Notes:

