

LOCATION 693120 DATE 820510 TIME 1225 DEPTH 0001 ACCOUNT-# 090030 LAB-SLIP-# 069907 END-DATE END-TIME
 BAILEY LAKE

TEST-# STORET-# TEST-NAME-AND-UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BAL
 131 00010 WATER TEMP CENT 15.7
 091 00300 DO MG/L 9.6
 097 00403 LAB PH SU 8.3
 100 00665 PHCS-TOT MG/L <0.02
 136 00671 PHCS-DIS ORTHO MG/L P <0.004
 087 00625 TOT KJEL DL N MG/L 0.5
 086 00608 NH3-N DISS MG/L 0.02
 085 00631 NO2&NO3 N-DISS MG/L 0.12
 002 00410 T ALK CACO3 MG/L 152

***** COMMENT: BAILEY LAKE TOP

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
693120	820510	1225	M010	090030	069908		
	BAILEY LAKE						

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST--VALUE
		EXTRA INFORMATION ABOUT SAMPLE: REIF	
		EXTRA INFORMATION ABOUT SAMPLE: F#BA2	
131	00010	WATER TEMP	4.8
091	00300	DO	0.0
097	00403	LAB PH	7.3
100	00665	PHCS--TOT	0.05
136	00671	PHCS--DIS ORTHO	<0.001
087	00625	TOT KJEL DL N	1.2
086	00608	NH3--N DISS	0.47
085	00631	NO2&NO3 N--DISS	0.03
002	00410	T ALK CACO3	182

***** COMMENT: BAILEY LAKE BOTTOM

LOCATION	DATE	TIME	DEPTH	ACCOUNT-#	LAB-SLIP-#	END-DATE	END-TIME
693120	820222	1045	M001	090030	053411		
BAILEY LAKE							

TEST-#	STORET-#	TEST-NAME-AND-UNITS	TEST-VALUE
		EXTRA INFORMATION ABOUT SAMPLE: REIF	
		EXTRA INFORMATION ABOUT SAMPLE: F#BAI	
131	00010	WATER TEMP	CENT 3.9
091	00300	DO	MG/L 5.7
097	00403	LAB PH	SU 7.8
100	00665	PHOS-TOT	MG/L 0.02
136	00671	PHOS-DIS ORTHO	MG/L P <0.004
087	00625	TOT KjEL DL N	MG/L 1.2
086	00608	NH3-N DISS	MG/L 0.68
085	00631	NO2&NO3 N-DISS	MG/L 0.19
002	00410	T ALK CAC03	MG/L 168

***** COMMENT: BAILEY LAKE TOP

LOCATION DATE TIME DEPTH ACCOUNT--# LAB-SLIP--# END-DATE END-TIME
 69MISC 811027 1210 M001 090030 032768

TEST--# STORET--# TEST--NAME--AND--UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: REIF

EXTRA INFORMATION ABOUT SAMPLE: F#BA1

131	00010	WATER	TEMP	CENT	7.7
091	00300	DO		MG/L	6.4
097	00403	LAB	PH	SU	7.8
100	00665	PHOS--TOT		MG/L	0.02
136	00671	PHOS--DIS	ORTHO	MG/L P	<0.004
087	00625	TOT KJEL	DL N	MG/L	1.2
086	00608	NH3--N	DISS	MG/L	0.55
085	00631	NO2&NO3	N--DISS	MG/L	0.07
002	00410	T ALK	CACO3	MG/L	156

***** COMMENT: BAILEY LAKE TOP

PSN - 693120

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
693128	811027	1210	M009	090030	032766		
BAILEY LAKE							

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST--VALUE
---------	-----------	------------------------	-------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BA2

131	00010	WATER TEMP	CENT	7.1
091	00300	DO	MG/L	5.2
097	00403	LAB PH	SU	7.8
100	00665	PHOS--TOT	MG/L	0.02
136	00671	PHOS--DIS ORTHO	MG/L P	<0.004
087	00625	TCT KJEL DL N	MG/L	1.0
086	00608	NH3-N DISS	MG/L	0.55
085	00631	NO2&NO3 N--DISS	MG/L	0.07
002	00410	T ALK CACO3	MG/L	158

***** COMMENT: BAILEY LAKE BOTTOM

LOCATION DATE TIME DEPTH ACCOUNT-# LAB-SLIP-# END-DATE END-TIME
69MISC 810727 1232 090030 008183

TEST-# STORET-# TEST-NAME-AND-UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: REIF

052 32210 CHLORPHYL A UC/L <5

EXTRA INFORMATION ABOUT SAMPLE: F#BAI-1

***** COMMENT: BAILEY LAKE TOP-CHLOROPHYLL

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
69MISC	810727	1231		090030	008182		

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	-----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BAI

131	00010	WATER TEMP	CENT	23.5
091	00300	DO	MG/L	10.3
097	00403	LAB PH	SU	8.7
100	00665	PHOS--TOT	MG/L	<0.02
130	00671	PHOS--DIS ORTHO	MG/L P	<0.004
087	00625	TOP KJEL DL N	MG/L	0.7
086	00608	NH3--N	MG/L	<0.02
085	00631	NO2&NO3 N-DISS	MG/L	<0.02
002	00410	T ALK	CACO3	132

***** COMMENT: BAILLY LAKE TOP

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB-SLIP--#	END-DATE	END-TIME
69MISC	810727	1230		090030	008176		

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	-----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#8A2

131	00010	WATER	TEMP	CEMF	9.2
091	00300	DO		MG/L	00.0
297	00403	LAB	RI	SU	7.5
100	00665	PHOS-TOT		MG/L	0.06
136	00671	PHOS-DIS	ORTHO	MG/L P	<0.004
087	00625	TOT KJEL	DL N	MG/L	1.9
086	00608	NH3-N	DISS	MG/L	0.64
085	00631	NO2&NO3	N-DISS	MG/L	<0.02
002	00410	T ALK	CACO3	MG/L	194

***** COMMENT: BAILEY LAKE BOTTOM

LOCATION DATE TIME DEPTH ACCOUNT-# LAB-SLIP-# END-DATE END-TIME
69MISC 8I0415 1346 F003 081440 064941

TEST-# STORET-# TEST-NAME-AND-UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: REIF
EXTRA INFORMATION ABOUT SAMPLE: F#BA3

051	32211	CHLRPHYL AUG/L	CORRECTE	12
052	32210	CHLRPHYL A	UG/L	14

***** COMMENT: BAILEY LAKE--TOP

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	ENT--DATE	END--TIME
69-15C	810415	1345	F003	081440	064938		

TEST--#	STORE--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BA1

131	00010	WATER TEMP	CENT	12.4
091	00300	DO	MG/L	13.0
097	00403	LAB PH	SU	8.5
100	00665	PHOS--TOP	MG/L	0.02
136	00671	PHOS--DIS ORTHO	MG/L P	<0.004
087	00625	TOT ORG N/CELL N	MG/L	0.6
006	00600	NH3--N DISS	MG/L	<0.02
085	00631	NO2&NO3 N-DISS	MG/L	0.11
092	00410	T ALK CACO3	MG/L	156

***** COMMENT: BAILEY LAKE--TOP

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB-SLIP--#	END-DATE	END-TIME
693129	810415	1345	0030	081440	004937		

BAILLY LAB

TEST--#	STORE#--#	TEST--NAME--AND--UNITS	TEST-VALUE
		EXTRA INFORMATION ABOUT SAMPLE: REIF	
		EXTRA INFORMATION ABOUT SAMPLE: F#3A2	
131	00010	WATER TEMP CENT	6.1
091	00300	DO MG/L	0.5
097	00403	LAB PH SU	7.9
100	00665	PHOS--TOT MG/L	0.04
130	00671	PHOS--DIB ORTHO MG/L P	<0.004
087	00625	TOT ORG KJELDL-N MG/L	1.4
086	00608	NH3--N DISS MG/L	0.68
085	00631	NO2&NO3 N-DISS MG/L	0.10
002	00410	T ALK CACCO3 MG/L	188

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
69MISC	810225	1130	F003	081440	054364		

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	-----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BA1

131	00010	WATER TEMP	CENT	4.9
091	00300	DO	MG/L	6.0
097	00403	LAB PH	SU	8.2
100	00665	PHOS--TOT	MG/L	0.02
136	00671	PHOS--DIS ORTHO	MG/L P	<0.004
088	00605	ORG N	N MG/L	0.5
086	00608	NH3--N	DISS MG/L	0.46
085	00631	NO2&NO3	N--DISS MG/L	0.22

***** COMMENT: BAILEY LAKE--TOP

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
693120	810225	1130	F030	081440	054363		
BAILEY LAKE							

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	-----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: REIF
 EXTRA INFORMATION ABOUT SAMPLE: F#BA2

131	00010	WATER TEMP	CENT	5.6
091	00300	DO	MG/L	1.2
097	00403	LAB PH	SU	7.8
100	00665	PHOS-TOT	MG/L	0.04
136	00671	PHOS-DIS ORTHO	MG/L P	<0.004
088	00605	ORG N N	MG/L	0.6
086	00608	NH3-N DISS	MG/L	0.90
085	00631	NO2&NO3 N-DISS	MG/L	0.02

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
69MISC	800709	1305	M001	081440	003080		

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST-VALUE
---------	-----------	------------------------	------------

EXTRA INFORMATION ABOUT SAMPLE: RASMAN
 EXTRA INFORMATION ABOUT SAMPLE: F#B1

097	00403	LAB PH SU	8.4
100	00665	PHOS--TOT MG/L	0.02
136	00671	PHOS--DIS ORTHO MG/L P	<0.004
088	00605	ORG N N MG/L	0.6
086	00608	NH3--N DISS MG/L	0.02
085	00631	NO2&NO3 N--DISS MG/L	<0.02
002	00410	T ALK CACO3 MG/L	130
052	32210	CHLRPHYL A UG/L	<5

***** COMMENT: BAILEY LAKE--DEEPEST

LOCATION DATE TIME DEPTH ACCOUNT-# LAB-SLIP-# END-DATE END-TIME
69MISC 800709 1305 1009 081440 003083

TEST-# STORET-# TEST-NAME-AND-UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: RASMAN

EXTRA INFORMATION ABOUT SAMPLE: F#0B2

097	00403	LAB PH	SU	8.1
100	00665	PHOS-TOT	MG/L	0.06
136	00671	PHOS-DIS ORTHO	MG/L P	<0.004
088	00605	ORG-N	MG/L	1.0
086	00608	NH3-N	DISS	0.41
085	00631	NO2&NO3	N-DISS	0.09
002	00410	T ALK	CACO3	186

***** COMMENT: BAILEY L-DEEPEST

LOCATION DATE TIME DEPTH ACCOUNT-# LAB-SLIP-# END-DATE END-TIME
 69MLSC 861103 1431 081440 032752

643120
 TEST-# STORET-# TEST-NAME-AND-UNITS TEST-VALUE

EXTRA INFORMATION ABOUT SAMPLE: PASMAN
 EXTRA INFORMATION ABOUT SAMPLE: F#SA-1

131	00010	WATER	TEMP	CENT	8.0
091	00300	DO		MG/L	6.9
097	00403	LAB	PH	BU	7.8
100	00665	PHOS-TOT		MG/L	0.02
136	00671	PHOS-DIS	ORTHO	MG/L P	<0.004
088	00605	ORG N	N	MG/L	0.7
086	00608	NH3-N	DISS	MG/L	0.51
085	00631	NO2-N	N-DISS	MG/L	0.06
002	00410	T ALK	CACO3	MG/L	162
051	32211	CHLRPHYL	AUG/L	CORRECTE	6
052	32210	CHLRPHYL	A	UG/L	8

***** COMMENT: BAILEY LAKE

LOCATION	DATE	TIME	DEPTH	ACCOUNT--#	LAB--SLIP--#	END--DATE	END--TIME
69M15C	801103	1430		081440	032751		

TEST--#	STORET--#	TEST--NAME--AND--UNITS	TEST--VALUE
---------	-----------	------------------------	-------------

EXTRA INFORMATION ABOUT SAMPLE: PASMAN

EXTRA INFORMATION ABOUT SAMPLE: F#BA-2

131	00010	WATER TEMP	CEM	7.5	
091	00300	DO	MG/L	6.9	
097	00403	LAB PH	SU	7.8	
100	00665	PHOS--TOT	MG/L	0.02	
136	00671	PHOS--DIS ORTHO	MG/L P	<0.004	
088	00605	ORG N	MG/L	0.5	
086	00608	NO3--N	DISS	MG/L	0.51
035	00631	NO2&NO3	N--DISS	MG/L	0.06
002	00410	T ALK	CAC03	MG/L	164

***** COMMENT: BAILEY LAKE

LOCATION	DATE	TIME	DEPTH	ACCOUNT-#	LAB-SLIP-#	END-DATE	END-TIME
693120	820222	1040	0011	090030	053412		
	BAILEY LAKE						

TEST-#	STORET-#	TEST-NAME-AND-UNITS	TEST-VALUE
		EXTRA INFORMATION ABOUT SAMPLE: REIF	
		EXTRA INFORMATION ABOUT SAMPLE: F#BA2	
131	00010	WATER TEMP CENT	4.8
091	00300	DO MG/L	2.6
097	00403	LAB PH SU	7.5
100	00665	PHOS-TOT MG/L	0.03
136	00671	PHOS-DIS ORTHO MG/L P	0.010
087	00625	TOT KJEL DL N MG/L	1.4
086	00608	NH3-N DISS MG/L	0.95
085	00631	NO2&NO3 N-DISS MG/L	0.13
002	00410	T ALK CACO3 MG/L	168

***** COMMENT: BAILEY LAKE BOTTOM