#### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

1. GRANT TYPE. Check the one that applies.								
Targeted Runoff Management Grant – Agricultural			☐ Targeted Runoff Management Grant – Urban					
Urban Nonpoint Source & Storm Water Management Grant – Construction			☐ Urban Nonpoint Source & Storm Water Management Grant – Planning					
☐ Notice of Discharge Grant								
2. PROJECT NAME & LO	OCATION.							
2.1. Project Name:				2.2. Grant Number;				
Whitewater Creek Streambank Restoration USC-LR14-64291-13B								
2.3. Governmental Unit Name:	4.50		2.4. Primary Watershed Name: 2.5. Watershed Code:					
City of Whitewater			Whitev	vater Creek		813900		
NOTE FOR SECTION 2.6 (which	h follows):							
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.								
2.6 Site Location(s) →	A.	В.		C.		D.	E.	
Name of Cost-Share Recipient or Governmental Unit	City of Whitewater							
Cost-Share Agreement Number (Agricultural only)	N/A					10.00		
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	070900020203							
Nearest Surface Receiving Water Affected			May					
Name:	Whitewater Creek				di .			
Waterbody Identification Code(s) (WBIC):	813900							
Nearest Impaired Water Affected								
Name:	Rock River							
Waterbody Identification Code(s) (WBIC):	788800	*****						
Pollutants Reduced	Sediment							
Impairments/Impacts Addressed				353				

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A	В.	C.	D.	E.
Project Coordinates:					
Town	4			233	
Range	15				
Section	4				
Quarter	NW				
Quarter-Quarter	SE				
Latitude (degrees, minutes, seconds North of Equator, use the DNR's Surface Water Data Viewer (SWDV))	42,50,12.3				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	88,43,49.8				

. SUMMARY OF RESULTS.	151 Performance Standards and	d Prohibitions and Other Water	Resources Management Priorities			
ible A. Agricultural Projects Ch. NR 151 Performance Standards and Prohibitions and Other Water Resources Management Priorities  1. Management Measures  Units of Measure  Quantity  Measurement Method Used						
Sheet, rill and wind erosion	Acres meeting "T"	acres				
Manure Storage Facilities:	Number of facilities	facilities				
New Construction/Alterations	Number of animal units	animal units				
Manure Storage Facilities: Closure	Number of facilities	facilities				
Manure Storage Facilities:	Number of facilities	facilities				
Failing/Leaking Facilities	Number of animal units	animal units				
	Pollutant load reduction	lbs.				
Clean Water Diversions in WQMA	Number of farms with diversions	farms				
	Number animal units	animal units				
Nutrient Management on Agricultural Land	Acres planned	acres				
Parkibitian Manus Ciaras Oueslau	Number of farms	farms				
Prohibition: Manure Storage Overflow	Number of animal units	animal units	127			
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms				
	Pollutant load reduction	lbs.	5-30			
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities				
	Number of animal units	animal units				
Purk field and bulleting to the first and the same of	Feet of bank protected	feet				
Prohibition: Unlimited Livestock Access	Number of farms	farms				

Table A. Agricultural Projects.

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

continued)	Units of Measure	Quantity	Measurement Method Used
.2. Other Management Measures			
	Units (use feet, acres or number as applicable)		
Streambank & Shoreline Protection	Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
	number as applicable)	L)	
Other:	Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or	-	
***	number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		an
	number as applicable)		
Other:	Pollutant load reduction (if	-	
	method available)		
			with the first and the first have been seen as the second
	Units of Measure	Quantity	Measurement Method Use
Required Management Measures     20-40% Total Suspended Solids (TSS)	Units of Measure TSS reduced	lbs.	Measurement Method User
Required Management Measures     20-40% Total Suspended Solids (TSS)	Units of Measure		
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities	Units of Measure TSS reduced	lbs.	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities	Units of Measure TSS reduced	lbs.	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Other Management Measures	Units of Measure TSS reduced TSS reduction	lbs. %	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Cother Management Measures     20-40% Reduction in TSS for non-NR 216 communities	TSS reduction  TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on	lbs. % lbs.	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Other Management Measures     20-40% Reduction in TSS for	TSS reduced TSS reduction TSS reduced TSS reduction	lbs. % lbs. %	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Cother Management Measures     20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per	lbs. % lbs. %	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Cother Management Measures     20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction  TSS reduced TSS reduced TSS reduced TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	lbs. % lbs. % ft³/year ft³/sec	
1. Required Management Measures  20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities  2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected	lbs. % lbs. % ft³/year ft³/sec	
Required Management Measures     20-40% Total Suspended Solids (TSS)     Reduction for NR 216 communities     Cother Management Measures     20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced	lbs. % lbs. % ft³/year ft³/sec feet □Yes □ No	
1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced Bank erosion reduced	lbs. % lbs. % ft³/year ft³/sec feet □Yes □ No tons	
1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected	lbs. % lbs. % ft³/year ft³/sec feet □Yes □ No tons	
Reduction for NR 216 communities  2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced Bank erosion reduced	lbs. % lbs. % ft³/year ft³/sec feet □Yes □ No tons	
Required Management Measures     20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities     Cother Management Measures     20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas	TSS reduced TSS reduction  TSS reduction  TSS reduction  TSS reduction  Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year  Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected Pollutant load reduction (if	lbs. % lbs. % ft³/year ft³/sec feet □Yes □ No tons	

Tab	le C. Urban Planning Projects.			
C.1.	Governmental unit(s) involved (list by	name):		
ĺ				
C.2.	Estimate total acres covered by the	Existing Developed Urban Areas	New Development	Total Acres

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:		acres	acres			acres	
C.3. Products developed	1						
(check all below that a	apply)	Identif	Documents by Name (if applic	able)			
Storm Water Plan							
Construction or Ero	osion Ordinances						
Post-construction 5 Ordinances	Storm Water						
Other Types of Sto	rm Water Quality						
Financing Methods:	identified and						
Financing Methods:	: developed or						
☐ I & E Plan							
I & E Implementation	on Activities						
Other:							
C.4. Identify the Storm W addressed (check all	Vater goals I that apply)			Parl	FF.		
Reduce TSS		_					
Maintain infiltration	n	Comments:					
Control Peak Flow	/						
Protective Areas  Control of Fueling & Maintenance Areas  Remove Illicit Discharges							
		]					
Other: Streamba	nk Erosion						
4. Satisfaction of N	Notice Requir	ements. If cost sharing for this projec	was offered under a formal no	tice pursu	ant to c	hs. NR 151 or 243,	
Notice Information	CONTRODO IN UIC	BUIG BUIGH.		Notice	Satisfa	action Information	
Che ND 454 or 242		Emm (history)	To (No. 1)	Satisfied?			
Notice Type	Issue Date	From (Name)	To (Name)	Yes	No	Date Letter Sent	
			20-All				

- Targeted Runoff Management Grant Program (ch. NR 153)
- . Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

As a result of favorable bidding, additional streambank restoration was included in the construction project. This area was reviewed and approved by the WDNR and the chapter 30 permit and UNPS grant were ammended to inloude the additional streambank restoration area.					
6. Summary of Project Challenges. (Space will expand to fit yo	our text.)				
The only significant challage was coordinating with adjacent riparian	property owners. No other signifi	cant challenges were identified.			
7. Grantee Certification.					
Checking here Coertifies that, to the best of your knowledge, the information	tion contained in this report is correct				
Name of Authorized Representative (type or print) ↓ Title of Authorized Representative (type or print) ↓					
Cameron Clapper	City Manager				
Signature of Authorized Representative		Date			
111	<u> </u>	10/28/2015			
8. For Departmental Use Only.					
Regional NPS Coordinator - Please complete the following:					
8.A. Check here if you have received the following from the project spo					
one (1) printed, signed, original Final Report + attachments					
one (1) electronic version of Final Report.  Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	version to the Community Financial on Grants Coordinator.	Assistance Grants Manager.			
8.B. Comments about this project:					
8.C. Type or print Name of Regional NPS Coordinator →					
8.D. Signature of Regional NPS Coordinator		8.E. Date			