collected

Load Contact. AIS Early Detection Monitoring Data Form Secchi (ft or m) Conductivity (ZM tow if > 99 umhos/cm) **WBIC** AIS sign2 Lake Name County Erin Venrie Vallvath Erin Venrie Vallvath Erin Venrie Vallvath La Crosse Neshonoc Total collector time (hrs x # collectors) Date(s) 10:45 am

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snall-species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
BLI	43.90586	-91.06446	N	-turbid	No. ALS
M5 \	43.90553	-91.06195	N	meander	PL, 3 - beetles presen
MS2	43,90594	-91,0568	M	to meander	Yellow Iris 1
BL2	43, 90le50	-91.05645	N	turbi d	CLP. I
751	43,90270	-91.04249		ť,	No AIS
M53	43 90535	-91.04597	7	meander	PL 3
SZ	43,90916	-91.04434	N	hursid:	PL, 2
MS4	4391223	-91.04794	N	meander	JK 3
153	43.9 1239	-91.00 448	1	turbid	No AK
TS4	43.913-15	-91.06392	M	11	a
MSS	43.91363	-91.06947	N	meander	JK , 3
755	43.91269	-41.07397	M	かん	No AIS
3L3	43.91038	-91,075-76	N	1.1	PL, 1

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

[†]If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

* Density Ratings

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 - One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date	
-	1 84	hov	50	Y	W	Gina L.on 8/2/1	3/250mple
2	I oft	lo oV	" 11	Š.	Ŵ.	1	(butles
3	1	hor	1	11	N	J	,)

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
DAI	5	50 cm	\	Y	Gina L. on 8/2/13
052	(oft	SD ON	Y	Y	1.1
DS3	(0 CX	50 m	\rangle	Ý	↓

056	(D ++	<u> </u>	, ,			
DS3	lo CX	50 (m)	l. V	Y	- ↓	
	Were plant voucher s	2	No (circle) If yes, where? (circ	cle) Freckmann Herba	rium, Other	and the second s
Step 5: V	Were snail voucher s	pecimens submitted (separa	te into Chinese, banded, all ot			UW La Crosse, or Other
Step 6: 1	Data was entered int	to SWIMS on 7/3/1	3by	Evin Venni	e-Vollvath	-
		9/23/13		in Vennie-	• •	-
Notes:	alot of	rood cavary	grass and ca	rp. Hardly	any harive	Plants,

