Lead Contacti Evin V. 608-2100-9252 Erin Vennielushunt Ourscons: " gar

	Lake Name	County	WBIC	AIS sign?	Secchi (ft)or m)	Conductivity (ZM tow if > 99 umhos/cm)
ji	Colton Flowings	Washbirn	2702100	Y (N)	4.5	Not collected
- الأرة	Date(s)	Data collectors	Start time (nearest 15	min)	End time (nearest 15 min)	Total collector time (hrs x # collectors)
gris grif	7-130/13	Epid of som Annual way	9:45 am		12:30 m	5,5 hrs

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AlS found at each site or record none. Collect a sample of any new AlS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
T51	46.14677	-91.15797	Y		ap-1
TS2	41e.15647	-91.16480	14	Stained	NO AIS
M51	46.15368	-91. WLES7	N	meander	up-1.
753	46,15498	-91.63880	N	Stained	No Als
484	46.15325	-M. 64770	M	Stained	CLP-1
M52	46.15234	-91,64890	M	preander	UP-3
155	46.15/21	-91.66008	Ν.	Stained	No A15
BLI	46,14993	91.66160	N	Stained	No AIS
					`
		,			
	_				

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

[‡] Density Ratings

Notes:

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 - One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

Site	Depth sampled Method (hor, obliq, vert) Net diameter		Net diameter (30 or 50 cm)	r 50 cm) Ethanol added (Y or N) Samples co		Sample sent to, date
1	124	hor	50cm	Y	Y	Gina on 8/2/13
. 7	12 4	nor			1	1
3	1250	hor	V	V	1	1

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
	, (
	N I r	st Civita			
	6				

	1 4				
Step 4	4: Were plant voucher spec	imens submitted? (Yes) No (circle) If ye	s, where? (circle) Freckmann Herbarit	um, Other	
Step !	5: Were snail voucher spec	mens submitted (separate into Chinese	banded, all others)? (Yes) No (circle)	If yes, where? (circle) UW La Crosse, o	or Other
Step	6: Data was entered into S	WIMS on 08/13/13	by Erin Vannie.	-Vollvath	
Step	7: Data was proofed on	9/23/13	by Erih Vennie- Vo	silvath	

[†]If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

