Lake Name	County	WBIC	Date(s)		AIS sign?	Secchi/(ft/or m)	Conductivity (ZM tow if > 99 umhos/cm)
Round Lake	Washburn	2493400	7/12	-/13	Y N	1 3.5	Not collected
Data collectors	+ yollvash	Lead Monitor phone and	l email	Start time (~	15 min)	End time (~ 15 min)	Total collector time (hrs x # collectors)
Marken Ferry	LAND MILE	608-266-9252 Erin Vennie Vollvath @ Gois	consing"	8:30	am	(1 0tm	5 hrs

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why [†]	Species, density 1-5 [‡]
TSI	45.72206	-91.87473	7		CMS1
TS2	45.72081	9(.8730)	\rightarrow		CMS-1
TS3	45.72159	-91.87117	Y		cms-l
TS4	45:72391	-91.87143	Ý		No AIS
TS5	45.72370	91.87394	7		cins -1
(S.)	45.72370	-91.87464	7		cms-1
		,	,		
				·	

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first 50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

1 – A few plants or invertebrates

4 - Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 – Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and datasheet to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date	$\mid \gamma \mid$
	15	0/0/19	50 cm	Y	N	Gina L. on 8/2/13	1/2 sample
2	15	p1/0/6	50 cm		1		bottles
3	(15 (36166	572 Ch	\bigvee	M		Doube
		00%0	- 0 0,01				<i>'</i>

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

	0.07 SV	(401×16	the state of the s				
Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date		
	** *** · · · · · · · · · · · · · · · ·		and the second s				
			The state of the s				

	10 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =			
Step 4: Were plant voucher s	pecimens submitted? Yes (No	circle) If yes, where? (circle) Freckmann He	rbarium, Other	
Step 5: Were snail voucher sp	pecimens submitted (separate	into Chinese, banded, all others)? (Yes) No (ci	ircle) If yes, where? (circle) UW La	Crosse, or Other
Step 6: Data was entered int	o SWIMS on 7/14/12	by Erin Ven	nie-Vollrath	
Step 7: Data was proofed on	9/23/13	low (traction + expose	Mrath	
			-ol clocks)	
C-T = al	solit into	2 1-4-4-0		

