Lake Name County	WBIC Date(s		AIS sign? Secchi (ft.or m)	Conductivity (ZM tow if \geq 99 umhos/cm)
Island Sawyer	238 800 23	A MOZYATALOS	N 11.25 A	119.4
Data collectors	Lead Monitor phone and email Start time (~ 15 min)	il Start time (~ 15 m	າin) End time (~ 15 min)) Total collector time (hrs x # collectors)
大いいてのころう	21-5835-412	10:30	12,00	

swamp crayfish, rusty crayfish, didymo, and any other AIS found Brazilian waterweed, yellow floating heart, European frog-bit, yellow floating heart, water chestnut, Brazilian waterweed, fanwort, parrot feather, water hyacinth, water lettuce, zebra mussel, quagga mussel, water flea, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, Asian clam, red Look for the following species: Purple loosestrife, Phragmites, flowering rush, Japanese knotweed, Yellow iris, Eurasian water-milfoil, curly-leaf pondweed, Hydrilla,

appreciated. If needed, preserve with adequate ethanol include internal and external labels with WBIC, lake name, county, sample date, sample type (snails, spiny water flea or zebra mussel) and collector. Legibility is AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 3 of each snail species and STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 target sites (TS) and the meander survey sites (MS). List

*For lakes/sites not snorkeled, substitute:

Boat landing site – Examine rake throws and D-net samples for 30 minutes. Meander – Examine 50 rake throws/D-net samples during meander survey. Targeted site — Examine rake throws and D-net samples for 10 minutes.

†If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

‡ Density Ratings

- 1-A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

Step 2: Collect Waterflea Tows from the deep hole (DH). Decant s water and preserve the sample. Submit the sample, this data form and the Water Flea Tow Monitoring Report (3200-128) to DNR Science Services.

Site	Net ring depth	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to date
フル						000
700	C	20-20	00	ントハ	イドハ	
	-					
		1				
<		<		<	<u></u>	
	415			4	4	

Mussel Veliger Tow Monitoring Report (3200-135) to DNR Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH) and two other deep areas along the downwind side of the lake. Submit the sample, this data form and the

	<	4	<	2	5
81	Ţ		Estation		-
	450	765	00	0+	- 10
			· Property	りファ	J. C. C. P.
Sample sent to, date	Samples combined (Y or N)	Ethanol added (Y or N)	Net diameter (30 or 50 cm) Ethanol added (Y or N)	Net ring depth	טונפ

•		
		1
	(
	1	
)		,
/		
		The same of the sa
		- 2
		-
		1
\		:
		2
1		5
		,,
		0011
		-
		נים
		5
		Jail
		2
		(
		<u>-</u>
		1

Step 6: Data was entered into SWIMS on	step 5: Were snall voucher specimens submitted for all t
N-26-14	ecords (circle
	Yes No
oy Also)? Yes No If yes, where? (circle) UW
	(circle) UW-La Crosse or other
	2

Step 7: Data was proofed on . by