AIS I	
Es.	
¹ De	
tecti	
on l	
Ioni	
Detection Monitoring	
Data F	
Form	

Form 3200-xxx (R 6/2^12)

Data Collectors Mit Vice Fice Thetrois Kestine PONTE	Date 8 - 14 - 12
5	WBIC
Lake Name 2 Country Country	161028
(circle one)	Conductivity
名 る え る え え る え え	

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating 50 rake and D-net samples during meander survey. heart, zebra mussel, quagga mussel, Chinese mystery snail; banded mystery snail, faucet snail, New Zealand mud snail. List any other AIS found. If sites not snorkeled, take

STEP 1: Record locations of sites (in decimal degrees) using a GPS unit (datum WGS84). List AIS found at each site or record none. Collect a sample of any suspected

Rake/D-net counts:	Did you snorkel the search sites?	Meander Survey#	Meander Survey#	Meander Survey#		2		N	1	enticonstructions.	2	Boat Landing# Sp
Count 1	arch sites? Y/N	_Species	_Species	Species	Species CMS	Species (N)S	Species (M)	Species None	2 Species CMS	Species (MS	Species CMS	_ Species CNS
Species 1Species 3	If not, why? (circle		1 TO				1.2.				RC	
; Count 2; Count 4	If not, why? (circle one) stained water, turbid water,	Latitude	Latitude	Latitude	Latitude 45. 8 1 86 4	Latitude 45, 818	Latitude 45. 8173	Latitude 45. 8 2003	Latitude <u>45.82.332</u>	Latitude 45.8166	_Latitude 45, 872.55	Latitude 450 %
Species 2Species 4	bid water, blue-green bloom, chemical treatment, other	Longitude	Longitude	Longitude	blo L Longitude 87 . 180-86	'	-				$\cdot \mid $	
	ent, other	Density (1-5)	Density (1-5)	Density (1-5)	Density (1-5)	Density (1-5)	Density (1-5)	Density (1-5) $\frac{N/A}{N}$	Density (1-5)	Density (1-5)	Density (1-5)	Density (1-5)

Step 2: Label first five specimens collected with species, collector, date, lake name, WBIC and Location # Send your specimens to an expert for verification. Instructions on how to voucher specimens and a list of statewide taxonomy experts can be found at: http://dnr.wi.gov/invasives/aquatic/whattodo/staff/

Step 3
: Collect \
Step 3: Collect Waterflea Tows from three sites around the lake in water deeper than 15 fe
Tows fro
m three
sites aro
und the l
ake in w
ater dee
per than
15 feet (
if possible).
·

	Depth sampled: Tow 1 ft Tow 2 / f	Diameter of plankton net mouth (circle one) 30cm 50cm other	Method used: horizontal tows (near
ve samples been co	ત	n 50cm other_	surface) or \geq
Have samples been consolidated into one bottle? \mathcal{A}/N	Tow 3 <u>22</u> ft .		_ horizontal tows (near surface) or 🗼 oblique tows (near bottom to surface if greater than 15 feet)

Step 4: Collect Veliger Tows from three sites in 5-10 feet of water (within a meter of the bottom).

Guidelines: If Secchi depth is >4m take two 2m deep samples; if Secchi is between 2-4m take one 2m deep sample; if Secchi is <2m take one 1m tow.

	¥	Di	
	Has ethanol been added? 💩N	Diameter of plankton net mouth (circle one) 30cm (50cm) other	
\Diamond		one)	
1		30cm (
J	Have	50cm)
	sample	other_	
	Have samples been consolidated into one bottle? (
)	Q _N	,	

Notes:

Step 5: Data was entered into SWIMS on

Date

Name

Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates
- 4 Dense plant, snail or mussel growth in a whole bay or portion of the lake
- 5 Dense plant, snail or mussel growth covering most shallow areas

General guidance on areas to search for the 10 minute guick snorkel search sites:

- Check rocks for zebra/quagga mussels, faucet snails and New Zealand mudsnails.
- Check around small backyard boat launches.
- Check near creek inlets (especially if AIS are found upstream).
- Check the stems of emergent vegetation for climbing faucet snails.
- Check () downwind of large boat landings.