Lake Name	County	183500	AIS sign? N	Secchi (ft or m)	Conductivity (ZM tow if $\geq$ 99 umhos/cm) $2C$
Date(s),	Data collectors	Start time (nearest 15 min)	min)	End time (nearest 15 min)	End time (nearest 15 min) Total collector time (hrs x # collectors)
2/1/2/0		= = = = = = = = = = = = = = = = = = = =		3:50	0

heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found. Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). label with species, collector, date, lake name, WBIC and sampling site. List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and

					DENCY	S S	Ť.	$\mathcal{S}$	K	15	Site
					purch 45 35.238	45 35.415	45 35,618	45 35,568	45 35 123	45° 35. 148°	Latitude
			•		SE 7 28	89 29.829	89 29.745	89 30.756	480.0£ 68	87° 29.907	Longitude
					~		<		~		Snorkel (Y or N*)
											If N snorkel, indicate why
	,	-			Now	2006	None	Const	None	200	Species, density 1-5 <sup>‡</sup>

## For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## \* Density Ratings

- 1 A few plants or invertebrates
- 2 One or a few plant beds or colonies of invertebrates
- 3 Many small beds or scattered plants or colonies of invertebrates

- 5 Dense plant, snail or mussel growth covering most shallow areas 4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

Reprt form to Science Services. Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring

Mussel Veliger Tow Monitoring Report form to Science Service. Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and

Marine A	7	2	Site
12'	12	12'	Depth sampled
50	ろ の		Net diameter (30 or 50 cm)
		<b>4</b>	Ethanol added (Y or N)
	~	~Z.	Samples combined (Y or N)
			Sample sent to, date

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other

S	
Step	
5: _	
ŀe	
e	
sna	
≕	
NOA	
ñ	
cher s	
ē	
peci	
3	
en	
S	
멅	
Ĕ	
Ŧ	
e E	
3	
epa	
ă	
ှည်	
e.	
큐	
0	
e into Chi	
inese,	
9S:	
1,2	
eparate into Chinese, bandı	
ğ	
þ	
ີລ	
=	
∄	
ē	
s)?	
≾	
es'	
S	
No (circle	
irc	
je)	
If ye	
es,	
`≤	
Ř	
ä	
:5	
Ω.	
circl	
e)	
$\subseteq$	
₹	
La	
Ō	
ŠÕ.	
Se	
O	
La Crosse, or Other	
₹	
Ю	
1	

Step 6: Data was entered into SWIMS on

. by

Step 7: Data was proofed on

