Lake Name	County	LUDIO	T		
Lake Hullie	County	WBIC	AIS sign?	Secchi (ft or m)	Conductivity (ZM tow if > 99 umhos/cm)
1 (a/6 T / 1/	La Carriera and Ar	•	V N	, , ,	250 dillios/cill)
Lake lomahoul	1 Orever	1	1 1		
Date(s)	Data collectors Cliffle Vigne	Charletter /	٠.,		
1 ''	Data collectors Civit La A. Sar	Start time (nearest 15	min)	End time (nearest 15 min)	Total collector time (hrs x # collectors)
1	Uason Hoyes			17-16	The state of the s
	Jason Hoyes Katine Rinal	9770		1 14.15	
Look for the following species Durple leasestiff Div. 11 11					

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Ton Salval (V N.)	Lich transfer	
	, addressed to	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 [‡]
	1100 0	2 0			
M	45 50.497	89 48.447		Meander	EWM 2 (Ken Bay)
M	45°50.456	89 40.394	in.	Megnell	Yellow loss 1
M	15 50.959	890 401.697		Meander Meander Mandre	Yellow loss 1
M	45 50.538	890 40',841		. , , , ,	BUM 3 Red Coroy 2
M	45° 49°.633	89° 38′.906	i in	1	Yellow loss 1
M	4548.713	89° 39, 237	1 Johnson	in .	Velow loss
M	480 48:187	89238,526	Fin		Jellow 105 1
		,	19		
		.)	/		
		<i>h</i>			
		,			
		1/2			
		2	·		

*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first

Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first

50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

[†]If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

[‡] Density Ratings

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 - Dense plant, snail or mussel growth covering most shallow areas

3 - Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

ſ	Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
1		,					
Ī			"				
Ī							

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
					`

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other				
Step 5: Were snail voucher specimens submitted (separate into Chinese, I	panded, all others)? Yes No (circle) If yes, where? (circle) UW La Crosse, or Other			
Step 6: Data was entered into SWIMS on	by			
Step 7: Data was proofed on	by			

Notes: