Entered

Form 3200-xxx (R 6/2013)

Lake Name	County ,	WBIC	AlS sign?	Secchi (ft or m)	Conductivity (ZM tow if > 99 umhos/cm)
Long Interplace	Vilas	2322300	Y N		95
Date(s)	Data collectors	Start time (nearest 15	min)	End time (nearest 15 min)	Total collector time (hrs x # collectors)
8/21/17	Harry Ronzel	10.00			

Look for the following species: Purple loosestrife, Phragmites, flowering rush, Hydrilla, Brazilian waterweed, Eurasian water-milfoil, curly-leaf pondweed, yellow floating heart, zebra mussel, quagga mussel, Chinese mystery snail, banded mystery snail, faucet snail, New Zealand mud snail, didymo, water flea, and any other AIS found.

STEP 1: Record locations of sampling sites (in decimal degrees). Sampling sites include all public boat landings (BL), 5 targeted sites (TS) and the meander survey sites (MS). List AIS found at each site or record none. Collect a sample of any new AIS found. Collect five new invasive plant specimens, 20 Dreissenids, and 30 of each snail species and label with species, collector, date, lake name, WBIC and sampling site.

Site	Latitude	Longitude	Snorkel (Y or N*)	If N snorkel, indicate why	Species, density 1-5 <sup>‡</sup>
151	45.96790	-89,90618	Y		· CMS3
TS2	45.96218	-89.90618 -89.89774	Y		CMS 2 Corpree la 2
MSI	45,95784	-89.89513	N		CMSZ Corbrev la 2 RCG Z
T53	45,94971	-89.90136	V		CMS 3
754	45.95443	-89,90467	<b>1</b> * .		CMS2
TS5	45.96484	89.90460	Ý		CMS-2 RC-1
			E .		
			٥	·	

## \*For lakes/sites not snorkeled, substitute:

Boat landing site - 15 rake throws and 15 D-net samples OR 30 minutes, whichever comes first
Targeted site - 5 rake throws and 5 D-net samples OR 10 minutes, whichever comes first
50 meander sites - 10 rake throws and 10 D-net samples during meander survey between sampling sites for a total of 50 meander survey sites

<sup>†</sup>If lake/site was not snorkeled, indicate why: stained water, turbid water, blue-green bloom, chemical treatment, other (please describe).

## <sup>‡</sup> Density Ratings

Notes:

1 – A few plants or invertebrates

4 – Dense plant, snail or mussel growth in a whole bay or portion of the lake

2 – One or a few plant beds or colonies of invertebrates

5 - Dense plant, snail or mussel growth covering most shallow areas

3 – Many small beds or scattered plants or colonies of invertebrates

Step 2: Collect Waterflea Tows from 3 sites: the deep hole (DH) and 2 other sites in water deeper than 15 feet (if possible). Submit sample and Water Flea To Monitoring Reprt form to Science Services.

Site	Depth sampled	Method (hor, obliq, vert)	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
	42	001		•		"
	60	06	, c			
	56	00			•	

Step 3: Collect Veliger Tows from 3 sites; the deep hole (DH), outlet site (OS), and or downwind site (DS) in water depth of about 4 meters (if possible). Submit sample and Mussel Veliger Tow Monitoring Report form to Science Service.

Site	Depth sampled	Net diameter (30 or 50 cm)	Ethanol added (Y or N)	Samples combined (Y or N)	Sample sent to, date
				ν	

Step 4: Were plant voucher specimens submitted? Yes No (circle) If yes, where? (circle) Freckmann Herbarium, Other							
Step 5: Were snail voucher specimens submitted (sepa	arate into Chinese, banded, all others)? Yes	No (circle) If yes, where? (circle) UW L	a Crosse, or Other				
Step 6: Data was entered into SWIMS on	by		<b>∵</b>				
Step 7: Data was proofed on	by		·				