Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions

DIVIT as described in the module	Alons.											
1. GRANT TYPE. Check	the one that applies.				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
☐ Targeted Runoff Manageme	nt Grant – Agricultural		☐ Targeted Runoff Management Grant – Urban									
Urban Nonpoint Source & St Construction	Urban Nonpoint Source & Storm Water Management Grant – Planning											
☐ Notice of Discharge Grant												
2. PROJECT NAME & LO	OCATION.											
2.1. Project Name:			2.2. Gra	ınt Number:								
Valders Branch Stream Improv	vements and Wetland	Freatment	USC-MA	\02-36186-13								
2.3. Governmental Unit Name:			2.4. Prir	mary Watershed N	ame:	2.5. Watershe	ed Code:					
Valders, Village of			Lower N	lanitowoc River		MA02						
NOTE FOR SECTION 2.6 (which	h follows):						_					
Section 2.6. includes five (5) co discrete project locations, attach Hydrologic Unit Code (HUC), use	additional columns for S	Section 2.6 as de	escribed ir	the instructions.	ocations. If If your proje	your grant has r ct occurs in mo	more than five (5) re than one 12-digit					
2.6 Site Location(s) →	Α.	В.		C.		D.	E					
Name of Cost-Share Recipient or Governmental Unit	Valders, Village of											
Cost-Share Agreement Number (Agricultural only)												
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	040301010603				:							
Nearest Surface Receiving Water Affected												
Name:	Unnamed Trib. Manitowoc River (Valders Branch)											
Waterbody Identification Code(s) (WBIC):	73500											
Nearest Impaired Water Affected												
Name:	Manitowoc River											
Waterbody Identification Code(s) (WBIC):	71000											
Pollutants Reduced	Sediment, Nutrients											
Impairments/Impacts	Total Phosphorus											

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	Α.	В.	C.	D.	E.
Project Coordinates:					
Town	19				
Range	22				
Section	32				
Quarter	sw				
Quarter-Quarter	SE				
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	44 04 05				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	87 53 40				

3. SUMMARY OF RESULTS.			
Table A. Agricultural Projects. – Ch. NR	. 151 Performance Standards a	nd Prohibitions and Other Wa	ter Resources Management Priorities
A.1. Management Measures	Units of Measure	Quantity	Measurement Method Used
Sheet, rill and wind erosion	Acres meeting "T"	acres	
Manure Storage Facilities:	Number of facilities	facilities	
New Construction/Alterations	Number of animal units	animal units	
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities:	Number of facilities	facilities	
Failing/Leaking Facilities	Number of animal units	animal units	
	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	
Prohibition: Manure Storage Overflow	Number of farms	farms	
Frombition: Manufe Storage Overnow	Number of animal units	animal units	
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms	
	Pollutant load reduction	lbs.	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities	
	Number of animal units	animal units	
Prohibition: Unlimited Liverton's Assess	Feet of bank protected	feet	
Prohibition: Unlimited Livestock Access	Number of farms	farms	

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Units of Measure nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) ng Developed Areas. Units of Measure S reduced S reduction	Quantity Quantity Ibs.	Measurement Method Used Measurement Method Used
umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
collutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or amber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or applicable) collutant load reduction (if ethod available) normal definition (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) nits (use feet, acres or umber as applicable) collutant load reduction (if ethod available) Ing Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
ollutant load reduction (if ethod available) nits (use feet, acres or imber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or mber as applicable) ollutant load reduction (if ethod available) ollutant load reduction (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
nits (use feet, acres or amber as applicable) ollutant load reduction (if ethod available) nits (use feet, acres or mber as applicable) ollutant load reduction (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
ollutant load reduction (if ethod available) nits (use feet, acres or mber as applicable) ollutant load reduction (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
nits (use feet, acres or mber as applicable) cllutant load reduction (if ethod available) ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
ng Developed Areas. Units of Measure	Quantity lbs.	Measurement Method Used
Units of Measure S reduced	Quantity lbs.	Measurement Method Used
Units of Measure S reduced	Quantity lbs.	Measurement Method Used
Units of Measure S reduced	lbs.	Measurement Method Used
S reduced	lbs.	Measurement Method Used
		The state of the s
S reduction	0/	
	%	
Cardinal		
	78 %	WinSLAMM
ume		
	ft³/year	
ange in cubic feet per cond for design year	ft³/sec	
nk protected	3600 feet	Field Measurement
y sheen presence reduced	☐Yes ☐ No	
nk erosion reduced	tons	
nk protected	3600 feet	
lutant load reduction (if thod available)		
ts (use feet, acres or nber as applicable)	-	
·		
e):		
=).		
e u iy a co ni / ni luth te n	y-on volume inge in cubic feet per ond for design year k protected sheen presence reduced k erosion reduced k protected utant load reduction (if nod available) s (use feet, acres or ber as applicable)	Greduction 78 % development stay-on time y-on volume ft³/year inge in cubic feet per tond for design year k protected sheen presence reduced k erosion reduced k protected 3600 feet tons ber as applicable)

Existing Developed Urban Areas

C.2. Estimate total acres covered by the

Total Acres

New Development

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:		acres	acres	acres							
C.3. Products developed (check all below that app	ly)	Identifi	y Documents by Name (if applic	cable)							
Storm Water Plan											
Construction or Erosic	on Ordinances										
Post-construction Stor	rm Water										
Other Types of Storm Ordinances	Water Quality										
Financing Methods: ide	entified and										
Financing Methods: de implemented	veloped or										
☐ I & E Plan			The Land Country of the Country of t								
I & E Implementation /	Activities										
Other:											
C.4. Identify the Storm Water addressed (check all that	er goals at apply)										
Reduce TSS											
Maintain infiltration		Comments:									
Control Peak Flow				•							
Protective Areas											
Control of Fueling & N	Naintenance										
Remove Illicit Dischar	ges										
Other:											
		I A CONTRACTOR OF THE PARTY OF									
4. Satisfaction of Not provide information for each	ice Require	ements. If cost sharing for this project	was offered under a formal not	tice pursuant to chs. NR 151 or 243,							
Notice Information	notice in the t	able below.		Notice Satisfaction Information							
Chs. NR 151 or 243 Notice Type	Issue Date	From (Name)	To (Name)	Satisfied? Yes No Date Letter Sent							
<u> </u>											
-		,									

Final Report Form 3400-189 (rev. 7/30/09)


- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

-				. *							*		1911	50000		ma 122											
5.	μ	١a	d١	LIC	na	Ш	ın	foi	m	aı	:10	n	(S	ba	ce	Wil	Ιe	gx	and	d to	o f	it١	/OU	II.	tex	t.)	

Project outcomes included improvement in Northern Pike spawning habitat, reductions in the amount of sediment, phosphorus, and other associated pollutants to the stream, improvement in aquatic and terrestrial habitat, and reduction in flooding intensity and frequency in the Village of Valders. Improvements resulting from this project have incrementally reduce total phosphorus and sediment to the Manitowoc River which is listed as an impaired waterway (303d list) in Manitowoc from Revere Street to Clarks Mills Dam. While the identified causes of impairment are contaminated fish tissue, degraded biological community, contaminated sediment, and legacy pollutants, total phosphorus is specifically listed as a pollutant of concern.

Overall, the project has restored over 1,800 linear feet of waterway and enhanced or restored nearly 7 acres of riparian lands.


6. Summary of Project Challenges. (Space will expand to fit	6. Summary of Project Challenges. (Space will expand to fit your text.)							
 Initial construction and planting was complicated by extremely wet conditions in first year. Replanting of several areas was necessary due to invasive species caused by wet conditions and poor planting conditions. 								
7. Grantee Certification.								
Checking here C certifies that, to the best of your knowledge, the inform	ation contained in this report is correct.							
Name of Authorized Representative (type or print) ↓ Title of Authorized Representative (type or print) ↓								
Leonard Heimerman Director of Public Works								
Signature of Authorized Representative Date								
Horard Hlemennan 01/14/2016								
8. For Departmental Use Only.								
Regional NPS Coordinator – Please complete the following:								
8.A. Check here $\frac{JX}{L}$ if you have received the following from the project s	ponsor:							
one (1) printed, signed, original Final Report + attachments								
one (1) electronic version of Final Report.								
Send the printed, signed original Final Report with attachments + electronic version to the Community Financial Assistance Grants Manager. Community Financial Assistance will forward to Runoff Management Section Grants Coordinator.								
8.B. Comments about this project:								
2016 Environmental stewardship, Business Friend	of the Environment award from the WMC Foundation.							
8.C. Type or print Name of Regional NPS Coordinator → Erin Han	son							
8.D. Signature of Regional NPS Coordinator	8.E. Date 06/16/16							



Valders Stone and Marble Stream & Wetland Project Atea



Location: Section 32, T19N, R22E Village of Valders Town of Cato Manitowoc County







feet meters