

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/1/1999	0	13.5	11.1	108
5/1/1999	100	13.6	11.0	108
5/1/1999	200	13.5	11.1	108
5/1/1999	300	13.4	11.0	107
5/1/1999	400	13.3	11.0	106
5/1/1999	500	13.2	10.9	106
5/1/1999	600	13.1	10.9	105
5/1/1999	700	13.0	10.8	104
5/1/1999	800	13.0	10.8	104
5/1/1999	900	13.0	10.8	104
5/1/1999	1000	13.1	10.9	105
5/1/1999	1100	13.0	10.9	105
5/1/1999	1200	12.9	10.8	104
5/1/1999	1300	12.9	10.8	104
5/1/1999	1400	13.0	10.7	103
5/1/1999	1500	13.1	10.7	104
5/1/1999	1600	13.2	10.8	105
5/1/1999	1700	13.3	10.8	105
5/1/1999	1800	13.5	10.9	106
5/1/1999	1900	13.6	10.9	106
5/1/1999	2000	13.8	10.9	107
5/1/1999	2100	13.9	10.9	107
5/1/1999	2200	14.0	10.9	107
5/1/1999	2300	14.2	11.0	109
5/2/1999	0	14.2	11.0	109
5/2/1999	100	14.3	11.0	109
5/2/1999	200	14.3	11.0	108
5/2/1999	300	14.2	10.9	107
5/2/1999	400	14.2	10.8	107
5/2/1999	500	14.1	10.8	107
5/2/1999	600	14.1	10.7	105
5/2/1999	700	14.0	10.7	105
5/2/1999	800	14.0	10.6	105
5/2/1999	900	14.0	10.6	105
5/2/1999	1000	14.0	10.6	105
5/2/1999	1100	14.0	10.6	104
5/2/1999	1200	14.0	10.5	104
5/2/1999	1300	14.0	10.6	104
5/2/1999	1400	14.1	10.6	104
5/2/1999	1500	14.1	10.5	104
5/2/1999	1600	14.2	10.6	105
5/2/1999	1700	14.5	10.7	107
5/2/1999	1800	14.7	10.9	109
5/2/1999	1900	14.9	11.0	110
5/2/1999	2000	15.0	11.0	111
5/2/1999	2100	15.2	11.1	112
5/2/1999	2200	15.2	11.1	112
5/2/1999	2300	15.2	11.0	111
5/3/1999	0	15.1	10.9	110
5/3/1999	100	15.1	10.8	109
5/3/1999	200	15.1	10.8	108
5/3/1999	300	15.1	10.7	108
5/3/1999	400	15.0	10.8	108
5/3/1999	500	15.0	10.7	108
5/3/1999	600	15.0	10.7	108
5/3/1999	700	15.0	10.6	107
5/3/1999	800	15.0	10.7	107

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/3/1999	900	15.0	10.6	107
5/3/1999	1000	15.0	10.5	106
5/3/1999	1100	15.0	10.5	106
5/3/1999	1200	14.9	10.3	104
5/3/1999	1300	14.9	10.2	103
5/3/1999	1400	15.0	10.2	103
5/3/1999	1500	15.1	10.5	106
5/3/1999	1600	15.3	10.6	107
5/3/1999	1700	15.5	10.7	108
5/3/1999	1800	15.6	10.7	109
5/3/1999	1900	15.7	10.8	110
5/3/1999	2000	15.8	10.8	111
5/3/1999	2100	15.9	10.9	112
5/3/1999	2200	16.0	11.0	113
5/3/1999	2300	16.1	11.0	114
5/4/1999	0	16.1	11.0	114
5/4/1999	100	16.1	10.9	113
5/4/1999	200	16.1	10.8	111
5/4/1999	300	16.1	10.7	110
5/4/1999	400	16.0	10.6	109
5/4/1999	500	16.0	10.5	108
5/4/1999	600	15.9	10.5	107
5/4/1999	700	15.9	10.5	107
5/4/1999	800	15.9	10.4	107
5/4/1999	900	15.9	10.3	106
5/4/1999	1000	15.8	10.2	105
5/4/1999	1100	15.8	10.2	104
5/4/1999	1200	15.9	10.2	105
5/4/1999	1300	16.0	10.3	106
5/4/1999	1400	16.1	10.5	108
5/4/1999	1500	16.2	10.6	110
5/4/1999	1600	16.2	10.5	109
5/4/1999	1700	16.3	10.6	110
5/4/1999	1800	16.5	10.8	112
5/4/1999	1900	16.8	11.0	115
5/4/1999	2000	16.8	11.0	115
5/4/1999	2100	16.8	10.9	114
5/4/1999	2200	16.9	10.8	114
5/4/1999	2300	16.9	10.8	113
5/5/1999	0	16.9	10.7	113
5/5/1999	100	16.9	10.6	111
5/5/1999	200	16.8	10.4	109
5/5/1999	300	16.8	10.3	108
5/5/1999	400	16.6	10.2	106
5/5/1999	500	16.6	10.2	106
5/5/1999	600	16.5	10.0	104
5/5/1999	700	16.4	9.9	103
5/5/1999	800	16.4	10.0	104
5/5/1999	900	16.4	10.0	104
5/5/1999	1000	16.4	10.0	104
5/5/1999	1100	16.4	10.0	104
5/5/1999	1200	16.4	10.0	103
5/5/1999	1300	16.3	10.0	103
5/5/1999	1400	16.4	10.0	104
5/5/1999	1500	16.4	9.9	103
5/5/1999	1600	16.4	10.0	103
5/5/1999	1700	16.4	10.1	104
5/5/1999	1800	16.4	10.1	104

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/5/1999	1900	16.4	10.0	104
5/5/1999	2000	16.4	10.0	104
5/5/1999	2100	16.4	10.0	104
5/5/1999	2200	16.4	9.9	103
5/5/1999	2300	16.4	9.8	101
5/6/1999	0	16.4	9.7	100
5/6/1999	100	16.3	9.6	99
5/6/1999	200	16.3	9.4	98
5/6/1999	300	16.3	9.4	97
5/6/1999	400	16.3	9.3	96
5/6/1999	500	16.2	9.4	97
5/6/1999	600	16.2	9.2	95
5/6/1999	700	16.2	9.1	94
5/6/1999	800	16.2	9.2	95
5/6/1999	900	16.2	9.1	94
5/6/1999	1000	16.1	9.1	94
5/6/1999	1100	16.1	9.2	95
5/6/1999	1200	16.1	9.0	93
5/6/1999	1300	16.1	9.0	93
5/6/1999	1400	16.0	9.0	93
5/6/1999	1500	16.0	9.0	93
5/6/1999	1600	16.0	9.0	93
5/6/1999	1700	16.0	9.1	93
5/6/1999	1800	16.0	9.0	92
5/6/1999	1900	15.9	9.1	93
5/6/1999	2000	15.9	9.1	93
5/6/1999	2100	15.9	9.1	93
5/6/1999	2200	15.8	9.2	94
5/6/1999	2300	15.8	9.0	92
5/7/1999	0	15.7	9.0	92
5/7/1999	100	15.6	8.7	89
5/7/1999	200	15.5	8.7	89
5/7/1999	300	15.4	8.7	88
5/7/1999	400	15.2	8.7	88
5/7/1999	500	15.1	8.7	88
5/7/1999	600	15.0	8.7	88
5/7/1999	700	14.9	8.7	88
5/7/1999	800	14.8	8.8	88
5/7/1999	900	14.7	8.7	87
5/7/1999	1000	14.6	8.7	87
5/7/1999	1100	14.6	8.7	87
5/7/1999	1200	14.5	8.7	87
5/7/1999	1300	14.4	8.9	88
5/7/1999	1400	14.4	8.9	88
5/7/1999	1500	14.4	8.9	89
5/7/1999	1600	14.3	8.9	88
5/7/1999	1700	14.2	8.9	88
5/7/1999	1800	14.2	8.9	88
5/7/1999	1900	14.2	9.0	89
5/7/1999	2000	14.1	9.0	89
5/7/1999	2100	14.0	9.1	89
5/7/1999	2200	13.9	9.2	90
5/7/1999	2300	13.8	9.3	92
5/8/1999	0	13.8	9.2	91
5/8/1999	100	13.7	9.3	91
5/8/1999	200	13.7	9.2	90
5/8/1999	300	13.5	9.4	91
5/8/1999	400	13.5	9.4	92

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/8/1999	500	13.5	9.3	91
5/8/1999	600	13.3	9.4	91
5/8/1999	700	13.4	9.2	90
5/8/1999	800	13.3	9.3	90
5/8/1999	900	13.4	9.1	88
5/8/1999	1000	13.4	9.1	89
5/8/1999	1100	13.5	9.1	89
5/8/1999	1200	13.6	9.1	89
5/8/1999	1300	13.5	9.4	92
5/8/1999	1400	13.6	9.3	91
5/8/1999	1500	13.7	9.5	93
5/8/1999	1600	13.8	9.5	93
5/8/1999	1700	13.8	9.5	93
5/8/1999	1800	13.9	9.5	94
5/8/1999	1900	13.9	9.6	95
5/8/1999	2000	13.9	9.6	95
5/8/1999	2100	13.9	9.7	96
5/8/1999	2200	13.9	9.8	97
5/8/1999	2300	13.9	9.8	96
5/9/1999	0	13.9	9.8	97
5/9/1999	100	13.8	9.7	95
5/9/1999	200	13.8	9.8	96
5/9/1999	300	13.7	9.7	95
5/9/1999	400	13.7	9.8	96
5/9/1999	500	13.6	9.7	95
5/9/1999	600	13.5	9.7	94
5/9/1999	700	13.5	9.7	94
5/9/1999	800	13.4	9.7	94
5/9/1999	900	13.3	9.9	96
5/9/1999	1000	13.3	9.9	96
5/9/1999	1100	13.3	10.0	97
5/9/1999	1200	13.4	10.0	97
5/9/1999	1300	13.3	10.2	99
5/9/1999	1400	13.4	10.1	98
5/9/1999	1500	13.6	10.1	98
5/9/1999	1600	13.6	10.2	99
5/9/1999	1700	13.7	10.2	100
5/9/1999	1800	13.8	10.2	101
5/9/1999	1900	13.9	10.2	101
5/9/1999	2000	13.9	10.3	101
5/9/1999	2100	13.9	10.3	101
5/9/1999	2200	13.9	10.2	100
5/9/1999	2300	13.8	10.2	100
5/10/1999	0	13.7	10.2	100
5/10/1999	100	13.7	10.4	101
5/10/1999	200	13.6	10.2	100
5/10/1999	300	13.6	10.2	100
5/10/1999	400	13.5	10.2	99
5/10/1999	500	13.4	10.2	100
5/10/1999	600	13.4	10.1	98
5/10/1999	700	13.3	10.2	99
5/10/1999	800	13.2	10.2	99
5/10/1999	900	13.2	10.2	99
5/10/1999	1000	13.1	10.3	100
5/10/1999	1100	13.2	10.2	99
5/10/1999	1200	13.2	10.2	99
5/10/1999	1300	13.3	10.1	98
5/10/1999	1400	13.5	10.2	99

White Rapids 1999 Tailrace Data

v14

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/10/1999	1500	13.7	10.2	100
5/10/1999	1600	13.7	10.3	101
5/10/1999	1700	13.8	10.4	101
5/10/1999	1800	13.8	10.4	102
5/10/1999	1900	13.8	10.4	102
5/10/1999	2000	13.8	10.3	101
5/10/1999	2100	13.8	10.3	101
5/10/1999	2200	13.7	10.4	101
5/10/1999	2300	13.7	10.3	100
5/11/1999	0	13.6	10.2	100
5/11/1999	100	13.5	10.3	100
5/11/1999	200	13.5	10.3	100
5/11/1999	300	13.4	10.3	100
5/11/1999	400	13.4	10.3	100
5/11/1999	500	13.3	10.3	100
5/11/1999	600	13.2	10.2	99
5/11/1999	700	13.2	10.2	99
5/11/1999	800	13.1	10.2	99
5/11/1999	900	13.1	10.2	99
5/11/1999	1000	13.1	10.3	99
5/11/1999	1100	13.1	10.3	99
5/11/1999	1200	13.2	10.3	99
5/11/1999	1300	13.3	10.3	99
5/11/1999	1400	13.4	10.2	100
5/11/1999	1500	13.4	10.3	100
5/11/1999	1600	13.5	10.3	100
5/11/1999	1700	13.6	10.3	101
5/11/1999	1800	13.7	10.3	100
5/11/1999	1900	13.7	10.3	100
5/11/1999	2000	13.7	10.2	100
5/11/1999	2100	13.7	10.2	100
5/11/1999	2200	13.7	10.2	100
5/11/1999	2300	13.6	10.1	99
5/12/1999	0	13.6	10.2	99
5/12/1999	100	13.6	10.2	99
5/12/1999	200	13.6	10.1	99
5/12/1999	300	13.6	10.2	99
5/12/1999	400	13.5	10.2	100
5/12/1999	500	13.4	10.1	98
5/12/1999	600	13.4	10.1	98
5/12/1999	700	13.4	10.1	98
5/12/1999	800	13.4	10.0	98
5/12/1999	900	13.4	10.0	97
5/12/1999	1000	13.4	10.1	98
5/12/1999	1100	13.4	10.1	98
5/12/1999	1200	13.5	10.1	99
5/12/1999	1300	13.5	10.2	99
5/12/1999	1400	13.6	10.2	99
5/12/1999	1500	13.6	10.1	99
5/12/1999	1600	13.6	10.1	99
5/12/1999	1700	13.5	10.2	99
5/12/1999	1800	13.5	10.1	99
5/12/1999	1900	13.5	10.1	98
5/12/1999	2000	13.5	10.1	98
5/12/1999	2100	13.5	10.0	97
5/12/1999	2200	13.5	10.0	97
5/12/1999	2300	13.5	10.0	97
5/13/1999	0	13.5	10.0	97

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/13/1999	100	13.5	10.0	98
5/13/1999	200	13.5	10.1	98
5/13/1999	300	13.5	10.1	98
5/13/1999	400	13.5	10.1	98
5/13/1999	500	13.4	10.0	97
5/13/1999	600	13.4	10.0	97
5/13/1999	700	13.3	10.0	97
5/13/1999	800	13.2	9.9	96
5/13/1999	900	13.2	9.9	96
5/13/1999	1000	13.3	9.9	96
5/13/1999	1100	13.3	9.9	96
5/13/1999	1200	13.5	9.9	97
5/13/1999	1300	13.6	10.0	98
5/13/1999	1400	13.7	10.1	98
5/13/1999	1500	13.8	10.0	98
5/13/1999	1600	13.8	10.0	98
5/13/1999	1700	13.9	10.0	99
5/13/1999	1800	13.9	10.0	99
5/13/1999	1900	13.8	10.0	99
5/13/1999	2000	13.8	10.0	98
5/13/1999	2100	13.8	10.0	98
5/13/1999	2200	13.7	10.0	98
5/13/1999	2300	13.6	10.0	97
5/14/1999	0	13.6	9.9	97
5/14/1999	100	13.5	9.9	97
5/14/1999	200	13.5	9.9	96
5/14/1999	300	13.6	9.8	96
5/14/1999	400	13.6	9.9	96
5/14/1999	500	13.7	9.9	97
5/14/1999	600	13.7	9.9	97
5/14/1999	700	13.8	9.9	98
5/14/1999	800	13.9	10.0	98
5/14/1999	900	14.0	9.9	98
5/14/1999	1000	14.1	9.9	98
5/14/1999	1100	14.1	9.9	98
5/14/1999	1300	14.4	10.0	100
5/14/1999	1400	14.5	10.0	100
5/14/1999	1500	14.6	10.1	100
5/14/1999	1600	14.8	10.1	101
5/14/1999	1700	14.9	10.1	101
5/14/1999	1800	14.8	10.0	100
5/14/1999	1900	15.0	10.1	101
5/14/1999	2000	14.7	10.0	100
5/14/1999	2100	14.8	10.0	100
5/14/1999	2200	14.7	10.0	100
5/14/1999	2300	14.6	9.9	99
5/15/1999	0	14.4	9.9	98
5/15/1999	100	14.3	9.9	98
5/15/1999	200	14.3	9.9	98
5/15/1999	300	14.2	9.8	97
5/15/1999	400	14.3	9.8	97
5/15/1999	500	14.3	9.8	97
5/15/1999	600	14.4	9.8	97
5/15/1999	700	14.4	9.8	97
5/15/1999	800	14.5	9.8	97
5/15/1999	900	14.5	9.8	97
5/15/1999	1000	14.7	9.8	98
5/15/1999	1100	14.7	9.8	98

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/15/1999	1200	14.9	9.8	99
5/15/1999	1300	15.1	9.8	99
5/15/1999	1400	15.3	9.9	100
5/15/1999	1500	15.3	9.9	100
5/15/1999	1600	15.4	9.9	100
5/15/1999	1700	15.6	9.9	100
5/15/1999	1800	15.5	9.8	100
5/15/1999	1900	15.7	9.8	100
5/15/1999	2000	15.6	9.8	100
5/15/1999	2100	15.8	9.8	100
5/15/1999	2200	15.6	9.7	99
5/15/1999	2300	15.5	9.7	99
5/16/1999	0	15.5	9.7	99
5/16/1999	100	15.6	9.7	98
5/16/1999	200	15.5	9.6	98
5/16/1999	300	15.5	9.6	97
5/16/1999	400	15.5	9.5	97
5/16/1999	500	15.5	9.5	97
5/16/1999	600	15.4	9.5	96
5/16/1999	700	15.4	9.5	96
5/16/1999	800	15.4	9.5	96
5/16/1999	900	15.5	9.5	96
5/16/1999	1000	15.5	9.4	96
5/16/1999	1100	15.5	9.5	96
5/16/1999	1200	15.7	9.6	98
5/16/1999	1300	15.8	9.6	99
5/16/1999	1400	15.8	9.7	99
5/16/1999	1500	15.9	9.6	99
5/16/1999	1600	16.0	9.7	100
5/16/1999	1700	16.0	9.7	99
5/16/1999	1800	16.1	9.7	100
5/16/1999	1900	16.0	9.6	99
5/16/1999	2000	16.2	9.6	99
5/16/1999	2100	16.2	9.5	98
5/16/1999	2200	16.3	9.5	98
5/16/1999	2300	16.3	9.5	98
5/17/1999	0	16.4	9.5	98
5/17/1999	100	16.4	9.4	98
5/17/1999	200	16.4	9.4	98
5/17/1999	300	16.4	9.4	97
5/17/1999	400	16.4	9.3	97
5/17/1999	500	16.4	9.3	96
5/17/1999	600	16.4	9.3	97
5/17/1999	700	16.4	9.3	97
5/17/1999	800	16.4	9.3	97
5/17/1999	900	16.4	9.3	97
5/17/1999	1000	16.4	9.3	97
5/17/1999	1100	16.4	9.3	97
5/17/1999	1200	16.4	9.3	97
5/17/1999	1300	16.5	9.3	97
5/17/1999	1400	16.5	9.3	97
5/17/1999	1500	16.6	9.3	97
5/17/1999	1600	16.7	9.4	98
5/17/1999	1700	16.8	9.4	98
5/17/1999	1800	17.0	9.4	99
5/17/1999	1900	16.9	9.3	97
5/17/1999	2000	16.9	9.3	97
5/17/1999	2100	17.0	9.3	97

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/17/1999	2200	17.1	9.2	97
5/17/1999	2300	17.1	9.2	96
5/18/1999	0	17.1	9.1	96
5/18/1999	100	17.1	9.0	95
5/18/1999	200	17.1	9.0	95
5/18/1999	300	17.1	9.1	95
5/18/1999	400	17.1	9.0	95
5/18/1999	500	17.1	9.0	94
5/18/1999	600	17.0	8.9	94
5/18/1999	700	17.1	8.9	94
5/18/1999	800	17.1	9.0	94
5/18/1999	900	17.1	9.0	94
5/18/1999	1000	17.1	9.0	95
5/18/1999	1100	17.1	9.1	96
5/18/1999	1200	17.2	9.1	95
5/18/1999	1300	17.2	9.1	96
5/18/1999	1400	17.2	9.1	96
5/18/1999	1500	17.3	9.1	96
5/18/1999	1600	17.3	9.0	95
5/18/1999	1700	17.4	9.0	95
5/18/1999	1800	17.4	9.0	95
5/18/1999	1900	17.4	9.0	95
5/18/1999	2000	17.3	8.9	94
5/18/1999	2100	17.2	8.8	93
5/18/1999	2200	17.2	9.0	95
5/18/1999	2300	17.1	8.8	93
5/19/1999	0	17.0	8.7	91
5/19/1999	100	16.9	8.7	91
5/19/1999	200	16.8	8.8	92
5/19/1999	300	16.7	8.8	92
5/19/1999	400	16.6	8.8	92
5/19/1999	500	16.6	8.9	92
5/19/1999	600	16.5	8.9	93
5/19/1999	700	16.5	8.7	91
5/19/1999	800	16.5	8.8	91
5/19/1999	900	16.4	8.8	91
5/19/1999	1000	16.4	8.7	91
5/19/1999	1100	16.5	9.3	96
5/19/1999	1200	16.5	8.8	92
5/19/1999	1300	16.7	8.8	92
5/19/1999	1400	16.5	8.8	91
5/19/1999	1500	16.6	8.9	92
5/19/1999	1600	16.5	9.1	95
5/19/1999	1700	16.4	9.4	97
5/19/1999	1800	16.3	9.5	99
5/19/1999	1900	16.3	9.6	99
5/19/1999	2000	16.4	9.6	99
5/19/1999	2100	16.4	9.5	98
5/19/1999	2200	16.5	9.4	97
5/19/1999	2300	16.6	9.4	98
5/20/1999	0	16.7	9.3	97
5/20/1999	100	16.7	9.3	97
5/20/1999	200	16.6	9.2	96
5/20/1999	300	16.5	9.2	96
5/20/1999	400	16.5	9.1	95
5/20/1999	500	16.5	9.2	96
5/20/1999	600	16.4	9.3	96
5/20/1999	700	16.4	9.4	97

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/20/1999	800	16.3	9.5	98
5/20/1999	900	16.2	9.5	98
5/20/1999	1000	16.3	9.4	97
5/20/1999	1100	16.3	9.4	98
5/20/1999	1200	16.3	9.5	99
5/20/1999	1300	16.4	9.5	99
5/20/1999	1400	16.5	9.5	99
5/20/1999	1500	16.5	9.5	99
5/20/1999	1600	16.4	9.5	99
5/20/1999	1700	16.4	9.6	100
5/20/1999	1800	16.5	9.5	99
5/20/1999	1900	16.5	9.5	99
5/20/1999	2000	16.6	9.4	98
5/20/1999	2100	16.6	9.5	99
5/20/1999	2200	16.5	9.4	97
5/20/1999	2300	16.5	9.3	97
5/21/1999	0	16.5	9.4	97
5/21/1999	100	16.5	9.3	97
5/21/1999	200	16.4	9.4	97
5/21/1999	300	16.3	9.4	97
5/21/1999	400	16.3	9.4	97
5/21/1999	500	16.2	9.5	98
5/21/1999	600	16.1	9.4	97
5/21/1999	700	16.1	9.4	97
5/21/1999	800	16.1	9.4	97
5/21/1999	900	16.0	9.3	96
5/21/1999	1000	16.1	9.3	96
5/21/1999	1100	16.1	9.3	95
5/21/1999	1200	16.1	9.2	95
5/21/1999	1300	16.3	9.3	96
5/21/1999	1400	16.3	9.3	96
5/21/1999	1500	16.3	9.3	96
5/21/1999	1600	16.5	9.3	96
5/21/1999	1700	16.7	9.3	97
5/21/1999	1800	16.6	9.4	98
5/21/1999	1900	16.4	9.3	97
5/21/1999	2000	16.4	9.3	97
5/21/1999	2100	16.4	9.3	97
5/21/1999	2200	16.4	9.4	97
5/21/1999	2300	16.4	9.3	97
5/22/1999	0	16.4	9.3	96
5/22/1999	100	16.4	9.2	96
5/22/1999	200	16.4	9.3	96
5/22/1999	300	16.4	9.3	96
5/22/1999	400	16.4	9.3	96
5/22/1999	500	16.3	9.3	96
5/22/1999	600	16.3	9.2	96
5/22/1999	700	16.2	9.3	96
5/22/1999	800	16.2	9.2	95
5/22/1999	900	16.2	9.3	96
5/22/1999	1000	16.3	9.3	96
5/22/1999	1100	16.5	9.1	95
5/22/1999	1200	16.8	9.2	96
5/22/1999	1300	16.6	9.2	96
5/22/1999	1400	17.0	9.2	97
5/22/1999	1500	17.0	9.3	98
5/22/1999	1600	16.9	9.3	98
5/22/1999	1700	16.9	9.3	98

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/22/1999	1800	17.0	9.4	99
5/22/1999	1900	17.1	9.4	99
5/22/1999	2000	17.2	9.4	99
5/22/1999	2100	17.1	9.4	99
5/22/1999	2200	17.1	9.3	98
5/22/1999	2300	17.1	9.3	98
5/23/1999	0	17.2	9.4	99
5/23/1999	100	17.2	9.4	99
5/23/1999	200	17.2	9.4	100
5/23/1999	300	17.2	9.4	99
5/23/1999	400	17.2	9.4	99
5/23/1999	500	17.1	9.4	99
5/23/1999	600	17.0	9.4	98
5/23/1999	700	16.9	9.3	98
5/23/1999	800	16.9	9.2	97
5/23/1999	900	16.8	9.2	96
5/23/1999	1000	16.8	9.1	96
5/23/1999	1100	16.8	9.1	95
5/23/1999	1200	16.8	9.2	96
5/23/1999	1300	16.8	9.1	95
5/23/1999	1400	16.8	9.2	96
5/23/1999	1500	16.7	9.1	96
5/23/1999	1600	16.6	9.2	96
5/23/1999	1700	16.6	9.2	96
5/23/1999	1800	16.5	9.2	96
5/23/1999	1900	16.4	9.2	96
5/23/1999	2000	16.4	9.2	95
5/23/1999	2100	16.3	9.2	95
5/23/1999	2200	16.3	9.1	95
5/23/1999	2300	16.3	9.1	94
5/24/1999	0	16.2	9.0	93
5/24/1999	100	16.1	9.1	94
5/24/1999	200	16.0	9.1	94
5/24/1999	300	15.9	9.1	94
5/24/1999	400	15.8	9.1	93
5/24/1999	500	15.8	9.1	93
5/24/1999	600	15.6	9.2	94
5/24/1999	700	15.6	9.2	94
5/24/1999	800	15.5	9.1	92
5/24/1999	900	15.4	9.1	92
5/24/1999	1000	15.2	9.2	93
5/24/1999	1100	15.1	9.2	93
5/24/1999	1200	15.0	9.3	93
5/24/1999	1300	15.0	9.3	94
5/24/1999	1400	14.9	9.3	93
5/24/1999	1500	14.9	9.2	93
5/24/1999	1600	14.8	9.4	94
5/24/1999	1700	14.7	9.3	93
5/24/1999	1800	14.6	9.4	93
5/24/1999	1900	14.6	9.3	92
5/24/1999	2000	14.5	9.5	95
5/24/1999	2100	14.4	9.5	95
5/24/1999	2200	14.4	9.6	95
5/24/1999	2300	14.4	9.5	95
5/25/1999	0	14.3	9.6	95
5/25/1999	100	14.3	9.7	96
5/25/1999	200	14.2	9.6	95
5/25/1999	300	14.2	9.7	96

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/25/1999	400	14.1	9.7	95
5/25/1999	500	14.0	9.6	94
5/25/1999	600	13.9	9.6	95
5/25/1999	700	13.9	9.6	94
5/25/1999	800	13.8	9.6	94
5/25/1999	900	13.7	9.7	95
5/25/1999	1000	13.7	9.6	94
5/25/1999	1100	13.6	9.7	95
5/25/1999	1200	13.6	9.8	96
5/25/1999	1300	13.6	9.9	96
5/25/1999	1400	13.5	9.7	95
5/25/1999	1500	13.5	9.8	96
5/25/1999	1600	13.5	9.7	95
5/25/1999	1700	13.4	9.7	95
5/25/1999	1800	13.3	9.9	96
5/25/1999	1900	13.3	9.8	95
5/25/1999	2000	13.3	9.8	94
5/25/1999	2100	13.2	9.8	95
5/25/1999	2200	13.2	9.8	95
5/25/1999	2300	13.1	9.8	94
5/26/1999	0	13.1	9.8	95
5/26/1999	100	13.1	9.9	95
5/26/1999	200	13.1	9.8	95
5/26/1999	300	13.0	9.9	96
5/26/1999	400	13.0	9.8	95
5/26/1999	500	12.9	9.8	94
5/26/1999	600	12.9	9.9	95
5/26/1999	700	12.8	9.8	94
5/26/1999	800	12.8	9.9	95
5/26/1999	900	12.9	9.9	95
5/26/1999	1000	13.0	9.9	96
5/26/1999	1100	13.2	9.9	96
5/26/1999	1200	13.4	10.1	98
5/26/1999	1300	13.6	10.1	99
5/26/1999	1400	13.8	10.1	99
5/26/1999	1500	14.0	10.0	99
5/26/1999	1600	14.0	10.0	98
5/26/1999	1700	14.1	10.1	99
5/26/1999	1800	14.3	10.1	100
5/26/1999	1900	14.2	10.1	100
5/26/1999	2000	14.1	10.1	99
5/26/1999	2100	14.0	10.0	99
5/26/1999	2200	14.1	10.0	99
5/26/1999	2300	14.1	10.0	99
5/27/1999	0	14.1	10.0	99
5/27/1999	100	14.1	10.0	99
5/27/1999	200	14.2	10.1	99
5/27/1999	300	14.3	10.1	100
5/27/1999	400	14.3	10.1	100
5/27/1999	500	14.3	10.1	100
5/27/1999	600	14.3	10.1	100
5/27/1999	700	14.3	10.0	99
5/27/1999	800	14.3	10.0	100
5/27/1999	900	14.4	10.0	99
5/27/1999	1000	14.5	10.0	100
5/27/1999	1100	14.7	9.9	100
5/27/1999	1200	14.9	10.0	100
5/27/1999	1300	15.0	9.9	100

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/27/1999	1400	15.1	9.9	100
5/27/1999	1500	15.5	9.9	101
5/27/1999	1600	15.4	9.9	100
5/27/1999	1800	15.7	9.9	103
5/27/1999	1900	15.6	9.9	102
5/27/1999	2000	15.5	9.9	102
5/27/1999	2100	15.5	9.9	101
5/27/1999	2200	15.5	9.9	102
5/27/1999	2300	15.6	9.8	101
5/28/1999	0	15.6	9.8	101
5/28/1999	100	15.7	9.8	101
5/28/1999	200	15.7	9.7	101
5/28/1999	300	15.7	9.8	101
5/28/1999	400	15.7	9.8	101
5/28/1999	500	15.7	9.8	101
5/28/1999	600	15.7	9.8	101
5/28/1999	700	15.7	9.8	101
5/28/1999	800	15.7	9.8	101
5/28/1999	900	15.7	9.7	101
5/28/1999	1000	15.8	9.7	100
5/28/1999	1100	15.9	9.6	100
5/28/1999	1200	16.1	9.6	101
5/28/1999	1300	16.5	9.6	101
5/28/1999	1400	16.4	9.7	102
5/28/1999	1500	16.5	9.6	101
5/28/1999	1600	16.6	9.6	102
5/28/1999	1700	16.5	9.6	102
5/28/1999	1800	16.6	9.6	101
5/28/1999	1900	16.7	9.7	102
5/28/1999	2000	16.8	9.7	103
5/28/1999	2100	16.8	9.6	102
5/28/1999	2200	16.9	9.6	102
5/28/1999	2300	17.0	9.6	102
5/29/1999	0	17.0	9.6	102
5/29/1999	100	17.1	9.6	102
5/29/1999	200	17.1	9.6	102
5/29/1999	300	17.1	9.7	103
5/29/1999	400	17.1	9.6	102
5/29/1999	500	17.1	9.5	101
5/29/1999	600	17.1	9.5	101
5/29/1999	700	17.0	9.5	101
5/29/1999	800	17.0	9.5	101
5/29/1999	900	17.1	9.4	100
5/29/1999	1000	17.1	9.4	100
5/29/1999	1100	17.2	9.4	100
5/29/1999	1200	17.3	9.4	101
5/29/1999	1300	17.3	9.3	100
5/29/1999	1400	17.6	9.4	101
5/29/1999	1500	17.6	9.4	101
5/29/1999	1600	17.7	9.3	101
5/29/1999	1700	17.7	9.3	101
5/29/1999	1800	17.8	9.3	101
5/29/1999	1900	18.0	9.3	101
5/29/1999	2000	18.1	9.3	101
5/29/1999	2100	18.2	9.3	102
5/29/1999	2200	18.0	9.3	101
5/29/1999	2300	18.0	9.2	100
5/30/1999	0	18.1	9.2	100

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
5/30/1999	100	18.1	9.2	100
5/30/1999	200	18.2	9.1	99
5/30/1999	300	18.2	9.1	99
5/30/1999	400	18.3	9.0	99
5/30/1999	500	18.3	9.0	99
5/30/1999	600	18.4	9.0	99
5/30/1999	700	18.5	9.0	99
5/30/1999	800	18.6	9.0	99
5/30/1999	900	18.8	9.0	99
5/30/1999	1000	19.0	9.0	100
5/30/1999	1100	19.2	9.0	100
5/30/1999	1200	19.3	9.0	101
5/30/1999	1300	19.3	9.0	101
5/30/1999	1400	19.4	9.0	101
5/30/1999	1500	19.4	9.0	101
5/30/1999	1600	19.3	9.0	100
5/30/1999	1700	19.2	9.0	100
5/30/1999	1800	19.2	9.0	100
5/30/1999	1900	19.1	9.0	100
5/30/1999	2000	19.0	9.0	99
5/30/1999	2100	19.0	9.0	100
5/30/1999	2200	19.0	9.0	99
5/30/1999	2300	19.1	8.9	99
5/31/1999	0	19.2	8.8	98
5/31/1999	100	19.4	8.9	99
5/31/1999	200	19.4	8.9	99
5/31/1999	300	19.5	8.8	99
5/31/1999	400	19.5	8.8	98
5/31/1999	500	19.4	8.9	99
5/31/1999	600	19.4	8.8	98
5/31/1999	700	19.4	8.8	98
5/31/1999	800	19.4	8.7	97
5/31/1999	900	19.3	8.6	96
5/31/1999	1000	19.3	8.6	96
5/31/1999	1100	19.3	8.6	96
5/31/1999	1200	19.2	8.7	97
5/31/1999	1300	19.1	8.7	97
5/31/1999	1400	19.0	8.8	98
5/31/1999	1500	18.9	8.9	99
5/31/1999	1600	18.8	8.9	98
5/31/1999	1700	18.7	8.9	98
5/31/1999	1800	18.7	8.9	98
5/31/1999	1900	18.8	8.9	98
5/31/1999	2000	18.8	8.9	98
5/31/1999	2100	18.9	8.7	97
5/31/1999	2200	18.9	8.7	96
5/31/1999	2300	18.9	8.7	96
6/1/1999	0	18.8	8.6	95
6/1/1999	100	18.8	8.7	96
6/1/1999	200	18.8	8.6	95
6/1/1999	300	18.8	8.6	95
6/1/1999	400	18.7	8.6	95
6/1/1999	500	18.6	8.6	94
6/1/1999	600	18.5	8.6	94
6/1/1999	700	18.4	8.6	94
6/1/1999	800	18.4	8.6	94
6/1/1999	900	18.3	8.6	94
6/1/1999	1000	18.3	8.6	94

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/1/1999	1100	18.2	8.5	93
6/1/1999	1200	18.2	8.5	93
6/1/1999	1300	18.2	8.5	93
6/1/1999	1400	18.2	8.5	92
6/1/1999	1500	18.2	8.5	92
6/1/1999	1600	18.1	8.6	93
6/1/1999	1700	18.2	8.5	93
6/1/1999	1800	18.0	8.4	92
6/1/1999	1900	17.9	8.1	88
6/1/1999	2000	17.8	8.2	89
6/1/1999	2100	17.7	8.2	89
6/1/1999	2200	17.7	8.2	88
6/1/1999	2300	17.5	8.2	88
6/2/1999	0	17.4	8.2	88
6/2/1999	100	17.4	8.2	88
6/2/1999	200	17.3	8.2	88
6/2/1999	300	17.3	8.1	87
6/2/1999	400	17.2	8.1	86
6/2/1999	500	17.1	8.0	85
6/2/1999	600	17.1	8.2	87
6/2/1999	700	17.1	8.1	87
6/2/1999	800	17.0	8.1	86
6/2/1999	900	17.0	8.1	86
6/2/1999	1000	17.0	8.1	86
6/2/1999	1100	17.1	8.0	85
6/2/1999	1200	17.1	8.1	87
6/2/1999	1300	17.2	8.1	87
6/2/1999	1400	17.4	8.3	89
6/2/1999	1500	17.6	8.2	88
6/2/1999	1600	17.7	8.2	88
6/2/1999	1700	17.6	8.3	89
6/2/1999	1800	17.6	8.4	90
6/2/1999	1900	17.5	8.5	91
6/2/1999	2000	17.5	8.4	90
6/2/1999	2100	17.4	8.4	90
6/2/1999	2200	17.4	8.4	90
6/2/1999	2300	17.3	8.4	90
6/3/1999	0	17.1	8.5	90
6/3/1999	100	17.0	8.4	89
6/3/1999	200	16.9	8.4	89
6/3/1999	300	16.8	8.5	90
6/3/1999	400	16.8	8.4	89
6/3/1999	500	16.8	8.4	89
6/3/1999	600	16.7	8.3	88
6/3/1999	700	16.7	8.2	87
6/3/1999	800	16.8	8.2	87
6/3/1999	900	16.8	8.2	87
6/3/1999	1000	17.0	8.2	87
6/3/1999	1100	17.1	8.2	87
6/3/1999	1200	17.2	8.2	87
6/3/1999	1300	17.4	8.3	89
6/3/1999	1400	17.5	8.3	89
6/3/1999	1500	17.6	8.3	89
6/3/1999	1600	17.9	8.3	90
6/3/1999	1700	17.9	8.1	88
6/3/1999	1800	17.8	8.3	90
6/3/1999	1900	17.8	8.3	89
6/3/1999	2000	17.8	8.3	90

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/3/1999	2100	17.9	8.3	90
6/3/1999	2200	18.0	8.3	90
6/3/1999	2300	18.0	8.2	89
6/4/1999	0	17.9	8.1	88
6/4/1999	100	17.9	8.2	89
6/4/1999	200	17.8	8.2	88
6/4/1999	300	17.7	8.3	89
6/4/1999	400	17.7	8.3	89
6/4/1999	500	17.6	8.3	89
6/4/1999	600	17.5	8.2	88
6/4/1999	700	17.5	8.3	89
6/4/1999	800	17.5	8.3	90
6/4/1999	900	17.6	8.4	90
6/4/1999	1000	17.7	8.3	89
6/4/1999	1100	17.7	8.5	92
6/4/1999	1200	17.8	8.5	92
6/4/1999	1300	17.8	8.4	90
6/4/1999	1400	17.9	8.5	92
6/4/1999	1500	18.0	8.5	92
6/4/1999	1600	18.0	8.4	92
6/4/1999	1700	18.2	8.5	93
6/4/1999	1800	18.3	8.6	94
6/4/1999	1900	18.3	8.5	93
6/4/1999	2000	18.4	8.5	93
6/4/1999	2100	18.3	8.5	93
6/4/1999	2200	18.4	8.5	92
6/4/1999	2300	18.3	8.4	92
6/5/1999	0	18.3	8.4	92
6/5/1999	100	18.3	8.3	91
6/5/1999	200	18.3	8.4	91
6/5/1999	300	18.3	8.4	92
6/5/1999	400	18.3	8.4	91
6/5/1999	500	18.2	8.4	91
6/5/1999	600	18.2	8.4	91
6/5/1999	700	18.1	8.5	92
6/5/1999	800	18.1	8.4	91
6/5/1999	900	18.0	8.4	91
6/5/1999	1000	18.0	8.5	92
6/5/1999	1100	18.0	8.4	92
6/5/1999	1200	18.0	8.4	91
6/5/1999	1300	18.0	8.4	91
6/5/1999	1400	18.0	8.4	91
6/5/1999	1500	18.1	8.4	92
6/5/1999	1600	18.1	8.5	93
6/5/1999	1700	18.1	8.4	91
6/5/1999	1800	18.1	8.3	90
6/5/1999	1900	18.2	8.3	90
6/5/1999	2000	18.2	8.2	89
6/5/1999	2100	18.3	8.2	89
6/5/1999	2200	18.5	8.2	90
6/5/1999	2300	18.5	8.1	89
6/6/1999	0	18.6	8.2	90
6/6/1999	100	18.7	8.1	89
6/6/1999	200	18.7	8.0	88
6/6/1999	300	18.6	8.0	88
6/6/1999	400	18.6	8.1	89
6/6/1999	500	18.7	8.0	88
6/6/1999	600	18.7	8.0	88

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/6/1999	700	18.7	7.9	87
6/6/1999	800	18.7	8.0	88
6/6/1999	900	18.7	7.8	86
6/6/1999	1000	18.8	7.9	88
6/6/1999	1100	18.8	7.9	87
6/6/1999	1200	18.8	7.9	87
6/6/1999	1300	18.8	7.9	87
6/6/1999	1400	18.9	8.0	88
6/6/1999	1500	19.0	7.8	87
6/6/1999	1600	19.1	7.8	86
6/6/1999	1700	19.1	8.2	90
6/6/1999	1800	19.2	7.9	87
6/6/1999	1900	19.4	8.0	89
6/6/1999	2000	19.6	8.0	90
6/6/1999	2100	19.8	7.9	89
6/6/1999	2200	20.0	8.0	90
6/6/1999	2300	20.2	8.3	94
6/7/1999	0	20.2	7.9	90
6/7/1999	100	20.2	8.0	90
6/7/1999	200	20.2	7.9	90
6/7/1999	300	20.2	7.9	89
6/7/1999	400	20.2	7.8	88
6/7/1999	500	20.3	7.7	88
6/7/1999	600	20.4	7.7	88
6/7/1999	700	20.5	7.7	88
6/7/1999	800	20.5	7.7	88
6/7/1999	900	20.5	7.7	88
6/7/1999	1000	20.6	7.8	89
6/7/1999	1100	20.8	7.8	90
6/7/1999	1200	20.8	7.8	89
6/7/1999	1300	21.0	7.9	90
6/7/1999	1400	21.1	7.8	90
6/7/1999	1500	21.2	7.8	90
6/7/1999	1600	21.3	7.8	90
6/7/1999	1700	21.5	7.9	92
6/7/1999	1800	21.6	7.8	91
6/7/1999	1900	21.7	7.9	92
6/7/1999	2000	21.7	7.8	91
6/7/1999	2100	21.8	7.8	92
6/7/1999	2200	21.7	7.8	91
6/7/1999	2300	21.6	7.6	89
6/8/1999	0	21.6	7.8	91
6/8/1999	100	21.6	7.6	89
6/8/1999	200	21.6	7.7	90
6/8/1999	300	21.6	7.8	91
6/8/1999	400	21.5	7.5	88
6/8/1999	500	21.3	7.5	87
6/8/1999	600	21.2	7.8	90
6/8/1999	700	21.1	7.5	86
6/8/1999	800	21.1	7.5	86
6/8/1999	900	21.3	7.8	91
6/8/1999	1000	21.3	7.6	88
6/8/1999	1100	21.4	7.9	92
6/8/1999	1200	21.4	7.6	88
6/8/1999	1300	21.3	7.6	88
6/8/1999	1400	21.8	8.0	94
6/8/1999	1500	21.7	7.9	93
6/8/1999	1600	21.7	7.9	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/8/1999	1700	22.2	7.9	93
6/8/1999	1800	22.1	8.1	96
6/8/1999	1900	22.0	7.9	93
6/8/1999	2000	22.0	7.8	91
6/8/1999	2100	22.2	7.9	93
6/8/1999	2200	22.2	7.4	87
6/8/1999	2300	21.9	7.4	87
6/9/1999	0	21.8	7.4	87
6/9/1999	100	21.9	7.5	88
6/9/1999	200	21.8	7.6	89
6/9/1999	300	21.6	7.3	86
6/9/1999	400	21.3	7.2	84
6/9/1999	500	21.3	7.2	84
6/9/1999	600	21.4	7.3	85
6/9/1999	700	21.4	7.3	85
6/9/1999	800	21.5	7.3	84
6/9/1999	900	21.6	7.2	84
6/9/1999	1000	21.7	7.2	85
6/9/1999	1100	21.8	7.2	85
6/9/1999	1200	21.8	7.2	84
6/9/1999	1300	21.8	7.3	86
6/9/1999	1400	21.9	7.4	87
6/9/1999	1500	22.0	7.5	88
6/9/1999	1600	22.2	7.5	88
6/9/1999	1700	22.3	7.4	87
6/9/1999	1800	22.5	7.3	87
6/9/1999	1900	22.6	7.5	90
6/9/1999	2000	22.7	7.4	88
6/9/1999	2100	22.7	7.2	86
6/9/1999	2200	22.6	7.4	88
6/9/1999	2300	22.5	7.3	87
6/10/1999	0	22.4	7.4	87
6/10/1999	100	22.4	7.5	89
6/10/1999	200	22.3	7.5	89
6/10/1999	300	22.2	7.5	89
6/10/1999	400	22.1	7.5	88
6/10/1999	500	22.1	7.6	89
6/10/1999	600	22.2	7.6	89
6/10/1999	700	22.3	7.5	89
6/10/1999	800	22.4	7.6	90
6/10/1999	900	22.4	7.7	91
6/10/1999	1000	22.5	7.6	91
6/10/1999	1100	22.6	7.8	92
6/10/1999	1200	22.8	7.7	92
6/10/1999	1300	22.8	7.7	92
6/10/1999	1400	22.9	7.8	93
6/10/1999	1500	22.9	8.2	97
6/10/1999	1600	23.0	8.2	97
6/10/1999	1700	23.3	8.2	98
6/10/1999	1800	23.2	8.1	97
6/10/1999	1900	23.3	8.1	97
6/10/1999	2000	23.3	8.0	96
6/10/1999	2100	23.5	8.0	96
6/10/1999	2200	23.4	8.0	96
6/10/1999	2300	23.3	7.9	94
6/11/1999	0	23.2	7.7	92
6/11/1999	100	23.2	7.9	94
6/11/1999	200	23.2	7.8	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/11/1999	300	23.0	7.7	92
6/11/1999	400	23.0	7.7	91
6/11/1999	500	22.9	7.7	91
6/11/1999	600	22.9	7.7	91
6/11/1999	700	23.0	7.6	90
6/11/1999	800	23.0	7.6	90
6/11/1999	900	23.0	7.6	91
6/11/1999	1000	23.1	7.7	91
6/11/1999	1100	23.2	7.8	93
6/11/1999	1200	23.2	7.7	92
6/11/1999	1300	23.3	7.7	91
6/11/1999	1400	23.3	7.6	91
6/11/1999	1500	23.4	7.6	91
6/11/1999	1600	23.4	7.5	90
6/11/1999	1700	23.5	7.5	89
6/11/1999	1800	23.5	7.5	90
6/11/1999	1900	23.6	7.5	90
6/11/1999	2000	23.7	7.6	92
6/11/1999	2100	23.7	7.6	92
6/11/1999	2200	23.6	7.5	90
6/11/1999	2300	23.6	7.5	89
6/12/1999	0	23.5	7.6	91
6/12/1999	100	23.5	7.5	90
6/12/1999	200	23.5	7.5	90
6/12/1999	300	23.4	7.5	89
6/12/1999	400	23.3	7.3	87
6/12/1999	500	23.2	7.4	88
6/12/1999	600	23.2	7.4	88
6/12/1999	700	23.1	7.4	88
6/12/1999	800	23.2	7.4	88
6/12/1999	900	23.2	7.4	88
6/12/1999	1000	23.2	7.4	88
6/12/1999	1100	23.3	7.4	89
6/12/1999	1200	23.4	7.5	90
6/12/1999	1300	23.4	7.6	91
6/12/1999	1400	23.4	7.6	91
6/12/1999	1500	23.5	7.6	91
6/12/1999	1600	23.5	7.6	91
6/12/1999	1700	23.5	7.7	92
6/12/1999	1800	23.6	7.7	93
6/12/1999	1900	23.6	7.7	92
6/12/1999	2000	23.7	7.7	93
6/12/1999	2100	23.6	7.6	91
6/12/1999	2200	23.6	7.6	91
6/12/1999	2300	23.6	7.6	91
6/13/1999	0	23.5	7.5	90
6/13/1999	100	23.4	7.4	89
6/13/1999	200	23.2	7.4	89
6/13/1999	300	23.1	7.4	88
6/13/1999	400	23.0	7.4	88
6/13/1999	500	22.8	7.3	87
6/13/1999	600	22.7	7.3	87
6/13/1999	700	22.6	7.3	86
6/13/1999	800	22.5	7.3	86
6/13/1999	900	22.5	7.4	86
6/13/1999	1000	22.5	7.3	86
6/13/1999	1100	22.5	7.3	86
6/13/1999	1200	22.6	7.3	86

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/13/1999	1300	22.7	7.4	87
6/13/1999	1400	22.6	7.3	86
6/13/1999	1500	22.6	7.4	87
6/13/1999	1600	22.8	7.3	86
6/13/1999	1700	22.8	7.3	86
6/13/1999	1800	22.8	7.4	87
6/13/1999	1900	22.7	7.3	87
6/13/1999	2000	22.7	7.4	87
6/13/1999	2100	22.6	7.3	86
6/13/1999	2200	22.5	7.3	86
6/13/1999	2300	22.4	7.4	87
6/14/1999	0	22.3	7.5	87
6/14/1999	100	22.2	7.4	87
6/14/1999	200	22.1	7.4	86
6/14/1999	300	21.9	7.4	86
6/14/1999	400	21.8	7.4	86
6/14/1999	500	21.7	7.5	87
6/14/1999	600	21.7	7.5	87
6/14/1999	700	21.6	7.6	87
6/14/1999	800	21.6	7.5	86
6/14/1999	900	21.6	7.5	86
6/14/1999	1000	21.6	7.5	87
6/14/1999	1100	21.7	7.5	87
6/14/1999	1200	21.7	7.6	88
6/14/1999	1300	21.7	7.7	89
6/14/1999	1400	21.7	7.6	88
6/14/1999	1500	21.7	7.7	89
6/14/1999	1600	21.7	7.7	89
6/14/1999	1700	21.7	7.9	92
6/14/1999	1800	21.5	8.0	92
6/14/1999	1900	21.4	8.1	93
6/14/1999	2000	21.3	8.1	93
6/14/1999	2100	21.1	8.2	93
6/14/1999	2200	21.0	8.1	93
6/14/1999	2300	20.8	8.1	92
6/15/1999	0	20.7	8.0	91
6/15/1999	100	20.6	7.9	89
6/15/1999	200	20.4	7.9	89
6/15/1999	300	20.3	7.9	89
6/15/1999	400	20.2	7.9	89
6/15/1999	500	20.2	7.9	89
6/15/1999	600	20.1	7.9	88
6/15/1999	700	20.1	7.9	88
6/15/1999	800	20.0	7.8	87
6/15/1999	900	20.1	7.8	87
6/15/1999	1000	20.1	7.9	88
6/15/1999	1100	20.2	7.9	89
6/15/1999	1200	20.2	7.8	88
6/15/1999	1300	20.2	7.9	89
6/15/1999	1400	20.2	8.1	91
6/15/1999	1500	20.4	8.1	91
6/15/1999	1600	20.2	7.9	89
6/15/1999	1700	20.3	7.9	89
6/15/1999	1800	20.2	7.9	89
6/15/1999	1900	20.2	8.0	90
6/15/1999	2000	20.1	8.0	90
6/15/1999	2100	20.0	8.0	89
6/15/1999	2200	20.0	8.0	90

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/15/1999	2300	19.8	8.1	90
6/16/1999	0	19.7	8.1	90
6/16/1999	100	19.5	8.1	90
6/16/1999	200	19.4	8.1	90
6/16/1999	300	19.3	8.1	90
6/16/1999	400	19.2	8.1	89
6/16/1999	500	19.1	8.1	89
6/16/1999	600	19.0	8.1	89
6/16/1999	700	19.0	8.0	88
6/16/1999	800	19.1	7.9	87
6/16/1999	900	19.0	7.9	87
6/16/1999	1000	19.0	7.9	86
6/16/1999	1100	19.0	7.9	87
6/16/1999	1200	18.9	7.9	87
6/16/1999	1300	18.9	7.9	87
6/16/1999	1400	18.9	7.9	87
6/16/1999	1500	19.0	8.0	88
6/16/1999	1600	19.3	8.0	89
6/16/1999	1700	19.2	8.1	89
6/16/1999	1800	19.2	8.1	90
6/16/1999	1900	19.3	8.2	90
6/16/1999	2000	19.2	8.2	91
6/16/1999	2100	19.2	8.2	90
6/16/1999	2200	19.1	8.1	90
6/16/1999	2300	19.1	8.1	89
6/17/1999	0	19.0	8.1	89
6/17/1999	100	19.0	7.9	87
6/17/1999	200	18.9	8.2	90
6/17/1999	300	18.9	8.1	89
6/17/1999	400	18.9	8.1	88
6/17/1999	500	18.8	8.0	88
6/17/1999	600	18.8	8.0	87
6/17/1999	700	18.8	7.9	87
6/17/1999	800	18.7	7.9	86
6/17/1999	900	18.7	7.8	85
6/17/1999	1000	18.7	7.8	85
6/17/1999	1100	18.8	7.8	86
6/17/1999	1200	18.9	7.9	86
6/17/1999	1300	19.0	7.9	87
6/17/1999	1400	19.0	7.9	87
6/17/1999	1500	19.1	8.0	88
6/17/1999	1600	19.1	7.9	87
6/17/1999	1700	18.9	7.9	87
6/17/1999	1800	18.9	8.0	87
6/17/1999	1900	19.1	8.1	89
6/17/1999	2000	18.8	8.0	88
6/17/1999	2100	18.8	8.0	87
6/17/1999	2200	18.8	8.0	87
6/17/1999	2300	18.8	8.0	88
6/18/1999	0	18.8	8.1	89
6/18/1999	100	18.8	8.1	89
6/18/1999	200	18.8	8.1	88
6/18/1999	300	18.7	8.1	89
6/18/1999	400	18.7	8.1	88
6/18/1999	500	18.5	8.1	88
6/18/1999	600	18.5	8.1	87
6/18/1999	700	18.4	8.0	87
6/18/1999	800	18.4	8.0	86

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/18/1999	900	18.5	8.1	88
6/18/1999	1000	18.6	8.1	89
6/18/1999	1100	18.6	8.1	88
6/18/1999	1200	18.6	7.9	86
6/18/1999	1300	18.9	7.9	87
6/18/1999	1400	18.8	8.0	88
6/18/1999	1500	18.9	8.1	89
6/18/1999	1600	18.9	8.1	89
6/18/1999	1700	18.8	8.1	89
6/18/1999	1800	18.9	8.2	89
6/18/1999	1900	19.0	8.3	91
6/18/1999	2000	19.2	8.4	92
6/18/1999	2100	19.3	8.3	92
6/18/1999	2200	19.5	8.3	92
6/18/1999	2300	19.6	8.4	93
6/19/1999	0	19.5	8.3	92
6/19/1999	100	19.5	8.3	92
6/19/1999	200	19.6	8.2	91
6/19/1999	300	19.5	8.2	91
6/19/1999	400	19.4	8.2	91
6/19/1999	500	19.4	8.1	90
6/19/1999	600	19.3	8.1	89
6/19/1999	700	19.3	8.0	89
6/19/1999	800	19.4	8.0	88
6/19/1999	900	19.4	8.0	88
6/19/1999	1000	19.5	8.0	88
6/19/1999	1100	19.6	7.9	88
6/19/1999	1200	19.6	7.9	88
6/19/1999	1300	19.6	7.9	88
6/19/1999	1400	19.7	8.1	90
6/19/1999	1500	19.7	8.1	90
6/19/1999	1600	19.7	8.1	90
6/19/1999	1700	19.8	8.1	91
6/19/1999	1800	20.0	8.2	92
6/19/1999	1900	20.0	8.2	92
6/19/1999	2000	20.0	8.2	92
6/19/1999	2100	20.1	8.2	92
6/19/1999	2200	20.1	8.2	92
6/19/1999	2300	20.2	8.2	92
6/20/1999	0	20.2	8.2	92
6/20/1999	100	20.1	8.1	91
6/20/1999	200	20.0	8.0	90
6/20/1999	300	20.0	8.0	89
6/20/1999	400	20.0	8.0	90
6/20/1999	500	20.0	7.9	89
6/20/1999	600	19.9	7.8	88
6/20/1999	700	20.0	7.8	88
6/20/1999	800	20.0	7.9	88
6/20/1999	900	20.0	7.9	89
6/20/1999	1000	20.1	8.0	89
6/20/1999	1100	20.1	8.0	90
6/20/1999	1200	20.2	8.2	92
6/20/1999	1300	20.2	8.2	92
6/20/1999	1400	20.2	8.2	93
6/20/1999	1500	20.4	8.3	94
6/20/1999	1600	20.4	8.3	94
6/20/1999	1700	20.5	8.3	94
6/20/1999	1800	20.4	8.3	94

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/20/1999	1900	20.4	8.3	93
6/20/1999	2000	20.5	8.3	94
6/20/1999	2100	20.5	8.3	94
6/20/1999	2200	20.5	8.2	93
6/20/1999	2300	20.6	8.3	94
6/21/1999	0	20.5	8.3	93
6/21/1999	100	20.5	8.2	93
6/21/1999	200	20.4	8.1	92
6/21/1999	300	20.3	8.1	91
6/21/1999	400	20.2	8.1	91
6/21/1999	500	20.2	8.1	91
6/21/1999	600	20.1	8.2	92
6/21/1999	700	20.1	8.2	92
6/21/1999	800	20.2	8.3	93
6/21/1999	900	20.2	8.4	94
6/21/1999	1000	20.4	8.3	94
6/21/1999	1100	20.5	8.3	94
6/21/1999	1200	20.5	8.2	93
6/21/1999	1300	20.5	8.2	92
6/21/1999	1400	20.4	8.0	90
6/21/1999	1500	20.7	8.2	93
6/21/1999	1600	20.5	8.0	90
6/21/1999	1700	20.6	8.1	91
6/21/1999	1800	20.6	8.3	93
6/21/1999	1900	20.8	8.3	94
6/21/1999	2000	20.9	8.3	94
6/21/1999	2100	21.0	8.4	95
6/21/1999	2200	21.2	8.6	98
6/21/1999	2300	21.3	8.6	98
6/22/1999	0	21.3	8.6	98
6/22/1999	100	21.3	8.5	97
6/22/1999	200	21.1	8.4	96
6/22/1999	300	21.1	8.4	95
6/22/1999	400	21.2	8.4	96
6/22/1999	500	21.2	8.4	96
6/22/1999	600	21.0	8.3	94
6/22/1999	700	21.0	8.3	95
6/22/1999	800	21.1	8.3	95
6/22/1999	900	21.1	8.3	95
6/22/1999	1000	21.1	8.3	94
6/22/1999	1100	21.1	8.3	95
6/22/1999	1200	21.1	8.2	93
6/22/1999	1300	21.2	8.1	92
6/22/1999	1400	21.2	8.1	92
6/22/1999	1500	21.3	8.1	93
6/22/1999	1600	21.3	8.2	93
6/22/1999	1700	21.6	8.4	97
6/22/1999	1800	21.6	8.2	95
6/22/1999	1900	21.6	8.1	94
6/22/1999	2000	21.6	8.1	93
6/22/1999	2100	21.6	8.0	93
6/22/1999	2200	21.7	8.0	92
6/22/1999	2300	21.7	8.0	92
6/23/1999	0	21.7	7.9	91
6/23/1999	100	21.8	8.0	92
6/23/1999	200	21.9	8.0	92
6/23/1999	300	21.9	7.9	92
6/23/1999	400	21.9	7.9	91

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/23/1999	500	21.8	7.8	90
6/23/1999	600	21.8	7.8	90
6/23/1999	700	21.8	7.9	91
6/23/1999	800	21.8	7.9	91
6/23/1999	900	21.8	8.0	92
6/23/1999	1000	21.8	7.8	91
6/23/1999	1100	21.8	7.8	90
6/23/1999	1200	21.8	7.7	89
6/23/1999	1300	21.9	7.8	90
6/23/1999	1400	21.9	7.8	90
6/23/1999	1500	22.0	7.8	91
6/23/1999	1600	22.1	7.8	90
6/23/1999	1700	22.2	7.8	91
6/23/1999	1800	22.3	7.9	92
6/23/1999	1900	22.4	7.8	92
6/23/1999	2000	22.5	7.8	92
6/23/1999	2100	22.5	7.8	91
6/23/1999	2200	22.5	7.9	92
6/23/1999	2300	22.5	7.8	91
6/24/1999	0	22.6	7.8	92
6/24/1999	100	22.5	7.7	90
6/24/1999	200	22.5	7.8	91
6/24/1999	300	22.5	7.8	91
6/24/1999	400	22.5	7.8	91
6/24/1999	500	22.4	7.7	90
6/24/1999	600	22.4	7.6	89
6/24/1999	700	22.4	7.6	88
6/24/1999	800	22.4	7.5	88
6/24/1999	900	22.5	7.6	89
6/24/1999	1000	22.6	7.6	89
6/24/1999	1100	22.6	7.7	90
6/24/1999	1200	22.8	7.7	90
6/24/1999	1300	23.2	7.8	92
6/24/1999	1400	23.3	7.8	93
6/24/1999	1500	23.2	7.7	92
6/24/1999	1600	23.2	7.7	91
6/24/1999	1700	23.3	7.7	92
6/24/1999	1800	23.5	7.8	93
6/24/1999	1900	23.6	7.9	94
6/24/1999	2000	23.7	7.9	94
6/24/1999	2100	23.6	7.8	94
6/24/1999	2200	23.5	7.7	92
6/24/1999	2300	23.4	7.6	91
6/25/1999	0	23.4	7.7	91
6/25/1999	100	23.3	7.5	89
6/25/1999	200	23.3	7.5	89
6/25/1999	300	23.3	7.5	89
6/25/1999	400	23.3	7.5	89
6/25/1999	500	23.2	7.4	87
6/25/1999	600	23.1	7.3	87
6/25/1999	700	23.1	7.3	87
6/25/1999	800	23.1	7.3	86
6/25/1999	900	23.1	7.3	86
6/25/1999	1000	23.2	7.3	86
6/25/1999	1100	23.2	7.4	87
6/25/1999	1200	23.2	7.4	87
6/25/1999	1300	23.1	7.2	86
6/25/1999	1400	23.2	7.3	87

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/25/1999	1500	23.2	7.4	87
6/25/1999	1600	23.2	7.2	86
6/25/1999	1700	23.2	7.4	87
6/25/1999	1800	23.3	7.4	87
6/25/1999	1900	23.2	7.3	86
6/25/1999	2000	23.2	7.2	85
6/25/1999	2100	23.2	7.2	85
6/25/1999	2200	23.3	7.1	85
6/25/1999	2300	23.4	7.2	86
6/26/1999	0	23.5	7.3	87
6/26/1999	100	23.6	7.3	87
6/26/1999	200	23.6	7.2	86
6/26/1999	300	23.6	7.2	86
6/26/1999	400	23.5	7.2	86
6/26/1999	500	23.5	7.2	85
6/26/1999	600	23.4	7.1	85
6/26/1999	700	23.4	7.2	86
6/26/1999	800	23.4	7.2	86
6/26/1999	900	23.4	7.2	85
6/26/1999	1000	23.3	7.1	85
6/26/1999	1100	23.3	7.1	85
6/26/1999	1200	23.2	7.0	83
6/26/1999	1300	23.2	7.0	83
6/26/1999	1400	23.2	6.8	81
6/26/1999	1500	23.4	6.8	81
6/26/1999	1600	23.4	6.9	82
6/26/1999	1700	23.7	7.0	84
6/26/1999	1800	23.9	7.1	86
6/26/1999	1900	23.9	7.2	86
6/26/1999	2000	24.1	7.2	87
6/26/1999	2100	24.3	7.4	90
6/26/1999	2200	24.4	7.5	91
6/26/1999	2300	24.4	7.5	91
6/27/1999	0	24.6	7.6	92
6/27/1999	100	24.5	7.5	92
6/27/1999	200	24.5	7.5	91
6/27/1999	300	24.5	7.5	91
6/27/1999	400	24.5	7.5	91
6/27/1999	500	24.4	7.5	91
6/27/1999	600	24.4	7.5	91
6/27/1999	700	24.5	7.5	92
6/27/1999	800	24.5	7.5	91
6/27/1999	900	24.5	7.5	91
6/27/1999	1000	24.5	7.5	91
6/27/1999	1100	24.5	7.4	90
6/27/1999	1200	24.6	7.4	90
6/27/1999	1300	24.6	7.3	89
6/27/1999	1400	24.6	7.3	88
6/27/1999	1500	24.7	7.2	88
6/27/1999	1600	24.9	7.4	90
6/27/1999	1700	25.1	7.6	93
6/27/1999	1800	25.5	8.0	99
6/27/1999	1900	25.6	8.0	99
6/27/1999	2000	25.7	8.0	99
6/27/1999	2100	25.6	7.9	98
6/27/1999	2200	25.4	7.7	95
6/27/1999	2300	25.4	7.6	94
6/28/1999	0	25.2	7.4	92

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/28/1999	100	25.1	7.4	90
6/28/1999	200	25.1	7.4	91
6/28/1999	300	25.1	7.5	92
6/28/1999	400	25.1	7.5	92
6/28/1999	500	25.1	7.5	92
6/28/1999	600	25.0	7.4	91
6/28/1999	700	25.0	7.4	91
6/28/1999	800	25.0	7.5	92
6/28/1999	900	25.0	7.5	92
6/28/1999	1000	25.1	7.6	93
6/28/1999	1100	25.2	7.6	94
6/28/1999	1200	25.2	7.6	94
6/28/1999	1300	25.2	7.6	94
6/28/1999	1400	25.2	7.7	95
6/28/1999	1500	25.4	7.9	98
6/28/1999	1600	25.4	8.0	98
6/28/1999	1700	25.2	7.8	96
6/28/1999	1800	25.1	7.6	94
6/28/1999	1900	24.9	7.4	91
6/28/1999	2000	24.8	7.3	90
6/28/1999	2100	24.7	7.4	90
6/28/1999	2200	24.7	7.3	89
6/28/1999	2300	24.6	7.3	89
6/29/1999	0	24.5	7.3	88
6/29/1999	100	24.4	7.1	86
6/29/1999	200	24.3	7.0	85
6/29/1999	300	24.2	6.9	84
6/29/1999	400	24.1	6.8	82
6/29/1999	500	24.0	6.8	82
6/29/1999	600	23.9	6.8	81
6/29/1999	700	23.8	6.8	81
6/29/1999	800	23.8	6.8	81
6/29/1999	900	23.8	6.8	82
6/29/1999	1000	23.8	6.8	81
6/29/1999	1100	23.7	6.8	81
6/29/1999	1200	23.7	6.8	82
6/29/1999	1300	23.7	6.9	82
6/29/1999	1400	23.7	6.9	82
6/29/1999	1500	23.7	6.8	81
6/29/1999	1600	23.9	7.0	84
6/29/1999	1700	23.9	7.0	84
6/29/1999	1800	23.9	6.9	83
6/29/1999	1900	23.7	6.8	82
6/29/1999	2000	23.7	6.8	82
6/29/1999	2100	23.7	6.8	82
6/29/1999	2200	23.6	6.8	82
6/29/1999	2300	23.6	6.8	82
6/30/1999	0	23.5	6.8	81
6/30/1999	100	23.4	6.8	81
6/30/1999	200	23.4	6.8	80
6/30/1999	300	23.3	6.8	80
6/30/1999	400	23.2	6.7	80
6/30/1999	500	23.2	6.7	79
6/30/1999	600	23.1	6.7	79
6/30/1999	700	23.1	6.7	79
6/30/1999	800	23.0	6.8	80
6/30/1999	900	23.0	6.7	79
6/30/1999	1000	22.8	6.7	79

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
6/30/1999	1100	22.7	6.8	80
6/30/1999	1200	22.7	6.7	79
6/30/1999	1300	22.7	6.6	78
6/30/1999	1400	22.7	6.7	79
6/30/1999	1500	22.7	6.6	78
6/30/1999	1600	22.8	6.6	78
6/30/1999	1700	22.8	6.8	79
6/30/1999	1800	22.8	6.8	80
6/30/1999	1900	22.8	6.9	82
6/30/1999	2000	22.8	6.9	82
6/30/1999	2100	22.8	6.9	81
6/30/1999	2200	22.7	6.9	81
6/30/1999	2300	22.7	6.9	81
7/1/1999	0	22.6	7.0	82
7/1/1999	100	22.5	7.0	82
7/1/1999	200	22.5	7.0	82
7/1/1999	300	22.4	7.0	81
7/1/1999	400	22.3	6.9	81
7/1/1999	500	22.3	6.9	80
7/1/1999	600	22.3	6.8	80
7/1/1999	700	22.2	6.8	79
7/1/1999	800	22.1	6.8	80
7/1/1999	900	22.1	6.9	80
7/1/1999	1000	22.1	6.9	80
7/1/1999	1100	22.0	6.9	80
7/1/1999	1200	22.0	7.0	81
7/1/1999	1300	22.0	7.0	81
7/1/1999	1400	22.0	7.0	81
7/1/1999	1500	22.1	7.0	81
7/1/1999	1600	22.2	7.1	82
7/1/1999	1700	22.3	7.2	83
7/1/1999	1800	22.4	7.2	85
7/1/1999	1900	22.2	7.1	83
7/1/1999	2000	22.1	7.0	81
7/1/1999	2100	22.1	7.1	82
7/1/1999	2200	22.0	6.9	80
7/1/1999	2300	22.0	6.9	80
7/2/1999	0	22.0	6.8	78
7/2/1999	100	21.9	6.8	78
7/2/1999	200	21.9	6.9	79
7/2/1999	300	21.8	6.8	79
7/2/1999	400	21.8	6.9	79
7/2/1999	500	21.7	6.9	79
7/2/1999	600	21.7	7.0	80
7/2/1999	700	21.6	7.0	80
7/2/1999	800	21.6	6.9	80
7/2/1999	900	21.6	6.9	79
7/2/1999	1000	21.6	6.9	80
7/2/1999	1100	21.5	7.0	80
7/2/1999	1200	21.3	7.0	80
7/2/1999	1300	21.3	6.9	79
7/2/1999	1400	21.3	6.9	79
7/2/1999	1500	21.3	6.9	79
7/2/1999	1600	21.3	6.9	79
7/2/1999	1700	21.3	6.8	78
7/2/1999	1800	21.5	6.9	79
7/2/1999	1900	21.6	6.9	80
7/2/1999	2000	21.8	6.9	80

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/2/1999	2100	21.7	7.0	81
7/2/1999	2200	21.9	7.1	82
7/2/1999	2300	22.0	7.2	83
7/3/1999	0	22.0	7.1	83
7/3/1999	100	21.9	7.1	83
7/3/1999	200	21.9	7.2	83
7/3/1999	300	21.9	7.2	83
7/3/1999	400	21.9	7.2	83
7/3/1999	500	21.8	7.2	83
7/3/1999	600	21.9	7.2	83
7/3/1999	700	21.8	7.2	83
7/3/1999	800	21.8	7.2	83
7/3/1999	900	21.8	7.1	82
7/3/1999	1000	21.9	7.1	82
7/3/1999	1100	21.8	7.1	82
7/3/1999	1200	21.8	7.1	82
7/3/1999	1300	21.9	7.1	82
7/3/1999	1400	22.0	7.1	82
7/3/1999	1500	21.9	7.1	82
7/3/1999	1600	22.0	7.1	83
7/3/1999	1700	22.1	7.2	84
7/3/1999	1800	22.1	7.2	84
7/3/1999	1900	22.1	7.3	84
7/3/1999	2000	22.3	7.4	86
7/3/1999	2100	22.2	7.3	85
7/3/1999	2200	22.3	7.3	85
7/3/1999	2300	22.2	7.3	85
7/4/1999	0	22.3	7.3	85
7/4/1999	100	22.3	7.3	85
7/4/1999	200	22.3	7.2	84
7/4/1999	300	22.3	7.3	85
7/4/1999	400	22.3	7.3	85
7/4/1999	500	22.3	7.3	84
7/4/1999	600	22.3	7.1	82
7/4/1999	700	22.3	7.1	82
7/4/1999	800	22.4	7.1	83
7/4/1999	900	22.4	7.1	83
7/4/1999	1000	22.5	7.1	83
7/4/1999	1100	22.5	7.1	83
7/4/1999	1200	22.6	7.1	83
7/4/1999	1300	22.6	7.1	83
7/4/1999	1400	22.6	7.1	83
7/4/1999	1500	22.7	7.1	83
7/4/1999	1600	22.8	7.3	86
7/4/1999	1700	22.9	7.3	86
7/4/1999	1800	23.0	7.5	88
7/4/1999	1900	23.1	7.5	89
7/4/1999	2000	23.3	7.6	90
7/4/1999	2100	23.3	7.4	88
7/4/1999	2200	23.3	7.5	89
7/4/1999	2300	23.3	7.5	89
7/5/1999	0	23.2	7.5	88
7/5/1999	100	23.2	7.5	89
7/5/1999	200	23.3	7.5	89
7/5/1999	300	23.3	7.5	89
7/5/1999	400	23.4	7.5	89
7/5/1999	500	23.3	7.5	89
7/5/1999	600	23.4	7.5	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/5/1999	700	23.4	7.5	89
7/5/1999	800	23.5	7.5	89
7/5/1999	900	23.6	7.5	89
7/5/1999	1000	23.6	7.4	88
7/5/1999	1100	23.6	7.5	89
7/5/1999	1200	23.8	7.4	89
7/5/1999	1300	23.8	7.5	89
7/5/1999	1400	23.9	7.4	88
7/5/1999	1500	23.9	7.4	89
7/5/1999	1600	23.9	7.5	91
7/5/1999	1700	24.0	7.4	89
7/5/1999	1800	24.1	7.4	89
7/5/1999	1900	24.0	7.2	87
7/5/1999	2000	24.0	7.3	88
7/5/1999	2100	23.8	7.4	88
7/5/1999	2200	24.0	7.4	89
7/5/1999	2300	23.7	7.4	89
7/6/1999	0	23.7	7.4	88
7/6/1999	100	23.7	7.4	88
7/6/1999	200	23.7	7.4	89
7/6/1999	300	23.8	7.3	88
7/6/1999	400	23.8	7.3	87
7/6/1999	500	23.8	7.3	88
7/6/1999	600	23.8	7.3	87
7/6/1999	700	23.7	7.3	87
7/6/1999	800	23.7	7.1	85
7/6/1999	900	23.7	7.2	86
7/6/1999	1000	23.7	7.3	88
7/6/1999	1100	23.8	7.4	89
7/6/1999	1200	23.9	7.4	89
7/6/1999	1300	24.0	7.3	87
7/6/1999	1400	24.0	7.2	87
7/6/1999	1500	24.1	7.3	87
7/6/1999	1600	24.1	7.2	87
7/6/1999	1700	24.0	7.4	89
7/6/1999	1800	24.1	7.5	90
7/6/1999	1900	23.9	7.6	91
7/6/1999	2000	23.7	7.6	91
7/6/1999	2100	23.6	7.7	92
7/6/1999	2200	23.5	7.7	92
7/6/1999	2300	23.5	7.7	91
7/7/1999	0	23.5	7.6	91
7/7/1999	100	23.4	7.7	91
7/7/1999	200	23.4	7.6	91
7/7/1999	300	23.4	7.6	90
7/7/1999	400	23.4	7.6	90
7/7/1999	500	23.4	7.5	90
7/7/1999	600	23.3	7.4	88
7/7/1999	700	23.2	7.4	88
7/7/1999	800	23.2	7.3	87
7/7/1999	900	23.1	7.5	88
7/7/1999	1000	23.2	7.5	89
7/7/1999	1100	23.3	7.5	89
7/7/1999	1200	23.4	7.5	89
7/7/1999	1300	23.5	7.5	90
7/7/1999	1400	23.6	7.5	89
7/7/1999	1500	23.6	7.5	90
7/7/1999	1600	23.7	7.5	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/7/1999	1700	23.6	7.5	90
7/7/1999	1800	23.6	7.6	91
7/7/1999	1900	23.5	7.6	91
7/7/1999	2000	23.4	7.6	90
7/7/1999	2100	23.3	7.6	90
7/7/1999	2200	23.2	7.6	91
7/7/1999	2300	23.1	7.7	91
7/8/1999	0	23.1	7.6	90
7/8/1999	100	23.0	7.5	89
7/8/1999	200	23.0	7.5	89
7/8/1999	300	23.0	7.5	88
7/8/1999	400	23.0	7.5	88
7/8/1999	500	23.0	7.4	88
7/8/1999	600	23.0	7.4	87
7/8/1999	700	23.0	7.3	86
7/8/1999	800	23.0	7.5	89
7/8/1999	900	23.0	7.6	90
7/8/1999	1000	23.1	7.6	90
7/8/1999	1100	23.1	7.6	89
7/8/1999	1200	23.1	8.2	98
7/8/1999	1300	23.0	8.1	97
7/8/1999	1400	22.9	8.0	95
7/8/1999	1500	22.9	8.0	94
7/8/1999	1600	22.8	7.8	92
7/8/1999	1700	22.7	7.9	93
7/8/1999	1800	22.6	7.9	93
7/8/1999	1900	22.5	8.0	94
7/8/1999	2000	22.3	8.0	94
7/8/1999	2100	22.2	8.0	94
7/8/1999	2200	22.0	8.0	93
7/8/1999	2300	21.8	7.9	91
7/9/1999	0	21.6	8.0	92
7/9/1999	100	21.6	7.9	92
7/9/1999	200	21.6	7.9	91
7/9/1999	300	21.5	8.1	93
7/9/1999	400	21.5	8.1	93
7/9/1999	500	21.5	8.0	92
7/9/1999	600	21.4	8.1	93
7/9/1999	700	21.4	8.0	92
7/9/1999	800	21.3	7.9	91
7/9/1999	900	21.4	7.8	89
7/9/1999	1000	21.4	7.6	88
7/9/1999	1100	21.4	7.6	87
7/9/1999	1200	21.3	7.7	89
7/9/1999	1300	21.4	7.9	91
7/9/1999	1400	21.4	7.8	90
7/9/1999	1500	21.6	7.7	89
7/9/1999	1600	21.5	7.7	88
7/9/1999	1700	21.5	7.7	89
7/9/1999	1800	21.3	8.0	92
7/9/1999	1900	21.1	8.2	94
7/9/1999	2000	21.0	8.2	94
7/9/1999	2100	20.8	8.2	93
7/9/1999	2200	20.7	8.2	94
7/9/1999	2300	20.7	8.2	93
7/10/1999	0	20.6	8.2	93
7/10/1999	100	20.6	8.2	93
7/10/1999	200	20.5	8.3	94

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/10/1999	300	20.5	8.2	93
7/10/1999	400	20.5	8.1	91
7/10/1999	500	20.4	7.8	88
7/10/1999	600	20.3	8.0	90
7/10/1999	700	20.2	7.9	88
7/10/1999	800	20.2	8.1	90
7/10/1999	900	20.2	8.0	90
7/10/1999	1000	20.3	8.0	90
7/10/1999	1100	20.4	8.3	94
7/10/1999	1200	20.6	8.2	93
7/10/1999	1300	20.7	8.1	92
7/10/1999	1400	20.8	8.2	93
7/10/1999	1500	20.8	8.3	95
7/10/1999	1600	21.0	8.3	94
7/10/1999	1700	21.1	8.3	95
7/10/1999	1800	21.1	8.3	95
7/10/1999	1900	21.0	8.2	94
7/10/1999	2000	20.9	8.3	94
7/10/1999	2100	20.9	8.2	93
7/10/1999	2200	20.9	8.3	95
7/10/1999	2300	20.9	8.2	94
7/11/1999	0	20.8	8.1	93
7/11/1999	100	20.8	8.2	94
7/11/1999	200	20.7	8.1	92
7/11/1999	300	20.7	8.1	92
7/11/1999	400	20.6	8.2	93
7/11/1999	500	20.5	8.1	92
7/11/1999	600	20.5	8.1	91
7/11/1999	700	20.4	8.2	93
7/11/1999	800	20.3	8.4	94
7/11/1999	900	20.2	8.5	95
7/11/1999	1000	20.2	8.4	95
7/11/1999	1100	20.2	8.4	94
7/11/1999	1200	20.3	8.2	92
7/11/1999	1300	20.5	8.2	93
7/11/1999	1400	20.9	8.2	94
7/11/1999	1500	20.8	8.3	94
7/11/1999	1600	20.9	8.2	94
7/11/1999	1700	20.7	8.2	93
7/11/1999	1800	20.7	8.2	93
7/11/1999	1900	20.7	8.1	92
7/11/1999	2000	20.9	8.3	95
7/11/1999	2100	20.8	8.2	93
7/11/1999	2200	20.7	8.2	93
7/11/1999	2300	20.7	8.2	94
7/12/1999	0	20.6	8.2	93
7/12/1999	100	20.6	8.3	94
7/12/1999	200	20.6	8.2	93
7/12/1999	300	20.6	8.2	93
7/12/1999	400	20.5	8.3	94
7/12/1999	500	20.5	8.3	93
7/12/1999	600	20.5	8.2	93
7/12/1999	700	20.4	8.3	93
7/12/1999	800	20.4	8.3	93
7/12/1999	900	20.4	8.2	92
7/12/1999	1000	20.4	8.1	92
7/12/1999	1100	20.5	8.1	91
7/12/1999	1200	20.7	8.0	91

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/12/1999	1300	20.8	8.0	91
7/12/1999	1400	20.8	8.0	91
7/12/1999	1500	21.0	8.1	93
7/12/1999	1600	21.1	8.2	94
7/12/1999	1700	21.2	8.2	94
7/12/1999	1800	21.0	8.2	94
7/12/1999	1900	21.0	8.2	94
7/12/1999	2000	20.9	8.1	92
7/12/1999	2100	20.9	8.1	92
7/12/1999	2200	20.9	8.1	92
7/12/1999	2300	20.9	8.0	92
7/13/1999	0	21.0	8.1	92
7/13/1999	100	21.1	8.1	93
7/13/1999	200	21.2	8.0	92
7/13/1999	300	21.2	8.1	93
7/13/1999	400	21.3	8.1	93
7/13/1999	500	21.3	8.1	93
7/13/1999	600	21.3	8.1	93
7/13/1999	700	21.3	8.2	94
7/13/1999	800	21.4	8.2	94
7/13/1999	900	21.4	8.2	94
7/13/1999	1000	21.4	8.1	93
7/13/1999	1100	21.4	8.1	93
7/13/1999	1200	21.5	8.1	93
7/13/1999	1300	21.6	8.1	93
7/13/1999	1400	21.7	8.0	93
7/13/1999	1500	21.7	8.0	93
7/13/1999	1600	21.7	8.0	92
7/13/1999	1700	21.7	8.0	92
7/13/1999	1800	21.6	7.9	91
7/13/1999	1900	21.5	7.9	91
7/13/1999	2000	21.4	7.8	90
7/13/1999	2100	21.4	7.9	90
7/13/1999	2200	21.3	7.9	91
7/13/1999	2300	21.2	7.9	91
7/14/1999	0	21.2	7.9	91
7/14/1999	100	21.1	8.0	91
7/14/1999	200	21.1	8.0	91
7/14/1999	300	21.1	7.9	91
7/14/1999	400	21.1	7.9	91
7/14/1999	500	21.1	7.9	90
7/14/1999	600	21.2	7.9	90
7/14/1999	700	21.2	7.9	90
7/14/1999	800	21.2	7.9	90
7/14/1999	900	21.2	7.8	90
7/14/1999	1000	21.3	7.8	90
7/14/1999	1100	21.3	7.7	89
7/14/1999	1200	21.4	7.8	90
7/14/1999	1300	21.4	7.9	91
7/14/1999	1400	21.4	7.8	90
7/14/1999	1500	21.5	7.7	89
7/14/1999	1600	21.5	7.7	89
7/14/1999	1700	21.5	7.7	89
7/14/1999	1800	21.6	7.7	89
7/14/1999	1900	21.5	7.6	88
7/14/1999	2000	21.4	7.7	88
7/14/1999	2100	21.5	7.7	89
7/14/1999	2200	21.5	7.7	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/14/1999	2300	21.6	7.7	88
7/15/1999	0	21.4	7.6	87
7/15/1999	100	21.3	7.5	87
7/15/1999	200	21.3	7.5	86
7/15/1999	300	21.2	7.5	86
7/15/1999	400	21.2	7.5	86
7/15/1999	500	21.1	7.5	86
7/15/1999	600	21.1	7.5	86
7/15/1999	700	21.1	7.5	86
7/15/1999	800	21.2	7.6	87
7/15/1999	900	21.2	7.7	88
7/15/1999	1000	21.3	7.7	88
7/15/1999	1100	21.6	7.6	88
7/15/1999	1200	21.8	7.5	87
7/15/1999	1300	21.9	7.6	89
7/15/1999	1400	22.2	7.7	90
7/15/1999	1500	22.5	7.8	92
7/15/1999	1600	22.6	7.9	93
7/15/1999	1700	22.7	7.9	93
7/15/1999	1800	22.8	7.8	92
7/15/1999	1900	22.7	7.8	92
7/15/1999	2000	22.7	7.7	91
7/15/1999	2100	22.8	7.7	91
7/15/1999	2200	23.0	7.7	92
7/15/1999	2300	23.1	7.8	93
7/16/1999	0	23.3	7.9	94
7/16/1999	100	23.5	8.0	96
7/16/1999	200	23.5	8.0	96
7/16/1999	300	23.4	8.0	95
7/16/1999	400	23.3	7.9	94
7/16/1999	500	23.2	7.6	90
7/16/1999	600	23.2	7.9	94
7/16/1999	700	23.1	7.9	94
7/16/1999	800	22.9	8.0	94
7/16/1999	900	22.9	7.9	93
7/16/1999	1000	22.9	7.9	94
7/16/1999	1100	22.9	7.9	94
7/16/1999	1200	23.0	7.8	93
7/16/1999	1300	23.1	7.8	93
7/16/1999	1400	23.2	7.9	94
7/16/1999	1500	23.2	7.9	94
7/16/1999	1600	23.3	8.0	95
7/16/1999	1700	23.4	8.0	95
7/16/1999	1800	23.6	7.9	95
7/16/1999	1900	23.4	7.9	95
7/16/1999	2000	23.5	7.9	95
7/16/1999	2100	23.4	8.0	95
7/16/1999	2200	23.4	8.0	95
7/16/1999	2300	23.3	7.9	94
7/17/1999	0	23.3	7.9	94
7/17/1999	100	23.2	7.9	94
7/17/1999	200	23.2	7.8	93
7/17/1999	300	23.1	7.8	92
7/17/1999	400	23.1	7.7	92
7/17/1999	500	23.0	7.8	92
7/17/1999	600	22.9	7.8	92
7/17/1999	700	22.9	7.7	91
7/17/1999	800	22.9	7.6	90

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/17/1999	900	22.9	7.5	89
7/17/1999	1000	23.0	7.6	90
7/17/1999	1100	23.2	7.5	90
7/17/1999	1200	23.4	7.5	90
7/17/1999	1300	23.6	7.5	90
7/17/1999	1400	23.5	7.7	92
7/17/1999	1500	23.5	7.7	93
7/17/1999	1600	23.7	7.7	92
7/17/1999	1700	23.8	7.7	92
7/17/1999	1800	24.0	7.7	93
7/17/1999	1900	24.1	7.6	93
7/17/1999	2000	24.1	7.6	93
7/17/1999	2100	23.9	7.6	91
7/17/1999	2200	23.9	7.5	91
7/17/1999	2300	23.9	7.5	91
7/18/1999	0	23.9	7.4	89
7/18/1999	100	23.9	7.4	89
7/18/1999	200	23.8	7.4	89
7/18/1999	300	23.8	7.4	90
7/18/1999	400	23.7	7.3	87
7/18/1999	500	23.7	7.3	88
7/18/1999	600	23.6	7.5	90
7/18/1999	700	23.5	7.4	89
7/18/1999	800	23.4	7.5	90
7/18/1999	900	23.4	7.6	91
7/18/1999	1000	23.3	7.6	91
7/18/1999	1100	23.3	7.3	88
7/18/1999	1200	23.3	7.5	90
7/18/1999	1300	23.5	7.3	88
7/18/1999	1400	23.4	7.4	89
7/18/1999	1500	23.4	7.5	89
7/18/1999	1600	23.5	7.4	89
7/18/1999	1700	23.6	7.4	89
7/18/1999	1800	23.6	7.4	89
7/18/1999	1900	23.6	7.4	89
7/18/1999	2000	23.5	7.4	89
7/18/1999	2100	23.5	7.3	88
7/18/1999	2200	23.5	7.3	88
7/18/1999	2300	23.6	7.3	88
7/19/1999	0	23.6	7.4	88
7/19/1999	100	23.6	7.2	86
7/19/1999	200	23.6	7.3	87
7/19/1999	300	23.7	7.3	88
7/19/1999	400	23.7	7.3	88
7/19/1999	500	23.7	7.1	86
7/19/1999	600	23.7	7.2	87
7/19/1999	700	23.7	7.3	87
7/19/1999	800	23.6	7.3	88
7/19/1999	900	23.7	7.3	87
7/19/1999	1000	23.7	7.3	88
7/19/1999	1100	23.7	7.3	87
7/19/1999	1200	23.8	7.3	88
7/19/1999	1300	23.9	7.2	87
7/19/1999	1400	23.8	7.1	86
7/19/1999	1500	23.8	7.1	86
7/19/1999	1600	23.8	7.0	84
7/19/1999	1700	23.9	7.0	84
7/19/1999	1800	24.1	6.9	83

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/19/1999	1900	24.0	7.0	85
7/19/1999	2000	23.8	7.1	86
7/19/1999	2100	23.7	7.1	86
7/19/1999	2200	23.6	7.0	84
7/19/1999	2300	23.6	7.0	84
7/20/1999	0	23.6	7.1	85
7/20/1999	100	23.4	7.2	86
7/20/1999	200	23.3	7.3	87
7/20/1999	300	23.2	7.3	87
7/20/1999	400	23.2	7.2	86
7/20/1999	500	23.2	7.2	85
7/20/1999	600	23.2	7.1	85
7/20/1999	700	23.2	7.1	84
7/20/1999	800	23.3	7.1	84
7/20/1999	900	23.4	7.2	86
7/20/1999	1000	23.6	7.3	87
7/20/1999	1100	23.6	7.2	87
7/20/1999	1200	23.7	7.2	87
7/20/1999	1300	23.7	7.1	86
7/20/1999	1400	23.8	7.1	86
7/20/1999	1500	23.8	7.2	87
7/20/1999	1600	23.8	7.3	87
7/20/1999	1700	23.7	7.2	87
7/20/1999	1800	23.6	7.1	86
7/20/1999	1900	23.5	7.1	85
7/20/1999	2000	23.4	7.1	84
7/20/1999	2100	23.3	7.0	84
7/20/1999	2200	23.3	7.0	84
7/20/1999	2300	23.2	7.1	85
7/21/1999	0	23.1	7.2	85
7/21/1999	100	23.1	7.2	85
7/21/1999	200	23.1	7.2	85
7/21/1999	300	23.1	7.2	85
7/21/1999	400	23.1	7.2	85
7/21/1999	500	23.1	7.1	85
7/21/1999	600	23.1	7.1	85
7/21/1999	700	23.1	7.1	84
7/21/1999	800	23.1	7.1	84
7/21/1999	900	23.1	7.0	84
7/21/1999	1000	23.1	7.0	84
7/21/1999	1100	23.1	7.0	83
7/21/1999	1200	23.2	7.2	85
7/21/1999	1300	23.3	7.2	85
7/21/1999	1400	23.3	7.1	84
7/21/1999	1500	23.3	7.0	84
7/21/1999	1600	23.3	7.0	84
7/21/1999	1700	23.3	7.0	84
7/21/1999	1800	23.3	7.0	84
7/21/1999	1900	23.3	6.9	83
7/21/1999	2000	23.3	6.9	83
7/21/1999	2100	23.3	7.0	83
7/21/1999	2200	23.3	6.9	83
7/21/1999	2300	23.2	6.8	81
7/22/1999	0	23.1	6.8	81
7/22/1999	100	23.0	6.8	81
7/22/1999	200	22.9	6.9	82
7/22/1999	300	22.8	6.9	81
7/22/1999	400	22.7	6.9	81

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/22/1999	500	22.7	6.9	81
7/22/1999	600	22.6	6.9	81
7/22/1999	700	22.6	6.9	81
7/22/1999	800	22.6	6.9	81
7/22/1999	900	22.6	6.8	80
7/22/1999	1000	22.7	6.8	81
7/22/1999	1100	22.8	6.8	80
7/22/1999	1200	22.9	6.8	80
7/22/1999	1300	22.9	6.8	80
7/22/1999	1400	23.0	6.8	81
7/22/1999	1500	23.1	7.2	86
7/22/1999	1600	23.1	7.2	85
7/22/1999	1700	23.3	7.1	85
7/22/1999	1800	23.3	7.1	85
7/22/1999	1900	23.3	7.1	85
7/22/1999	2000	23.3	7.1	84
7/22/1999	2100	23.4	7.1	84
7/22/1999	2200	23.5	7.1	85
7/22/1999	2300	23.6	7.1	85
7/23/1999	0	23.6	7.1	85
7/23/1999	100	23.6	7.0	84
7/23/1999	200	23.6	7.0	84
7/23/1999	300	23.5	7.0	84
7/23/1999	400	23.5	7.0	84
7/23/1999	500	23.6	7.1	85
7/23/1999	600	23.6	7.1	85
7/23/1999	700	23.6	7.1	85
7/23/1999	800	23.7	7.1	85
7/23/1999	900	23.5	7.0	84
7/23/1999	1000	23.7	7.1	86
7/23/1999	1100	23.9	7.3	88
7/23/1999	1200	23.9	7.2	86
7/23/1999	1300	23.9	7.2	87
7/23/1999	1400	24.0	7.1	86
7/23/1999	1500	24.2	7.2	87
7/23/1999	1600	24.7	7.4	90
7/23/1999	1700	25.1	7.5	92
7/23/1999	1800	24.9	7.4	91
7/23/1999	1900	24.8	7.3	90
7/23/1999	2000	25.1	7.4	91
7/23/1999	2100	25.1	7.4	91
7/23/1999	2200	25.1	7.3	91
7/23/1999	2300	25.2	7.3	90
7/24/1999	0	25.2	7.3	89
7/24/1999	100	25.1	7.2	88
7/24/1999	200	25.1	7.2	89
7/24/1999	300	25.1	7.3	90
7/24/1999	400	25.0	7.3	90
7/24/1999	500	25.0	7.2	89
7/24/1999	600	24.9	7.1	88
7/24/1999	700	24.8	7.0	86
7/24/1999	800	24.8	7.1	87
7/24/1999	900	24.9	7.1	87
7/24/1999	1000	25.0	7.1	88
7/24/1999	1100	25.1	7.1	88
7/24/1999	1200	25.2	7.2	89
7/24/1999	1300	25.3	7.2	89
7/24/1999	1400	25.5	7.2	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/24/1999	1500	25.3	7.2	89
7/24/1999	1600	25.5	7.2	89
7/24/1999	1700	25.8	7.2	90
7/24/1999	1800	26.0	7.2	91
7/24/1999	1900	26.2	7.3	92
7/24/1999	2000	26.3	7.2	91
7/24/1999	2100	26.2	7.2	90
7/24/1999	2200	26.1	7.1	89
7/24/1999	2300	26.1	7.1	89
7/25/1999	0	26.1	7.1	89
7/25/1999	100	26.0	7.1	89
7/25/1999	200	25.9	7.1	89
7/25/1999	300	25.9	7.1	88
7/25/1999	400	25.8	7.1	88
7/25/1999	500	25.8	7.0	88
7/25/1999	600	25.7	7.0	88
7/25/1999	700	25.6	7.0	87
7/25/1999	800	25.5	7.0	87
7/25/1999	900	25.6	7.0	87
7/25/1999	1000	25.8	7.0	88
7/25/1999	1100	25.5	7.0	87
7/25/1999	1200	25.6	7.0	87
7/25/1999	1300	25.7	7.1	88
7/25/1999	1400	25.9	7.0	88
7/25/1999	1500	26.0	7.1	89
7/25/1999	1600	26.1	7.2	90
7/25/1999	1700	26.2	7.2	90
7/25/1999	1800	26.0	7.1	89
7/25/1999	1900	25.9	7.1	89
7/25/1999	2000	26.2	7.2	91
7/25/1999	2100	26.3	7.2	91
7/25/1999	2200	26.1	7.1	89
7/25/1999	2300	26.1	7.0	88
7/26/1999	0	26.0	6.9	87
7/26/1999	100	25.9	6.9	87
7/26/1999	200	25.8	6.9	87
7/26/1999	300	25.7	7.1	88
7/26/1999	400	25.8	7.1	88
7/26/1999	500	25.7	7.0	87
7/26/1999	600	25.7	7.0	87
7/26/1999	700	25.6	7.0	87
7/26/1999	800	25.6	7.0	87
7/26/1999	900	25.6	6.9	86
7/26/1999	1000	25.5	6.8	84
7/26/1999	1100	25.6	6.9	85
7/26/1999	1200	25.6	6.7	83
7/26/1999	1300	25.8	6.8	85
7/26/1999	1400	25.9	6.8	85
7/26/1999	1500	26.0	6.9	87
7/26/1999	1600	26.2	7.0	88
7/26/1999	1700	26.3	7.0	88
7/26/1999	1800	26.3	6.9	87
7/26/1999	1900	26.3	7.0	88
7/26/1999	2000	26.3	7.0	88
7/26/1999	2100	26.3	7.0	89
7/26/1999	2200	26.3	7.0	88
7/26/1999	2300	26.3	6.9	88
7/27/1999	0	26.3	6.8	86

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/27/1999	100	26.3	6.8	86
7/27/1999	200	26.2	6.7	84
7/27/1999	300	26.2	6.6	83
7/27/1999	400	26.1	6.6	83
7/27/1999	500	26.0	6.6	83
7/27/1999	600	26.0	6.6	83
7/27/1999	700	26.0	6.5	82
7/27/1999	800	25.9	6.6	82
7/27/1999	900	25.9	6.6	82
7/27/1999	1000	25.9	6.6	83
7/27/1999	1100	25.9	6.5	82
7/27/1999	1200	25.9	6.5	82
7/27/1999	1300	25.9	6.4	80
7/27/1999	1400	25.9	6.5	81
7/27/1999	1500	25.9	6.5	81
7/27/1999	1600	25.9	6.5	82
7/27/1999	1700	26.0	6.6	83
7/27/1999	1800	26.2	6.7	84
7/27/1999	1900	26.1	6.7	84
7/27/1999	2000	26.1	6.7	84
7/27/1999	2100	26.3	6.7	84
7/27/1999	2200	26.3	6.7	85
7/27/1999	2300	26.3	6.7	85
7/28/1999	0	26.3	6.7	85
7/28/1999	100	26.3	6.7	85
7/28/1999	200	26.2	6.8	85
7/28/1999	300	26.1	6.6	83
7/28/1999	400	26.0	6.6	83
7/28/1999	500	25.9	6.6	83
7/28/1999	600	25.9	6.6	82
7/28/1999	700	25.9	6.6	82
7/28/1999	800	25.9	6.6	83
7/28/1999	900	25.8	6.6	82
7/28/1999	1000	25.9	6.6	83
7/28/1999	1100	25.8	6.4	80
7/28/1999	1200	25.9	6.4	81
7/28/1999	1300	26.1	6.5	82
7/28/1999	1400	26.4	6.7	85
7/28/1999	1500	26.6	6.7	85
7/28/1999	1600	26.8	6.9	87
7/28/1999	1700	26.9	7.0	89
7/28/1999	1800	26.7	6.9	88
7/28/1999	1900	26.7	6.9	88
7/28/1999	2000	26.5	6.9	87
7/28/1999	2100	26.6	7.0	88
7/28/1999	2200	26.4	6.9	87
7/28/1999	2300	26.4	6.9	87
7/29/1999	0	26.5	7.0	88
7/29/1999	100	26.4	7.0	88
7/29/1999	200	26.4	6.9	88
7/29/1999	300	26.4	6.9	87
7/29/1999	400	26.3	6.9	87
7/29/1999	500	26.3	6.8	86
7/29/1999	600	26.2	6.8	85
7/29/1999	700	26.1	6.7	84
7/29/1999	800	26.1	6.6	83
7/29/1999	900	26.1	6.7	84
7/29/1999	1000	26.1	6.7	85

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/29/1999	1100	26.1	6.7	84
7/29/1999	1200	26.0	6.7	84
7/29/1999	1300	26.0	6.7	84
7/29/1999	1400	26.1	6.7	84
7/29/1999	1500	26.2	6.7	84
7/29/1999	1600	26.4	6.8	86
7/29/1999	1700	26.6	6.9	87
7/29/1999	1800	26.5	6.7	84
7/29/1999	1900	26.6	6.7	85
7/29/1999	2000	26.6	6.7	84
7/29/1999	2100	26.3	6.5	81
7/29/1999	2200	26.4	6.6	84
7/29/1999	2300	26.4	6.7	85
7/30/1999	0	26.4	6.8	86
7/30/1999	100	26.5	6.9	87
7/30/1999	200	26.5	6.8	86
7/30/1999	300	26.5	6.7	85
7/30/1999	400	26.5	6.6	83
7/30/1999	500	26.4	6.5	83
7/30/1999	600	26.3	6.6	83
7/30/1999	700	26.3	6.6	84
7/30/1999	800	26.3	6.6	83
7/30/1999	900	26.3	6.6	83
7/30/1999	1000	26.2	6.5	82
7/30/1999	1100	26.2	6.4	81
7/30/1999	1200	26.2	6.5	81
7/30/1999	1300	26.3	6.5	82
7/30/1999	1400	26.3	6.6	83
7/30/1999	1500	26.3	6.6	84
7/30/1999	1600	26.4	6.5	83
7/30/1999	1700	26.5	6.6	84
7/30/1999	1800	26.6	6.7	85
7/30/1999	1900	26.8	6.8	87
7/30/1999	2000	27.0	6.9	88
7/30/1999	2100	27.4	7.1	91
7/30/1999	2200	27.2	7.0	89
7/30/1999	2300	27.1	6.9	89
7/31/1999	0	27.0	6.8	87
7/31/1999	100	27.1	6.9	88
7/31/1999	200	26.9	6.6	85
7/31/1999	300	26.8	6.7	85
7/31/1999	400	26.8	6.5	83
7/31/1999	500	26.8	6.6	84
7/31/1999	600	26.8	6.5	83
7/31/1999	700	26.7	6.5	82
7/31/1999	800	26.7	6.5	82
7/31/1999	900	26.7	6.5	83
7/31/1999	1000	26.8	6.4	82
7/31/1999	1100	26.8	6.5	83
7/31/1999	1200	26.9	6.4	82
7/31/1999	1300	27.0	6.5	83
7/31/1999	1400	27.1	6.5	83
7/31/1999	1500	27.4	6.7	86
7/31/1999	1600	27.4	6.8	87
7/31/1999	1700	27.4	6.9	88
7/31/1999	1800	27.4	7.0	90
7/31/1999	1900	27.2	6.8	87
7/31/1999	2000	27.2	6.8	87

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
7/31/1999	2100	27.2	6.8	86
7/31/1999	2200	27.2	6.8	88
7/31/1999	2300	27.2	6.7	86
8/1/1999	0	27.2	6.7	86
8/1/1999	100	27.1	6.7	86
8/1/1999	200	27.1	6.7	85
8/1/1999	300	27.0	6.6	85
8/1/1999	400	26.9	6.6	84
8/1/1999	500	26.9	6.5	83
8/1/1999	600	26.8	6.4	82
8/1/1999	700	26.7	6.3	80
8/1/1999	800	26.6	6.2	79
8/1/1999	900	26.5	6.3	79
8/1/1999	1000	26.6	6.5	82
8/1/1999	1100	26.6	6.3	80
8/1/1999	1200	26.6	6.4	81
8/1/1999	1300	26.6	6.5	82
8/1/1999	1400	26.7	6.5	82
8/1/1999	1500	26.7	6.6	83
8/1/1999	1600	26.7	6.6	84
8/1/1999	1700	26.7	6.6	84
8/1/1999	1800	26.7	6.7	84
8/1/1999	1900	26.6	6.8	86
8/1/1999	2000	26.6	6.8	86
8/1/1999	2100	26.4	6.8	85
8/1/1999	2200	26.3	6.8	86
8/1/1999	2300	26.3	6.7	84
8/2/1999	0	26.2	6.7	84
8/2/1999	100	26.2	6.7	84
8/2/1999	200	26.2	6.7	84
8/2/1999	300	26.1	6.8	85
8/2/1999	400	26.0	6.7	84
8/2/1999	500	25.9	6.5	82
8/2/1999	600	25.8	6.7	83
8/2/1999	700	25.7	6.7	83
8/2/1999	800	25.7	6.7	83
8/2/1999	900	25.6	6.7	84
8/2/1999	1000	25.7	6.6	82
8/2/1999	1100	25.7	6.8	85
8/2/1999	1200	25.7	6.8	84
8/2/1999	1300	25.8	6.8	85
8/2/1999	1400	25.9	7.0	88
8/2/1999	1500	25.8	6.9	86
8/2/1999	1600	25.8	6.8	85
8/2/1999	1700	25.8	6.8	85
8/2/1999	1800	25.7	6.9	86
8/2/1999	1900	25.7	7.0	87
8/2/1999	2000	25.6	6.7	83
8/2/1999	2100	25.5	6.8	84
8/2/1999	2200	25.5	7.1	88
8/2/1999	2300	25.6	7.1	88
8/3/1999	0	25.5	7.2	90
8/3/1999	100	25.4	7.2	90
8/3/1999	200	25.3	7.1	88
8/3/1999	300	25.3	7.0	86
8/3/1999	400	25.3	6.9	85
8/3/1999	500	25.2	6.9	85
8/3/1999	600	25.2	6.8	84

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/3/1999	700	25.1	6.9	85
8/3/1999	800	25.0	6.9	85
8/3/1999	900	25.0	6.8	84
8/3/1999	1000	24.9	6.8	84
8/3/1999	1100	24.8	6.8	83
8/3/1999	1200	24.9	6.7	82
8/3/1999	1300	24.8	6.8	83
8/3/1999	1400	24.7	6.8	83
8/3/1999	1500	24.7	6.7	82
8/3/1999	1600	24.6	6.7	81
8/3/1999	1700	24.6	6.7	82
8/3/1999	1800	24.6	6.6	80
8/3/1999	1900	24.6	6.6	81
8/3/1999	2000	24.6	6.9	84
8/3/1999	2100	24.6	6.9	85
8/3/1999	2200	24.6	7.0	86
8/3/1999	2300	24.6	7.0	86
8/4/1999	0	24.6	7.0	85
8/4/1999	100	24.6	7.0	86
8/4/1999	200	24.5	7.0	85
8/4/1999	300	24.4	6.9	84
8/4/1999	400	24.3	6.9	84
8/4/1999	500	24.3	6.8	83
8/4/1999	600	24.2	6.9	84
8/4/1999	700	24.1	6.8	82
8/4/1999	800	24.1	6.8	82
8/4/1999	900	24.1	6.8	82
8/4/1999	1000	24.2	6.8	82
8/4/1999	1100	24.2	6.9	83
8/4/1999	1200	24.2	6.9	84
8/4/1999	1300	24.2	7.0	84
8/4/1999	1400	24.3	6.9	84
8/4/1999	1500	24.3	7.0	85
8/4/1999	1600	24.4	7.0	85
8/4/1999	1700	24.4	7.0	85
8/4/1999	1800	24.3	7.0	85
8/4/1999	1900	24.2	7.0	85
8/4/1999	2000	24.2	7.0	85
8/4/1999	2100	24.3	7.1	86
8/4/1999	2200	24.2	7.1	86
8/4/1999	2300	24.2	7.1	86
8/5/1999	0	24.2	7.1	86
8/5/1999	100	24.2	7.0	85
8/5/1999	200	24.1	7.1	86
8/5/1999	300	24.0	7.0	84
8/5/1999	400	23.9	7.0	84
8/5/1999	500	23.8	6.9	83
8/5/1999	600	23.8	7.0	84
8/5/1999	700	23.7	6.9	83
8/5/1999	800	23.6	6.9	83
8/5/1999	900	23.6	6.9	83
8/5/1999	1000	23.6	6.9	82
8/5/1999	1100	23.6	6.9	83
8/5/1999	1200	23.6	6.9	82
8/5/1999	1300	23.6	6.8	82
8/5/1999	1400	23.6	6.8	82
8/5/1999	1500	23.5	6.7	80
8/5/1999	1600	23.5	6.7	80

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/5/1999	1700	23.5	6.7	80
8/5/1999	1800	23.5	7.1	85
8/5/1999	1900	23.5	7.1	85
8/5/1999	2000	23.5	7.3	88
8/5/1999	2100	23.6	7.4	88
8/5/1999	2200	23.7	7.4	89
8/5/1999	2300	23.8	7.5	91
8/6/1999	0	23.8	7.4	90
8/6/1999	100	23.9	7.5	90
8/6/1999	200	23.8	7.4	90
8/6/1999	300	23.8	7.4	89
8/6/1999	400	23.8	7.3	88
8/6/1999	500	23.7	7.3	88
8/6/1999	600	23.6	7.4	88
8/6/1999	700	23.6	7.4	89
8/6/1999	800	23.5	7.3	88
8/6/1999	900	23.5	7.3	88
8/6/1999	1000	23.5	7.5	90
8/6/1999	1100	23.4	7.5	90
8/6/1999	1200	23.4	7.5	90
8/6/1999	1300	23.8	7.7	93
8/6/1999	1400	23.8	7.8	94
8/6/1999	1500	23.8	7.8	94
8/6/1999	1600	23.8	7.7	93
8/6/1999	1700	23.8	7.7	93
8/6/1999	1800	23.9	7.7	93
8/6/1999	1900	24.0	7.8	95
8/6/1999	2000	24.0	7.9	96
8/6/1999	2100	23.9	7.8	94
8/6/1999	2200	24.0	7.9	95
8/6/1999	2300	23.9	8.0	96
8/7/1999	0	23.9	7.9	95
8/7/1999	100	23.8	7.8	94
8/7/1999	200	23.8	7.8	94
8/7/1999	300	23.7	7.8	94
8/7/1999	400	23.7	7.8	94
8/7/1999	500	23.7	7.8	94
8/7/1999	600	23.7	7.8	94
8/7/1999	700	23.6	7.7	93
8/7/1999	800	23.5	7.6	91
8/7/1999	900	23.5	7.7	92
8/7/1999	1000	23.5	7.6	91
8/7/1999	1100	23.4	7.6	91
8/7/1999	1200	23.4	7.5	90
8/7/1999	1300	23.4	7.5	90
8/7/1999	1400	23.4	7.3	88
8/7/1999	1500	23.4	7.3	88
8/7/1999	1600	23.5	7.4	89
8/7/1999	1700	23.6	7.4	89
8/7/1999	1800	23.5	7.5	89
8/7/1999	1900	23.7	7.5	91
8/7/1999	2000	23.8	7.6	92
8/7/1999	2100	23.8	7.7	93
8/7/1999	2200	23.9	7.3	88
8/7/1999	2300	24.0	7.4	90
8/8/1999	0	23.9	7.4	90
8/8/1999	100	23.8	7.8	94
8/8/1999	200	23.7	7.7	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/8/1999	300	23.7	7.8	93
8/8/1999	400	23.6	7.7	93
8/8/1999	500	23.5	7.7	93
8/8/1999	600	23.4	7.7	92
8/8/1999	700	23.3	7.3	87
8/8/1999	800	23.2	7.4	88
8/8/1999	900	23.2	7.8	93
8/8/1999	1000	23.2	7.8	93
8/8/1999	1100	23.2	7.9	94
8/8/1999	1200	23.3	7.9	94
8/8/1999	1300	23.4	8.0	96
8/8/1999	1400	23.5	8.0	96
8/8/1999	1500	23.6	8.1	97
8/8/1999	1600	23.8	8.2	99
8/8/1999	1700	23.9	8.3	100
8/8/1999	1800	23.9	8.3	100
8/8/1999	1900	23.8	8.2	99
8/8/1999	2000	23.7	8.2	98
8/8/1999	2100	23.6	8.1	98
8/8/1999	2200	23.5	8.1	97
8/8/1999	2300	23.5	8.0	96
8/9/1999	0	23.4	7.6	91
8/9/1999	100	23.3	7.9	95
8/9/1999	200	23.3	7.9	94
8/9/1999	300	23.2	7.9	94
8/9/1999	400	23.1	7.8	93
8/9/1999	500	23.1	7.9	93
8/9/1999	600	23.0	7.8	93
8/9/1999	700	23.0	7.8	93
8/9/1999	800	22.9	7.9	94
8/9/1999	900	22.9	7.8	93
8/9/1999	1000	22.9	7.8	92
8/9/1999	1100	22.9	7.7	92
8/9/1999	1200	22.9	7.7	91
8/9/1999	1300	22.8	7.6	90
8/9/1999	1400	22.9	7.6	90
8/9/1999	1500	22.9	7.5	89
8/9/1999	1600	22.8	7.7	91
8/9/1999	1700	22.8	7.8	92
8/9/1999	1800	22.8	7.9	93
8/9/1999	1900	22.8	7.9	93
8/9/1999	2000	22.8	7.8	92
8/9/1999	2100	22.8	7.7	91
8/9/1999	2200	22.8	7.7	91
8/9/1999	2300	22.7	7.7	91
8/10/1999	0	22.7	7.7	91
8/10/1999	100	22.6	7.6	90
8/10/1999	200	22.6	7.0	83
8/10/1999	300	22.5	7.5	88
8/10/1999	400	22.5	7.4	87
8/10/1999	500	22.4	7.4	87
8/10/1999	600	22.4	7.4	87
8/10/1999	700	22.3	7.4	87
8/10/1999	800	22.3	7.4	87
8/10/1999	900	22.3	7.5	87
8/10/1999	1000	22.3	7.5	88
8/10/1999	1100	22.3	7.5	88
8/10/1999	1200	22.3	7.6	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/10/1999	1300	22.3	7.6	89
8/10/1999	1400	22.3	7.6	89
8/10/1999	1500	22.3	7.6	89
8/10/1999	1600	22.3	7.7	90
8/10/1999	1700	22.4	7.7	90
8/10/1999	1800	22.4	7.6	90
8/10/1999	1900	22.4	7.6	89
8/10/1999	2000	22.3	7.6	89
8/10/1999	2100	22.2	7.6	89
8/10/1999	2200	22.3	7.6	89
8/10/1999	2300	22.3	7.5	88
8/11/1999	0	22.2	7.4	86
8/11/1999	100	22.2	7.6	88
8/11/1999	200	22.1	7.6	88
8/11/1999	300	22.1	7.6	88
8/11/1999	400	22.0	7.6	88
8/11/1999	500	22.0	7.6	89
8/11/1999	600	21.9	7.7	89
8/11/1999	700	21.8	7.7	90
8/11/1999	800	21.8	7.7	89
8/11/1999	900	21.8	7.7	89
8/11/1999	1000	21.8	7.6	89
8/11/1999	1100	21.8	7.6	88
8/11/1999	1200	21.8	7.6	88
8/11/1999	1300	21.8	7.6	88
8/11/1999	1400	21.8	7.6	88
8/11/1999	1500	21.8	7.5	88
8/11/1999	1600	21.8	7.5	87
8/11/1999	1700	21.9	7.5	87
8/11/1999	1800	22.1	7.5	88
8/11/1999	1900	22.1	7.5	88
8/11/1999	2000	22.2	7.5	88
8/11/1999	2100	22.3	7.6	89
8/11/1999	2200	22.3	7.6	89
8/11/1999	2300	22.3	7.6	89
8/12/1999	0	22.3	7.6	89
8/12/1999	100	22.3	7.6	89
8/12/1999	200	22.3	7.7	90
8/12/1999	300	22.2	7.6	89
8/12/1999	400	22.2	7.6	89
8/12/1999	500	22.2	7.6	89
8/12/1999	600	22.2	7.6	88
8/12/1999	700	22.1	7.5	88
8/12/1999	800	22.2	7.6	88
8/12/1999	900	22.2	7.6	89
8/12/1999	1000	22.3	7.6	89
8/12/1999	1100	22.3	7.6	89
8/12/1999	1200	22.3	7.6	89
8/12/1999	1300	22.3	7.6	90
8/12/1999	1400	22.2	7.6	89
8/12/1999	1500	22.2	7.5	88
8/12/1999	1600	22.2	7.5	88
8/12/1999	1700	22.3	7.6	89
8/12/1999	1800	22.3	7.6	89
8/12/1999	1900	22.3	7.6	89
8/12/1999	2000	22.3	7.6	89
8/12/1999	2100	22.3	7.6	90
8/12/1999	2200	22.3	7.6	89

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/12/1999	2300	22.3	7.6	89
8/13/1999	0	22.3	7.7	90
8/13/1999	100	22.2	7.7	90
8/13/1999	200	22.2	7.7	90
8/13/1999	300	22.2	7.7	90
8/13/1999	400	22.2	7.6	89
8/13/1999	500	22.2	7.6	89
8/13/1999	600	22.2	7.6	89
8/13/1999	700	22.1	7.6	89
8/13/1999	800	22.1	7.6	89
8/13/1999	900	22.1	7.6	88
8/13/1999	1000	22.1	7.5	88
8/13/1999	1100	22.2	7.6	89
8/13/1999	1200	22.2	7.7	90
8/13/1999	1300	22.2	7.8	91
8/13/1999	1400	22.2	7.8	91
8/13/1999	1500	22.2	7.8	91
8/13/1999	1600	22.1	7.8	91
8/13/1999	1700	22.1	7.9	92
8/13/1999	1800	22.1	7.9	92
8/13/1999	1900	22.0	7.8	91
8/13/1999	2000	21.9	7.7	90
8/13/1999	2100	21.8	7.7	89
8/13/1999	2200	21.7	7.6	88
8/13/1999	2300	21.6	7.6	88
8/14/1999	0	21.5	7.7	88
8/14/1999	100	21.4	7.7	89
8/14/1999	200	21.4	7.7	88
8/14/1999	300	21.3	7.8	89
8/14/1999	400	21.2	7.8	90
8/14/1999	500	21.2	7.9	90
8/14/1999	600	21.1	7.9	90
8/14/1999	700	21.0	7.7	88
8/14/1999	800	21.0	7.7	87
8/14/1999	900	21.0	7.7	87
8/14/1999	1000	20.9	7.7	88
8/14/1999	1100	21.1	7.7	88
8/14/1999	1200	21.2	7.8	89
8/14/1999	1300	21.1	7.9	90
8/14/1999	1400	21.1	7.9	91
8/14/1999	1500	21.2	7.9	90
8/14/1999	1600	21.4	8.0	92
8/14/1999	1700	21.6	8.1	93
8/14/1999	1800	21.6	8.0	92
8/14/1999	1900	21.4	8.0	92
8/14/1999	2000	21.5	8.0	92
8/14/1999	2100	21.4	8.0	92
8/14/1999	2200	21.3	8.0	92
8/14/1999	2300	21.3	8.0	92
8/15/1999	0	21.3	8.0	92
8/15/1999	100	21.3	8.1	93
8/15/1999	200	21.2	8.0	92
8/15/1999	300	21.1	8.0	92
8/15/1999	400	21.0	8.0	92
8/15/1999	500	20.9	8.0	92
8/15/1999	600	20.8	8.1	92
8/15/1999	700	20.7	8.1	91
8/15/1999	800	20.5	8.1	92

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/15/1999	900	20.6	8.1	92
8/15/1999	1000	20.7	8.1	92
8/15/1999	1100	20.8	8.1	92
8/15/1999	1200	20.7	8.1	92
8/15/1999	1300	20.8	8.0	91
8/15/1999	1400	20.9	8.2	93
8/15/1999	1500	21.0	8.2	94
8/15/1999	1600	21.1	8.3	95
8/15/1999	1700	21.2	8.3	95
8/15/1999	1800	21.3	8.4	97
8/15/1999	1900	21.4	8.4	97
8/15/1999	2000	21.5	8.4	97
8/15/1999	2100	21.5	8.4	97
8/15/1999	2200	21.5	8.4	97
8/15/1999	2300	21.5	8.4	97
8/16/1999	0	21.4	8.4	97
8/16/1999	100	21.3	8.4	96
8/16/1999	200	21.3	8.4	96
8/16/1999	300	21.2	8.4	96
8/16/1999	400	21.2	8.3	96
8/16/1999	500	21.1	8.3	95
8/16/1999	600	21.1	8.3	95
8/16/1999	700	21.0	8.3	95
8/16/1999	800	21.0	8.3	95
8/16/1999	900	20.9	8.3	95
8/16/1999	1000	21.0	8.4	96
8/16/1999	1100	21.0	8.4	96
8/16/1999	1200	21.1	8.4	96
8/16/1999	1300	21.2	8.4	97
8/16/1999	1400	21.3	8.4	97
8/16/1999	1500	21.3	8.4	97
8/16/1999	1600	21.4	8.5	98
8/16/1999	1700	21.5	8.5	99
8/16/1999	1800	21.5	8.5	98
8/16/1999	1900	21.6	8.5	98
8/16/1999	2000	21.7	8.4	98
8/16/1999	2100	21.8	8.5	98
8/16/1999	2200	21.9	8.4	98
8/16/1999	2300	22.0	8.5	98
8/17/1999	0	22.0	8.5	99
8/17/1999	100	22.0	8.4	98
8/17/1999	200	21.9	8.3	97
8/17/1999	300	21.9	8.3	97
8/17/1999	400	21.8	8.2	95
8/17/1999	500	21.8	8.1	94
8/17/1999	600	21.7	8.0	93
8/17/1999	700	21.7	8.1	94
8/17/1999	800	21.7	8.1	94
8/17/1999	900	21.7	8.2	95
8/17/1999	1000	21.8	8.3	96
8/17/1999	1100	21.8	8.3	96
8/17/1999	1200	21.8	8.2	96
8/17/1999	1300	21.9	8.3	96
8/17/1999	1400	21.9	8.4	97
8/17/1999	1500	21.8	8.3	96
8/17/1999	1600	22.0	8.4	98
8/17/1999	1700	22.1	8.5	99
8/17/1999	1800	22.1	8.6	100

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/17/1999	1900	22.1	8.5	99
8/17/1999	2000	22.1	8.4	99
8/17/1999	2100	22.1	8.4	98
8/17/1999	2200	22.1	8.4	98
8/17/1999	2300	22.1	8.3	97
8/18/1999	0	22.0	8.3	97
8/18/1999	100	22.0	8.3	97
8/18/1999	200	22.0	8.2	96
8/18/1999	300	21.9	8.2	95
8/18/1999	400	21.8	8.1	93
8/18/1999	500	21.8	8.1	93
8/18/1999	600	21.7	8.0	93
8/18/1999	700	21.6	8.0	93
8/18/1999	800	21.6	8.0	93
8/18/1999	900	21.6	8.0	92
8/18/1999	1000	21.5	7.9	92
8/18/1999	1100	21.4	8.0	92
8/18/1999	1200	21.4	8.0	92
8/18/1999	1300	21.3	8.0	92
8/18/1999	1400	21.3	8.0	92
8/18/1999	1500	21.3	8.1	93
8/18/1999	1600	21.3	8.1	93
8/18/1999	1700	21.2	8.1	93
8/18/1999	1800	21.2	8.0	92
8/18/1999	1900	21.2	8.1	92
8/18/1999	2000	21.2	8.1	93
8/18/1999	2100	21.2	8.1	93
8/18/1999	2200	21.1	8.1	93
8/18/1999	2300	21.1	8.1	92
8/19/1999	0	21.1	8.0	92
8/19/1999	100	21.0	8.0	91
8/19/1999	200	21.0	8.0	91
8/19/1999	300	20.9	7.9	90
8/19/1999	400	20.9	7.9	90
8/19/1999	500	20.9	7.9	90
8/19/1999	600	20.8	7.9	89
8/19/1999	700	20.7	7.9	89
8/19/1999	800	20.7	7.8	89
8/19/1999	900	20.6	7.8	88
8/19/1999	1000	20.7	7.8	89
8/19/1999	1100	20.8	7.9	90
8/19/1999	1200	20.8	8.2	93
8/19/1999	1300	20.9	8.1	93
8/19/1999	1400	20.9	8.2	93
8/19/1999	1500	20.9	8.2	94
8/19/1999	1600	21.0	8.3	95
8/19/1999	1700	21.0	8.3	95
8/19/1999	1800	20.9	8.3	95
8/19/1999	1900	20.9	8.3	95
8/19/1999	2000	20.8	8.4	95
8/19/1999	2100	20.9	8.3	95
8/19/1999	2200	20.9	8.3	95
8/19/1999	2300	20.9	8.3	94
8/20/1999	0	20.8	8.3	95
8/20/1999	100	20.8	8.2	93
8/20/1999	200	20.8	8.0	92
8/20/1999	300	20.8	8.1	92
8/20/1999	400	20.7	8.2	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/20/1999	500	20.6	8.2	93
8/20/1999	600	20.5	8.2	92
8/20/1999	700	20.4	8.1	92
8/20/1999	800	20.4	8.2	92
8/20/1999	900	20.4	8.1	92
8/20/1999	1000	20.4	8.1	91
8/20/1999	1100	20.6	8.1	92
8/20/1999	1200	20.6	8.2	93
8/20/1999	1300	21.1	8.3	94
8/20/1999	1400	21.1	8.3	95
8/20/1999	1500	21.2	8.4	96
8/20/1999	1600	21.1	8.4	96
8/20/1999	1700	21.2	8.4	96
8/20/1999	1800	21.2	8.4	97
8/20/1999	1900	21.2	8.4	97
8/20/1999	2000	21.4	8.6	99
8/20/1999	2100	21.5	8.7	100
8/20/1999	2200	21.5	8.5	98
8/20/1999	2300	21.5	8.6	99
8/21/1999	0	21.5	8.6	99
8/21/1999	100	21.5	8.6	99
8/21/1999	200	21.3	8.4	97
8/21/1999	300	21.3	8.5	97
8/21/1999	400	21.3	8.4	97
8/21/1999	500	21.2	8.4	96
8/21/1999	600	21.2	8.4	96
8/21/1999	700	21.2	8.4	96
8/21/1999	800	21.2	8.4	96
8/21/1999	900	21.2	8.4	97
8/21/1999	1000	21.2	8.5	97
8/21/1999	1100	21.3	8.4	97
8/21/1999	1200	21.4	8.5	98
8/21/1999	1300	21.4	8.5	98
8/21/1999	1400	21.4	8.4	97
8/21/1999	1500	21.4	8.5	98
8/21/1999	1600	21.5	8.4	97
8/21/1999	1700	21.4	8.4	97
8/21/1999	1800	21.4	8.4	97
8/21/1999	1900	21.6	8.5	99
8/21/1999	2000	21.7	8.6	100
8/21/1999	2100	21.8	8.6	100
8/21/1999	2200	21.9	8.7	101
8/21/1999	2300	21.9	8.7	101
8/22/1999	0	22.0	8.7	101
8/22/1999	100	22.0	8.6	100
8/22/1999	200	21.9	8.6	100
8/22/1999	300	21.9	8.5	99
8/22/1999	400	21.8	8.5	99
8/22/1999	500	21.8	8.5	99
8/22/1999	600	21.7	8.5	98
8/22/1999	700	21.7	8.5	98
8/22/1999	800	21.7	8.4	97
8/22/1999	900	21.6	8.4	97
8/22/1999	1000	21.7	8.4	97
8/22/1999	1100	21.7	8.5	98
8/22/1999	1200	21.8	8.5	99
8/22/1999	1300	21.8	8.5	98
8/22/1999	1400	21.7	8.4	97

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/22/1999	1500	21.8	8.4	97
8/22/1999	1600	21.8	8.3	96
8/22/1999	1700	21.8	8.3	96
8/22/1999	1800	22.0	8.3	97
8/22/1999	1900	22.1	8.4	98
8/22/1999	2000	22.3	8.5	100
8/22/1999	2100	22.4	8.5	100
8/22/1999	2200	22.5	8.6	101
8/22/1999	2300	22.5	8.6	101
8/23/1999	0	22.5	8.5	100
8/23/1999	100	22.5	8.5	100
8/23/1999	200	22.5	8.5	100
8/23/1999	300	22.5	8.4	99
8/23/1999	400	22.4	8.4	99
8/23/1999	500	22.4	8.4	99
8/23/1999	600	22.4	8.5	100
8/23/1999	700	22.4	8.5	100
8/23/1999	800	22.4	8.5	100
8/23/1999	900	22.4	8.4	99
8/23/1999	1000	22.4	8.5	99
8/23/1999	1100	22.4	8.4	99
8/23/1999	1200	22.4	8.4	99
8/23/1999	1300	22.4	8.4	99
8/23/1999	1400	22.4	8.4	98
8/23/1999	1500	22.5	8.4	99
8/23/1999	1600	22.5	8.4	98
8/23/1999	1700	22.6	8.4	99
8/23/1999	1800	22.6	8.4	99
8/23/1999	1900	22.7	8.3	98
8/23/1999	2000	22.6	8.2	96
8/23/1999	2100	22.6	8.1	95
8/23/1999	2200	22.6	8.1	96
8/23/1999	2300	22.6	8.2	96
8/24/1999	0	22.6	8.2	96
8/24/1999	100	22.5	8.1	96
8/24/1999	200	22.5	8.1	96
8/24/1999	300	22.5	8.1	96
8/24/1999	400	22.4	8.1	95
8/24/1999	500	22.3	8.1	95
8/24/1999	600	22.3	8.1	94
8/24/1999	700	22.3	8.0	94
8/24/1999	800	22.2	8.0	94
8/24/1999	900	22.2	8.0	93
8/24/1999	1000	22.2	8.0	93
8/24/1999	1100	22.3	8.0	94
8/24/1999	1200	22.3	8.0	94
8/24/1999	1300	22.4	8.0	94
8/24/1999	1400	22.6	8.0	95
8/24/1999	1500	22.8	8.1	96
8/24/1999	1600	22.8	8.0	95
8/24/1999	1700	22.8	8.0	94
8/24/1999	1800	22.8	8.0	95
8/24/1999	1900	22.9	8.0	95
8/24/1999	2000	22.9	8.0	95
8/24/1999	2100	22.7	8.0	94
8/24/1999	2200	22.7	7.8	92
8/24/1999	2300	22.6	7.8	92
8/25/1999	0	22.5	7.8	92

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/25/1999	100	22.5	7.8	91
8/25/1999	200	22.4	7.7	90
8/25/1999	300	22.3	7.7	90
8/25/1999	400	22.3	7.7	90
8/25/1999	500	22.2	7.7	90
8/25/1999	600	22.1	7.7	90
8/25/1999	700	22.0	7.7	90
8/25/1999	800	22.0	7.7	90
8/25/1999	900	22.0	7.7	90
8/25/1999	1000	22.1	7.8	91
8/25/1999	1100	22.2	8.4	98
8/25/1999	1200	22.2	7.8	92
8/25/1999	1300	22.4	7.9	93
8/25/1999	1400	22.6	7.9	93
8/25/1999	1500	22.8	8.0	95
8/25/1999	1600	23.0	8.1	96
8/25/1999	1700	23.0	8.1	96
8/25/1999	1800	22.9	8.1	96
8/25/1999	1900	22.9	8.1	96
8/25/1999	2000	22.9	8.1	96
8/25/1999	2100	22.8	7.9	94
8/25/1999	2200	22.9	7.9	94
8/25/1999	2300	22.8	7.8	93
8/26/1999	0	22.9	7.9	94
8/26/1999	100	22.9	8.0	94
8/26/1999	200	22.8	8.0	94
8/26/1999	300	22.7	7.9	93
8/26/1999	400	22.7	7.9	94
8/26/1999	500	22.7	7.9	93
8/26/1999	600	22.6	7.8	92
8/26/1999	700	22.6	7.8	92
8/26/1999	800	22.5	7.8	92
8/26/1999	900	22.5	7.9	92
8/26/1999	1000	22.6	7.9	93
8/26/1999	1100	22.7	7.9	93
8/26/1999	1200	22.8	8.1	95
8/26/1999	1300	22.7	8.0	95
8/26/1999	1400	22.9	8.1	96
8/26/1999	1500	22.9	8.0	95
8/26/1999	1600	23.0	8.1	96
8/26/1999	1700	22.9	8.0	95
8/26/1999	1800	22.7	7.9	94
8/26/1999	1900	22.8	7.9	94
8/26/1999	2000	22.8	8.0	95
8/26/1999	2100	22.9	8.0	95
8/26/1999	2200	23.0	8.0	95
8/26/1999	2300	23.1	8.0	95
8/27/1999	0	23.1	8.0	96
8/27/1999	100	23.1	7.9	94
8/27/1999	200	23.0	7.9	93
8/27/1999	300	23.0	7.9	93
8/27/1999	400	22.9	7.9	94
8/27/1999	500	22.9	7.9	94
8/27/1999	600	22.9	7.9	94
8/27/1999	700	22.9	7.9	93
8/27/1999	800	22.9	7.8	93
8/27/1999	900	22.9	7.8	92
8/27/1999	1000	23.0	7.8	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/27/1999	1100	23.0	7.8	92
8/27/1999	1200	23.1	7.8	92
8/27/1999	1300	23.1	7.8	93
8/27/1999	1400	23.3	7.8	93
8/27/1999	1500	23.3	7.8	93
8/27/1999	1600	23.4	7.9	94
8/27/1999	1700	23.8	8.0	97
8/27/1999	1800	24.1	8.2	99
8/27/1999	1900	24.1	8.1	98
8/27/1999	2000	23.8	7.9	96
8/27/1999	2100	23.8	8.0	97
8/27/1999	2200	23.8	8.0	97
8/27/1999	2300	23.8	8.0	97
8/28/1999	0	23.8	8.1	97
8/28/1999	100	23.9	8.2	98
8/28/1999	200	23.9	8.2	99
8/28/1999	300	23.9	8.2	99
8/28/1999	400	23.9	8.1	97
8/28/1999	500	23.9	8.1	98
8/28/1999	600	23.8	7.9	95
8/28/1999	700	23.8	7.9	96
8/28/1999	800	23.8	7.9	95
8/28/1999	900	23.8	7.9	95
8/28/1999	1000	23.8	7.9	95
8/28/1999	1100	23.9	7.9	96
8/28/1999	1200	23.9	7.9	95
8/28/1999	1300	23.9	7.8	95
8/28/1999	1400	23.9	7.9	95
8/28/1999	1500	24.0	7.9	96
8/28/1999	1600	24.0	7.9	96
8/28/1999	1700	24.2	8.1	98
8/28/1999	1800	24.2	8.2	99
8/28/1999	1900	24.1	8.1	98
8/28/1999	2000	24.1	8.0	97
8/28/1999	2100	24.1	8.0	97
8/28/1999	2200	24.1	8.1	98
8/28/1999	2300	24.0	8.1	98
8/29/1999	0	23.9	8.0	97
8/29/1999	100	23.9	8.1	98
8/29/1999	200	23.9	8.1	97
8/29/1999	300	23.8	8.0	96
8/29/1999	400	23.7	7.9	95
8/29/1999	500	23.6	7.9	94
8/29/1999	600	23.6	7.8	94
8/29/1999	700	23.5	7.8	93
8/29/1999	800	23.4	7.8	93
8/29/1999	900	23.4	7.8	93
8/29/1999	1000	23.4	7.8	93
8/29/1999	1100	23.4	7.9	94
8/29/1999	1200	23.5	8.0	95
8/29/1999	1300	23.6	8.0	96
8/29/1999	1400	23.7	8.1	98
8/29/1999	1500	23.7	8.1	97
8/29/1999	1600	23.7	8.1	98
8/29/1999	1700	23.7	8.2	99
8/29/1999	1800	23.6	8.1	98
8/29/1999	1900	23.6	8.1	97
8/29/1999	2000	23.4	8.0	96

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
8/29/1999	2100	23.4	8.0	95
8/29/1999	2200	23.3	8.0	96
8/29/1999	2300	23.2	8.0	95
8/30/1999	0	23.1	8.0	95
8/30/1999	100	23.0	7.9	94
8/30/1999	200	22.9	8.0	94
8/30/1999	300	22.9	7.9	94
8/30/1999	400	22.8	7.9	93
8/30/1999	500	22.7	7.8	92
8/30/1999	600	22.6	7.8	92
8/30/1999	700	22.6	7.9	93
8/30/1999	800	22.5	7.9	93
8/30/1999	900	22.5	8.0	94
8/30/1999	1000	22.4	8.1	95
8/30/1999	1100	22.4	8.2	96
8/30/1999	1200	22.3	8.2	96
8/30/1999	1300	22.3	8.1	95
8/30/1999	1400	22.2	8.1	94
8/30/1999	1500	22.1	8.0	93
8/30/1999	1600	22.1	7.9	93
8/30/1999	1700	22.1	7.9	92
8/30/1999	1800	22.1	8.0	93
8/30/1999	1900	22.2	8.1	94
8/30/1999	2000	22.2	8.1	95
8/30/1999	2100	22.2	8.1	94
8/30/1999	2200	22.2	8.1	95
8/30/1999	2300	22.2	8.1	95
8/31/1999	0	22.2	8.1	95
8/31/1999	100	22.1	8.1	95
8/31/1999	200	22.1	8.1	95
8/31/1999	300	22.0	8.2	96
8/31/1999	400	21.9	8.0	94
8/31/1999	500	21.8	8.1	94
8/31/1999	600	21.7	8.1	94
8/31/1999	700	21.6	8.2	94
8/31/1999	800	21.5	8.1	94
8/31/1999	900	21.5	8.1	94
8/31/1999	1000	21.4	8.2	95
8/31/1999	1100	21.3	8.2	95
8/31/1999	1200	21.3	8.3	96
8/31/1999	1300	21.3	8.3	96
8/31/1999	1400	21.3	8.2	95
8/31/1999	1500	21.4	8.2	95
8/31/1999	1600	21.5	8.2	95
8/31/1999	1700	21.5	8.3	95
8/31/1999	1800	21.5	8.2	94
8/31/1999	1900	21.6	8.2	95
8/31/1999	2000	21.6	8.2	95
8/31/1999	2100	21.6	8.3	96
8/31/1999	2200	21.7	8.3	96
8/31/1999	2300	21.7	8.3	96
9/1/1999	0	21.7	8.3	96
9/1/1999	100	21.7	8.4	97
9/1/1999	200	21.7	8.3	96
9/1/1999	300	21.6	8.4	97
9/1/1999	400	21.6	8.3	96
9/1/1999	500	21.6	8.3	96
9/1/1999	600	21.5	8.3	96

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/1/1999	700	21.5	8.3	95
9/1/1999	800	21.4	8.2	95
9/1/1999	900	21.4	8.4	96
9/1/1999	1000	21.3	8.3	96
9/1/1999	1100	21.1	8.2	94
9/1/1999	1200	21.0	8.2	93
9/1/1999	1300	21.1	8.2	94
9/1/1999	1400	21.1	8.3	94
9/1/1999	1500	21.2	8.2	94
9/1/1999	1600	21.1	8.2	93
9/1/1999	1700	21.2	8.2	94
9/1/1999	1800	21.3	8.4	96
9/1/1999	1900	21.5	8.5	97
9/1/1999	2000	21.5	8.5	98
9/1/1999	2100	21.6	8.6	99
9/1/1999	2200	21.7	8.7	100
9/1/1999	2300	21.7	8.6	99
9/2/1999	0	21.7	8.6	100
9/2/1999	100	21.7	8.6	99
9/2/1999	200	21.7	8.5	99
9/2/1999	300	21.7	8.5	98
9/2/1999	400	21.6	8.5	98
9/2/1999	500	21.6	8.5	98
9/2/1999	600	21.6	8.5	97
9/2/1999	700	21.6	8.4	97
9/2/1999	800	21.6	8.5	97
9/2/1999	900	21.5	8.5	97
9/2/1999	1000	21.5	8.5	97
9/2/1999	1100	21.5	8.4	97
9/2/1999	1200	21.5	8.4	96
9/2/1999	1300	21.5	8.4	96
9/2/1999	1400	21.5	8.4	96
9/2/1999	1500	21.6	8.4	96
9/2/1999	1600	21.5	8.3	96
9/2/1999	1700	21.6	8.3	96
9/2/1999	1800	21.7	8.3	96
9/2/1999	1900	21.7	8.3	96
9/2/1999	2000	21.8	8.3	96
9/2/1999	2100	21.9	8.4	97
9/2/1999	2200	22.1	8.5	99
9/2/1999	2300	22.2	8.6	100
9/3/1999	0	22.3	8.6	100
9/3/1999	100	22.3	8.4	98
9/3/1999	200	22.2	8.4	97
9/3/1999	300	22.2	8.2	96
9/3/1999	400	22.1	8.2	95
9/3/1999	500	22.1	8.2	95
9/3/1999	600	22.1	8.2	95
9/3/1999	700	22.1	8.2	95
9/3/1999	800	22.1	8.2	95
9/3/1999	900	22.1	8.2	95
9/3/1999	1000	22.2	8.2	95
9/3/1999	1100	22.2	8.2	95
9/3/1999	1200	22.2	8.2	95
9/3/1999	1300	22.2	8.1	95
9/3/1999	1400	22.2	8.2	95
9/3/1999	1500	22.3	8.1	95
9/3/1999	1600	22.3	8.1	94

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/3/1999	1700	22.3	8.0	94
9/3/1999	1800	22.4	8.1	94
9/3/1999	1900	22.6	8.1	95
9/3/1999	2000	22.7	8.2	97
9/3/1999	2100	22.8	8.3	97
9/3/1999	2200	22.9	8.2	97
9/3/1999	2300	22.9	8.2	97
9/4/1999	0	23.0	8.2	97
9/4/1999	100	23.0	8.2	97
9/4/1999	200	23.0	8.1	96
9/4/1999	300	23.0	8.1	95
9/4/1999	400	23.0	8.0	95
9/4/1999	500	23.0	8.0	95
9/4/1999	600	23.0	7.9	93
9/4/1999	700	22.9	7.9	93
9/4/1999	800	22.9	7.9	93
9/4/1999	900	22.9	8.0	94
9/4/1999	1000	22.9	7.9	93
9/4/1999	1100	23.0	7.9	94
9/4/1999	1200	22.9	7.9	93
9/4/1999	1300	22.9	7.9	93
9/4/1999	1400	23.0	7.9	93
9/4/1999	1500	23.1	7.9	93
9/4/1999	1600	23.1	8.0	94
9/4/1999	1700	23.2	8.0	95
9/4/1999	1800	23.3	8.0	95
9/4/1999	1900	23.5	8.1	97
9/4/1999	2000	23.6	8.3	99
9/4/1999	2100	23.7	8.3	99
9/4/1999	2200	23.8	8.3	100
9/4/1999	2300	23.8	8.3	100
9/5/1999	0	23.8	8.1	98
9/5/1999	100	23.8	8.1	97
9/5/1999	200	23.8	8.1	97
9/5/1999	300	23.8	8.1	97
9/5/1999	400	23.7	8.1	97
9/5/1999	500	23.7	8.0	96
9/5/1999	600	23.6	8.0	95
9/5/1999	700	23.6	7.9	95
9/5/1999	800	23.6	7.9	95
9/5/1999	900	23.6	7.9	95
9/5/1999	1000	23.6	7.9	95
9/5/1999	1100	23.6	8.0	95
9/5/1999	1200	23.6	8.0	95
9/5/1999	1300	23.6	7.9	94
9/5/1999	1400	23.6	7.9	95
9/5/1999	1500	23.6	7.8	93
9/5/1999	1600	23.6	7.8	93
9/5/1999	1700	23.7	7.7	93
9/5/1999	1800	23.8	7.9	95
9/5/1999	1900	23.9	7.9	95
9/5/1999	2000	24.0	7.9	95
9/5/1999	2100	24.0	7.9	95
9/5/1999	2200	24.0	7.8	95
9/5/1999	2300	24.0	7.8	94
9/6/1999	0	24.0	7.8	94
9/6/1999	100	24.0	7.8	94
9/6/1999	200	24.0	7.7	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/6/1999	300	23.9	7.6	92
9/6/1999	400	23.9	7.6	92
9/6/1999	500	23.8	7.6	91
9/6/1999	600	23.8	7.6	91
9/6/1999	700	23.7	7.5	90
9/6/1999	800	23.7	7.5	90
9/6/1999	900	23.7	7.5	90
9/6/1999	1000	23.6	7.5	90
9/6/1999	1100	23.7	7.6	91
9/6/1999	1200	23.7	7.7	93
9/6/1999	1300	23.8	7.7	92
9/6/1999	1400	23.9	7.7	93
9/6/1999	1500	24.0	7.7	93
9/6/1999	1600	24.1	7.9	95
9/6/1999	1700	24.2	7.9	96
9/6/1999	1800	24.1	7.8	94
9/6/1999	1900	24.0	7.7	93
9/6/1999	2000	23.9	7.7	92
9/6/1999	2100	23.8	7.6	91
9/6/1999	2200	23.8	7.5	90
9/6/1999	2300	23.7	7.5	90
9/7/1999	0	23.6	7.5	90
9/7/1999	100	23.6	7.5	89
9/7/1999	200	23.5	7.5	89
9/7/1999	300	23.5	7.5	90
9/7/1999	400	23.4	7.5	89
9/7/1999	500	23.3	7.4	88
9/7/1999	600	23.2	7.4	88
9/7/1999	700	23.2	7.4	88
9/7/1999	800	23.1	7.4	88
9/7/1999	900	23.1	7.4	87
9/7/1999	1000	23.1	7.4	87
9/7/1999	1100	23.1	7.3	87
9/7/1999	1200	23.0	7.3	86
9/7/1999	1300	23.0	7.3	86
9/7/1999	1400	22.9	7.2	86
9/7/1999	1500	22.8	7.3	86
9/7/1999	1600	22.8	7.2	85
9/7/1999	1700	22.8	7.1	84
9/7/1999	1800	22.8	7.2	85
9/7/1999	1900	22.8	7.3	86
9/7/1999	2000	23.0	7.3	87
9/7/1999	2100	23.0	7.4	88
9/7/1999	2200	23.0	7.4	88
9/7/1999	2300	23.0	7.4	88
9/8/1999	0	23.0	7.4	88
9/8/1999	100	22.9	7.4	87
9/8/1999	200	22.8	7.3	86
9/8/1999	300	22.8	7.4	87
9/8/1999	400	22.7	7.5	88
9/8/1999	500	22.6	7.5	88
9/8/1999	600	22.5	7.5	88
9/8/1999	700	22.5	7.5	88
9/8/1999	800	22.4	7.6	88
9/8/1999	900	22.4	7.6	89
9/8/1999	1000	22.3	7.7	89
9/8/1999	1100	22.4	7.7	90
9/8/1999	1200	22.4	7.7	90

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/8/1999	1300	22.5	7.8	91
9/8/1999	1400	22.4	7.8	91
9/8/1999	1500	22.4	7.7	90
9/8/1999	1600	22.4	7.7	90
9/8/1999	1700	22.4	7.6	89
9/8/1999	1800	22.4	7.6	89
9/8/1999	1900	22.3	7.6	89
9/8/1999	2000	22.3	7.7	90
9/8/1999	2100	22.4	7.7	90
9/8/1999	2200	22.4	7.7	90
9/8/1999	2300	22.4	7.7	90
9/9/1999	0	22.4	7.7	90
9/9/1999	100	22.4	7.8	91
9/9/1999	200	22.3	7.8	91
9/9/1999	300	22.3	7.8	90
9/9/1999	400	22.2	7.8	91
9/9/1999	500	22.1	7.8	91
9/9/1999	600	22.1	7.8	91
9/9/1999	700	22.0	7.8	91
9/9/1999	800	22.0	7.8	90
9/9/1999	900	21.9	7.8	90
9/9/1999	1000	21.9	7.8	90
9/9/1999	1100	21.8	7.9	91
9/9/1999	1200	21.8	7.9	91
9/9/1999	1300	21.8	7.9	91
9/9/1999	1400	21.7	7.9	91
9/9/1999	1500	21.7	7.9	91
9/9/1999	1600	21.7	7.9	91
9/9/1999	1700	21.7	7.9	91
9/9/1999	1800	21.7	7.8	90
9/9/1999	1900	21.6	7.8	90
9/9/1999	2000	21.6	7.8	90
9/9/1999	2100	21.5	7.8	90
9/9/1999	2200	21.5	7.9	91
9/9/1999	2300	21.5	7.9	90
9/10/1999	0	21.4	7.9	90
9/10/1999	100	21.3	7.9	90
9/10/1999	200	21.3	7.8	89
9/10/1999	300	21.2	7.8	89
9/10/1999	400	21.1	7.8	89
9/10/1999	500	21.0	7.7	88
9/10/1999	600	21.0	7.7	88
9/10/1999	700	20.9	7.8	88
9/10/1999	800	20.8	7.8	88
9/10/1999	900	20.7	7.7	87
9/10/1999	1000	20.6	7.7	87
9/10/1999	1100	20.6	7.7	87
9/10/1999	1200	20.6	7.8	88
9/10/1999	1300	20.6	7.8	88
9/10/1999	1400	20.6	7.8	88
9/10/1999	1500	20.6	7.9	89
9/10/1999	1600	20.6	7.9	89
9/10/1999	1700	20.5	7.9	89
9/10/1999	1800	20.5	7.9	89
9/10/1999	1900	20.5	7.9	89
9/10/1999	2000	20.5	7.9	89
9/10/1999	2100	20.5	7.8	88
9/10/1999	2200	20.4	7.9	88

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/10/1999	2300	20.3	7.9	88
9/11/1999	0	20.3	7.9	88
9/11/1999	100	20.2	7.9	88
9/11/1999	200	20.1	7.9	89
9/11/1999	300	20.1	7.9	89
9/11/1999	400	20.0	7.9	88
9/11/1999	500	20.0	7.9	89
9/11/1999	600	19.9	8.0	89
9/11/1999	700	19.8	8.0	89
9/11/1999	800	19.7	8.0	89
9/11/1999	900	19.7	8.0	89
9/11/1999	1000	19.6	8.1	90
9/11/1999	1100	19.6	8.1	89
9/11/1999	1200	19.6	8.1	89
9/11/1999	1300	19.5	8.2	91
9/11/1999	1400	19.5	8.2	90
9/11/1999	1500	19.3	8.1	89
9/11/1999	1600	19.3	8.1	89
9/11/1999	1700	19.3	8.0	88
9/11/1999	1800	19.2	8.0	88
9/11/1999	1900	19.2	8.0	88
9/11/1999	2000	19.2	8.0	87
9/11/1999	2100	19.2	8.0	88
9/11/1999	2200	19.3	8.0	88
9/11/1999	2300	19.3	8.1	89
9/12/1999	0	19.3	8.1	90
9/12/1999	100	19.3	8.1	89
9/12/1999	200	19.4	8.1	90
9/12/1999	300	19.4	8.1	90
9/12/1999	400	19.4	8.2	90
9/12/1999	500	19.4	8.2	90
9/12/1999	600	19.4	8.2	91
9/12/1999	700	19.3	8.2	91
9/12/1999	800	19.3	8.2	90
9/12/1999	900	19.3	8.1	89
9/12/1999	1000	19.2	8.0	88
9/12/1999	1100	19.1	8.1	89
9/12/1999	1200	19.0	8.1	89
9/12/1999	1300	18.9	8.1	88
9/12/1999	1400	18.8	8.0	87
9/12/1999	1500	18.8	7.9	86
9/12/1999	1600	18.8	7.9	85
9/12/1999	1700	18.8	7.8	85
9/12/1999	1800	18.8	7.8	85
9/12/1999	1900	18.9	7.8	85
9/12/1999	2000	19.0	7.8	85
9/12/1999	2100	19.0	7.8	86
9/12/1999	2200	19.0	7.8	86
9/12/1999	2300	19.1	7.9	87
9/13/1999	0	19.1	7.9	86
9/13/1999	100	19.1	8.0	87
9/13/1999	200	19.1	7.9	87
9/13/1999	300	19.1	8.0	87
9/13/1999	400	19.0	7.9	87
9/13/1999	500	19.0	8.0	87
9/13/1999	600	19.0	7.9	86
9/13/1999	700	19.0	7.9	86
9/13/1999	800	18.9	7.9	86

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/13/1999	900	18.9	7.8	85
9/13/1999	1000	18.9	7.9	86
9/13/1999	1100	18.8	8.0	87
9/13/1999	1200	18.8	8.0	87
9/13/1999	1300	18.8	7.9	86
9/13/1999	1400	18.8	7.9	86
9/13/1999	1500	18.7	7.9	86
9/13/1999	1600	18.7	7.9	86
9/13/1999	1700	18.7	8.0	87
9/13/1999	1800	18.7	8.0	87
9/13/1999	1900	18.7	8.0	87
9/13/1999	2000	18.7	8.0	87
9/13/1999	2100	18.7	8.1	87
9/13/1999	2200	18.7	8.1	88
9/13/1999	2300	18.6	8.1	88
9/14/1999	0	18.6	8.1	88
9/14/1999	100	18.6	8.1	88
9/14/1999	200	18.6	8.1	88
9/14/1999	300	18.6	8.1	88
9/14/1999	400	18.5	8.2	88
9/14/1999	500	18.5	8.1	88
9/14/1999	600	18.4	8.2	89
9/14/1999	700	18.4	8.2	88
9/14/1999	800	18.3	8.2	88
9/14/1999	900	18.2	8.2	89
9/14/1999	1000	18.2	8.3	89
9/14/1999	1100	18.2	8.2	89
9/14/1999	1200	18.2	8.3	89
9/14/1999	1300	18.2	8.3	89
9/14/1999	1400	18.1	8.3	89
9/14/1999	1500	18.1	8.2	88
9/14/1999	1600	18.1	8.3	89
9/14/1999	1700	18.1	8.2	88
9/14/1999	1800	18.1	8.2	88
9/14/1999	1900	18.1	8.3	89
9/14/1999	2000	18.1	8.3	89
9/14/1999	2100	18.1	8.3	89
9/14/1999	2200	18.1	8.3	89
9/14/1999	2300	18.0	8.3	89
9/15/1999	0	18.0	8.3	89
9/15/1999	100	18.0	8.2	88
9/15/1999	200	18.0	8.3	89
9/15/1999	300	17.9	8.3	89
9/15/1999	400	17.9	8.3	89
9/15/1999	500	17.8	8.4	90
9/15/1999	600	17.8	8.4	90
9/15/1999	700	17.7	8.4	89
9/15/1999	800	17.7	8.4	90
9/15/1999	900	17.7	8.4	89
9/15/1999	1000	17.6	8.3	88
9/15/1999	1100	17.6	8.3	89
9/15/1999	1200	17.6	8.3	89
9/15/1999	1300	17.7	8.3	89
9/15/1999	1400	17.8	8.4	90
9/15/1999	1500	17.8	8.4	89
9/15/1999	1600	17.8	8.5	91
9/15/1999	1700	17.8	8.6	92
9/15/1999	1800	17.8	8.6	92

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/15/1999	1900	17.8	8.6	92
9/15/1999	2000	17.7	8.5	91
9/15/1999	2100	17.7	8.5	91
9/15/1999	2200	17.7	8.6	91
9/15/1999	2300	17.6	8.6	91
9/16/1999	0	17.5	8.5	91
9/16/1999	100	17.5	8.5	91
9/16/1999	200	17.4	8.5	90
9/16/1999	300	17.4	8.5	90
9/16/1999	400	17.4	8.5	90
9/16/1999	500	17.3	8.5	90
9/16/1999	600	17.3	8.5	90
9/16/1999	700	17.3	8.5	90
9/16/1999	800	17.2	8.3	88
9/16/1999	900	17.2	8.3	88
9/16/1999	1000	17.2	8.3	88
9/16/1999	1100	17.3	8.3	88
9/16/1999	1200	17.4	8.6	92
9/16/1999	1300	17.6	8.7	93
9/16/1999	1400	17.8	8.8	94
9/16/1999	1500	18.0	8.8	95
9/16/1999	1600	17.9	8.8	95
9/16/1999	1700	17.9	8.8	94
9/16/1999	1800	17.8	8.7	94
9/16/1999	1900	17.7	8.7	93
9/16/1999	2000	17.5	8.7	92
9/16/1999	2100	17.5	8.7	92
9/16/1999	2200	17.4	8.6	91
9/16/1999	2300	17.4	8.6	92
9/17/1999	0	17.3	8.6	91
9/17/1999	100	17.3	8.7	92
9/17/1999	200	17.3	8.7	92
9/17/1999	300	17.2	8.6	92
9/17/1999	400	17.2	8.6	91
9/17/1999	500	17.2	8.6	91
9/17/1999	600	17.1	8.6	91
9/17/1999	700	17.1	8.6	90
9/17/1999	800	17.1	8.6	90
9/17/1999	900	17.0	8.5	90
9/17/1999	1000	17.0	8.4	88
9/17/1999	1100	17.1	8.6	91
9/17/1999	1200	17.2	8.6	91
9/17/1999	1300	17.1	8.6	91
9/17/1999	1400	17.1	8.7	92
9/17/1999	1500	17.1	8.7	92
9/17/1999	1600	17.0	8.8	92
9/17/1999	1700	17.0	8.7	92
9/17/1999	1800	16.9	8.7	91
9/17/1999	1900	16.9	8.6	91
9/17/1999	2000	16.9	8.6	91
9/17/1999	2100	16.9	8.7	91
9/17/1999	2200	17.0	8.7	92
9/17/1999	2300	17.0	8.8	93
9/18/1999	0	17.1	8.9	94
9/18/1999	100	17.2	8.9	94
9/18/1999	200	17.2	8.8	93
9/18/1999	300	17.1	8.9	94
9/18/1999	400	17.1	8.8	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/18/1999	500	17.1	8.8	92
9/18/1999	600	17.1	8.7	92
9/18/1999	700	17.1	8.8	93
9/18/1999	800	17.0	8.8	93
9/18/1999	900	17.0	8.8	93
9/18/1999	1000	17.0	8.8	93
9/18/1999	1100	17.0	8.8	92
9/18/1999	1200	16.9	8.8	92
9/18/1999	1300	16.8	8.8	93
9/18/1999	1400	16.7	8.8	92
9/18/1999	1500	16.8	8.7	91
9/18/1999	1600	16.8	8.7	91
9/18/1999	1700	16.9	8.7	92
9/18/1999	1800	17.0	8.9	94
9/18/1999	1900	17.1	9.0	94
9/18/1999	2000	17.2	9.0	95
9/18/1999	2100	17.2	9.0	96
9/18/1999	2200	17.3	9.1	96
9/18/1999	2300	17.3	9.1	96
9/19/1999	0	17.3	9.1	96
9/19/1999	100	17.3	9.1	97
9/19/1999	200	17.3	9.0	96
9/19/1999	300	17.4	9.0	96
9/19/1999	400	17.4	9.1	96
9/19/1999	500	17.4	9.1	96
9/19/1999	600	17.4	9.0	96
9/19/1999	700	17.4	9.0	95
9/19/1999	800	17.3	9.0	95
9/19/1999	900	17.3	8.9	95
9/19/1999	1000	17.3	9.0	95
9/19/1999	1100	17.3	9.1	96
9/19/1999	1200	17.4	9.1	96
9/19/1999	1300	17.4	9.1	97
9/19/1999	1400	17.5	9.1	97
9/19/1999	1500	17.6	9.2	98
9/19/1999	1600	17.7	9.3	99
9/19/1999	1700	17.9	9.5	102
9/19/1999	1800	17.8	9.4	101
9/19/1999	1900	17.8	9.4	100
9/19/1999	2000	17.8	9.3	99
9/19/1999	2100	17.7	9.3	99
9/19/1999	2200	17.7	9.2	98
9/19/1999	2300	17.6	9.2	98
9/20/1999	0	17.6	9.1	97
9/20/1999	100	17.5	9.2	98
9/20/1999	200	17.5	9.2	98
9/20/1999	300	17.4	9.2	98
9/20/1999	400	17.4	9.2	97
9/20/1999	500	17.4	9.1	97
9/20/1999	600	17.3	9.1	97
9/20/1999	700	17.3	9.1	97
9/20/1999	800	17.3	9.1	96
9/20/1999	900	17.3	9.1	96
9/20/1999	1000	17.2	9.1	96
9/20/1999	1100	17.2	9.1	97
9/20/1999	1200	17.2	9.1	96
9/20/1999	1300	17.2	9.1	97
9/20/1999	1400	17.3	9.1	97

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/20/1999	1500	17.3	9.1	97
9/20/1999	1600	17.3	9.2	97
9/20/1999	1700	17.2	9.1	97
9/20/1999	1800	17.2	9.1	97
9/20/1999	1900	17.2	9.0	96
9/20/1999	2000	17.1	9.0	95
9/20/1999	2100	17.1	9.0	95
9/20/1999	2200	17.0	9.0	94
9/20/1999	2300	17.0	9.0	94
9/21/1999	0	16.9	8.9	94
9/21/1999	100	16.8	8.9	93
9/21/1999	200	16.8	8.9	93
9/21/1999	300	16.7	8.8	93
9/21/1999	400	16.7	8.8	92
9/21/1999	500	16.6	8.8	92
9/21/1999	600	16.5	8.8	92
9/21/1999	700	16.5	8.8	92
9/21/1999	800	16.4	8.8	92
9/21/1999	900	16.4	8.8	92
9/21/1999	1000	16.4	8.8	92
9/21/1999	1100	16.4	8.9	92
9/21/1999	1200	16.4	8.9	92
9/21/1999	1300	16.4	8.8	92
9/21/1999	1400	16.3	8.8	92
9/21/1999	1500	16.3	8.8	91
9/21/1999	1600	16.3	8.8	91
9/21/1999	1700	16.4	8.8	91
9/21/1999	1800	16.3	8.7	91
9/21/1999	1900	16.2	8.7	90
9/21/1999	2000	16.2	8.7	90
9/21/1999	2100	16.4	8.8	91
9/21/1999	2200	16.4	8.7	90
9/21/1999	2300	16.4	8.6	90
9/22/1999	0	16.3	8.6	89
9/22/1999	100	16.3	8.6	89
9/22/1999	200	16.3	8.6	89
9/22/1999	300	16.2	8.6	89
9/22/1999	400	16.2	8.6	89
9/22/1999	500	16.1	8.6	89
9/22/1999	600	16.1	8.6	88
9/22/1999	700	16.1	8.5	88
9/22/1999	800	16.0	8.6	88
9/22/1999	900	16.0	8.6	89
9/22/1999	1000	16.0	8.7	89
9/22/1999	1100	16.0	8.8	90
9/22/1999	1200	15.9	8.8	90
9/22/1999	1300	15.9	8.8	91
9/22/1999	1400	15.8	8.9	91
9/22/1999	1500	15.7	8.7	89
9/22/1999	1600	15.8	8.7	89
9/22/1999	1700	15.8	8.7	89
9/22/1999	1800	15.8	8.6	89
9/22/1999	1900	15.9	8.7	90
9/22/1999	2000	15.9	8.7	90
9/22/1999	2100	16.0	8.8	91
9/22/1999	2200	16.0	8.8	91
9/22/1999	2300	16.0	8.8	91
9/23/1999	0	16.0	8.9	91

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/23/1999	100	16.0	8.9	91
9/23/1999	200	16.0	8.9	91
9/23/1999	300	15.9	8.9	92
9/23/1999	400	15.9	8.9	92
9/23/1999	500	15.8	8.9	92
9/23/1999	600	15.8	8.9	91
9/23/1999	700	15.7	8.9	91
9/23/1999	800	15.7	8.9	91
9/23/1999	900	15.6	8.9	92
9/23/1999	1000	15.6	9.0	92
9/23/1999	1100	15.7	9.0	92
9/23/1999	1200	15.8	9.0	93
9/23/1999	1300	15.9	9.1	94
9/23/1999	1400	16.1	9.2	95
9/23/1999	1500	16.2	9.3	97
9/23/1999	1600	16.2	9.3	97
9/23/1999	1700	16.1	9.4	97
9/23/1999	1800	16.1	9.3	97
9/23/1999	1900	16.0	9.3	96
9/23/1999	2000	15.9	9.3	95
9/23/1999	2100	15.9	9.3	96
9/23/1999	2200	15.8	9.3	96
9/23/1999	2300	15.8	9.3	96
9/24/1999	0	15.7	9.3	96
9/24/1999	100	15.7	9.3	96
9/24/1999	200	15.7	9.3	96
9/24/1999	300	15.6	9.3	95
9/24/1999	400	15.6	9.3	95
9/24/1999	500	15.6	9.3	95
9/24/1999	600	15.5	9.3	95
9/24/1999	700	15.5	9.3	95
9/24/1999	800	15.4	9.3	95
9/24/1999	900	15.4	9.3	95
9/24/1999	1000	15.5	9.2	94
9/24/1999	1100	15.5	9.2	94
9/24/1999	1200	15.5	9.3	95
9/24/1999	1300	15.6	9.3	95
9/24/1999	1400	15.7	9.3	95
9/24/1999	1500	15.7	9.4	96
9/24/1999	1600	15.9	9.4	97
9/24/1999	1700	15.8	9.4	97
9/24/1999	1800	15.8	9.4	97
9/24/1999	1900	15.8	9.4	97
9/24/1999	2000	15.7	9.3	96
9/24/1999	2100	15.6	9.3	95
9/24/1999	2200	15.6	9.3	95
9/24/1999	2300	15.6	9.3	95
9/25/1999	0	15.6	9.2	94
9/25/1999	100	15.5	9.3	95
9/25/1999	200	15.5	9.3	95
9/25/1999	300	15.5	9.3	95
9/25/1999	400	15.4	9.3	95
9/25/1999	500	15.4	9.1	93
9/25/1999	600	15.4	9.1	93
9/25/1999	700	15.4	9.0	91
9/25/1999	800	15.3	9.1	92
9/25/1999	900	15.3	9.1	93
9/25/1999	1000	15.3	9.1	93

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/25/1999	1100	15.4	9.2	93
9/25/1999	1200	15.4	9.1	93
9/25/1999	1300	15.4	9.2	94
9/25/1999	1400	15.4	9.2	93
9/25/1999	1500	15.4	9.2	93
9/25/1999	1600	15.4	9.2	94
9/25/1999	1700	15.4	9.4	95
9/25/1999	1800	15.4	9.3	95
9/25/1999	1900	15.5	9.3	95
9/25/1999	2000	15.7	9.3	96
9/25/1999	2100	15.7	9.4	96
9/25/1999	2200	15.8	9.3	96
9/25/1999	2300	15.8	9.4	96
9/26/1999	0	15.8	9.4	96
9/26/1999	100	15.8	9.4	96
9/26/1999	200	15.8	9.4	96
9/26/1999	300	15.8	9.4	96
9/26/1999	400	15.8	9.4	96
9/26/1999	500	15.7	9.4	96
9/26/1999	600	15.7	9.3	96
9/26/1999	700	15.7	9.3	95
9/26/1999	800	15.7	9.3	96
9/26/1999	900	15.7	9.3	96
9/26/1999	1000	15.7	9.3	95
9/26/1999	1100	15.6	9.3	95
9/26/1999	1200	15.6	9.2	94
9/26/1999	1300	15.6	9.2	94
9/26/1999	1400	15.6	9.1	93
9/26/1999	1500	15.7	9.0	92
9/26/1999	1600	15.8	9.0	93
9/26/1999	1700	15.9	9.1	94
9/26/1999	1800	15.9	9.1	94
9/26/1999	1900	16.0	9.2	94
9/26/1999	2000	16.0	9.2	95
9/26/1999	2100	16.0	9.2	95
9/26/1999	2200	16.1	9.2	95
9/26/1999	2300	16.1	9.2	95
9/27/1999	0	16.1	9.2	95
9/27/1999	100	16.1	9.2	95
9/27/1999	200	16.1	9.2	95
9/27/1999	300	16.1	9.2	95
9/27/1999	400	16.1	9.2	95
9/27/1999	500	16.1	9.2	95
9/27/1999	600	16.1	9.2	95
9/27/1999	700	16.1	9.2	95
9/27/1999	800	16.1	9.1	94
9/27/1999	900	16.1	9.1	94
9/27/1999	1000	16.1	9.1	94
9/27/1999	1100	16.1	9.1	94
9/27/1999	1200	16.1	9.1	94
9/27/1999	1300	16.0	9.1	94
9/27/1999	1400	16.0	9.0	93
9/27/1999	1500	16.0	9.1	94
9/27/1999	1600	16.0	9.1	94
9/27/1999	1700	16.0	9.1	94
9/27/1999	1800	16.0	9.1	94
9/27/1999	1900	16.0	9.1	94
9/27/1999	2000	16.0	9.1	94

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/27/1999	2100	15.9	9.1	94
9/27/1999	2200	15.9	9.1	94
9/27/1999	2300	15.9	9.1	94
9/28/1999	0	15.9	9.1	94
9/28/1999	100	15.9	9.2	95
9/28/1999	200	15.9	9.2	94
9/28/1999	300	15.9	9.1	94
9/28/1999	400	15.8	9.2	94
9/28/1999	500	15.8	9.1	94
9/28/1999	600	15.8	9.1	94
9/28/1999	700	15.8	9.1	94
9/28/1999	800	15.8	9.1	93
9/28/1999	900	15.7	9.1	94
9/28/1999	1000	15.7	9.1	93
9/28/1999	1100	15.7	9.1	93
9/28/1999	1200	15.7	9.0	92
9/28/1999	1300	15.7	9.1	93
9/28/1999	1400	15.6	9.0	93
9/28/1999	1500	15.7	9.0	92
9/28/1999	1600	15.7	9.0	92
9/28/1999	1700	15.7	9.0	93
9/28/1999	1800	15.7	9.0	92
9/28/1999	1900	15.6	9.1	93
9/28/1999	2000	15.6	9.0	92
9/28/1999	2100	15.6	9.0	92
9/28/1999	2200	15.6	9.0	92
9/28/1999	2300	15.6	9.0	92
9/29/1999	0	15.6	9.0	92
9/29/1999	100	15.6	9.0	92
9/29/1999	200	15.5	9.0	92
9/29/1999	300	15.5	8.9	91
9/29/1999	400	15.5	8.9	91
9/29/1999	500	15.5	8.9	91
9/29/1999	600	15.4	8.9	91
9/29/1999	700	15.4	8.8	90
9/29/1999	800	15.3	8.9	90
9/29/1999	900	15.3	8.8	90
9/29/1999	1000	15.3	8.8	90
9/29/1999	1100	15.4	9.2	94
9/29/1999	1200	15.5	9.5	97
9/29/1999	1300	15.5	8.7	89
9/29/1999	1400	15.7	8.7	90
9/29/1999	1500	15.7	8.8	90
9/29/1999	1600	15.6	8.8	90
9/29/1999	1700	15.6	8.8	90
9/29/1999	1800	15.5	8.8	89
9/29/1999	1900	15.4	8.7	88
9/29/1999	2000	15.4	8.7	89
9/29/1999	2100	15.4	8.8	89
9/29/1999	2200	15.3	8.7	89
9/29/1999	2300	15.3	8.7	89
9/30/1999	0	15.2	8.8	89
9/30/1999	100	15.2	8.9	91
9/30/1999	200	15.1	8.9	90
9/30/1999	300	15.0	9.0	91
9/30/1999	400	14.9	9.0	91
9/30/1999	500	14.9	8.9	90
9/30/1999	600	14.9	8.9	90

White Rapids 1999 Tailrace Data

DATE (mm/dd/yy)	HOUR (0-2300)	TEMPERATURE (Degrees C)	DO (mg/l)	DO (% Saturation)
9/30/1999	700	14.8	9.0	90
9/30/1999	800	14.8	9.0	90
9/30/1999	900	14.8	8.9	90
9/30/1999	1000	14.7	8.9	90
9/30/1999	1100	14.8	8.9	89
9/30/1999	1200	14.8	8.8	89
9/30/1999	1300	14.7	8.8	89
9/30/1999	1400	14.8	8.8	89
9/30/1999	1500	14.7	8.7	87
9/30/1999	1600	14.7	8.7	88
9/30/1999	1700	14.6	8.7	88
9/30/1999	1800	14.6	8.7	87
9/30/1999	1900	14.6	8.7	87
9/30/1999	2000	14.6	8.7	87
9/30/1999	2100	14.6	8.7	87
9/30/1999	2200	14.6	8.7	87
9/30/1999	2300	14.6	8.7	87

9/30/1999