

Oconto County Lakes Project

WAUBEE LAKE STUDY SUMMARY REPORT 2018

*University of Wisconsin-Stevens Point and
Oconto County Staff and Citizens*

Oconto County Lakes Project Reports:

**State of the
Oconto County
Lakes**

**Lake Study
Summary
Reports**

**Operational Strategy and
Plan for Surface Water
Management and
Protection**



**Lake
Management
Plans**



Center for Watershed Science and Education
College of Natural Resources
University of Wisconsin-Stevens Point

Background

- Waubee Lake is a 116-acre seepage lake in central Oconto County with a maximum depth of 23 feet.
- Most water enters Waubee Lake via groundwater. Surface water runoff and direct precipitation also contribute water to lesser extents.
- Visitors have access to the lake from one public boat landing on the west side.
- This report summarizes data collected during the 2016-2017 lake study.




Township of Lakewood
Surface Area: 116 acres
Maximum Depth: 23 feet

Water Quality


Nutrients such as phosphorus and nitrogen are what feed aquatic plants and algae in a lake. Excessive amounts of nutrients delivered to a lake will result in abundant plant and algae growth. Disturbance within a watershed combined with the landscape's inability to infiltrate and filter runoff is what primarily delivers nutrients to a lake.

- ◆ Total Phosphorus was consistently **below** the standard of 40 ug/L for shallow seepage lakes during the two-year study. With very limited data, the long-term trend (based on July data) is slightly increasing.
- ◆ Inorganic nitrogen (0.31 mg/L) just exceeded the threshold of 0.3 mg/L when algal blooms increase.
- ◆ Chlorophyll-a, which is an indirect measure of algae, remained below the threshold of 6 ug/L and is decreasing over the long term.



Water Quality


Sufficient **dissolved oxygen** in lake water is essential to the survival of aquatic organisms. The amount of dissolved oxygen present within a lake varies by season and depth. It is determined by the biological activity that consumes or produces oxygen, by water mixing through wind, changes in temperature, and inputs of surface and groundwater. Generally, at least 5 mg/L oxygen is required for fish.




Throughout the year, sufficient oxygen is available in Waubee Lake in the top 15 feet of the water column.

Lake water **temperature** has a significant impact on water chemistry, spatial distribution of fish, microbial growth and oxygen content.

The temperature gradient in Waubee Lake is relatively uniform most of the year, typical of a shallow, mixed lake.





Water Quality



Water clarity is a measure of how deep light can penetrate (Secchi depth). Clarity is affected by water color, turbidity (suspended sediment), and algae. Water clarity helps determine where rooted aquatic plants can grow. It is typical for water clarity to vary throughout the year.


- The graph at the left shows water clarity measurements taken between April and November.
- During 2016-17, on average, the poorest water clarity in Waubee Lake was in June, August and November and the best was in May. These depths are generally shallower than previous observations and suggests decreasing water clarity over the long term (based on July data).



Water Quality

Other chemistry data was collected from lake water samples, such as basic cations, pollutants and acid rain input, and physical parameters. Results of such analyses can provide insights into a variety of other potential impacts to the lake. While concentrations of these compounds in lake water is usually low, higher concentrations can be indicators of other potential issues.

- ◆ Concentrations of potassium (0.9 mg/L), chloride (11.7 mg/L) and sodium (3 mg/L) were relatively low. This suggests minimal impact from septic systems, road salt, animal waste and fertilizers.
- ◆ DACT, a screening tool to determine if your lake is being impacted by pesticides, was not detected.
- ◆ Water in Waubee Lake is considered soft (52 mg/L CaCO₃). Soft water lakes have fewer dissolved minerals than hard water lakes, thus have less capacity to buffer against acidity and phosphorus availability to plants and algae.




For more information on how to interpret your lake's water quality data, please refer to the "State of the Oconto County Lakes Report" that is on file with Oconto County.

Shorelands

Shoreland vegetation is critical to a healthy lake's ecosystem. It provides habitat for many aquatic and terrestrial animals including birds, frogs, turtles, and many small and large mammals. It also helps to improve the quality of the runoff that is flowing across the landscape towards the lake. Healthy shoreland vegetation includes a mix of tall grasses/flowers, shrubs and trees.

- Shorelands around Waubee Lake were surveyed in September 2017. Much of Waubee Lake's shoreland is healthy, but some stretches are in need of restoration.


Total lakefront footage	No. Riparian lots	Measured shoreland disturbance (feet)	Measured shoreland disturbance (%)
14,936	89	3,794	25%



State Shoreland Zoning Ordinance NR 115 Wisc. Adm. Code for Unincorporated Municipalities

No vegetation within 35 feet of the lake's edge shall be removed except for:



- Up to 30% of shoreline may be removed of shrubs and trees for a view corridor
- A mowed or constructed pedestrian path up to 5 feet wide to access lake



What Can You Do To Help Waubee Lake?

- ✓ Leave natural shoreland vegetation in place or restore if it has been removed.
- ✓ Learn to identify and look for invasive plants and animals and know who to contact if found.
- ✓ Do not purchase prohibited and restricted species. Purchase native plants when possible.
- ✓ Never transplant water garden or aquarium plants into lakes, streams or wetlands. Properly dispose of them.
- ✓ Remove invasive exotic plants from your landscape and replace them with native plants or non-invasive exotics. Scout regularly for new invasive plants.
- ✓ Avoid using garden plants from other regions whose invasive potential is poorly understood.

Shorelands




Modifications, Structures, Erosion	Measured Occurrence
Artificial Beach	255 ft
Rip Rap	1,115 ft
Sea Wall	65 ft
Impervious Surface	612 ft
Mowed Lawn	3,191 ft
Erosion	90 ft
Nonconforming Buildings	16
Piers	91
Coarse Woody Habitat	37 logs/mile

Aquatic Plants


Aquatic plants are the forest landscape within a lake. They provide food and habitat for terrestrial and aquatic creatures such as fish, ducks, turtles, invertebrates and other animals. They increase oxygen levels in the water and utilize nutrients that would otherwise be used by algae. A healthy lake typically has a variety of aquatic plant species creating diversity that can help to prevent the establishment of aquatic invasive species.

- The aquatic plant community in Waubee Lake is characterized by high-quality vegetation with a floristic quality index (24.9) above the regional average. A total of 16 species were observed in the 2016 survey.
- During the 2016 aquatic plant survey of Waubee Lake, 72% of the sites had vegetative growth. The maximum depth of vegetation was 21.5 feet.
- The most frequently encountered plant species were chara (76%), Illinois pondweed (32%), and variable pondweed (20%). All three species are native to Wisconsin.

Waubee Lake Aquatic Plant Survey 2016:
Rake Fullness




Waubee Lake Aquatic Plant Survey 2016:
Total Number of Species



Aquatic Plants


Waubee Lake Aquatic Plant Survey 2016:
Muskgrass (*Chara* spp.)



Chara is a type of macro algae that grows attached to muddy lake bottoms and has a musky odor. Muskgrass, as it is known, filters the lake water and is helpful in preventing the establishment of invasive species.



Waubee Lake Aquatic Plant Survey 2016:
Illinois pondweed (*Potamogeton illinoensis*)




Illinois pondweed is important forage and cover for aquatic animals and an important food source for waterfowl.



Aquatic Plants

Waubee Lake Aquatic Plant Survey 2016: Variable pondweed (*Potamogeton gramineus*)



Variable pondweed has both floating and submersed leaves which provide food and habitat for fish.



Aquatic **invasive species** are non-native aquatic plants and animals that are most often unintentionally introduced into lakes by lake users. In some lakes, aquatic invasive plant species can exist as a part of the plant community, while in other lakes populations explode, creating dense beds that can damage boat motors, make areas non-navigable, inhibit activities like swimming and fishing, and disrupt the lakes' ecosystems.

- ✓ No invasive species were observed during the 2016 aquatic plant survey.
- ✓ Chinese mystery snail was documented in Waubee Lake in 2011.

Chinese mystery snails compete with native snails for food and habitat and can clog water intake pipes.



Acknowledgments

*This report was prepared as an appendix to the **Oconto County State of the Lakes Report**, which is on file with the Oconto County Land Conservation Department. Written and prepared by the Center for Watershed Science and Education at the University of Wisconsin-Stevens Point.*

Primary Authors

Ryan Haney and Paul McGinley

Acknowledgments

We are grateful to our project partners for supporting this project by providing insight, enthusiasm, and funding:

Waubee Lake Association

Oconto County Lakes and Waterways Association

Oconto County Land Conservation Department – Ken Dolata

Oconto County Staff and Citizens

UW Extension-Oconto County – Dale Mohr

Wisconsin Department of Natural Resources – Brenda Nordin

Wisconsin Department of Natural Resources Lake Protection Grant Program

UW-Stevens Point Water and Environmental Analysis Lab



Center for Watershed Science and Education
College of Natural Resources
University of Wisconsin-Stevens Point

